HIOS Issuer ID*	**49316**	**Blue Cross Blue Shield**
Federal TIN*	**41-0984460**	**Individual**
Rate Effective Date*	**01/01/2014**	
Rate Expiration Date*	**12/31/2014**	

Plan ID*	Rating Area ID*	Tobacco*	Age*	Individual Rate*
49316MN1000001	Rating Area 1	No Preference	0-20	158.82
49316MN1000001	Rating Area 1	No Preference	21	183.98
49316MN1000001	Rating Area 1	No Preference	22	183.98
49316MN1000001	Rating Area 1	No Preference	23	183.98
49316MN1000001	Rating Area 1	No Preference	24	183.98
49316MN1000001	Rating Area 1	No Preference	25	183.98
49316MN1000001	Rating Area 1	No Preference	26	183.98
49316MN1000001	Rating Area 1	No Preference	27	183.98
49316MN1000001	Rating Area 1	No Preference	28	183.98
49316MN1000001	Rating Area 1	No Preference	29	183.98
49316MN1000001	Rating Area 1	No Preference	30	210.21
49316MN1000001	Rating Area 1	No Preference	31	210.21
49316MN1000001	Rating Area 1	No Preference	32	210.21
49316MN1000001	Rating Area 1	No Preference	33	210.21
49316MN1000001	Rating Area 1	No Preference	34	210.21
49316MN1000001	Rating Area 1	No Preference	35	221.28
49316MN1000001	Rating Area 1	No Preference	36	221.28
49316MN1000001	Rating Area 1	No Preference	37	221.28
49316MN1000001	Rating Area 1	No Preference	38	221.28
49316MN1000001	Rating Area 1	No Preference	39	221.28
49316MN1000001	Rating Area 1	No Preference	40	237.69
49316MN1000001	Rating Area 1	No Preference	41	237.69
49316MN1000001	Rating Area 1	No Preference	42	237.69
49316MN1000001	Rating Area 1	No Preference	43	237.69
49316MN1000001	Rating Area 1	No Preference	44	237.69
49316MN1000001	Rating Area 1	No Preference	45	280.17
49316MN1000001	Rating Area 1	No Preference	46	280.17
49316MN1000001	Rating Area 1	No Preference	47	280.17
49316MN1000001	Rating Area 1	No Preference	48	280.17
49316MN1000001	Rating Area 1	No Preference	49	280.17
49316MN1000001	Rating Area 1	No Preference	50	349.05
49316MN1000001	Rating Area 1	No Preference	51	349.05
49316MN1000001	Rating Area 1	No Preference	52	349.05
49316MN1000001	Rating Area 1	No Preference	53	349.05
49316MN1000001	Rating Area 1	No Preference	54	349.05
49316MN1000001	Rating Area 1	No Preference	55	433.63
49316MN1000001	Rating Area 1	No Preference	56	433.63
49316MN1000001	Rating Area 1	No Preference	57	433.63
49316MN1000001	Rating Area 1	No Preference	58	433.63
49316MN1000001	Rating Area 1	No Preference	59	433.63
49316MN1000001	Rating Area 1	No Preference	60	512.15

49316MN1000001	Rating Area 1	No Preference	61	512.15
49316MN1000001	Rating Area 1	No Preference	62	512.15
49316MN1000001	Rating Area 1	No Preference	63	512.15
49316MN1000001	Rating Area 1	No Preference	64	535.35
49316MN1000001	Rating Area 1	No Preference	65 and over	535.35
49316MN1000001	Rating Area 2	No Preference	0-20	121.29
49316MN1000001	Rating Area 2	No Preference	21	140.51
49316MN1000001	Rating Area 2	No Preference	22	140.51
49316MN1000001	Rating Area 2	No Preference	23	140.51
49316MN1000001	Rating Area 2	No Preference	24	140.51
49316MN1000001	Rating Area 2	No Preference	25	140.51
49316MN1000001	Rating Area 2	No Preference	26	140.51
49316MN1000001	Rating Area 2	No Preference	27	140.51
49316MN1000001	Rating Area 2	No Preference	28	140.51
49316MN1000001	Rating Area 2	No Preference	29	140.51
49316MN1000001	Rating Area 2	No Preference	30	160.54
49316MN1000001	Rating Area 2	No Preference	31	160.54
49316MN1000001	Rating Area 2	No Preference	32	160.54
49316MN1000001	Rating Area 2	No Preference	33	160.54
49316MN1000001	Rating Area 2	No Preference	34	160.54
49316MN1000001	Rating Area 2	No Preference	35	168.99
49316MN1000001	Rating Area 2	No Preference	36	168.99
49316MN1000001	Rating Area 2	No Preference	37	168.99
49316MN1000001	Rating Area 2	No Preference	38	168.99
49316MN1000001	Rating Area 2	No Preference	39	168.99
49316MN1000001	Rating Area 2	No Preference	40	181.53
49316MN1000001	Rating Area 2	No Preference	41	181.53
49316MN1000001	Rating Area 2	No Preference	42	181.53
49316MN1000001	Rating Area 2	No Preference	43	181.53
49316MN1000001	Rating Area 2	No Preference	44	181.53
49316MN1000001	Rating Area 2	No Preference	45	213.96
49316MN1000001	Rating Area 2	No Preference	46	213.96
49316MN1000001	Rating Area 2	No Preference	47	213.96
49316MN1000001	Rating Area 2	No Preference	48	213.96
49316MN1000001	Rating Area 2	No Preference	49	213.96
49316MN1000001	Rating Area 2	No Preference	50	266.57
49316MN1000001	Rating Area 2	No Preference	51	266.57
49316MN1000001	Rating Area 2	No Preference	52	266.57
49316MN1000001	Rating Area 2	No Preference	53	266.57
49316MN1000001	Rating Area 2	No Preference	54	266.57
49316MN1000001	Rating Area 2	No Preference	55	331.17
49316MN1000001	Rating Area 2	No Preference	56	331.17
49316MN1000001	Rating Area 2	No Preference	57	331.17
49316MN1000001	Rating Area 2	No Preference	58	331.17
49316MN1000001	Rating Area 2	No Preference	59	331.17
49316MN1000001	Rating Area 2	No Preference	60	391.13
49316MN1000001	Rating Area 2	No Preference	61	391.13

49316MN1000001	Rating Area 2	No Preference	62	391.13
49316MN1000001	Rating Area 2	No Preference	63	391.13
49316MN1000001	Rating Area 2	No Preference	64	408.85
49316MN1000001	Rating Area 2	No Preference	65 and over	408.85
49316MN1000001	Rating Area 3	No Preference	0-20	123.76
49316MN1000001	Rating Area 3	No Preference	21	143.37
49316MN1000001	Rating Area 3	No Preference	22	143.37
49316MN1000001	Rating Area 3	No Preference	23	143.37
49316MN1000001	Rating Area 3	No Preference	24	143.37
49316MN1000001	Rating Area 3	No Preference	25	143.37
49316MN1000001	Rating Area 3	No Preference	26	143.37
49316MN1000001	Rating Area 3	No Preference	27	143.37
49316MN1000001	Rating Area 3	No Preference	28	143.37
49316MN1000001	Rating Area 3	No Preference	29	143.37
49316MN1000001	Rating Area 3	No Preference	30	163.81
49316MN1000001	Rating Area 3	No Preference	31	163.81
49316MN1000001	Rating Area 3	No Preference	32	163.81
49316MN1000001	Rating Area 3	No Preference	33	163.81
49316MN1000001	Rating Area 3	No Preference	34	163.81
49316MN1000001	Rating Area 3	No Preference	35	172.43
49316MN1000001	Rating Area 3	No Preference	36	172.43
49316MN1000001	Rating Area 3	No Preference	37	172.43
49316MN1000001	Rating Area 3	No Preference	38	172.43
49316MN1000001	Rating Area 3	No Preference	39	172.43
49316MN1000001	Rating Area 3	No Preference	40	185.23
49316MN1000001	Rating Area 3	No Preference	41	185.23
49316MN1000001	Rating Area 3	No Preference	42	185.23
49316MN1000001	Rating Area 3	No Preference	43	185.23
49316MN1000001	Rating Area 3	No Preference	44	185.23
49316MN1000001	Rating Area 3	No Preference	45	218.32
49316MN1000001	Rating Area 3	No Preference	46	218.32
49316MN1000001	Rating Area 3	No Preference	47	218.32
49316MN1000001	Rating Area 3	No Preference	48	218.32
49316MN1000001	Rating Area 3	No Preference	49	218.32
49316MN1000001	Rating Area 3	No Preference	50	272
49316MN1000001	Rating Area 3	No Preference	51	272
49316MN1000001	Rating Area 3	No Preference	52	272
49316MN1000001	Rating Area 3	No Preference	53	272
49316MN1000001	Rating Area 3	No Preference	54	272
49316MN1000001	Rating Area 3	No Preference	55	337.91
49316MN1000001	Rating Area 3	No Preference	56	337.91
49316MN1000001	Rating Area 3	No Preference	57	337.91
49316MN1000001	Rating Area 3	No Preference	58	337.91
49316MN1000001	Rating Area 3	No Preference	59	337.91
49316MN1000001	Rating Area 3	No Preference	60	399.1
49316MN1000001	Rating Area 3	No Preference	61	399.1
49316MN1000001	Rating Area 3	No Preference	62	399.1

49316MN1000001	Rating Area 3	No Preference	63	399.1
49316MN1000001	Rating Area 3	No Preference	64	417.17
49316MN1000001	Rating Area 3	No Preference	65 and over	417.17
49316MN1000001	Rating Area 4	No Preference	0-20	123.76
49316MN1000001	Rating Area 4	No Preference	21	143.37
49316MN1000001	Rating Area 4	No Preference	22	143.37
49316MN1000001	Rating Area 4	No Preference	23	143.37
49316MN1000001	Rating Area 4	No Preference	24	143.37
49316MN1000001	Rating Area 4	No Preference	25	143.37
49316MN1000001	Rating Area 4	No Preference	26	143.37
49316MN1000001	Rating Area 4	No Preference	27	143.37
49316MN1000001	Rating Area 4	No Preference	28	143.37
49316MN1000001	Rating Area 4	No Preference	29	143.37
49316MN1000001	Rating Area 4	No Preference	30	163.81
49316MN1000001	Rating Area 4	No Preference	31	163.81
49316MN1000001	Rating Area 4	No Preference	32	163.81
49316MN1000001	Rating Area 4	No Preference	33	163.81
49316MN1000001	Rating Area 4	No Preference	34	163.81
49316MN1000001	Rating Area 4	No Preference	35	172.43
49316MN1000001	Rating Area 4	No Preference	36	172.43
49316MN1000001	Rating Area 4	No Preference	37	172.43
49316MN1000001	Rating Area 4	No Preference	38	172.43
49316MN1000001	Rating Area 4	No Preference	39	172.43
49316MN1000001	Rating Area 4	No Preference	40	185.23
49316MN1000001	Rating Area 4	No Preference	41	185.23
49316MN1000001	Rating Area 4	No Preference	42	185.23
49316MN1000001	Rating Area 4	No Preference	43	185.23
49316MN1000001	Rating Area 4	No Preference	44	185.23
49316MN1000001	Rating Area 4	No Preference	45	218.32
49316MN1000001	Rating Area 4	No Preference	46	218.32
49316MN1000001	Rating Area 4	No Preference	47	218.32
49316MN1000001	Rating Area 4	No Preference	48	218.32
49316MN1000001	Rating Area 4	No Preference	49	218.32
49316MN1000001	Rating Area 4	No Preference	50	272
49316MN1000001	Rating Area 4	No Preference	51	272
49316MN1000001	Rating Area 4	No Preference	52	272
49316MN1000001	Rating Area 4	No Preference	53	272
49316MN1000001	Rating Area 4	No Preference	54	272
49316MN1000001	Rating Area 4	No Preference	55	337.91
49316MN1000001	Rating Area 4	No Preference	56	337.91
49316MN1000001	Rating Area 4	No Preference	57	337.91
49316MN1000001	Rating Area 4	No Preference	58	337.91
49316MN1000001	Rating Area 4	No Preference	59	337.91
49316MN1000001	Rating Area 4	No Preference	60	399.1
49316MN1000001	Rating Area 4	No Preference	61	399.1
49316MN1000001	Rating Area 4	No Preference	62	399.1
49316MN1000001	Rating Area 4	No Preference	63	399.1

49316MN1000001	Rating Area 4	No Preference	64	417.17
49316MN1000001	Rating Area 4	No Preference	65 and over	417.17
49316MN1000001	Rating Area 5	No Preference	0-20	123.76
49316MN1000001	Rating Area 5	No Preference	21	143.37
49316MN1000001	Rating Area 5	No Preference	22	143.37
49316MN1000001	Rating Area 5	No Preference	23	143.37
49316MN1000001	Rating Area 5	No Preference	24	143.37
49316MN1000001	Rating Area 5	No Preference	25	143.37
49316MN1000001	Rating Area 5	No Preference	26	143.37
49316MN1000001	Rating Area 5	No Preference	27	143.37
49316MN1000001	Rating Area 5	No Preference	28	143.37
49316MN1000001	Rating Area 5	No Preference	29	143.37
49316MN1000001	Rating Area 5	No Preference	30	163.81
49316MN1000001	Rating Area 5	No Preference	31	163.81
49316MN1000001	Rating Area 5	No Preference	32	163.81
49316MN1000001	Rating Area 5	No Preference	33	163.81
49316MN1000001	Rating Area 5	No Preference	34	163.81
49316MN1000001	Rating Area 5	No Preference	35	172.43
49316MN1000001	Rating Area 5	No Preference	36	172.43
49316MN1000001	Rating Area 5	No Preference	37	172.43
49316MN1000001	Rating Area 5	No Preference	38	172.43
49316MN1000001	Rating Area 5	No Preference	39	172.43
49316MN1000001	Rating Area 5	No Preference	40	185.23
49316MN1000001	Rating Area 5	No Preference	41	185.23
49316MN1000001	Rating Area 5	No Preference	42	185.23
49316MN1000001	Rating Area 5	No Preference	43	185.23
49316MN1000001	Rating Area 5	No Preference	44	185.23
49316MN1000001	Rating Area 5	No Preference	45	218.32
49316MN1000001	Rating Area 5	No Preference	46	218.32
49316MN1000001	Rating Area 5	No Preference	47	218.32
49316MN1000001	Rating Area 5	No Preference	48	218.32
49316MN1000001	Rating Area 5	No Preference	49	218.32
49316MN1000001	Rating Area 5	No Preference	50	272
49316MN1000001	Rating Area 5	No Preference	51	272
49316MN1000001	Rating Area 5	No Preference	52	272
49316MN1000001	Rating Area 5	No Preference	53	272
49316MN1000001	Rating Area 5	No Preference	54	272
49316MN1000001	Rating Area 5	No Preference	55	337.91
49316MN1000001	Rating Area 5	No Preference	56	337.91
49316MN1000001	Rating Area 5	No Preference	57	337.91
49316MN1000001	Rating Area 5	No Preference	58	337.91
49316MN1000001	Rating Area 5	No Preference	59	337.91
49316MN1000001	Rating Area 5	No Preference	60	399.1
49316MN1000001	Rating Area 5	No Preference	61	399.1
49316MN1000001	Rating Area 5	No Preference	62	399.1
49316MN1000001	Rating Area 5	No Preference	63	399.1
49316MN1000001	Rating Area 5	No Preference	64	417.17

49316MN1000001	Rating Area 5	No Preference	65 and over	417.17
49316MN1000001	Rating Area 6	No Preference	0-20	110.7
49316MN1000001	Rating Area 6	No Preference	21	128.24
49316MN1000001	Rating Area 6	No Preference	22	128.24
49316MN1000001	Rating Area 6	No Preference	23	128.24
49316MN1000001	Rating Area 6	No Preference	24	128.24
49316MN1000001	Rating Area 6	No Preference	25	128.24
49316MN1000001	Rating Area 6	No Preference	26	128.24
49316MN1000001	Rating Area 6	No Preference	27	128.24
49316MN1000001	Rating Area 6	No Preference	28	128.24
49316MN1000001	Rating Area 6	No Preference	29	128.24
49316MN1000001	Rating Area 6	No Preference	30	146.53
49316MN1000001	Rating Area 6	No Preference	31	146.53
49316MN1000001	Rating Area 6	No Preference	32	146.53
49316MN1000001	Rating Area 6	No Preference	33	146.53
49316MN1000001	Rating Area 6	No Preference	34	146.53
49316MN1000001	Rating Area 6	No Preference	35	154.24
49316MN1000001	Rating Area 6	No Preference	36	154.24
49316MN1000001	Rating Area 6	No Preference	37	154.24
49316MN1000001	Rating Area 6	No Preference	38	154.24
49316MN1000001	Rating Area 6	No Preference	39	154.24
49316MN1000001	Rating Area 6	No Preference	40	165.68
49316MN1000001	Rating Area 6	No Preference	41	165.68
49316MN1000001	Rating Area 6	No Preference	42	165.68
49316MN1000001	Rating Area 6	No Preference	43	165.68
49316MN1000001	Rating Area 6	No Preference	44	165.68
49316MN1000001	Rating Area 6	No Preference	45	195.29
49316MN1000001	Rating Area 6	No Preference	46	195.29
49316MN1000001	Rating Area 6	No Preference	47	195.29
49316MN1000001	Rating Area 6	No Preference	48	195.29
49316MN1000001	Rating Area 6	No Preference	49	195.29
49316MN1000001	Rating Area 6	No Preference	50	243.3
49316MN1000001	Rating Area 6	No Preference	51	243.3
49316MN1000001	Rating Area 6	No Preference	52	243.3
49316MN1000001	Rating Area 6	No Preference	53	243.3
49316MN1000001	Rating Area 6	No Preference	54	243.3
49316MN1000001	Rating Area 6	No Preference	55	302.26
49316MN1000001	Rating Area 6	No Preference	56	302.26
49316MN1000001	Rating Area 6	No Preference	57	302.26
49316MN1000001	Rating Area 6	No Preference	58	302.26
49316MN1000001	Rating Area 6	No Preference	59	302.26
49316MN1000001	Rating Area 6	No Preference	60	356.99
49316MN1000001	Rating Area 6	No Preference	61	356.99
49316MN1000001	Rating Area 6	No Preference	62	356.99
49316MN1000001	Rating Area 6	No Preference	63	356.99
49316MN1000001	Rating Area 6	No Preference	64	373.16
49316MN1000001	Rating Area 6	No Preference	65 and over	373.16

49316MN1000001	Rating Area 7	No Preference	0-20	121.29
49316MN1000001	Rating Area 7	No Preference	21	140.51
49316MN1000001	Rating Area 7	No Preference	22	140.51
49316MN1000001	Rating Area 7	No Preference	23	140.51
49316MN1000001	Rating Area 7	No Preference	24	140.51
49316MN1000001	Rating Area 7	No Preference	25	140.51
49316MN1000001	Rating Area 7	No Preference	26	140.51
49316MN1000001	Rating Area 7	No Preference	27	140.51
49316MN1000001	Rating Area 7	No Preference	28	140.51
49316MN1000001	Rating Area 7	No Preference	29	140.51
49316MN1000001	Rating Area 7	No Preference	30	160.54
49316MN1000001	Rating Area 7	No Preference	31	160.54
49316MN1000001	Rating Area 7	No Preference	32	160.54
49316MN1000001	Rating Area 7	No Preference	33	160.54
49316MN1000001	Rating Area 7	No Preference	34	160.54
49316MN1000001	Rating Area 7	No Preference	35	168.99
49316MN1000001	Rating Area 7	No Preference	36	168.99
49316MN1000001	Rating Area 7	No Preference	37	168.99
49316MN1000001	Rating Area 7	No Preference	38	168.99
49316MN1000001	Rating Area 7	No Preference	39	168.99
49316MN1000001	Rating Area 7	No Preference	40	181.53
49316MN1000001	Rating Area 7	No Preference	41	181.53
49316MN1000001	Rating Area 7	No Preference	42	181.53
49316MN1000001	Rating Area 7	No Preference	43	181.53
49316MN1000001	Rating Area 7	No Preference	44	181.53
49316MN1000001	Rating Area 7	No Preference	45	213.96
49316MN1000001	Rating Area 7	No Preference	46	213.96
49316MN1000001	Rating Area 7	No Preference	47	213.96
49316MN1000001	Rating Area 7	No Preference	48	213.96
49316MN1000001	Rating Area 7	No Preference	49	213.96
49316MN1000001	Rating Area 7	No Preference	50	266.57
49316MN1000001	Rating Area 7	No Preference	51	266.57
49316MN1000001	Rating Area 7	No Preference	52	266.57
49316MN1000001	Rating Area 7	No Preference	53	266.57
49316MN1000001	Rating Area 7	No Preference	54	266.57
49316MN1000001	Rating Area 7	No Preference	55	331.17
49316MN1000001	Rating Area 7	No Preference	56	331.17
49316MN1000001	Rating Area 7	No Preference	57	331.17
49316MN1000001	Rating Area 7	No Preference	58	331.17
49316MN1000001	Rating Area 7	No Preference	59	331.17
49316MN1000001	Rating Area 7	No Preference	60	391.13
49316MN1000001	Rating Area 7	No Preference	61	391.13
49316MN1000001	Rating Area 7	No Preference	62	391.13
49316MN1000001	Rating Area 7	No Preference	63	391.13
49316MN1000001	Rating Area 7	No Preference	64	408.85
49316MN1000001	Rating Area 7	No Preference	65 and over	408.85
49316MN1000001	Rating Area 8	No Preference	0-20	103.53

49316MN1000001	Rating Area 8	No Preference	21	119.93
49316MN1000001	Rating Area 8	No Preference	22	119.93
49316MN1000001	Rating Area 8	No Preference	23	119.93
49316MN1000001	Rating Area 8	No Preference	24	119.93
49316MN1000001	Rating Area 8	No Preference	25	119.93
49316MN1000001	Rating Area 8	No Preference	26	119.93
49316MN1000001	Rating Area 8	No Preference	27	119.93
49316MN1000001	Rating Area 8	No Preference	28	119.93
49316MN1000001	Rating Area 8	No Preference	29	119.93
49316MN1000001	Rating Area 8	No Preference	30	137.03
49316MN1000001	Rating Area 8	No Preference	31	137.03
49316MN1000001	Rating Area 8	No Preference	32	137.03
49316MN1000001	Rating Area 8	No Preference	33	137.03
49316MN1000001	Rating Area 8	No Preference	34	137.03
49316MN1000001	Rating Area 8	No Preference	35	144.24
49316MN1000001	Rating Area 8	No Preference	36	144.24
49316MN1000001	Rating Area 8	No Preference	37	144.24
49316MN1000001	Rating Area 8	No Preference	38	144.24
49316MN1000001	Rating Area 8	No Preference	39	144.24
49316MN1000001	Rating Area 8	No Preference	40	154.94
49316MN1000001	Rating Area 8	No Preference	41	154.94
49316MN1000001	Rating Area 8	No Preference	42	154.94
49316MN1000001	Rating Area 8	No Preference	43	154.94
49316MN1000001	Rating Area 8	No Preference	44	154.94
49316MN1000001	Rating Area 8	No Preference	45	182.63
49316MN1000001	Rating Area 8	No Preference	46	182.63
49316MN1000001	Rating Area 8	No Preference	47	182.63
49316MN1000001	Rating Area 8	No Preference	48	182.63
49316MN1000001	Rating Area 8	No Preference	49	182.63
49316MN1000001	Rating Area 8	No Preference	50	227.53
49316MN1000001	Rating Area 8	No Preference	51	227.53
49316MN1000001	Rating Area 8	No Preference	52	227.53
49316MN1000001	Rating Area 8	No Preference	53	227.53
49316MN1000001	Rating Area 8	No Preference	54	227.53
49316MN1000001	Rating Area 8	No Preference	55	282.66
49316MN1000001	Rating Area 8	No Preference	56	282.66
49316MN1000001	Rating Area 8	No Preference	57	282.66
49316MN1000001	Rating Area 8	No Preference	58	282.66
49316MN1000001	Rating Area 8	No Preference	59	282.66
49316MN1000001	Rating Area 8	No Preference	60	333.85
49316MN1000001	Rating Area 8	No Preference	61	333.85
49316MN1000001	Rating Area 8	No Preference	62	333.85
49316MN1000001	Rating Area 8	No Preference	63	333.85
49316MN1000001	Rating Area 8	No Preference	64	348.97
49316MN1000001	Rating Area 8	No Preference	65 and over	348.97
49316MN1000001	Rating Area 9	No Preference	0-20	103.53
49316MN1000001	Rating Area 9	No Preference	21	119.93

49316MN1000001	Rating Area 9	No Preference	22	119.93
49316MN1000001	Rating Area 9	No Preference	23	119.93
49316MN1000001	Rating Area 9	No Preference	24	119.93
49316MN1000001	Rating Area 9	No Preference	25	119.93
49316MN1000001	Rating Area 9	No Preference	26	119.93
49316MN1000001	Rating Area 9	No Preference	27	119.93
49316MN1000001	Rating Area 9	No Preference	28	119.93
49316MN1000001	Rating Area 9	No Preference	29	119.93
49316MN1000001	Rating Area 9	No Preference	30	137.03
49316MN1000001	Rating Area 9	No Preference	31	137.03
49316MN1000001	Rating Area 9	No Preference	32	137.03
49316MN1000001	Rating Area 9	No Preference	33	137.03
49316MN1000001	Rating Area 9	No Preference	34	137.03
49316MN1000001	Rating Area 9	No Preference	35	144.24
49316MN1000001	Rating Area 9	No Preference	36	144.24
49316MN1000001	Rating Area 9	No Preference	37	144.24
49316MN1000001	Rating Area 9	No Preference	38	144.24
49316MN1000001	Rating Area 9	No Preference	39	144.24
49316MN1000001	Rating Area 9	No Preference	40	154.94
49316MN1000001	Rating Area 9	No Preference	41	154.94
49316MN1000001	Rating Area 9	No Preference	42	154.94
49316MN1000001	Rating Area 9	No Preference	43	154.94
49316MN1000001	Rating Area 9	No Preference	44	154.94
49316MN1000001	Rating Area 9	No Preference	45	182.63
49316MN1000001	Rating Area 9	No Preference	46	182.63
49316MN1000001	Rating Area 9	No Preference	47	182.63
49316MN1000001	Rating Area 9	No Preference	48	182.63
49316MN1000001	Rating Area 9	No Preference	49	182.63
49316MN1000001	Rating Area 9	No Preference	50	227.53
49316MN1000001	Rating Area 9	No Preference	51	227.53
49316MN1000001	Rating Area 9	No Preference	52	227.53
49316MN1000001	Rating Area 9	No Preference	53	227.53
49316MN1000001	Rating Area 9	No Preference	54	227.53
49316MN1000001	Rating Area 9	No Preference	55	282.66
49316MN1000001	Rating Area 9	No Preference	56	282.66
49316MN1000001	Rating Area 9	No Preference	57	282.66
49316MN1000001	Rating Area 9	No Preference	58	282.66
49316MN1000001	Rating Area 9	No Preference	59	282.66
49316MN1000001	Rating Area 9	No Preference	60	333.85
49316MN1000001	Rating Area 9	No Preference	61	333.85
49316MN1000001	Rating Area 9	No Preference	62	333.85
49316MN1000001	Rating Area 9	No Preference	63	333.85
49316MN1000001	Rating Area 9	No Preference	64	348.97
49316MN1000001	Rating Area 9	No Preference	65 and over	348.97
49316MN1000002	Rating Area 1	No Preference	0-20	160.93
49316MN1000002	Rating Area 1	No Preference	21	186.42
49316MN1000002	Rating Area 1	No Preference	22	186.42

49316MN1000002	Rating Area 1	No Preference	23	186.42
49316MN1000002	Rating Area 1	No Preference	24	186.42
49316MN1000002	Rating Area 1	No Preference	25	186.42
49316MN1000002	Rating Area 1	No Preference	26	186.42
49316MN1000002	Rating Area 1	No Preference	27	186.42
49316MN1000002	Rating Area 1	No Preference	28	186.42
49316MN1000002	Rating Area 1	No Preference	29	186.42
49316MN1000002	Rating Area 1	No Preference	30	213
49316MN1000002	Rating Area 1	No Preference	31	213
49316MN1000002	Rating Area 1	No Preference	32	213
49316MN1000002	Rating Area 1	No Preference	33	213
49316MN1000002	Rating Area 1	No Preference	34	213
49316MN1000002	Rating Area 1	No Preference	35	224.22
49316MN1000002	Rating Area 1	No Preference	36	224.22
49316MN1000002	Rating Area 1	No Preference	37	224.22
49316MN1000002	Rating Area 1	No Preference	38	224.22
49316MN1000002	Rating Area 1	No Preference	39	224.22
49316MN1000002	Rating Area 1	No Preference	40	240.85
49316MN1000002	Rating Area 1	No Preference	41	240.85
49316MN1000002	Rating Area 1	No Preference	42	240.85
49316MN1000002	Rating Area 1	No Preference	43	240.85
49316MN1000002	Rating Area 1	No Preference	44	240.85
49316MN1000002	Rating Area 1	No Preference	45	283.89
49316MN1000002	Rating Area 1	No Preference	46	283.89
49316MN1000002	Rating Area 1	No Preference	47	283.89
49316MN1000002	Rating Area 1	No Preference	48	283.89
49316MN1000002	Rating Area 1	No Preference	49	283.89
49316MN1000002	Rating Area 1	No Preference	50	353.68
49316MN1000002	Rating Area 1	No Preference	51	353.68
49316MN1000002	Rating Area 1	No Preference	52	353.68
49316MN1000002	Rating Area 1	No Preference	53	353.68
49316MN1000002	Rating Area 1	No Preference	54	353.68
49316MN1000002	Rating Area 1	No Preference	55	439.39
49316MN1000002	Rating Area 1	No Preference	56	439.39
49316MN1000002	Rating Area 1	No Preference	57	439.39
49316MN1000002	Rating Area 1	No Preference	58	439.39
49316MN1000002	Rating Area 1	No Preference	59	439.39
49316MN1000002	Rating Area 1	No Preference	60	518.95
49316MN1000002	Rating Area 1	No Preference	61	518.95
49316MN1000002	Rating Area 1	No Preference	62	518.95
49316MN1000002	Rating Area 1	No Preference	63	518.95
49316MN1000002	Rating Area 1	No Preference	64	542.46
49316MN1000002	Rating Area 1	No Preference	65 and over	542.46
49316MN1000002	Rating Area 2	No Preference	0-20	122.9
49316MN1000002	Rating Area 2	No Preference	21	142.37
49316MN1000002	Rating Area 2	No Preference	22	142.37
49316MN1000002	Rating Area 2	No Preference	23	142.37

49316MN1000002	Rating Area 2	No Preference	24	142.37
49316MN1000002	Rating Area 2	No Preference	25	142.37
49316MN1000002	Rating Area 2	No Preference	26	142.37
49316MN1000002	Rating Area 2	No Preference	27	142.37
49316MN1000002	Rating Area 2	No Preference	28	142.37
49316MN1000002	Rating Area 2	No Preference	29	142.37
49316MN1000002	Rating Area 2	No Preference	30	162.67
49316MN1000002	Rating Area 2	No Preference	31	162.67
49316MN1000002	Rating Area 2	No Preference	32	162.67
49316MN1000002	Rating Area 2	No Preference	33	162.67
49316MN1000002	Rating Area 2	No Preference	34	162.67
49316MN1000002	Rating Area 2	No Preference	35	171.23
49316MN1000002	Rating Area 2	No Preference	36	171.23
49316MN1000002	Rating Area 2	No Preference	37	171.23
49316MN1000002	Rating Area 2	No Preference	38	171.23
49316MN1000002	Rating Area 2	No Preference	39	171.23
49316MN1000002	Rating Area 2	No Preference	40	183.94
49316MN1000002	Rating Area 2	No Preference	41	183.94
49316MN1000002	Rating Area 2	No Preference	42	183.94
49316MN1000002	Rating Area 2	No Preference	43	183.94
49316MN1000002	Rating Area 2	No Preference	44	183.94
49316MN1000002	Rating Area 2	No Preference	45	216.8
49316MN1000002	Rating Area 2	No Preference	46	216.8
49316MN1000002	Rating Area 2	No Preference	47	216.8
49316MN1000002	Rating Area 2	No Preference	48	216.8
49316MN1000002	Rating Area 2	No Preference	49	216.8
49316MN1000002	Rating Area 2	No Preference	50	270.11
49316MN1000002	Rating Area 2	No Preference	51	270.11
49316MN1000002	Rating Area 2	No Preference	52	270.11
49316MN1000002	Rating Area 2	No Preference	53	270.11
49316MN1000002	Rating Area 2	No Preference	54	270.11
49316MN1000002	Rating Area 2	No Preference	55	335.56
49316MN1000002	Rating Area 2	No Preference	56	335.56
49316MN1000002	Rating Area 2	No Preference	57	335.56
49316MN1000002	Rating Area 2	No Preference	58	335.56
49316MN1000002	Rating Area 2	No Preference	59	335.56
49316MN1000002	Rating Area 2	No Preference	60	396.32
49316MN1000002	Rating Area 2	No Preference	61	396.32
49316MN1000002	Rating Area 2	No Preference	62	396.32
49316MN1000002	Rating Area 2	No Preference	63	396.32
49316MN1000002	Rating Area 2	No Preference	64	414.28
49316MN1000002	Rating Area 2	No Preference	65 and over	414.28
49316MN1000002	Rating Area 3	No Preference	0-20	125.41
49316MN1000002	Rating Area 3	No Preference	21	145.27
49316MN1000002	Rating Area 3	No Preference	22	145.27
49316MN1000002	Rating Area 3	No Preference	23	145.27
49316MN1000002	Rating Area 3	No Preference	24	145.27

49316MN1000002	Rating Area 3	No Preference	25	145.27
49316MN1000002	Rating Area 3	No Preference	26	145.27
49316MN1000002	Rating Area 3	No Preference	27	145.27
49316MN1000002	Rating Area 3	No Preference	28	145.27
49316MN1000002	Rating Area 3	No Preference	29	145.27
49316MN1000002	Rating Area 3	No Preference	30	165.99
49316MN1000002	Rating Area 3	No Preference	31	165.99
49316MN1000002	Rating Area 3	No Preference	32	165.99
49316MN1000002	Rating Area 3	No Preference	33	165.99
49316MN1000002	Rating Area 3	No Preference	34	165.99
49316MN1000002	Rating Area 3	No Preference	35	174.72
49316MN1000002	Rating Area 3	No Preference	36	174.72
49316MN1000002	Rating Area 3	No Preference	37	174.72
49316MN1000002	Rating Area 3	No Preference	38	174.72
49316MN1000002	Rating Area 3	No Preference	39	174.72
49316MN1000002	Rating Area 3	No Preference	40	187.69
49316MN1000002	Rating Area 3	No Preference	41	187.69
49316MN1000002	Rating Area 3	No Preference	42	187.69
49316MN1000002	Rating Area 3	No Preference	43	187.69
49316MN1000002	Rating Area 3	No Preference	44	187.69
49316MN1000002	Rating Area 3	No Preference	45	221.22
49316MN1000002	Rating Area 3	No Preference	46	221.22
49316MN1000002	Rating Area 3	No Preference	47	221.22
49316MN1000002	Rating Area 3	No Preference	48	221.22
49316MN1000002	Rating Area 3	No Preference	49	221.22
49316MN1000002	Rating Area 3	No Preference	50	275.61
49316MN1000002	Rating Area 3	No Preference	51	275.61
49316MN1000002	Rating Area 3	No Preference	52	275.61
49316MN1000002	Rating Area 3	No Preference	53	275.61
49316MN1000002	Rating Area 3	No Preference	54	275.61
49316MN1000002	Rating Area 3	No Preference	55	342.4
49316MN1000002	Rating Area 3	No Preference	56	342.4
49316MN1000002	Rating Area 3	No Preference	57	342.4
49316MN1000002	Rating Area 3	No Preference	58	342.4
49316MN1000002	Rating Area 3	No Preference	59	342.4
49316MN1000002	Rating Area 3	No Preference	60	404.4
49316MN1000002	Rating Area 3	No Preference	61	404.4
49316MN1000002	Rating Area 3	No Preference	62	404.4
49316MN1000002	Rating Area 3	No Preference	63	404.4
49316MN1000002	Rating Area 3	No Preference	64	422.71
49316MN1000002	Rating Area 3	No Preference	65 and over	422.71
49316MN1000002	Rating Area 4	No Preference	0-20	125.41
49316MN1000002	Rating Area 4	No Preference	21	145.27
49316MN1000002	Rating Area 4	No Preference	22	145.27
49316MN1000002	Rating Area 4	No Preference	23	145.27
49316MN1000002	Rating Area 4	No Preference	24	145.27
49316MN1000002	Rating Area 4	No Preference	25	145.27

49316MN1000002	Rating Area 4	No Preference	26	145.27
49316MN1000002	Rating Area 4	No Preference	27	145.27
49316MN1000002	Rating Area 4	No Preference	28	145.27
49316MN1000002	Rating Area 4	No Preference	29	145.27
49316MN1000002	Rating Area 4	No Preference	30	165.99
49316MN1000002	Rating Area 4	No Preference	31	165.99
49316MN1000002	Rating Area 4	No Preference	32	165.99
49316MN1000002	Rating Area 4	No Preference	33	165.99
49316MN1000002	Rating Area 4	No Preference	34	165.99
49316MN1000002	Rating Area 4	No Preference	35	174.72
49316MN1000002	Rating Area 4	No Preference	36	174.72
49316MN1000002	Rating Area 4	No Preference	37	174.72
49316MN1000002	Rating Area 4	No Preference	38	174.72
49316MN1000002	Rating Area 4	No Preference	39	174.72
49316MN1000002	Rating Area 4	No Preference	40	187.69
49316MN1000002	Rating Area 4	No Preference	41	187.69
49316MN1000002	Rating Area 4	No Preference	42	187.69
49316MN1000002	Rating Area 4	No Preference	43	187.69
49316MN1000002	Rating Area 4	No Preference	44	187.69
49316MN1000002	Rating Area 4	No Preference	45	221.22
49316MN1000002	Rating Area 4	No Preference	46	221.22
49316MN1000002	Rating Area 4	No Preference	47	221.22
49316MN1000002	Rating Area 4	No Preference	48	221.22
49316MN1000002	Rating Area 4	No Preference	49	221.22
49316MN1000002	Rating Area 4	No Preference	50	275.61
49316MN1000002	Rating Area 4	No Preference	51	275.61
49316MN1000002	Rating Area 4	No Preference	52	275.61
49316MN1000002	Rating Area 4	No Preference	53	275.61
49316MN1000002	Rating Area 4	No Preference	54	275.61
49316MN1000002	Rating Area 4	No Preference	55	342.4
49316MN1000002	Rating Area 4	No Preference	56	342.4
49316MN1000002	Rating Area 4	No Preference	57	342.4
49316MN1000002	Rating Area 4	No Preference	58	342.4
49316MN1000002	Rating Area 4	No Preference	59	342.4
49316MN1000002	Rating Area 4	No Preference	60	404.4
49316MN1000002	Rating Area 4	No Preference	61	404.4
49316MN1000002	Rating Area 4	No Preference	62	404.4
49316MN1000002	Rating Area 4	No Preference	63	404.4
49316MN1000002	Rating Area 4	No Preference	64	422.71
49316MN1000002	Rating Area 4	No Preference	65 and over	422.71
49316MN1000002	Rating Area 5	No Preference	0-20	125.41
49316MN1000002	Rating Area 5	No Preference	21	145.27
49316MN1000002	Rating Area 5	No Preference	22	145.27
49316MN1000002	Rating Area 5	No Preference	23	145.27
49316MN1000002	Rating Area 5	No Preference	24	145.27
49316MN1000002	Rating Area 5	No Preference	25	145.27
49316MN1000002	Rating Area 5	No Preference	26	145.27

49316MN1000002	Rating Area 5	No Preference	27	145.27
49316MN1000002	Rating Area 5	No Preference	28	145.27
49316MN1000002	Rating Area 5	No Preference	29	145.27
49316MN1000002	Rating Area 5	No Preference	30	165.99
49316MN1000002	Rating Area 5	No Preference	31	165.99
49316MN1000002	Rating Area 5	No Preference	32	165.99
49316MN1000002	Rating Area 5	No Preference	33	165.99
49316MN1000002	Rating Area 5	No Preference	34	165.99
49316MN1000002	Rating Area 5	No Preference	35	174.72
49316MN1000002	Rating Area 5	No Preference	36	174.72
49316MN1000002	Rating Area 5	No Preference	37	174.72
49316MN1000002	Rating Area 5	No Preference	38	174.72
49316MN1000002	Rating Area 5	No Preference	39	174.72
49316MN1000002	Rating Area 5	No Preference	40	187.69
49316MN1000002	Rating Area 5	No Preference	41	187.69
49316MN1000002	Rating Area 5	No Preference	42	187.69
49316MN1000002	Rating Area 5	No Preference	43	187.69
49316MN1000002	Rating Area 5	No Preference	44	187.69
49316MN1000002	Rating Area 5	No Preference	45	221.22
49316MN1000002	Rating Area 5	No Preference	46	221.22
49316MN1000002	Rating Area 5	No Preference	47	221.22
49316MN1000002	Rating Area 5	No Preference	48	221.22
49316MN1000002	Rating Area 5	No Preference	49	221.22
49316MN1000002	Rating Area 5	No Preference	50	275.61
49316MN1000002	Rating Area 5	No Preference	51	275.61
49316MN1000002	Rating Area 5	No Preference	52	275.61
49316MN1000002	Rating Area 5	No Preference	53	275.61
49316MN1000002	Rating Area 5	No Preference	54	275.61
49316MN1000002	Rating Area 5	No Preference	55	342.4
49316MN1000002	Rating Area 5	No Preference	56	342.4
49316MN1000002	Rating Area 5	No Preference	57	342.4
49316MN1000002	Rating Area 5	No Preference	58	342.4
49316MN1000002	Rating Area 5	No Preference	59	342.4
49316MN1000002	Rating Area 5	No Preference	60	404.4
49316MN1000002	Rating Area 5	No Preference	61	404.4
49316MN1000002	Rating Area 5	No Preference	62	404.4
49316MN1000002	Rating Area 5	No Preference	63	404.4
49316MN1000002	Rating Area 5	No Preference	64	422.71
49316MN1000002	Rating Area 5	No Preference	65 and over	422.71
49316MN1000002	Rating Area 6	No Preference	0-20	112.17
49316MN1000002	Rating Area 6	No Preference	21	129.94
49316MN1000002	Rating Area 6	No Preference	22	129.94
49316MN1000002	Rating Area 6	No Preference	23	129.94
49316MN1000002	Rating Area 6	No Preference	24	129.94
49316MN1000002	Rating Area 6	No Preference	25	129.94
49316MN1000002	Rating Area 6	No Preference	26	129.94
49316MN1000002	Rating Area 6	No Preference	27	129.94

49316MN1000002	Rating Area 6	No Preference	28	129.94
49316MN1000002	Rating Area 6	No Preference	29	129.94
49316MN1000002	Rating Area 6	No Preference	30	148.47
49316MN1000002	Rating Area 6	No Preference	31	148.47
49316MN1000002	Rating Area 6	No Preference	32	148.47
49316MN1000002	Rating Area 6	No Preference	33	148.47
49316MN1000002	Rating Area 6	No Preference	34	148.47
49316MN1000002	Rating Area 6	No Preference	35	156.29
49316MN1000002	Rating Area 6	No Preference	36	156.29
49316MN1000002	Rating Area 6	No Preference	37	156.29
49316MN1000002	Rating Area 6	No Preference	38	156.29
49316MN1000002	Rating Area 6	No Preference	39	156.29
49316MN1000002	Rating Area 6	No Preference	40	167.88
49316MN1000002	Rating Area 6	No Preference	41	167.88
49316MN1000002	Rating Area 6	No Preference	42	167.88
49316MN1000002	Rating Area 6	No Preference	43	167.88
49316MN1000002	Rating Area 6	No Preference	44	167.88
49316MN1000002	Rating Area 6	No Preference	45	197.88
49316MN1000002	Rating Area 6	No Preference	46	197.88
49316MN1000002	Rating Area 6	No Preference	47	197.88
49316MN1000002	Rating Area 6	No Preference	48	197.88
49316MN1000002	Rating Area 6	No Preference	49	197.88
49316MN1000002	Rating Area 6	No Preference	50	246.53
49316MN1000002	Rating Area 6	No Preference	51	246.53
49316MN1000002	Rating Area 6	No Preference	52	246.53
49316MN1000002	Rating Area 6	No Preference	53	246.53
49316MN1000002	Rating Area 6	No Preference	54	246.53
49316MN1000002	Rating Area 6	No Preference	55	306.27
49316MN1000002	Rating Area 6	No Preference	56	306.27
49316MN1000002	Rating Area 6	No Preference	57	306.27
49316MN1000002	Rating Area 6	No Preference	58	306.27
49316MN1000002	Rating Area 6	No Preference	59	306.27
49316MN1000002	Rating Area 6	No Preference	60	361.73
49316MN1000002	Rating Area 6	No Preference	61	361.73
49316MN1000002	Rating Area 6	No Preference	62	361.73
49316MN1000002	Rating Area 6	No Preference	63	361.73
49316MN1000002	Rating Area 6	No Preference	64	378.11
49316MN1000002	Rating Area 6	No Preference	65 and over	378.11
49316MN1000002	Rating Area 7	No Preference	0-20	122.9
49316MN1000002	Rating Area 7	No Preference	21	142.37
49316MN1000002	Rating Area 7	No Preference	22	142.37
49316MN1000002	Rating Area 7	No Preference	23	142.37
49316MN1000002	Rating Area 7	No Preference	24	142.37
49316MN1000002	Rating Area 7	No Preference	25	142.37
49316MN1000002	Rating Area 7	No Preference	26	142.37
49316MN1000002	Rating Area 7	No Preference	27	142.37
49316MN1000002	Rating Area 7	No Preference	28	142.37

49316MN1000002	Rating Area 7	No Preference	29	142.37
49316MN1000002	Rating Area 7	No Preference	30	162.67
49316MN1000002	Rating Area 7	No Preference	31	162.67
49316MN1000002	Rating Area 7	No Preference	32	162.67
49316MN1000002	Rating Area 7	No Preference	33	162.67
49316MN1000002	Rating Area 7	No Preference	34	162.67
49316MN1000002	Rating Area 7	No Preference	35	171.23
49316MN1000002	Rating Area 7	No Preference	36	171.23
49316MN1000002	Rating Area 7	No Preference	37	171.23
49316MN1000002	Rating Area 7	No Preference	38	171.23
49316MN1000002	Rating Area 7	No Preference	39	171.23
49316MN1000002	Rating Area 7	No Preference	40	183.94
49316MN1000002	Rating Area 7	No Preference	41	183.94
49316MN1000002	Rating Area 7	No Preference	42	183.94
49316MN1000002	Rating Area 7	No Preference	43	183.94
49316MN1000002	Rating Area 7	No Preference	44	183.94
49316MN1000002	Rating Area 7	No Preference	45	216.8
49316MN1000002	Rating Area 7	No Preference	46	216.8
49316MN1000002	Rating Area 7	No Preference	47	216.8
49316MN1000002	Rating Area 7	No Preference	48	216.8
49316MN1000002	Rating Area 7	No Preference	49	216.8
49316MN1000002	Rating Area 7	No Preference	50	270.11
49316MN1000002	Rating Area 7	No Preference	51	270.11
49316MN1000002	Rating Area 7	No Preference	52	270.11
49316MN1000002	Rating Area 7	No Preference	53	270.11
49316MN1000002	Rating Area 7	No Preference	54	270.11
49316MN1000002	Rating Area 7	No Preference	55	335.56
49316MN1000002	Rating Area 7	No Preference	56	335.56
49316MN1000002	Rating Area 7	No Preference	57	335.56
49316MN1000002	Rating Area 7	No Preference	58	335.56
49316MN1000002	Rating Area 7	No Preference	59	335.56
49316MN1000002	Rating Area 7	No Preference	60	396.32
49316MN1000002	Rating Area 7	No Preference	61	396.32
49316MN1000002	Rating Area 7	No Preference	62	396.32
49316MN1000002	Rating Area 7	No Preference	63	396.32
49316MN1000002	Rating Area 7	No Preference	64	414.28
49316MN1000002	Rating Area 7	No Preference	65 and over	414.28
49316MN1000002	Rating Area 8	No Preference	0-20	104.9
49316MN1000002	Rating Area 8	No Preference	21	121.52
49316MN1000002	Rating Area 8	No Preference	22	121.52
49316MN1000002	Rating Area 8	No Preference	23	121.52
49316MN1000002	Rating Area 8	No Preference	24	121.52
49316MN1000002	Rating Area 8	No Preference	25	121.52
49316MN1000002	Rating Area 8	No Preference	26	121.52
49316MN1000002	Rating Area 8	No Preference	27	121.52
49316MN1000002	Rating Area 8	No Preference	28	121.52
49316MN1000002	Rating Area 8	No Preference	29	121.52

49316MN1000002	Rating Area 8	No Preference	30	138.85
49316MN1000002	Rating Area 8	No Preference	31	138.85
49316MN1000002	Rating Area 8	No Preference	32	138.85
49316MN1000002	Rating Area 8	No Preference	33	138.85
49316MN1000002	Rating Area 8	No Preference	34	138.85
49316MN1000002	Rating Area 8	No Preference	35	146.16
49316MN1000002	Rating Area 8	No Preference	36	146.16
49316MN1000002	Rating Area 8	No Preference	37	146.16
49316MN1000002	Rating Area 8	No Preference	38	146.16
49316MN1000002	Rating Area 8	No Preference	39	146.16
49316MN1000002	Rating Area 8	No Preference	40	157
49316MN1000002	Rating Area 8	No Preference	41	157
49316MN1000002	Rating Area 8	No Preference	42	157
49316MN1000002	Rating Area 8	No Preference	43	157
49316MN1000002	Rating Area 8	No Preference	44	157
49316MN1000002	Rating Area 8	No Preference	45	185.05
49316MN1000002	Rating Area 8	No Preference	46	185.05
49316MN1000002	Rating Area 8	No Preference	47	185.05
49316MN1000002	Rating Area 8	No Preference	48	185.05
49316MN1000002	Rating Area 8	No Preference	49	185.05
49316MN1000002	Rating Area 8	No Preference	50	230.55
49316MN1000002	Rating Area 8	No Preference	51	230.55
49316MN1000002	Rating Area 8	No Preference	52	230.55
49316MN1000002	Rating Area 8	No Preference	53	230.55
49316MN1000002	Rating Area 8	No Preference	54	230.55
49316MN1000002	Rating Area 8	No Preference	55	286.42
49316MN1000002	Rating Area 8	No Preference	56	286.42
49316MN1000002	Rating Area 8	No Preference	57	286.42
49316MN1000002	Rating Area 8	No Preference	58	286.42
49316MN1000002	Rating Area 8	No Preference	59	286.42
49316MN1000002	Rating Area 8	No Preference	60	338.28
49316MN1000002	Rating Area 8	No Preference	61	338.28
49316MN1000002	Rating Area 8	No Preference	62	338.28
49316MN1000002	Rating Area 8	No Preference	63	338.28
49316MN1000002	Rating Area 8	No Preference	64	353.6
49316MN1000002	Rating Area 8	No Preference	65 and over	353.6
49316MN1000002	Rating Area 9	No Preference	0-20	104.9
49316MN1000002	Rating Area 9	No Preference	21	121.52
49316MN1000002	Rating Area 9	No Preference	22	121.52
49316MN1000002	Rating Area 9	No Preference	23	121.52
49316MN1000002	Rating Area 9	No Preference	24	121.52
49316MN1000002	Rating Area 9	No Preference	25	121.52
49316MN1000002	Rating Area 9	No Preference	26	121.52
49316MN1000002	Rating Area 9	No Preference	27	121.52
49316MN1000002	Rating Area 9	No Preference	28	121.52
49316MN1000002	Rating Area 9	No Preference	29	121.52
49316MN1000002	Rating Area 9	No Preference	30	138.85

49316MN1000002	Rating Area 9	No Preference	31	138.85
49316MN1000002	Rating Area 9	No Preference	32	138.85
49316MN1000002	Rating Area 9	No Preference	33	138.85
49316MN1000002	Rating Area 9	No Preference	34	138.85
49316MN1000002	Rating Area 9	No Preference	35	146.16
49316MN1000002	Rating Area 9	No Preference	36	146.16
49316MN1000002	Rating Area 9	No Preference	37	146.16
49316MN1000002	Rating Area 9	No Preference	38	146.16
49316MN1000002	Rating Area 9	No Preference	39	146.16
49316MN1000002	Rating Area 9	No Preference	40	157
49316MN1000002	Rating Area 9	No Preference	41	157
49316MN1000002	Rating Area 9	No Preference	42	157
49316MN1000002	Rating Area 9	No Preference	43	157
49316MN1000002	Rating Area 9	No Preference	44	157
49316MN1000002	Rating Area 9	No Preference	45	185.05
49316MN1000002	Rating Area 9	No Preference	46	185.05
49316MN1000002	Rating Area 9	No Preference	47	185.05
49316MN1000002	Rating Area 9	No Preference	48	185.05
49316MN1000002	Rating Area 9	No Preference	49	185.05
49316MN1000002	Rating Area 9	No Preference	50	230.55
49316MN1000002	Rating Area 9	No Preference	51	230.55
49316MN1000002	Rating Area 9	No Preference	52	230.55
49316MN1000002	Rating Area 9	No Preference	53	230.55
49316MN1000002	Rating Area 9	No Preference	54	230.55
49316MN1000002	Rating Area 9	No Preference	55	286.42
49316MN1000002	Rating Area 9	No Preference	56	286.42
49316MN1000002	Rating Area 9	No Preference	57	286.42
49316MN1000002	Rating Area 9	No Preference	58	286.42
49316MN1000002	Rating Area 9	No Preference	59	286.42
49316MN1000002	Rating Area 9	No Preference	60	338.28
49316MN1000002	Rating Area 9	No Preference	61	338.28
49316MN1000002	Rating Area 9	No Preference	62	338.28
49316MN1000002	Rating Area 9	No Preference	63	338.28
49316MN1000002	Rating Area 9	No Preference	64	353.6
49316MN1000002	Rating Area 9	No Preference	65 and over	353.6
49316MN1000003	Rating Area 1	No Preference	0-20	192.86
49316MN1000003	Rating Area 1	No Preference	21	223.41
49316MN1000003	Rating Area 1	No Preference	22	223.41
49316MN1000003	Rating Area 1	No Preference	23	223.41
49316MN1000003	Rating Area 1	No Preference	24	223.41
49316MN1000003	Rating Area 1	No Preference	25	223.41
49316MN1000003	Rating Area 1	No Preference	26	223.41
49316MN1000003	Rating Area 1	No Preference	27	223.41
49316MN1000003	Rating Area 1	No Preference	28	223.41
49316MN1000003	Rating Area 1	No Preference	29	223.41
49316MN1000003	Rating Area 1	No Preference	30	255.26
49316MN1000003	Rating Area 1	No Preference	31	255.26

49316MN1000003	Rating Area 1	No Preference	32	255.26
49316MN1000003	Rating Area 1	No Preference	33	255.26
49316MN1000003	Rating Area 1	No Preference	34	255.26
49316MN1000003	Rating Area 1	No Preference	35	268.7
49316MN1000003	Rating Area 1	No Preference	36	268.7
49316MN1000003	Rating Area 1	No Preference	37	268.7
49316MN1000003	Rating Area 1	No Preference	38	268.7
49316MN1000003	Rating Area 1	No Preference	39	268.7
49316MN1000003	Rating Area 1	No Preference	40	288.63
49316MN1000003	Rating Area 1	No Preference	41	288.63
49316MN1000003	Rating Area 1	No Preference	42	288.63
49316MN1000003	Rating Area 1	No Preference	43	288.63
49316MN1000003	Rating Area 1	No Preference	44	288.63
49316MN1000003	Rating Area 1	No Preference	45	340.21
49316MN1000003	Rating Area 1	No Preference	46	340.21
49316MN1000003	Rating Area 1	No Preference	47	340.21
49316MN1000003	Rating Area 1	No Preference	48	340.21
49316MN1000003	Rating Area 1	No Preference	49	340.21
49316MN1000003	Rating Area 1	No Preference	50	423.85
49316MN1000003	Rating Area 1	No Preference	51	423.85
49316MN1000003	Rating Area 1	No Preference	52	423.85
49316MN1000003	Rating Area 1	No Preference	53	423.85
49316MN1000003	Rating Area 1	No Preference	54	423.85
49316MN1000003	Rating Area 1	No Preference	55	526.56
49316MN1000003	Rating Area 1	No Preference	56	526.56
49316MN1000003	Rating Area 1	No Preference	57	526.56
49316MN1000003	Rating Area 1	No Preference	58	526.56
49316MN1000003	Rating Area 1	No Preference	59	526.56
49316MN1000003	Rating Area 1	No Preference	60	621.9
49316MN1000003	Rating Area 1	No Preference	61	621.9
49316MN1000003	Rating Area 1	No Preference	62	621.9
49316MN1000003	Rating Area 1	No Preference	63	621.9
49316MN1000003	Rating Area 1	No Preference	64	650.07
49316MN1000003	Rating Area 1	No Preference	65 and over	650.07
49316MN1000003	Rating Area 2	No Preference	0-20	147.28
49316MN1000003	Rating Area 2	No Preference	21	170.62
49316MN1000003	Rating Area 2	No Preference	22	170.62
49316MN1000003	Rating Area 2	No Preference	23	170.62
49316MN1000003	Rating Area 2	No Preference	24	170.62
49316MN1000003	Rating Area 2	No Preference	25	170.62
49316MN1000003	Rating Area 2	No Preference	26	170.62
49316MN1000003	Rating Area 2	No Preference	27	170.62
49316MN1000003	Rating Area 2	No Preference	28	170.62
49316MN1000003	Rating Area 2	No Preference	29	170.62
49316MN1000003	Rating Area 2	No Preference	30	194.94
49316MN1000003	Rating Area 2	No Preference	31	194.94
49316MN1000003	Rating Area 2	No Preference	32	194.94

49316MN1000003	Rating Area 2	No Preference	33	194.94
49316MN1000003	Rating Area 2	No Preference	34	194.94
49316MN1000003	Rating Area 2	No Preference	35	205.2
49316MN1000003	Rating Area 2	No Preference	36	205.2
49316MN1000003	Rating Area 2	No Preference	37	205.2
49316MN1000003	Rating Area 2	No Preference	38	205.2
49316MN1000003	Rating Area 2	No Preference	39	205.2
49316MN1000003	Rating Area 2	No Preference	40	220.43
49316MN1000003	Rating Area 2	No Preference	41	220.43
49316MN1000003	Rating Area 2	No Preference	42	220.43
49316MN1000003	Rating Area 2	No Preference	43	220.43
49316MN1000003	Rating Area 2	No Preference	44	220.43
49316MN1000003	Rating Area 2	No Preference	45	259.82
49316MN1000003	Rating Area 2	No Preference	46	259.82
49316MN1000003	Rating Area 2	No Preference	47	259.82
49316MN1000003	Rating Area 2	No Preference	48	259.82
49316MN1000003	Rating Area 2	No Preference	49	259.82
49316MN1000003	Rating Area 2	No Preference	50	323.69
49316MN1000003	Rating Area 2	No Preference	51	323.69
49316MN1000003	Rating Area 2	No Preference	52	323.69
49316MN1000003	Rating Area 2	No Preference	53	323.69
49316MN1000003	Rating Area 2	No Preference	54	323.69
49316MN1000003	Rating Area 2	No Preference	55	402.14
49316MN1000003	Rating Area 2	No Preference	56	402.14
49316MN1000003	Rating Area 2	No Preference	57	402.14
49316MN1000003	Rating Area 2	No Preference	58	402.14
49316MN1000003	Rating Area 2	No Preference	59	402.14
49316MN1000003	Rating Area 2	No Preference	60	474.95
49316MN1000003	Rating Area 2	No Preference	61	474.95
49316MN1000003	Rating Area 2	No Preference	62	474.95
49316MN1000003	Rating Area 2	No Preference	63	474.95
49316MN1000003	Rating Area 2	No Preference	64	496.46
49316MN1000003	Rating Area 2	No Preference	65 and over	496.46
49316MN1000003	Rating Area 3	No Preference	0-20	150.28
49316MN1000003	Rating Area 3	No Preference	21	174.09
49316MN1000003	Rating Area 3	No Preference	22	174.09
49316MN1000003	Rating Area 3	No Preference	23	174.09
49316MN1000003	Rating Area 3	No Preference	24	174.09
49316MN1000003	Rating Area 3	No Preference	25	174.09
49316MN1000003	Rating Area 3	No Preference	26	174.09
49316MN1000003	Rating Area 3	No Preference	27	174.09
49316MN1000003	Rating Area 3	No Preference	28	174.09
49316MN1000003	Rating Area 3	No Preference	29	174.09
49316MN1000003	Rating Area 3	No Preference	30	198.92
49316MN1000003	Rating Area 3	No Preference	31	198.92
49316MN1000003	Rating Area 3	No Preference	32	198.92
49316MN1000003	Rating Area 3	No Preference	33	198.92

49316MN1000003	Rating Area 3	No Preference	34	198.92
49316MN1000003	Rating Area 3	No Preference	35	209.38
49316MN1000003	Rating Area 3	No Preference	36	209.38
49316MN1000003	Rating Area 3	No Preference	37	209.38
49316MN1000003	Rating Area 3	No Preference	38	209.38
49316MN1000003	Rating Area 3	No Preference	39	209.38
49316MN1000003	Rating Area 3	No Preference	40	224.92
49316MN1000003	Rating Area 3	No Preference	41	224.92
49316MN1000003	Rating Area 3	No Preference	42	224.92
49316MN1000003	Rating Area 3	No Preference	43	224.92
49316MN1000003	Rating Area 3	No Preference	44	224.92
49316MN1000003	Rating Area 3	No Preference	45	265.11
49316MN1000003	Rating Area 3	No Preference	46	265.11
49316MN1000003	Rating Area 3	No Preference	47	265.11
49316MN1000003	Rating Area 3	No Preference	48	265.11
49316MN1000003	Rating Area 3	No Preference	49	265.11
49316MN1000003	Rating Area 3	No Preference	50	330.29
49316MN1000003	Rating Area 3	No Preference	51	330.29
49316MN1000003	Rating Area 3	No Preference	52	330.29
49316MN1000003	Rating Area 3	No Preference	53	330.29
49316MN1000003	Rating Area 3	No Preference	54	330.29
49316MN1000003	Rating Area 3	No Preference	55	410.33
49316MN1000003	Rating Area 3	No Preference	56	410.33
49316MN1000003	Rating Area 3	No Preference	57	410.33
49316MN1000003	Rating Area 3	No Preference	58	410.33
49316MN1000003	Rating Area 3	No Preference	59	410.33
49316MN1000003	Rating Area 3	No Preference	60	484.62
49316MN1000003	Rating Area 3	No Preference	61	484.62
49316MN1000003	Rating Area 3	No Preference	62	484.62
49316MN1000003	Rating Area 3	No Preference	63	484.62
49316MN1000003	Rating Area 3	No Preference	64	506.58
49316MN1000003	Rating Area 3	No Preference	65 and over	506.58
49316MN1000003	Rating Area 4	No Preference	0-20	150.28
49316MN1000003	Rating Area 4	No Preference	21	174.09
49316MN1000003	Rating Area 4	No Preference	22	174.09
49316MN1000003	Rating Area 4	No Preference	23	174.09
49316MN1000003	Rating Area 4	No Preference	24	174.09
49316MN1000003	Rating Area 4	No Preference	25	174.09
49316MN1000003	Rating Area 4	No Preference	26	174.09
49316MN1000003	Rating Area 4	No Preference	27	174.09
49316MN1000003	Rating Area 4	No Preference	28	174.09
49316MN1000003	Rating Area 4	No Preference	29	174.09
49316MN1000003	Rating Area 4	No Preference	30	198.92
49316MN1000003	Rating Area 4	No Preference	31	198.92
49316MN1000003	Rating Area 4	No Preference	32	198.92
49316MN1000003	Rating Area 4	No Preference	33	198.92
49316MN1000003	Rating Area 4	No Preference	34	198.92

49316MN1000003	Rating Area 4	No Preference	35	209.38
49316MN1000003	Rating Area 4	No Preference	36	209.38
49316MN1000003	Rating Area 4	No Preference	37	209.38
49316MN1000003	Rating Area 4	No Preference	38	209.38
49316MN1000003	Rating Area 4	No Preference	39	209.38
49316MN1000003	Rating Area 4	No Preference	40	224.92
49316MN1000003	Rating Area 4	No Preference	41	224.92
49316MN1000003	Rating Area 4	No Preference	42	224.92
49316MN1000003	Rating Area 4	No Preference	43	224.92
49316MN1000003	Rating Area 4	No Preference	44	224.92
49316MN1000003	Rating Area 4	No Preference	45	265.11
49316MN1000003	Rating Area 4	No Preference	46	265.11
49316MN1000003	Rating Area 4	No Preference	47	265.11
49316MN1000003	Rating Area 4	No Preference	48	265.11
49316MN1000003	Rating Area 4	No Preference	49	265.11
49316MN1000003	Rating Area 4	No Preference	50	330.29
49316MN1000003	Rating Area 4	No Preference	51	330.29
49316MN1000003	Rating Area 4	No Preference	52	330.29
49316MN1000003	Rating Area 4	No Preference	53	330.29
49316MN1000003	Rating Area 4	No Preference	54	330.29
49316MN1000003	Rating Area 4	No Preference	55	410.33
49316MN1000003	Rating Area 4	No Preference	56	410.33
49316MN1000003	Rating Area 4	No Preference	57	410.33
49316MN1000003	Rating Area 4	No Preference	58	410.33
49316MN1000003	Rating Area 4	No Preference	59	410.33
49316MN1000003	Rating Area 4	No Preference	60	484.62
49316MN1000003	Rating Area 4	No Preference	61	484.62
49316MN1000003	Rating Area 4	No Preference	62	484.62
49316MN1000003	Rating Area 4	No Preference	63	484.62
49316MN1000003	Rating Area 4	No Preference	64	506.58
49316MN1000003	Rating Area 4	No Preference	65 and over	506.58
49316MN1000003	Rating Area 5	No Preference	0-20	150.28
49316MN1000003	Rating Area 5	No Preference	21	174.09
49316MN1000003	Rating Area 5	No Preference	22	174.09
49316MN1000003	Rating Area 5	No Preference	23	174.09
49316MN1000003	Rating Area 5	No Preference	24	174.09
49316MN1000003	Rating Area 5	No Preference	25	174.09
49316MN1000003	Rating Area 5	No Preference	26	174.09
49316MN1000003	Rating Area 5	No Preference	27	174.09
49316MN1000003	Rating Area 5	No Preference	28	174.09
49316MN1000003	Rating Area 5	No Preference	29	174.09
49316MN1000003	Rating Area 5	No Preference	30	198.92
49316MN1000003	Rating Area 5	No Preference	31	198.92
49316MN1000003	Rating Area 5	No Preference	32	198.92
49316MN1000003	Rating Area 5	No Preference	33	198.92
49316MN1000003	Rating Area 5	No Preference	34	198.92
49316MN1000003	Rating Area 5	No Preference	35	209.38

49316MN1000003	Rating Area 5	No Preference	36	209.38
49316MN1000003	Rating Area 5	No Preference	37	209.38
49316MN1000003	Rating Area 5	No Preference	38	209.38
49316MN1000003	Rating Area 5	No Preference	39	209.38
49316MN1000003	Rating Area 5	No Preference	40	224.92
49316MN1000003	Rating Area 5	No Preference	41	224.92
49316MN1000003	Rating Area 5	No Preference	42	224.92
49316MN1000003	Rating Area 5	No Preference	43	224.92
49316MN1000003	Rating Area 5	No Preference	44	224.92
49316MN1000003	Rating Area 5	No Preference	45	265.11
49316MN1000003	Rating Area 5	No Preference	46	265.11
49316MN1000003	Rating Area 5	No Preference	47	265.11
49316MN1000003	Rating Area 5	No Preference	48	265.11
49316MN1000003	Rating Area 5	No Preference	49	265.11
49316MN1000003	Rating Area 5	No Preference	50	330.29
49316MN1000003	Rating Area 5	No Preference	51	330.29
49316MN1000003	Rating Area 5	No Preference	52	330.29
49316MN1000003	Rating Area 5	No Preference	53	330.29
49316MN1000003	Rating Area 5	No Preference	54	330.29
49316MN1000003	Rating Area 5	No Preference	55	410.33
49316MN1000003	Rating Area 5	No Preference	56	410.33
49316MN1000003	Rating Area 5	No Preference	57	410.33
49316MN1000003	Rating Area 5	No Preference	58	410.33
49316MN1000003	Rating Area 5	No Preference	59	410.33
49316MN1000003	Rating Area 5	No Preference	60	484.62
49316MN1000003	Rating Area 5	No Preference	61	484.62
49316MN1000003	Rating Area 5	No Preference	62	484.62
49316MN1000003	Rating Area 5	No Preference	63	484.62
49316MN1000003	Rating Area 5	No Preference	64	506.58
49316MN1000003	Rating Area 5	No Preference	65 and over	506.58
49316MN1000003	Rating Area 6	No Preference	0-20	134.43
49316MN1000003	Rating Area 6	No Preference	21	155.72
49316MN1000003	Rating Area 6	No Preference	22	155.72
49316MN1000003	Rating Area 6	No Preference	23	155.72
49316MN1000003	Rating Area 6	No Preference	24	155.72
49316MN1000003	Rating Area 6	No Preference	25	155.72
49316MN1000003	Rating Area 6	No Preference	26	155.72
49316MN1000003	Rating Area 6	No Preference	27	155.72
49316MN1000003	Rating Area 6	No Preference	28	155.72
49316MN1000003	Rating Area 6	No Preference	29	155.72
49316MN1000003	Rating Area 6	No Preference	30	177.93
49316MN1000003	Rating Area 6	No Preference	31	177.93
49316MN1000003	Rating Area 6	No Preference	32	177.93
49316MN1000003	Rating Area 6	No Preference	33	177.93
49316MN1000003	Rating Area 6	No Preference	34	177.93
49316MN1000003	Rating Area 6	No Preference	35	187.29
49316MN1000003	Rating Area 6	No Preference	36	187.29

49316MN1000003	Rating Area 6	No Preference	37	187.29
49316MN1000003	Rating Area 6	No Preference	38	187.29
49316MN1000003	Rating Area 6	No Preference	39	187.29
49316MN1000003	Rating Area 6	No Preference	40	201.19
49316MN1000003	Rating Area 6	No Preference	41	201.19
49316MN1000003	Rating Area 6	No Preference	42	201.19
49316MN1000003	Rating Area 6	No Preference	43	201.19
49316MN1000003	Rating Area 6	No Preference	44	201.19
49316MN1000003	Rating Area 6	No Preference	45	237.14
49316MN1000003	Rating Area 6	No Preference	46	237.14
49316MN1000003	Rating Area 6	No Preference	47	237.14
49316MN1000003	Rating Area 6	No Preference	48	237.14
49316MN1000003	Rating Area 6	No Preference	49	237.14
49316MN1000003	Rating Area 6	No Preference	50	295.44
49316MN1000003	Rating Area 6	No Preference	51	295.44
49316MN1000003	Rating Area 6	No Preference	52	295.44
49316MN1000003	Rating Area 6	No Preference	53	295.44
49316MN1000003	Rating Area 6	No Preference	54	295.44
49316MN1000003	Rating Area 6	No Preference	55	367.03
49316MN1000003	Rating Area 6	No Preference	56	367.03
49316MN1000003	Rating Area 6	No Preference	57	367.03
49316MN1000003	Rating Area 6	No Preference	58	367.03
49316MN1000003	Rating Area 6	No Preference	59	367.03
49316MN1000003	Rating Area 6	No Preference	60	433.49
49316MN1000003	Rating Area 6	No Preference	61	433.49
49316MN1000003	Rating Area 6	No Preference	62	433.49
49316MN1000003	Rating Area 6	No Preference	63	433.49
49316MN1000003	Rating Area 6	No Preference	64	453.13
49316MN1000003	Rating Area 6	No Preference	65 and over	453.13
49316MN1000003	Rating Area 7	No Preference	0-20	147.28
49316MN1000003	Rating Area 7	No Preference	21	170.62
49316MN1000003	Rating Area 7	No Preference	22	170.62
49316MN1000003	Rating Area 7	No Preference	23	170.62
49316MN1000003	Rating Area 7	No Preference	24	170.62
49316MN1000003	Rating Area 7	No Preference	25	170.62
49316MN1000003	Rating Area 7	No Preference	26	170.62
49316MN1000003	Rating Area 7	No Preference	27	170.62
49316MN1000003	Rating Area 7	No Preference	28	170.62
49316MN1000003	Rating Area 7	No Preference	29	170.62
49316MN1000003	Rating Area 7	No Preference	30	194.94
49316MN1000003	Rating Area 7	No Preference	31	194.94
49316MN1000003	Rating Area 7	No Preference	32	194.94
49316MN1000003	Rating Area 7	No Preference	33	194.94
49316MN1000003	Rating Area 7	No Preference	34	194.94
49316MN1000003	Rating Area 7	No Preference	35	205.2
49316MN1000003	Rating Area 7	No Preference	36	205.2
49316MN1000003	Rating Area 7	No Preference	37	205.2

49316MN1000003	Rating Area 7	No Preference	38	205.2
49316MN1000003	Rating Area 7	No Preference	39	205.2
49316MN1000003	Rating Area 7	No Preference	40	220.43
49316MN1000003	Rating Area 7	No Preference	41	220.43
49316MN1000003	Rating Area 7	No Preference	42	220.43
49316MN1000003	Rating Area 7	No Preference	43	220.43
49316MN1000003	Rating Area 7	No Preference	44	220.43
49316MN1000003	Rating Area 7	No Preference	45	259.82
49316MN1000003	Rating Area 7	No Preference	46	259.82
49316MN1000003	Rating Area 7	No Preference	47	259.82
49316MN1000003	Rating Area 7	No Preference	48	259.82
49316MN1000003	Rating Area 7	No Preference	49	259.82
49316MN1000003	Rating Area 7	No Preference	50	323.69
49316MN1000003	Rating Area 7	No Preference	51	323.69
49316MN1000003	Rating Area 7	No Preference	52	323.69
49316MN1000003	Rating Area 7	No Preference	53	323.69
49316MN1000003	Rating Area 7	No Preference	54	323.69
49316MN1000003	Rating Area 7	No Preference	55	402.14
49316MN1000003	Rating Area 7	No Preference	56	402.14
49316MN1000003	Rating Area 7	No Preference	57	402.14
49316MN1000003	Rating Area 7	No Preference	58	402.14
49316MN1000003	Rating Area 7	No Preference	59	402.14
49316MN1000003	Rating Area 7	No Preference	60	474.95
49316MN1000003	Rating Area 7	No Preference	61	474.95
49316MN1000003	Rating Area 7	No Preference	62	474.95
49316MN1000003	Rating Area 7	No Preference	63	474.95
49316MN1000003	Rating Area 7	No Preference	64	496.46
49316MN1000003	Rating Area 7	No Preference	65 and over	496.46
49316MN1000003	Rating Area 8	No Preference	0-20	125.71
49316MN1000003	Rating Area 8	No Preference	21	145.63
49316MN1000003	Rating Area 8	No Preference	22	145.63
49316MN1000003	Rating Area 8	No Preference	23	145.63
49316MN1000003	Rating Area 8	No Preference	24	145.63
49316MN1000003	Rating Area 8	No Preference	25	145.63
49316MN1000003	Rating Area 8	No Preference	26	145.63
49316MN1000003	Rating Area 8	No Preference	27	145.63
49316MN1000003	Rating Area 8	No Preference	28	145.63
49316MN1000003	Rating Area 8	No Preference	29	145.63
49316MN1000003	Rating Area 8	No Preference	30	166.39
49316MN1000003	Rating Area 8	No Preference	31	166.39
49316MN1000003	Rating Area 8	No Preference	32	166.39
49316MN1000003	Rating Area 8	No Preference	33	166.39
49316MN1000003	Rating Area 8	No Preference	34	166.39
49316MN1000003	Rating Area 8	No Preference	35	175.15
49316MN1000003	Rating Area 8	No Preference	36	175.15
49316MN1000003	Rating Area 8	No Preference	37	175.15
49316MN1000003	Rating Area 8	No Preference	38	175.15

49316MN1000003	Rating Area 8	No Preference	39	175.15
49316MN1000003	Rating Area 8	No Preference	40	188.15
49316MN1000003	Rating Area 8	No Preference	41	188.15
49316MN1000003	Rating Area 8	No Preference	42	188.15
49316MN1000003	Rating Area 8	No Preference	43	188.15
49316MN1000003	Rating Area 8	No Preference	44	188.15
49316MN1000003	Rating Area 8	No Preference	45	221.76
49316MN1000003	Rating Area 8	No Preference	46	221.76
49316MN1000003	Rating Area 8	No Preference	47	221.76
49316MN1000003	Rating Area 8	No Preference	48	221.76
49316MN1000003	Rating Area 8	No Preference	49	221.76
49316MN1000003	Rating Area 8	No Preference	50	276.29
49316MN1000003	Rating Area 8	No Preference	51	276.29
49316MN1000003	Rating Area 8	No Preference	52	276.29
49316MN1000003	Rating Area 8	No Preference	53	276.29
49316MN1000003	Rating Area 8	No Preference	54	276.29
49316MN1000003	Rating Area 8	No Preference	55	343.24
49316MN1000003	Rating Area 8	No Preference	56	343.24
49316MN1000003	Rating Area 8	No Preference	57	343.24
49316MN1000003	Rating Area 8	No Preference	58	343.24
49316MN1000003	Rating Area 8	No Preference	59	343.24
49316MN1000003	Rating Area 8	No Preference	60	405.39
49316MN1000003	Rating Area 8	No Preference	61	405.39
49316MN1000003	Rating Area 8	No Preference	62	405.39
49316MN1000003	Rating Area 8	No Preference	63	405.39
49316MN1000003	Rating Area 8	No Preference	64	423.75
49316MN1000003	Rating Area 8	No Preference	65 and over	423.75
49316MN1000003	Rating Area 9	No Preference	0-20	125.71
49316MN1000003	Rating Area 9	No Preference	21	145.63
49316MN1000003	Rating Area 9	No Preference	22	145.63
49316MN1000003	Rating Area 9	No Preference	23	145.63
49316MN1000003	Rating Area 9	No Preference	24	145.63
49316MN1000003	Rating Area 9	No Preference	25	145.63
49316MN1000003	Rating Area 9	No Preference	26	145.63
49316MN1000003	Rating Area 9	No Preference	27	145.63
49316MN1000003	Rating Area 9	No Preference	28	145.63
49316MN1000003	Rating Area 9	No Preference	29	145.63
49316MN1000003	Rating Area 9	No Preference	30	166.39
49316MN1000003	Rating Area 9	No Preference	31	166.39
49316MN1000003	Rating Area 9	No Preference	32	166.39
49316MN1000003	Rating Area 9	No Preference	33	166.39
49316MN1000003	Rating Area 9	No Preference	34	166.39
49316MN1000003	Rating Area 9	No Preference	35	175.15
49316MN1000003	Rating Area 9	No Preference	36	175.15
49316MN1000003	Rating Area 9	No Preference	37	175.15
49316MN1000003	Rating Area 9	No Preference	38	175.15
49316MN1000003	Rating Area 9	No Preference	39	175.15

49316MN1000003	Rating Area 9	No Preference	40	188.15
49316MN1000003	Rating Area 9	No Preference	41	188.15
49316MN1000003	Rating Area 9	No Preference	42	188.15
49316MN1000003	Rating Area 9	No Preference	43	188.15
49316MN1000003	Rating Area 9	No Preference	44	188.15
49316MN1000003	Rating Area 9	No Preference	45	221.76
49316MN1000003	Rating Area 9	No Preference	46	221.76
49316MN1000003	Rating Area 9	No Preference	47	221.76
49316MN1000003	Rating Area 9	No Preference	48	221.76
49316MN1000003	Rating Area 9	No Preference	49	221.76
49316MN1000003	Rating Area 9	No Preference	50	276.29
49316MN1000003	Rating Area 9	No Preference	51	276.29
49316MN1000003	Rating Area 9	No Preference	52	276.29
49316MN1000003	Rating Area 9	No Preference	53	276.29
49316MN1000003	Rating Area 9	No Preference	54	276.29
49316MN1000003	Rating Area 9	No Preference	55	343.24
49316MN1000003	Rating Area 9	No Preference	56	343.24
49316MN1000003	Rating Area 9	No Preference	57	343.24
49316MN1000003	Rating Area 9	No Preference	58	343.24
49316MN1000003	Rating Area 9	No Preference	59	343.24
49316MN1000003	Rating Area 9	No Preference	60	405.39
49316MN1000003	Rating Area 9	No Preference	61	405.39
49316MN1000003	Rating Area 9	No Preference	62	405.39
49316MN1000003	Rating Area 9	No Preference	63	405.39
49316MN1000003	Rating Area 9	No Preference	64	423.75
49316MN1000003	Rating Area 9	No Preference	65 and over	423.75
49316MN1000004	Rating Area 1	No Preference	0-20	185.1
49316MN1000004	Rating Area 1	No Preference	21	214.42
49316MN1000004	Rating Area 1	No Preference	22	214.42
49316MN1000004	Rating Area 1	No Preference	23	214.42
49316MN1000004	Rating Area 1	No Preference	24	214.42
49316MN1000004	Rating Area 1	No Preference	25	214.42
49316MN1000004	Rating Area 1	No Preference	26	214.42
49316MN1000004	Rating Area 1	No Preference	27	214.42
49316MN1000004	Rating Area 1	No Preference	28	214.42
49316MN1000004	Rating Area 1	No Preference	29	214.42
49316MN1000004	Rating Area 1	No Preference	30	245
49316MN1000004	Rating Area 1	No Preference	31	245
49316MN1000004	Rating Area 1	No Preference	32	245
49316MN1000004	Rating Area 1	No Preference	33	245
49316MN1000004	Rating Area 1	No Preference	34	245
49316MN1000004	Rating Area 1	No Preference	35	257.89
49316MN1000004	Rating Area 1	No Preference	36	257.89
49316MN1000004	Rating Area 1	No Preference	37	257.89
49316MN1000004	Rating Area 1	No Preference	38	257.89
49316MN1000004	Rating Area 1	No Preference	39	257.89
49316MN1000004	Rating Area 1	No Preference	40	277.02

49316MN1000004	Rating Area 1	No Preference	41	277.02
49316MN1000004	Rating Area 1	No Preference	42	277.02
49316MN1000004	Rating Area 1	No Preference	43	277.02
49316MN1000004	Rating Area 1	No Preference	44	277.02
49316MN1000004	Rating Area 1	No Preference	45	326.52
49316MN1000004	Rating Area 1	No Preference	46	326.52
49316MN1000004	Rating Area 1	No Preference	47	326.52
49316MN1000004	Rating Area 1	No Preference	48	326.52
49316MN1000004	Rating Area 1	No Preference	49	326.52
49316MN1000004	Rating Area 1	No Preference	50	406.8
49316MN1000004	Rating Area 1	No Preference	51	406.8
49316MN1000004	Rating Area 1	No Preference	52	406.8
49316MN1000004	Rating Area 1	No Preference	53	406.8
49316MN1000004	Rating Area 1	No Preference	54	406.8
49316MN1000004	Rating Area 1	No Preference	55	505.38
49316MN1000004	Rating Area 1	No Preference	56	505.38
49316MN1000004	Rating Area 1	No Preference	57	505.38
49316MN1000004	Rating Area 1	No Preference	58	505.38
49316MN1000004	Rating Area 1	No Preference	59	505.38
49316MN1000004	Rating Area 1	No Preference	60	596.89
49316MN1000004	Rating Area 1	No Preference	61	596.89
49316MN1000004	Rating Area 1	No Preference	62	596.89
49316MN1000004	Rating Area 1	No Preference	63	596.89
49316MN1000004	Rating Area 1	No Preference	64	623.93
49316MN1000004	Rating Area 1	No Preference	65 and over	623.93
49316MN1000004	Rating Area 2	No Preference	0-20	141.36
49316MN1000004	Rating Area 2	No Preference	21	163.76
49316MN1000004	Rating Area 2	No Preference	22	163.76
49316MN1000004	Rating Area 2	No Preference	23	163.76
49316MN1000004	Rating Area 2	No Preference	24	163.76
49316MN1000004	Rating Area 2	No Preference	25	163.76
49316MN1000004	Rating Area 2	No Preference	26	163.76
49316MN1000004	Rating Area 2	No Preference	27	163.76
49316MN1000004	Rating Area 2	No Preference	28	163.76
49316MN1000004	Rating Area 2	No Preference	29	163.76
49316MN1000004	Rating Area 2	No Preference	30	187.1
49316MN1000004	Rating Area 2	No Preference	31	187.1
49316MN1000004	Rating Area 2	No Preference	32	187.1
49316MN1000004	Rating Area 2	No Preference	33	187.1
49316MN1000004	Rating Area 2	No Preference	34	187.1
49316MN1000004	Rating Area 2	No Preference	35	196.95
49316MN1000004	Rating Area 2	No Preference	36	196.95
49316MN1000004	Rating Area 2	No Preference	37	196.95
49316MN1000004	Rating Area 2	No Preference	38	196.95
49316MN1000004	Rating Area 2	No Preference	39	196.95
49316MN1000004	Rating Area 2	No Preference	40	211.56
49316MN1000004	Rating Area 2	No Preference	41	211.56

49316MN1000004	Rating Area 2	No Preference	42	211.56
49316MN1000004	Rating Area 2	No Preference	43	211.56
49316MN1000004	Rating Area 2	No Preference	44	211.56
49316MN1000004	Rating Area 2	No Preference	45	249.37
49316MN1000004	Rating Area 2	No Preference	46	249.37
49316MN1000004	Rating Area 2	No Preference	47	249.37
49316MN1000004	Rating Area 2	No Preference	48	249.37
49316MN1000004	Rating Area 2	No Preference	49	249.37
49316MN1000004	Rating Area 2	No Preference	50	310.67
49316MN1000004	Rating Area 2	No Preference	51	310.67
49316MN1000004	Rating Area 2	No Preference	52	310.67
49316MN1000004	Rating Area 2	No Preference	53	310.67
49316MN1000004	Rating Area 2	No Preference	54	310.67
49316MN1000004	Rating Area 2	No Preference	55	385.96
49316MN1000004	Rating Area 2	No Preference	56	385.96
49316MN1000004	Rating Area 2	No Preference	57	385.96
49316MN1000004	Rating Area 2	No Preference	58	385.96
49316MN1000004	Rating Area 2	No Preference	59	385.96
49316MN1000004	Rating Area 2	No Preference	60	455.85
49316MN1000004	Rating Area 2	No Preference	61	455.85
49316MN1000004	Rating Area 2	No Preference	62	455.85
49316MN1000004	Rating Area 2	No Preference	63	455.85
49316MN1000004	Rating Area 2	No Preference	64	476.5
49316MN1000004	Rating Area 2	No Preference	65 and over	476.5
49316MN1000004	Rating Area 3	No Preference	0-20	144.24
49316MN1000004	Rating Area 3	No Preference	21	167.09
49316MN1000004	Rating Area 3	No Preference	22	167.09
49316MN1000004	Rating Area 3	No Preference	23	167.09
49316MN1000004	Rating Area 3	No Preference	24	167.09
49316MN1000004	Rating Area 3	No Preference	25	167.09
49316MN1000004	Rating Area 3	No Preference	26	167.09
49316MN1000004	Rating Area 3	No Preference	27	167.09
49316MN1000004	Rating Area 3	No Preference	28	167.09
49316MN1000004	Rating Area 3	No Preference	29	167.09
49316MN1000004	Rating Area 3	No Preference	30	190.91
49316MN1000004	Rating Area 3	No Preference	31	190.91
49316MN1000004	Rating Area 3	No Preference	32	190.91
49316MN1000004	Rating Area 3	No Preference	33	190.91
49316MN1000004	Rating Area 3	No Preference	34	190.91
49316MN1000004	Rating Area 3	No Preference	35	200.96
49316MN1000004	Rating Area 3	No Preference	36	200.96
49316MN1000004	Rating Area 3	No Preference	37	200.96
49316MN1000004	Rating Area 3	No Preference	38	200.96
49316MN1000004	Rating Area 3	No Preference	39	200.96
49316MN1000004	Rating Area 3	No Preference	40	215.87
49316MN1000004	Rating Area 3	No Preference	41	215.87
49316MN1000004	Rating Area 3	No Preference	42	215.87

49316MN1000004	Rating Area 3	No Preference	43	215.87
49316MN1000004	Rating Area 3	No Preference	44	215.87
49316MN1000004	Rating Area 3	No Preference	45	254.45
49316MN1000004	Rating Area 3	No Preference	46	254.45
49316MN1000004	Rating Area 3	No Preference	47	254.45
49316MN1000004	Rating Area 3	No Preference	48	254.45
49316MN1000004	Rating Area 3	No Preference	49	254.45
49316MN1000004	Rating Area 3	No Preference	50	317
49316MN1000004	Rating Area 3	No Preference	51	317
49316MN1000004	Rating Area 3	No Preference	52	317
49316MN1000004	Rating Area 3	No Preference	53	317
49316MN1000004	Rating Area 3	No Preference	54	317
49316MN1000004	Rating Area 3	No Preference	55	393.82
49316MN1000004	Rating Area 3	No Preference	56	393.82
49316MN1000004	Rating Area 3	No Preference	57	393.82
49316MN1000004	Rating Area 3	No Preference	58	393.82
49316MN1000004	Rating Area 3	No Preference	59	393.82
49316MN1000004	Rating Area 3	No Preference	60	465.13
49316MN1000004	Rating Area 3	No Preference	61	465.13
49316MN1000004	Rating Area 3	No Preference	62	465.13
49316MN1000004	Rating Area 3	No Preference	63	465.13
49316MN1000004	Rating Area 3	No Preference	64	486.2
49316MN1000004	Rating Area 3	No Preference	65 and over	486.2
49316MN1000004	Rating Area 4	No Preference	0-20	144.24
49316MN1000004	Rating Area 4	No Preference	21	167.09
49316MN1000004	Rating Area 4	No Preference	22	167.09
49316MN1000004	Rating Area 4	No Preference	23	167.09
49316MN1000004	Rating Area 4	No Preference	24	167.09
49316MN1000004	Rating Area 4	No Preference	25	167.09
49316MN1000004	Rating Area 4	No Preference	26	167.09
49316MN1000004	Rating Area 4	No Preference	27	167.09
49316MN1000004	Rating Area 4	No Preference	28	167.09
49316MN1000004	Rating Area 4	No Preference	29	167.09
49316MN1000004	Rating Area 4	No Preference	30	190.91
49316MN1000004	Rating Area 4	No Preference	31	190.91
49316MN1000004	Rating Area 4	No Preference	32	190.91
49316MN1000004	Rating Area 4	No Preference	33	190.91
49316MN1000004	Rating Area 4	No Preference	34	190.91
49316MN1000004	Rating Area 4	No Preference	35	200.96
49316MN1000004	Rating Area 4	No Preference	36	200.96
49316MN1000004	Rating Area 4	No Preference	37	200.96
49316MN1000004	Rating Area 4	No Preference	38	200.96
49316MN1000004	Rating Area 4	No Preference	39	200.96
49316MN1000004	Rating Area 4	No Preference	40	215.87
49316MN1000004	Rating Area 4	No Preference	41	215.87
49316MN1000004	Rating Area 4	No Preference	42	215.87
49316MN1000004	Rating Area 4	No Preference	43	215.87

49316MN1000004	Rating Area 4	No Preference	44	215.87
49316MN1000004	Rating Area 4	No Preference	45	254.45
49316MN1000004	Rating Area 4	No Preference	46	254.45
49316MN1000004	Rating Area 4	No Preference	47	254.45
49316MN1000004	Rating Area 4	No Preference	48	254.45
49316MN1000004	Rating Area 4	No Preference	49	254.45
49316MN1000004	Rating Area 4	No Preference	50	317
49316MN1000004	Rating Area 4	No Preference	51	317
49316MN1000004	Rating Area 4	No Preference	52	317
49316MN1000004	Rating Area 4	No Preference	53	317
49316MN1000004	Rating Area 4	No Preference	54	317
49316MN1000004	Rating Area 4	No Preference	55	393.82
49316MN1000004	Rating Area 4	No Preference	56	393.82
49316MN1000004	Rating Area 4	No Preference	57	393.82
49316MN1000004	Rating Area 4	No Preference	58	393.82
49316MN1000004	Rating Area 4	No Preference	59	393.82
49316MN1000004	Rating Area 4	No Preference	60	465.13
49316MN1000004	Rating Area 4	No Preference	61	465.13
49316MN1000004	Rating Area 4	No Preference	62	465.13
49316MN1000004	Rating Area 4	No Preference	63	465.13
49316MN1000004	Rating Area 4	No Preference	64	486.2
49316MN1000004	Rating Area 4	No Preference	65 and over	486.2
49316MN1000004	Rating Area 5	No Preference	0-20	144.24
49316MN1000004	Rating Area 5	No Preference	21	167.09
49316MN1000004	Rating Area 5	No Preference	22	167.09
49316MN1000004	Rating Area 5	No Preference	23	167.09
49316MN1000004	Rating Area 5	No Preference	24	167.09
49316MN1000004	Rating Area 5	No Preference	25	167.09
49316MN1000004	Rating Area 5	No Preference	26	167.09
49316MN1000004	Rating Area 5	No Preference	27	167.09
49316MN1000004	Rating Area 5	No Preference	28	167.09
49316MN1000004	Rating Area 5	No Preference	29	167.09
49316MN1000004	Rating Area 5	No Preference	30	190.91
49316MN1000004	Rating Area 5	No Preference	31	190.91
49316MN1000004	Rating Area 5	No Preference	32	190.91
49316MN1000004	Rating Area 5	No Preference	33	190.91
49316MN1000004	Rating Area 5	No Preference	34	190.91
49316MN1000004	Rating Area 5	No Preference	35	200.96
49316MN1000004	Rating Area 5	No Preference	36	200.96
49316MN1000004	Rating Area 5	No Preference	37	200.96
49316MN1000004	Rating Area 5	No Preference	38	200.96
49316MN1000004	Rating Area 5	No Preference	39	200.96
49316MN1000004	Rating Area 5	No Preference	40	215.87
49316MN1000004	Rating Area 5	No Preference	41	215.87
49316MN1000004	Rating Area 5	No Preference	42	215.87
49316MN1000004	Rating Area 5	No Preference	43	215.87
49316MN1000004	Rating Area 5	No Preference	44	215.87

49316MN1000004	Rating Area 5	No Preference	45	254.45
49316MN1000004	Rating Area 5	No Preference	46	254.45
49316MN1000004	Rating Area 5	No Preference	47	254.45
49316MN1000004	Rating Area 5	No Preference	48	254.45
49316MN1000004	Rating Area 5	No Preference	49	254.45
49316MN1000004	Rating Area 5	No Preference	50	317
49316MN1000004	Rating Area 5	No Preference	51	317
49316MN1000004	Rating Area 5	No Preference	52	317
49316MN1000004	Rating Area 5	No Preference	53	317
49316MN1000004	Rating Area 5	No Preference	54	317
49316MN1000004	Rating Area 5	No Preference	55	393.82
49316MN1000004	Rating Area 5	No Preference	56	393.82
49316MN1000004	Rating Area 5	No Preference	57	393.82
49316MN1000004	Rating Area 5	No Preference	58	393.82
49316MN1000004	Rating Area 5	No Preference	59	393.82
49316MN1000004	Rating Area 5	No Preference	60	465.13
49316MN1000004	Rating Area 5	No Preference	61	465.13
49316MN1000004	Rating Area 5	No Preference	62	465.13
49316MN1000004	Rating Area 5	No Preference	63	465.13
49316MN1000004	Rating Area 5	No Preference	64	486.2
49316MN1000004	Rating Area 5	No Preference	65 and over	486.2
49316MN1000004	Rating Area 6	No Preference	0-20	129.02
49316MN1000004	Rating Area 6	No Preference	21	149.46
49316MN1000004	Rating Area 6	No Preference	22	149.46
49316MN1000004	Rating Area 6	No Preference	23	149.46
49316MN1000004	Rating Area 6	No Preference	24	149.46
49316MN1000004	Rating Area 6	No Preference	25	149.46
49316MN1000004	Rating Area 6	No Preference	26	149.46
49316MN1000004	Rating Area 6	No Preference	27	149.46
49316MN1000004	Rating Area 6	No Preference	28	149.46
49316MN1000004	Rating Area 6	No Preference	29	149.46
49316MN1000004	Rating Area 6	No Preference	30	170.77
49316MN1000004	Rating Area 6	No Preference	31	170.77
49316MN1000004	Rating Area 6	No Preference	32	170.77
49316MN1000004	Rating Area 6	No Preference	33	170.77
49316MN1000004	Rating Area 6	No Preference	34	170.77
49316MN1000004	Rating Area 6	No Preference	35	179.76
49316MN1000004	Rating Area 6	No Preference	36	179.76
49316MN1000004	Rating Area 6	No Preference	37	179.76
49316MN1000004	Rating Area 6	No Preference	38	179.76
49316MN1000004	Rating Area 6	No Preference	39	179.76
49316MN1000004	Rating Area 6	No Preference	40	193.1
49316MN1000004	Rating Area 6	No Preference	41	193.1
49316MN1000004	Rating Area 6	No Preference	42	193.1
49316MN1000004	Rating Area 6	No Preference	43	193.1
49316MN1000004	Rating Area 6	No Preference	44	193.1
49316MN1000004	Rating Area 6	No Preference	45	227.6

49316MN1000004	Rating Area 6	No Preference	46	227.6
49316MN1000004	Rating Area 6	No Preference	47	227.6
49316MN1000004	Rating Area 6	No Preference	48	227.6
49316MN1000004	Rating Area 6	No Preference	49	227.6
49316MN1000004	Rating Area 6	No Preference	50	283.55
49316MN1000004	Rating Area 6	No Preference	51	283.55
49316MN1000004	Rating Area 6	No Preference	52	283.55
49316MN1000004	Rating Area 6	No Preference	53	283.55
49316MN1000004	Rating Area 6	No Preference	54	283.55
49316MN1000004	Rating Area 6	No Preference	55	352.27
49316MN1000004	Rating Area 6	No Preference	56	352.27
49316MN1000004	Rating Area 6	No Preference	57	352.27
49316MN1000004	Rating Area 6	No Preference	58	352.27
49316MN1000004	Rating Area 6	No Preference	59	352.27
49316MN1000004	Rating Area 6	No Preference	60	416.05
49316MN1000004	Rating Area 6	No Preference	61	416.05
49316MN1000004	Rating Area 6	No Preference	62	416.05
49316MN1000004	Rating Area 6	No Preference	63	416.05
49316MN1000004	Rating Area 6	No Preference	64	434.9
49316MN1000004	Rating Area 6	No Preference	65 and over	434.9
49316MN1000004	Rating Area 7	No Preference	0-20	141.36
49316MN1000004	Rating Area 7	No Preference	21	163.76
49316MN1000004	Rating Area 7	No Preference	22	163.76
49316MN1000004	Rating Area 7	No Preference	23	163.76
49316MN1000004	Rating Area 7	No Preference	24	163.76
49316MN1000004	Rating Area 7	No Preference	25	163.76
49316MN1000004	Rating Area 7	No Preference	26	163.76
49316MN1000004	Rating Area 7	No Preference	27	163.76
49316MN1000004	Rating Area 7	No Preference	28	163.76
49316MN1000004	Rating Area 7	No Preference	29	163.76
49316MN1000004	Rating Area 7	No Preference	30	187.1
49316MN1000004	Rating Area 7	No Preference	31	187.1
49316MN1000004	Rating Area 7	No Preference	32	187.1
49316MN1000004	Rating Area 7	No Preference	33	187.1
49316MN1000004	Rating Area 7	No Preference	34	187.1
49316MN1000004	Rating Area 7	No Preference	35	196.95
49316MN1000004	Rating Area 7	No Preference	36	196.95
49316MN1000004	Rating Area 7	No Preference	37	196.95
49316MN1000004	Rating Area 7	No Preference	38	196.95
49316MN1000004	Rating Area 7	No Preference	39	196.95
49316MN1000004	Rating Area 7	No Preference	40	211.56
49316MN1000004	Rating Area 7	No Preference	41	211.56
49316MN1000004	Rating Area 7	No Preference	42	211.56
49316MN1000004	Rating Area 7	No Preference	43	211.56
49316MN1000004	Rating Area 7	No Preference	44	211.56
49316MN1000004	Rating Area 7	No Preference	45	249.37
49316MN1000004	Rating Area 7	No Preference	46	249.37

49316MN1000004	Rating Area 7	No Preference	47	249.37
49316MN1000004	Rating Area 7	No Preference	48	249.37
49316MN1000004	Rating Area 7	No Preference	49	249.37
49316MN1000004	Rating Area 7	No Preference	50	310.67
49316MN1000004	Rating Area 7	No Preference	51	310.67
49316MN1000004	Rating Area 7	No Preference	52	310.67
49316MN1000004	Rating Area 7	No Preference	53	310.67
49316MN1000004	Rating Area 7	No Preference	54	310.67
49316MN1000004	Rating Area 7	No Preference	55	385.96
49316MN1000004	Rating Area 7	No Preference	56	385.96
49316MN1000004	Rating Area 7	No Preference	57	385.96
49316MN1000004	Rating Area 7	No Preference	58	385.96
49316MN1000004	Rating Area 7	No Preference	59	385.96
49316MN1000004	Rating Area 7	No Preference	60	455.85
49316MN1000004	Rating Area 7	No Preference	61	455.85
49316MN1000004	Rating Area 7	No Preference	62	455.85
49316MN1000004	Rating Area 7	No Preference	63	455.85
49316MN1000004	Rating Area 7	No Preference	64	476.5
49316MN1000004	Rating Area 7	No Preference	65 and over	476.5
49316MN1000004	Rating Area 8	No Preference	0-20	120.66
49316MN1000004	Rating Area 8	No Preference	21	139.77
49316MN1000004	Rating Area 8	No Preference	22	139.77
49316MN1000004	Rating Area 8	No Preference	23	139.77
49316MN1000004	Rating Area 8	No Preference	24	139.77
49316MN1000004	Rating Area 8	No Preference	25	139.77
49316MN1000004	Rating Area 8	No Preference	26	139.77
49316MN1000004	Rating Area 8	No Preference	27	139.77
49316MN1000004	Rating Area 8	No Preference	28	139.77
49316MN1000004	Rating Area 8	No Preference	29	139.77
49316MN1000004	Rating Area 8	No Preference	30	159.7
49316MN1000004	Rating Area 8	No Preference	31	159.7
49316MN1000004	Rating Area 8	No Preference	32	159.7
49316MN1000004	Rating Area 8	No Preference	33	159.7
49316MN1000004	Rating Area 8	No Preference	34	159.7
49316MN1000004	Rating Area 8	No Preference	35	168.11
49316MN1000004	Rating Area 8	No Preference	36	168.11
49316MN1000004	Rating Area 8	No Preference	37	168.11
49316MN1000004	Rating Area 8	No Preference	38	168.11
49316MN1000004	Rating Area 8	No Preference	39	168.11
49316MN1000004	Rating Area 8	No Preference	40	180.58
49316MN1000004	Rating Area 8	No Preference	41	180.58
49316MN1000004	Rating Area 8	No Preference	42	180.58
49316MN1000004	Rating Area 8	No Preference	43	180.58
49316MN1000004	Rating Area 8	No Preference	44	180.58
49316MN1000004	Rating Area 8	No Preference	45	212.84
49316MN1000004	Rating Area 8	No Preference	46	212.84
49316MN1000004	Rating Area 8	No Preference	47	212.84

49316MN1000004	Rating Area 8	No Preference	48	212.84
49316MN1000004	Rating Area 8	No Preference	49	212.84
49316MN1000004	Rating Area 8	No Preference	50	265.17
49316MN1000004	Rating Area 8	No Preference	51	265.17
49316MN1000004	Rating Area 8	No Preference	52	265.17
49316MN1000004	Rating Area 8	No Preference	53	265.17
49316MN1000004	Rating Area 8	No Preference	54	265.17
49316MN1000004	Rating Area 8	No Preference	55	329.43
49316MN1000004	Rating Area 8	No Preference	56	329.43
49316MN1000004	Rating Area 8	No Preference	57	329.43
49316MN1000004	Rating Area 8	No Preference	58	329.43
49316MN1000004	Rating Area 8	No Preference	59	329.43
49316MN1000004	Rating Area 8	No Preference	60	389.08
49316MN1000004	Rating Area 8	No Preference	61	389.08
49316MN1000004	Rating Area 8	No Preference	62	389.08
49316MN1000004	Rating Area 8	No Preference	63	389.08
49316MN1000004	Rating Area 8	No Preference	64	406.71
49316MN1000004	Rating Area 8	No Preference	65 and over	406.71
49316MN1000004	Rating Area 9	No Preference	0-20	120.66
49316MN1000004	Rating Area 9	No Preference	21	139.77
49316MN1000004	Rating Area 9	No Preference	22	139.77
49316MN1000004	Rating Area 9	No Preference	23	139.77
49316MN1000004	Rating Area 9	No Preference	24	139.77
49316MN1000004	Rating Area 9	No Preference	25	139.77
49316MN1000004	Rating Area 9	No Preference	26	139.77
49316MN1000004	Rating Area 9	No Preference	27	139.77
49316MN1000004	Rating Area 9	No Preference	28	139.77
49316MN1000004	Rating Area 9	No Preference	29	139.77
49316MN1000004	Rating Area 9	No Preference	30	159.7
49316MN1000004	Rating Area 9	No Preference	31	159.7
49316MN1000004	Rating Area 9	No Preference	32	159.7
49316MN1000004	Rating Area 9	No Preference	33	159.7
49316MN1000004	Rating Area 9	No Preference	34	159.7
49316MN1000004	Rating Area 9	No Preference	35	168.11
49316MN1000004	Rating Area 9	No Preference	36	168.11
49316MN1000004	Rating Area 9	No Preference	37	168.11
49316MN1000004	Rating Area 9	No Preference	38	168.11
49316MN1000004	Rating Area 9	No Preference	39	168.11
49316MN1000004	Rating Area 9	No Preference	40	180.58
49316MN1000004	Rating Area 9	No Preference	41	180.58
49316MN1000004	Rating Area 9	No Preference	42	180.58
49316MN1000004	Rating Area 9	No Preference	43	180.58
49316MN1000004	Rating Area 9	No Preference	44	180.58
49316MN1000004	Rating Area 9	No Preference	45	212.84
49316MN1000004	Rating Area 9	No Preference	46	212.84
49316MN1000004	Rating Area 9	No Preference	47	212.84
49316MN1000004	Rating Area 9	No Preference	48	212.84

49316MN1000004	Rating Area 9	No Preference	49	212.84
49316MN1000004	Rating Area 9	No Preference	50	265.17
49316MN1000004	Rating Area 9	No Preference	51	265.17
49316MN1000004	Rating Area 9	No Preference	52	265.17
49316MN1000004	Rating Area 9	No Preference	53	265.17
49316MN1000004	Rating Area 9	No Preference	54	265.17
49316MN1000004	Rating Area 9	No Preference	55	329.43
49316MN1000004	Rating Area 9	No Preference	56	329.43
49316MN1000004	Rating Area 9	No Preference	57	329.43
49316MN1000004	Rating Area 9	No Preference	58	329.43
49316MN1000004	Rating Area 9	No Preference	59	329.43
49316MN1000004	Rating Area 9	No Preference	60	389.08
49316MN1000004	Rating Area 9	No Preference	61	389.08
49316MN1000004	Rating Area 9	No Preference	62	389.08
49316MN1000004	Rating Area 9	No Preference	63	389.08
49316MN1000004	Rating Area 9	No Preference	64	406.71
49316MN1000004	Rating Area 9	No Preference	65 and over	406.71
49316MN1010001	Rating Area 1	No Preference	0-20	208.98
49316MN1010001	Rating Area 1	No Preference	21	242.09
49316MN1010001	Rating Area 1	No Preference	22	242.09
49316MN1010001	Rating Area 1	No Preference	23	242.09
49316MN1010001	Rating Area 1	No Preference	24	242.09
49316MN1010001	Rating Area 1	No Preference	25	242.09
49316MN1010001	Rating Area 1	No Preference	26	242.09
49316MN1010001	Rating Area 1	No Preference	27	242.09
49316MN1010001	Rating Area 1	No Preference	28	242.09
49316MN1010001	Rating Area 1	No Preference	29	242.09
49316MN1010001	Rating Area 1	No Preference	30	276.61
49316MN1010001	Rating Area 1	No Preference	31	276.61
49316MN1010001	Rating Area 1	No Preference	32	276.61
49316MN1010001	Rating Area 1	No Preference	33	276.61
49316MN1010001	Rating Area 1	No Preference	34	276.61
49316MN1010001	Rating Area 1	No Preference	35	291.16
49316MN1010001	Rating Area 1	No Preference	36	291.16
49316MN1010001	Rating Area 1	No Preference	37	291.16
49316MN1010001	Rating Area 1	No Preference	38	291.16
49316MN1010001	Rating Area 1	No Preference	39	291.16
49316MN1010001	Rating Area 1	No Preference	40	312.77
49316MN1010001	Rating Area 1	No Preference	41	312.77
49316MN1010001	Rating Area 1	No Preference	42	312.77
49316MN1010001	Rating Area 1	No Preference	43	312.77
49316MN1010001	Rating Area 1	No Preference	44	312.77
49316MN1010001	Rating Area 1	No Preference	45	368.65
49316MN1010001	Rating Area 1	No Preference	46	368.65
49316MN1010001	Rating Area 1	No Preference	47	368.65
49316MN1010001	Rating Area 1	No Preference	48	368.65
49316MN1010001	Rating Area 1	No Preference	49	368.65

49316MN1010001	Rating Area 1	No Preference	50	459.29
49316MN1010001	Rating Area 1	No Preference	51	459.29
49316MN1010001	Rating Area 1	No Preference	52	459.29
49316MN1010001	Rating Area 1	No Preference	53	459.29
49316MN1010001	Rating Area 1	No Preference	54	459.29
49316MN1010001	Rating Area 1	No Preference	55	570.59
49316MN1010001	Rating Area 1	No Preference	56	570.59
49316MN1010001	Rating Area 1	No Preference	57	570.59
49316MN1010001	Rating Area 1	No Preference	58	570.59
49316MN1010001	Rating Area 1	No Preference	59	570.59
49316MN1010001	Rating Area 1	No Preference	60	673.9
49316MN1010001	Rating Area 1	No Preference	61	673.9
49316MN1010001	Rating Area 1	No Preference	62	673.9
49316MN1010001	Rating Area 1	No Preference	63	673.9
49316MN1010001	Rating Area 1	No Preference	64	704.43
49316MN1010001	Rating Area 1	No Preference	65 and over	704.43
49316MN1010001	Rating Area 2	No Preference	0-20	159.6
49316MN1010001	Rating Area 2	No Preference	21	184.88
49316MN1010001	Rating Area 2	No Preference	22	184.88
49316MN1010001	Rating Area 2	No Preference	23	184.88
49316MN1010001	Rating Area 2	No Preference	24	184.88
49316MN1010001	Rating Area 2	No Preference	25	184.88
49316MN1010001	Rating Area 2	No Preference	26	184.88
49316MN1010001	Rating Area 2	No Preference	27	184.88
49316MN1010001	Rating Area 2	No Preference	28	184.88
49316MN1010001	Rating Area 2	No Preference	29	184.88
49316MN1010001	Rating Area 2	No Preference	30	211.25
49316MN1010001	Rating Area 2	No Preference	31	211.25
49316MN1010001	Rating Area 2	No Preference	32	211.25
49316MN1010001	Rating Area 2	No Preference	33	211.25
49316MN1010001	Rating Area 2	No Preference	34	211.25
49316MN1010001	Rating Area 2	No Preference	35	222.36
49316MN1010001	Rating Area 2	No Preference	36	222.36
49316MN1010001	Rating Area 2	No Preference	37	222.36
49316MN1010001	Rating Area 2	No Preference	38	222.36
49316MN1010001	Rating Area 2	No Preference	39	222.36
49316MN1010001	Rating Area 2	No Preference	40	238.86
49316MN1010001	Rating Area 2	No Preference	41	238.86
49316MN1010001	Rating Area 2	No Preference	42	238.86
49316MN1010001	Rating Area 2	No Preference	43	238.86
49316MN1010001	Rating Area 2	No Preference	44	238.86
49316MN1010001	Rating Area 2	No Preference	45	281.54
49316MN1010001	Rating Area 2	No Preference	46	281.54
49316MN1010001	Rating Area 2	No Preference	47	281.54
49316MN1010001	Rating Area 2	No Preference	48	281.54
49316MN1010001	Rating Area 2	No Preference	49	281.54
49316MN1010001	Rating Area 2	No Preference	50	350.76

49316MN1010001	Rating Area 2	No Preference	51	350.76
49316MN1010001	Rating Area 2	No Preference	52	350.76
49316MN1010001	Rating Area 2	No Preference	53	350.76
49316MN1010001	Rating Area 2	No Preference	54	350.76
49316MN1010001	Rating Area 2	No Preference	55	435.76
49316MN1010001	Rating Area 2	No Preference	56	435.76
49316MN1010001	Rating Area 2	No Preference	57	435.76
49316MN1010001	Rating Area 2	No Preference	58	435.76
49316MN1010001	Rating Area 2	No Preference	59	435.76
49316MN1010001	Rating Area 2	No Preference	60	514.66
49316MN1010001	Rating Area 2	No Preference	61	514.66
49316MN1010001	Rating Area 2	No Preference	62	514.66
49316MN1010001	Rating Area 2	No Preference	63	514.66
49316MN1010001	Rating Area 2	No Preference	64	537.98
49316MN1010001	Rating Area 2	No Preference	65 and over	537.98
49316MN1010001	Rating Area 3	No Preference	0-20	162.85
49316MN1010001	Rating Area 3	No Preference	21	188.65
49316MN1010001	Rating Area 3	No Preference	22	188.65
49316MN1010001	Rating Area 3	No Preference	23	188.65
49316MN1010001	Rating Area 3	No Preference	24	188.65
49316MN1010001	Rating Area 3	No Preference	25	188.65
49316MN1010001	Rating Area 3	No Preference	26	188.65
49316MN1010001	Rating Area 3	No Preference	27	188.65
49316MN1010001	Rating Area 3	No Preference	28	188.65
49316MN1010001	Rating Area 3	No Preference	29	188.65
49316MN1010001	Rating Area 3	No Preference	30	215.55
49316MN1010001	Rating Area 3	No Preference	31	215.55
49316MN1010001	Rating Area 3	No Preference	32	215.55
49316MN1010001	Rating Area 3	No Preference	33	215.55
49316MN1010001	Rating Area 3	No Preference	34	215.55
49316MN1010001	Rating Area 3	No Preference	35	226.89
49316MN1010001	Rating Area 3	No Preference	36	226.89
49316MN1010001	Rating Area 3	No Preference	37	226.89
49316MN1010001	Rating Area 3	No Preference	38	226.89
49316MN1010001	Rating Area 3	No Preference	39	226.89
49316MN1010001	Rating Area 3	No Preference	40	243.73
49316MN1010001	Rating Area 3	No Preference	41	243.73
49316MN1010001	Rating Area 3	No Preference	42	243.73
49316MN1010001	Rating Area 3	No Preference	43	243.73
49316MN1010001	Rating Area 3	No Preference	44	243.73
49316MN1010001	Rating Area 3	No Preference	45	287.28
49316MN1010001	Rating Area 3	No Preference	46	287.28
49316MN1010001	Rating Area 3	No Preference	47	287.28
49316MN1010001	Rating Area 3	No Preference	48	287.28
49316MN1010001	Rating Area 3	No Preference	49	287.28
49316MN1010001	Rating Area 3	No Preference	50	357.9
49316MN1010001	Rating Area 3	No Preference	51	357.9

49316MN1010001	Rating Area 3	No Preference	52	357.9
49316MN1010001	Rating Area 3	No Preference	53	357.9
49316MN1010001	Rating Area 3	No Preference	54	357.9
49316MN1010001	Rating Area 3	No Preference	55	444.64
49316MN1010001	Rating Area 3	No Preference	56	444.64
49316MN1010001	Rating Area 3	No Preference	57	444.64
49316MN1010001	Rating Area 3	No Preference	58	444.64
49316MN1010001	Rating Area 3	No Preference	59	444.64
49316MN1010001	Rating Area 3	No Preference	60	525.15
49316MN1010001	Rating Area 3	No Preference	61	525.15
49316MN1010001	Rating Area 3	No Preference	62	525.15
49316MN1010001	Rating Area 3	No Preference	63	525.15
49316MN1010001	Rating Area 3	No Preference	64	548.93
49316MN1010001	Rating Area 3	No Preference	65 and over	548.93
49316MN1010001	Rating Area 4	No Preference	0-20	162.85
49316MN1010001	Rating Area 4	No Preference	21	188.65
49316MN1010001	Rating Area 4	No Preference	22	188.65
49316MN1010001	Rating Area 4	No Preference	23	188.65
49316MN1010001	Rating Area 4	No Preference	24	188.65
49316MN1010001	Rating Area 4	No Preference	25	188.65
49316MN1010001	Rating Area 4	No Preference	26	188.65
49316MN1010001	Rating Area 4	No Preference	27	188.65
49316MN1010001	Rating Area 4	No Preference	28	188.65
49316MN1010001	Rating Area 4	No Preference	29	188.65
49316MN1010001	Rating Area 4	No Preference	30	215.55
49316MN1010001	Rating Area 4	No Preference	31	215.55
49316MN1010001	Rating Area 4	No Preference	32	215.55
49316MN1010001	Rating Area 4	No Preference	33	215.55
49316MN1010001	Rating Area 4	No Preference	34	215.55
49316MN1010001	Rating Area 4	No Preference	35	226.89
49316MN1010001	Rating Area 4	No Preference	36	226.89
49316MN1010001	Rating Area 4	No Preference	37	226.89
49316MN1010001	Rating Area 4	No Preference	38	226.89
49316MN1010001	Rating Area 4	No Preference	39	226.89
49316MN1010001	Rating Area 4	No Preference	40	243.73
49316MN1010001	Rating Area 4	No Preference	41	243.73
49316MN1010001	Rating Area 4	No Preference	42	243.73
49316MN1010001	Rating Area 4	No Preference	43	243.73
49316MN1010001	Rating Area 4	No Preference	44	243.73
49316MN1010001	Rating Area 4	No Preference	45	287.28
49316MN1010001	Rating Area 4	No Preference	46	287.28
49316MN1010001	Rating Area 4	No Preference	47	287.28
49316MN1010001	Rating Area 4	No Preference	48	287.28
49316MN1010001	Rating Area 4	No Preference	49	287.28
49316MN1010001	Rating Area 4	No Preference	50	357.9
49316MN1010001	Rating Area 4	No Preference	51	357.9
49316MN1010001	Rating Area 4	No Preference	52	357.9

49316MN1010001	Rating Area 4	No Preference	53	357.9
49316MN1010001	Rating Area 4	No Preference	54	357.9
49316MN1010001	Rating Area 4	No Preference	55	444.64
49316MN1010001	Rating Area 4	No Preference	56	444.64
49316MN1010001	Rating Area 4	No Preference	57	444.64
49316MN1010001	Rating Area 4	No Preference	58	444.64
49316MN1010001	Rating Area 4	No Preference	59	444.64
49316MN1010001	Rating Area 4	No Preference	60	525.15
49316MN1010001	Rating Area 4	No Preference	61	525.15
49316MN1010001	Rating Area 4	No Preference	62	525.15
49316MN1010001	Rating Area 4	No Preference	63	525.15
49316MN1010001	Rating Area 4	No Preference	64	548.93
49316MN1010001	Rating Area 4	No Preference	65 and over	548.93
49316MN1010001	Rating Area 5	No Preference	0-20	162.85
49316MN1010001	Rating Area 5	No Preference	21	188.65
49316MN1010001	Rating Area 5	No Preference	22	188.65
49316MN1010001	Rating Area 5	No Preference	23	188.65
49316MN1010001	Rating Area 5	No Preference	24	188.65
49316MN1010001	Rating Area 5	No Preference	25	188.65
49316MN1010001	Rating Area 5	No Preference	26	188.65
49316MN1010001	Rating Area 5	No Preference	27	188.65
49316MN1010001	Rating Area 5	No Preference	28	188.65
49316MN1010001	Rating Area 5	No Preference	29	188.65
49316MN1010001	Rating Area 5	No Preference	30	215.55
49316MN1010001	Rating Area 5	No Preference	31	215.55
49316MN1010001	Rating Area 5	No Preference	32	215.55
49316MN1010001	Rating Area 5	No Preference	33	215.55
49316MN1010001	Rating Area 5	No Preference	34	215.55
49316MN1010001	Rating Area 5	No Preference	35	226.89
49316MN1010001	Rating Area 5	No Preference	36	226.89
49316MN1010001	Rating Area 5	No Preference	37	226.89
49316MN1010001	Rating Area 5	No Preference	38	226.89
49316MN1010001	Rating Area 5	No Preference	39	226.89
49316MN1010001	Rating Area 5	No Preference	40	243.73
49316MN1010001	Rating Area 5	No Preference	41	243.73
49316MN1010001	Rating Area 5	No Preference	42	243.73
49316MN1010001	Rating Area 5	No Preference	43	243.73
49316MN1010001	Rating Area 5	No Preference	44	243.73
49316MN1010001	Rating Area 5	No Preference	45	287.28
49316MN1010001	Rating Area 5	No Preference	46	287.28
49316MN1010001	Rating Area 5	No Preference	47	287.28
49316MN1010001	Rating Area 5	No Preference	48	287.28
49316MN1010001	Rating Area 5	No Preference	49	287.28
49316MN1010001	Rating Area 5	No Preference	50	357.9
49316MN1010001	Rating Area 5	No Preference	51	357.9
49316MN1010001	Rating Area 5	No Preference	52	357.9
49316MN1010001	Rating Area 5	No Preference	53	357.9

49316MN1010001	Rating Area 5	No Preference	54	357.9
49316MN1010001	Rating Area 5	No Preference	55	444.64
49316MN1010001	Rating Area 5	No Preference	56	444.64
49316MN1010001	Rating Area 5	No Preference	57	444.64
49316MN1010001	Rating Area 5	No Preference	58	444.64
49316MN1010001	Rating Area 5	No Preference	59	444.64
49316MN1010001	Rating Area 5	No Preference	60	525.15
49316MN1010001	Rating Area 5	No Preference	61	525.15
49316MN1010001	Rating Area 5	No Preference	62	525.15
49316MN1010001	Rating Area 5	No Preference	63	525.15
49316MN1010001	Rating Area 5	No Preference	64	548.93
49316MN1010001	Rating Area 5	No Preference	65 and over	548.93
49316MN1010001	Rating Area 6	No Preference	0-20	145.67
49316MN1010001	Rating Area 6	No Preference	21	168.74
49316MN1010001	Rating Area 6	No Preference	22	168.74
49316MN1010001	Rating Area 6	No Preference	23	168.74
49316MN1010001	Rating Area 6	No Preference	24	168.74
49316MN1010001	Rating Area 6	No Preference	25	168.74
49316MN1010001	Rating Area 6	No Preference	26	168.74
49316MN1010001	Rating Area 6	No Preference	27	168.74
49316MN1010001	Rating Area 6	No Preference	28	168.74
49316MN1010001	Rating Area 6	No Preference	29	168.74
49316MN1010001	Rating Area 6	No Preference	30	192.8
49316MN1010001	Rating Area 6	No Preference	31	192.8
49316MN1010001	Rating Area 6	No Preference	32	192.8
49316MN1010001	Rating Area 6	No Preference	33	192.8
49316MN1010001	Rating Area 6	No Preference	34	192.8
49316MN1010001	Rating Area 6	No Preference	35	202.95
49316MN1010001	Rating Area 6	No Preference	36	202.95
49316MN1010001	Rating Area 6	No Preference	37	202.95
49316MN1010001	Rating Area 6	No Preference	38	202.95
49316MN1010001	Rating Area 6	No Preference	39	202.95
49316MN1010001	Rating Area 6	No Preference	40	218.01
49316MN1010001	Rating Area 6	No Preference	41	218.01
49316MN1010001	Rating Area 6	No Preference	42	218.01
49316MN1010001	Rating Area 6	No Preference	43	218.01
49316MN1010001	Rating Area 6	No Preference	44	218.01
49316MN1010001	Rating Area 6	No Preference	45	256.96
49316MN1010001	Rating Area 6	No Preference	46	256.96
49316MN1010001	Rating Area 6	No Preference	47	256.96
49316MN1010001	Rating Area 6	No Preference	48	256.96
49316MN1010001	Rating Area 6	No Preference	49	256.96
49316MN1010001	Rating Area 6	No Preference	50	320.14
49316MN1010001	Rating Area 6	No Preference	51	320.14
49316MN1010001	Rating Area 6	No Preference	52	320.14
49316MN1010001	Rating Area 6	No Preference	53	320.14
49316MN1010001	Rating Area 6	No Preference	54	320.14

49316MN1010001	Rating Area 6	No Preference	55	397.72
49316MN1010001	Rating Area 6	No Preference	56	397.72
49316MN1010001	Rating Area 6	No Preference	57	397.72
49316MN1010001	Rating Area 6	No Preference	58	397.72
49316MN1010001	Rating Area 6	No Preference	59	397.72
49316MN1010001	Rating Area 6	No Preference	60	469.74
49316MN1010001	Rating Area 6	No Preference	61	469.74
49316MN1010001	Rating Area 6	No Preference	62	469.74
49316MN1010001	Rating Area 6	No Preference	63	469.74
49316MN1010001	Rating Area 6	No Preference	64	491.01
49316MN1010001	Rating Area 6	No Preference	65 and over	491.01
49316MN1010001	Rating Area 7	No Preference	0-20	159.6
49316MN1010001	Rating Area 7	No Preference	21	184.88
49316MN1010001	Rating Area 7	No Preference	22	184.88
49316MN1010001	Rating Area 7	No Preference	23	184.88
49316MN1010001	Rating Area 7	No Preference	24	184.88
49316MN1010001	Rating Area 7	No Preference	25	184.88
49316MN1010001	Rating Area 7	No Preference	26	184.88
49316MN1010001	Rating Area 7	No Preference	27	184.88
49316MN1010001	Rating Area 7	No Preference	28	184.88
49316MN1010001	Rating Area 7	No Preference	29	184.88
49316MN1010001	Rating Area 7	No Preference	30	211.25
49316MN1010001	Rating Area 7	No Preference	31	211.25
49316MN1010001	Rating Area 7	No Preference	32	211.25
49316MN1010001	Rating Area 7	No Preference	33	211.25
49316MN1010001	Rating Area 7	No Preference	34	211.25
49316MN1010001	Rating Area 7	No Preference	35	222.36
49316MN1010001	Rating Area 7	No Preference	36	222.36
49316MN1010001	Rating Area 7	No Preference	37	222.36
49316MN1010001	Rating Area 7	No Preference	38	222.36
49316MN1010001	Rating Area 7	No Preference	39	222.36
49316MN1010001	Rating Area 7	No Preference	40	238.86
49316MN1010001	Rating Area 7	No Preference	41	238.86
49316MN1010001	Rating Area 7	No Preference	42	238.86
49316MN1010001	Rating Area 7	No Preference	43	238.86
49316MN1010001	Rating Area 7	No Preference	44	238.86
49316MN1010001	Rating Area 7	No Preference	45	281.54
49316MN1010001	Rating Area 7	No Preference	46	281.54
49316MN1010001	Rating Area 7	No Preference	47	281.54
49316MN1010001	Rating Area 7	No Preference	48	281.54
49316MN1010001	Rating Area 7	No Preference	49	281.54
49316MN1010001	Rating Area 7	No Preference	50	350.76
49316MN1010001	Rating Area 7	No Preference	51	350.76
49316MN1010001	Rating Area 7	No Preference	52	350.76
49316MN1010001	Rating Area 7	No Preference	53	350.76
49316MN1010001	Rating Area 7	No Preference	54	350.76
49316MN1010001	Rating Area 7	No Preference	55	435.76

49316MN1010001	Rating Area 7	No Preference	56	435.76
49316MN1010001	Rating Area 7	No Preference	57	435.76
49316MN1010001	Rating Area 7	No Preference	58	435.76
49316MN1010001	Rating Area 7	No Preference	59	435.76
49316MN1010001	Rating Area 7	No Preference	60	514.66
49316MN1010001	Rating Area 7	No Preference	61	514.66
49316MN1010001	Rating Area 7	No Preference	62	514.66
49316MN1010001	Rating Area 7	No Preference	63	514.66
49316MN1010001	Rating Area 7	No Preference	64	537.98
49316MN1010001	Rating Area 7	No Preference	65 and over	537.98
49316MN1010001	Rating Area 8	No Preference	0-20	136.22
49316MN1010001	Rating Area 8	No Preference	21	157.81
49316MN1010001	Rating Area 8	No Preference	22	157.81
49316MN1010001	Rating Area 8	No Preference	23	157.81
49316MN1010001	Rating Area 8	No Preference	24	157.81
49316MN1010001	Rating Area 8	No Preference	25	157.81
49316MN1010001	Rating Area 8	No Preference	26	157.81
49316MN1010001	Rating Area 8	No Preference	27	157.81
49316MN1010001	Rating Area 8	No Preference	28	157.81
49316MN1010001	Rating Area 8	No Preference	29	157.81
49316MN1010001	Rating Area 8	No Preference	30	180.31
49316MN1010001	Rating Area 8	No Preference	31	180.31
49316MN1010001	Rating Area 8	No Preference	32	180.31
49316MN1010001	Rating Area 8	No Preference	33	180.31
49316MN1010001	Rating Area 8	No Preference	34	180.31
49316MN1010001	Rating Area 8	No Preference	35	189.8
49316MN1010001	Rating Area 8	No Preference	36	189.8
49316MN1010001	Rating Area 8	No Preference	37	189.8
49316MN1010001	Rating Area 8	No Preference	38	189.8
49316MN1010001	Rating Area 8	No Preference	39	189.8
49316MN1010001	Rating Area 8	No Preference	40	203.88
49316MN1010001	Rating Area 8	No Preference	41	203.88
49316MN1010001	Rating Area 8	No Preference	42	203.88
49316MN1010001	Rating Area 8	No Preference	43	203.88
49316MN1010001	Rating Area 8	No Preference	44	203.88
49316MN1010001	Rating Area 8	No Preference	45	240.31
49316MN1010001	Rating Area 8	No Preference	46	240.31
49316MN1010001	Rating Area 8	No Preference	47	240.31
49316MN1010001	Rating Area 8	No Preference	48	240.31
49316MN1010001	Rating Area 8	No Preference	49	240.31
49316MN1010001	Rating Area 8	No Preference	50	299.39
49316MN1010001	Rating Area 8	No Preference	51	299.39
49316MN1010001	Rating Area 8	No Preference	52	299.39
49316MN1010001	Rating Area 8	No Preference	53	299.39
49316MN1010001	Rating Area 8	No Preference	54	299.39
49316MN1010001	Rating Area 8	No Preference	55	371.94
49316MN1010001	Rating Area 8	No Preference	56	371.94

49316MN1010001	Rating Area 8	No Preference	57	371.94
49316MN1010001	Rating Area 8	No Preference	58	371.94
49316MN1010001	Rating Area 8	No Preference	59	371.94
49316MN1010001	Rating Area 8	No Preference	60	439.29
49316MN1010001	Rating Area 8	No Preference	61	439.29
49316MN1010001	Rating Area 8	No Preference	62	439.29
49316MN1010001	Rating Area 8	No Preference	63	439.29
49316MN1010001	Rating Area 8	No Preference	64	459.18
49316MN1010001	Rating Area 8	No Preference	65 and over	459.18
49316MN1010001	Rating Area 9	No Preference	0-20	136.22
49316MN1010001	Rating Area 9	No Preference	21	157.81
49316MN1010001	Rating Area 9	No Preference	22	157.81
49316MN1010001	Rating Area 9	No Preference	23	157.81
49316MN1010001	Rating Area 9	No Preference	24	157.81
49316MN1010001	Rating Area 9	No Preference	25	157.81
49316MN1010001	Rating Area 9	No Preference	26	157.81
49316MN1010001	Rating Area 9	No Preference	27	157.81
49316MN1010001	Rating Area 9	No Preference	28	157.81
49316MN1010001	Rating Area 9	No Preference	29	157.81
49316MN1010001	Rating Area 9	No Preference	30	180.31
49316MN1010001	Rating Area 9	No Preference	31	180.31
49316MN1010001	Rating Area 9	No Preference	32	180.31
49316MN1010001	Rating Area 9	No Preference	33	180.31
49316MN1010001	Rating Area 9	No Preference	34	180.31
49316MN1010001	Rating Area 9	No Preference	35	189.8
49316MN1010001	Rating Area 9	No Preference	36	189.8
49316MN1010001	Rating Area 9	No Preference	37	189.8
49316MN1010001	Rating Area 9	No Preference	38	189.8
49316MN1010001	Rating Area 9	No Preference	39	189.8
49316MN1010001	Rating Area 9	No Preference	40	203.88
49316MN1010001	Rating Area 9	No Preference	41	203.88
49316MN1010001	Rating Area 9	No Preference	42	203.88
49316MN1010001	Rating Area 9	No Preference	43	203.88
49316MN1010001	Rating Area 9	No Preference	44	203.88
49316MN1010001	Rating Area 9	No Preference	45	240.31
49316MN1010001	Rating Area 9	No Preference	46	240.31
49316MN1010001	Rating Area 9	No Preference	47	240.31
49316MN1010001	Rating Area 9	No Preference	48	240.31
49316MN1010001	Rating Area 9	No Preference	49	240.31
49316MN1010001	Rating Area 9	No Preference	50	299.39
49316MN1010001	Rating Area 9	No Preference	51	299.39
49316MN1010001	Rating Area 9	No Preference	52	299.39
49316MN1010001	Rating Area 9	No Preference	53	299.39
49316MN1010001	Rating Area 9	No Preference	54	299.39
49316MN1010001	Rating Area 9	No Preference	55	371.94
49316MN1010001	Rating Area 9	No Preference	56	371.94
49316MN1010001	Rating Area 9	No Preference	57	371.94

49316MN1010001	Rating Area 9	No Preference	58	371.94
49316MN1010001	Rating Area 9	No Preference	59	371.94
49316MN1010001	Rating Area 9	No Preference	60	439.29
49316MN1010001	Rating Area 9	No Preference	61	439.29
49316MN1010001	Rating Area 9	No Preference	62	439.29
49316MN1010001	Rating Area 9	No Preference	63	439.29
49316MN1010001	Rating Area 9	No Preference	64	459.18
49316MN1010001	Rating Area 9	No Preference	65 and over	459.18
49316MN1010002	Rating Area 1	No Preference	0-20	240.01
49316MN1010002	Rating Area 1	No Preference	21	278.03
49316MN1010002	Rating Area 1	No Preference	22	278.03
49316MN1010002	Rating Area 1	No Preference	23	278.03
49316MN1010002	Rating Area 1	No Preference	24	278.03
49316MN1010002	Rating Area 1	No Preference	25	278.03
49316MN1010002	Rating Area 1	No Preference	26	278.03
49316MN1010002	Rating Area 1	No Preference	27	278.03
49316MN1010002	Rating Area 1	No Preference	28	278.03
49316MN1010002	Rating Area 1	No Preference	29	278.03
49316MN1010002	Rating Area 1	No Preference	30	317.67
49316MN1010002	Rating Area 1	No Preference	31	317.67
49316MN1010002	Rating Area 1	No Preference	32	317.67
49316MN1010002	Rating Area 1	No Preference	33	317.67
49316MN1010002	Rating Area 1	No Preference	34	317.67
49316MN1010002	Rating Area 1	No Preference	35	334.39
49316MN1010002	Rating Area 1	No Preference	36	334.39
49316MN1010002	Rating Area 1	No Preference	37	334.39
49316MN1010002	Rating Area 1	No Preference	38	334.39
49316MN1010002	Rating Area 1	No Preference	39	334.39
49316MN1010002	Rating Area 1	No Preference	40	359.2
49316MN1010002	Rating Area 1	No Preference	41	359.2
49316MN1010002	Rating Area 1	No Preference	42	359.2
49316MN1010002	Rating Area 1	No Preference	43	359.2
49316MN1010002	Rating Area 1	No Preference	44	359.2
49316MN1010002	Rating Area 1	No Preference	45	423.38
49316MN1010002	Rating Area 1	No Preference	46	423.38
49316MN1010002	Rating Area 1	No Preference	47	423.38
49316MN1010002	Rating Area 1	No Preference	48	423.38
49316MN1010002	Rating Area 1	No Preference	49	423.38
49316MN1010002	Rating Area 1	No Preference	50	527.47
49316MN1010002	Rating Area 1	No Preference	51	527.47
49316MN1010002	Rating Area 1	No Preference	52	527.47
49316MN1010002	Rating Area 1	No Preference	53	527.47
49316MN1010002	Rating Area 1	No Preference	54	527.47
49316MN1010002	Rating Area 1	No Preference	55	655.29
49316MN1010002	Rating Area 1	No Preference	56	655.29
49316MN1010002	Rating Area 1	No Preference	57	655.29
49316MN1010002	Rating Area 1	No Preference	58	655.29

49316MN1010002	Rating Area 1	No Preference	59	655.29
49316MN1010002	Rating Area 1	No Preference	60	773.95
49316MN1010002	Rating Area 1	No Preference	61	773.95
49316MN1010002	Rating Area 1	No Preference	62	773.95
49316MN1010002	Rating Area 1	No Preference	63	773.95
49316MN1010002	Rating Area 1	No Preference	64	809.01
49316MN1010002	Rating Area 1	No Preference	65 and over	809.01
49316MN1010002	Rating Area 2	No Preference	0-20	183.29
49316MN1010002	Rating Area 2	No Preference	21	212.33
49316MN1010002	Rating Area 2	No Preference	22	212.33
49316MN1010002	Rating Area 2	No Preference	23	212.33
49316MN1010002	Rating Area 2	No Preference	24	212.33
49316MN1010002	Rating Area 2	No Preference	25	212.33
49316MN1010002	Rating Area 2	No Preference	26	212.33
49316MN1010002	Rating Area 2	No Preference	27	212.33
49316MN1010002	Rating Area 2	No Preference	28	212.33
49316MN1010002	Rating Area 2	No Preference	29	212.33
49316MN1010002	Rating Area 2	No Preference	30	242.61
49316MN1010002	Rating Area 2	No Preference	31	242.61
49316MN1010002	Rating Area 2	No Preference	32	242.61
49316MN1010002	Rating Area 2	No Preference	33	242.61
49316MN1010002	Rating Area 2	No Preference	34	242.61
49316MN1010002	Rating Area 2	No Preference	35	255.37
49316MN1010002	Rating Area 2	No Preference	36	255.37
49316MN1010002	Rating Area 2	No Preference	37	255.37
49316MN1010002	Rating Area 2	No Preference	38	255.37
49316MN1010002	Rating Area 2	No Preference	39	255.37
49316MN1010002	Rating Area 2	No Preference	40	274.32
49316MN1010002	Rating Area 2	No Preference	41	274.32
49316MN1010002	Rating Area 2	No Preference	42	274.32
49316MN1010002	Rating Area 2	No Preference	43	274.32
49316MN1010002	Rating Area 2	No Preference	44	274.32
49316MN1010002	Rating Area 2	No Preference	45	323.34
49316MN1010002	Rating Area 2	No Preference	46	323.34
49316MN1010002	Rating Area 2	No Preference	47	323.34
49316MN1010002	Rating Area 2	No Preference	48	323.34
49316MN1010002	Rating Area 2	No Preference	49	323.34
49316MN1010002	Rating Area 2	No Preference	50	402.83
49316MN1010002	Rating Area 2	No Preference	51	402.83
49316MN1010002	Rating Area 2	No Preference	52	402.83
49316MN1010002	Rating Area 2	No Preference	53	402.83
49316MN1010002	Rating Area 2	No Preference	54	402.83
49316MN1010002	Rating Area 2	No Preference	55	500.45
49316MN1010002	Rating Area 2	No Preference	56	500.45
49316MN1010002	Rating Area 2	No Preference	57	500.45
49316MN1010002	Rating Area 2	No Preference	58	500.45
49316MN1010002	Rating Area 2	No Preference	59	500.45

49316MN1010002	Rating Area 2	No Preference	60	591.07
49316MN1010002	Rating Area 2	No Preference	61	591.07
49316MN1010002	Rating Area 2	No Preference	62	591.07
49316MN1010002	Rating Area 2	No Preference	63	591.07
49316MN1010002	Rating Area 2	No Preference	64	617.84
49316MN1010002	Rating Area 2	No Preference	65 and over	617.84
49316MN1010002	Rating Area 3	No Preference	0-20	187.03
49316MN1010002	Rating Area 3	No Preference	21	216.66
49316MN1010002	Rating Area 3	No Preference	22	216.66
49316MN1010002	Rating Area 3	No Preference	23	216.66
49316MN1010002	Rating Area 3	No Preference	24	216.66
49316MN1010002	Rating Area 3	No Preference	25	216.66
49316MN1010002	Rating Area 3	No Preference	26	216.66
49316MN1010002	Rating Area 3	No Preference	27	216.66
49316MN1010002	Rating Area 3	No Preference	28	216.66
49316MN1010002	Rating Area 3	No Preference	29	216.66
49316MN1010002	Rating Area 3	No Preference	30	247.55
49316MN1010002	Rating Area 3	No Preference	31	247.55
49316MN1010002	Rating Area 3	No Preference	32	247.55
49316MN1010002	Rating Area 3	No Preference	33	247.55
49316MN1010002	Rating Area 3	No Preference	34	247.55
49316MN1010002	Rating Area 3	No Preference	35	260.58
49316MN1010002	Rating Area 3	No Preference	36	260.58
49316MN1010002	Rating Area 3	No Preference	37	260.58
49316MN1010002	Rating Area 3	No Preference	38	260.58
49316MN1010002	Rating Area 3	No Preference	39	260.58
49316MN1010002	Rating Area 3	No Preference	40	279.91
49316MN1010002	Rating Area 3	No Preference	41	279.91
49316MN1010002	Rating Area 3	No Preference	42	279.91
49316MN1010002	Rating Area 3	No Preference	43	279.91
49316MN1010002	Rating Area 3	No Preference	44	279.91
49316MN1010002	Rating Area 3	No Preference	45	329.92
49316MN1010002	Rating Area 3	No Preference	46	329.92
49316MN1010002	Rating Area 3	No Preference	47	329.92
49316MN1010002	Rating Area 3	No Preference	48	329.92
49316MN1010002	Rating Area 3	No Preference	49	329.92
49316MN1010002	Rating Area 3	No Preference	50	411.04
49316MN1010002	Rating Area 3	No Preference	51	411.04
49316MN1010002	Rating Area 3	No Preference	52	411.04
49316MN1010002	Rating Area 3	No Preference	53	411.04
49316MN1010002	Rating Area 3	No Preference	54	411.04
49316MN1010002	Rating Area 3	No Preference	55	510.64
49316MN1010002	Rating Area 3	No Preference	56	510.64
49316MN1010002	Rating Area 3	No Preference	57	510.64
49316MN1010002	Rating Area 3	No Preference	58	510.64
49316MN1010002	Rating Area 3	No Preference	59	510.64
49316MN1010002	Rating Area 3	No Preference	60	603.11

49316MN1010002	Rating Area 3	No Preference	61	603.11
49316MN1010002	Rating Area 3	No Preference	62	603.11
49316MN1010002	Rating Area 3	No Preference	63	603.11
49316MN1010002	Rating Area 3	No Preference	64	630.43
49316MN1010002	Rating Area 3	No Preference	65 and over	630.43
49316MN1010002	Rating Area 4	No Preference	0-20	187.03
49316MN1010002	Rating Area 4	No Preference	21	216.66
49316MN1010002	Rating Area 4	No Preference	22	216.66
49316MN1010002	Rating Area 4	No Preference	23	216.66
49316MN1010002	Rating Area 4	No Preference	24	216.66
49316MN1010002	Rating Area 4	No Preference	25	216.66
49316MN1010002	Rating Area 4	No Preference	26	216.66
49316MN1010002	Rating Area 4	No Preference	27	216.66
49316MN1010002	Rating Area 4	No Preference	28	216.66
49316MN1010002	Rating Area 4	No Preference	29	216.66
49316MN1010002	Rating Area 4	No Preference	30	247.55
49316MN1010002	Rating Area 4	No Preference	31	247.55
49316MN1010002	Rating Area 4	No Preference	32	247.55
49316MN1010002	Rating Area 4	No Preference	33	247.55
49316MN1010002	Rating Area 4	No Preference	34	247.55
49316MN1010002	Rating Area 4	No Preference	35	260.58
49316MN1010002	Rating Area 4	No Preference	36	260.58
49316MN1010002	Rating Area 4	No Preference	37	260.58
49316MN1010002	Rating Area 4	No Preference	38	260.58
49316MN1010002	Rating Area 4	No Preference	39	260.58
49316MN1010002	Rating Area 4	No Preference	40	279.91
49316MN1010002	Rating Area 4	No Preference	41	279.91
49316MN1010002	Rating Area 4	No Preference	42	279.91
49316MN1010002	Rating Area 4	No Preference	43	279.91
49316MN1010002	Rating Area 4	No Preference	44	279.91
49316MN1010002	Rating Area 4	No Preference	45	329.92
49316MN1010002	Rating Area 4	No Preference	46	329.92
49316MN1010002	Rating Area 4	No Preference	47	329.92
49316MN1010002	Rating Area 4	No Preference	48	329.92
49316MN1010002	Rating Area 4	No Preference	49	329.92
49316MN1010002	Rating Area 4	No Preference	50	411.04
49316MN1010002	Rating Area 4	No Preference	51	411.04
49316MN1010002	Rating Area 4	No Preference	52	411.04
49316MN1010002	Rating Area 4	No Preference	53	411.04
49316MN1010002	Rating Area 4	No Preference	54	411.04
49316MN1010002	Rating Area 4	No Preference	55	510.64
49316MN1010002	Rating Area 4	No Preference	56	510.64
49316MN1010002	Rating Area 4	No Preference	57	510.64
49316MN1010002	Rating Area 4	No Preference	58	510.64
49316MN1010002	Rating Area 4	No Preference	59	510.64
49316MN1010002	Rating Area 4	No Preference	60	603.11
49316MN1010002	Rating Area 4	No Preference	61	603.11

49316MN1010002	Rating Area 4	No Preference	62	603.11
49316MN1010002	Rating Area 4	No Preference	63	603.11
49316MN1010002	Rating Area 4	No Preference	64	630.43
49316MN1010002	Rating Area 4	No Preference	65 and over	630.43
49316MN1010002	Rating Area 5	No Preference	0-20	187.03
49316MN1010002	Rating Area 5	No Preference	21	216.66
49316MN1010002	Rating Area 5	No Preference	22	216.66
49316MN1010002	Rating Area 5	No Preference	23	216.66
49316MN1010002	Rating Area 5	No Preference	24	216.66
49316MN1010002	Rating Area 5	No Preference	25	216.66
49316MN1010002	Rating Area 5	No Preference	26	216.66
49316MN1010002	Rating Area 5	No Preference	27	216.66
49316MN1010002	Rating Area 5	No Preference	28	216.66
49316MN1010002	Rating Area 5	No Preference	29	216.66
49316MN1010002	Rating Area 5	No Preference	30	247.55
49316MN1010002	Rating Area 5	No Preference	31	247.55
49316MN1010002	Rating Area 5	No Preference	32	247.55
49316MN1010002	Rating Area 5	No Preference	33	247.55
49316MN1010002	Rating Area 5	No Preference	34	247.55
49316MN1010002	Rating Area 5	No Preference	35	260.58
49316MN1010002	Rating Area 5	No Preference	36	260.58
49316MN1010002	Rating Area 5	No Preference	37	260.58
49316MN1010002	Rating Area 5	No Preference	38	260.58
49316MN1010002	Rating Area 5	No Preference	39	260.58
49316MN1010002	Rating Area 5	No Preference	40	279.91
49316MN1010002	Rating Area 5	No Preference	41	279.91
49316MN1010002	Rating Area 5	No Preference	42	279.91
49316MN1010002	Rating Area 5	No Preference	43	279.91
49316MN1010002	Rating Area 5	No Preference	44	279.91
49316MN1010002	Rating Area 5	No Preference	45	329.92
49316MN1010002	Rating Area 5	No Preference	46	329.92
49316MN1010002	Rating Area 5	No Preference	47	329.92
49316MN1010002	Rating Area 5	No Preference	48	329.92
49316MN1010002	Rating Area 5	No Preference	49	329.92
49316MN1010002	Rating Area 5	No Preference	50	411.04
49316MN1010002	Rating Area 5	No Preference	51	411.04
49316MN1010002	Rating Area 5	No Preference	52	411.04
49316MN1010002	Rating Area 5	No Preference	53	411.04
49316MN1010002	Rating Area 5	No Preference	54	411.04
49316MN1010002	Rating Area 5	No Preference	55	510.64
49316MN1010002	Rating Area 5	No Preference	56	510.64
49316MN1010002	Rating Area 5	No Preference	57	510.64
49316MN1010002	Rating Area 5	No Preference	58	510.64
49316MN1010002	Rating Area 5	No Preference	59	510.64
49316MN1010002	Rating Area 5	No Preference	60	603.11
49316MN1010002	Rating Area 5	No Preference	61	603.11
49316MN1010002	Rating Area 5	No Preference	62	603.11

49316MN1010002	Rating Area 5	No Preference	63	603.11
49316MN1010002	Rating Area 5	No Preference	64	630.43
49316MN1010002	Rating Area 5	No Preference	65 and over	630.43
49316MN1010002	Rating Area 6	No Preference	0-20	167.29
49316MN1010002	Rating Area 6	No Preference	21	193.8
49316MN1010002	Rating Area 6	No Preference	22	193.8
49316MN1010002	Rating Area 6	No Preference	23	193.8
49316MN1010002	Rating Area 6	No Preference	24	193.8
49316MN1010002	Rating Area 6	No Preference	25	193.8
49316MN1010002	Rating Area 6	No Preference	26	193.8
49316MN1010002	Rating Area 6	No Preference	27	193.8
49316MN1010002	Rating Area 6	No Preference	28	193.8
49316MN1010002	Rating Area 6	No Preference	29	193.8
49316MN1010002	Rating Area 6	No Preference	30	221.43
49316MN1010002	Rating Area 6	No Preference	31	221.43
49316MN1010002	Rating Area 6	No Preference	32	221.43
49316MN1010002	Rating Area 6	No Preference	33	221.43
49316MN1010002	Rating Area 6	No Preference	34	221.43
49316MN1010002	Rating Area 6	No Preference	35	233.08
49316MN1010002	Rating Area 6	No Preference	36	233.08
49316MN1010002	Rating Area 6	No Preference	37	233.08
49316MN1010002	Rating Area 6	No Preference	38	233.08
49316MN1010002	Rating Area 6	No Preference	39	233.08
49316MN1010002	Rating Area 6	No Preference	40	250.37
49316MN1010002	Rating Area 6	No Preference	41	250.37
49316MN1010002	Rating Area 6	No Preference	42	250.37
49316MN1010002	Rating Area 6	No Preference	43	250.37
49316MN1010002	Rating Area 6	No Preference	44	250.37
49316MN1010002	Rating Area 6	No Preference	45	295.11
49316MN1010002	Rating Area 6	No Preference	46	295.11
49316MN1010002	Rating Area 6	No Preference	47	295.11
49316MN1010002	Rating Area 6	No Preference	48	295.11
49316MN1010002	Rating Area 6	No Preference	49	295.11
49316MN1010002	Rating Area 6	No Preference	50	367.67
49316MN1010002	Rating Area 6	No Preference	51	367.67
49316MN1010002	Rating Area 6	No Preference	52	367.67
49316MN1010002	Rating Area 6	No Preference	53	367.67
49316MN1010002	Rating Area 6	No Preference	54	367.67
49316MN1010002	Rating Area 6	No Preference	55	456.76
49316MN1010002	Rating Area 6	No Preference	56	456.76
49316MN1010002	Rating Area 6	No Preference	57	456.76
49316MN1010002	Rating Area 6	No Preference	58	456.76
49316MN1010002	Rating Area 6	No Preference	59	456.76
49316MN1010002	Rating Area 6	No Preference	60	539.47
49316MN1010002	Rating Area 6	No Preference	61	539.47
49316MN1010002	Rating Area 6	No Preference	62	539.47
49316MN1010002	Rating Area 6	No Preference	63	539.47

49316MN1010002	Rating Area 6	No Preference	64	563.91
49316MN1010002	Rating Area 6	No Preference	65 and over	563.91
49316MN1010002	Rating Area 7	No Preference	0-20	183.29
49316MN1010002	Rating Area 7	No Preference	21	212.33
49316MN1010002	Rating Area 7	No Preference	22	212.33
49316MN1010002	Rating Area 7	No Preference	23	212.33
49316MN1010002	Rating Area 7	No Preference	24	212.33
49316MN1010002	Rating Area 7	No Preference	25	212.33
49316MN1010002	Rating Area 7	No Preference	26	212.33
49316MN1010002	Rating Area 7	No Preference	27	212.33
49316MN1010002	Rating Area 7	No Preference	28	212.33
49316MN1010002	Rating Area 7	No Preference	29	212.33
49316MN1010002	Rating Area 7	No Preference	30	242.61
49316MN1010002	Rating Area 7	No Preference	31	242.61
49316MN1010002	Rating Area 7	No Preference	32	242.61
49316MN1010002	Rating Area 7	No Preference	33	242.61
49316MN1010002	Rating Area 7	No Preference	34	242.61
49316MN1010002	Rating Area 7	No Preference	35	255.37
49316MN1010002	Rating Area 7	No Preference	36	255.37
49316MN1010002	Rating Area 7	No Preference	37	255.37
49316MN1010002	Rating Area 7	No Preference	38	255.37
49316MN1010002	Rating Area 7	No Preference	39	255.37
49316MN1010002	Rating Area 7	No Preference	40	274.32
49316MN1010002	Rating Area 7	No Preference	41	274.32
49316MN1010002	Rating Area 7	No Preference	42	274.32
49316MN1010002	Rating Area 7	No Preference	43	274.32
49316MN1010002	Rating Area 7	No Preference	44	274.32
49316MN1010002	Rating Area 7	No Preference	45	323.34
49316MN1010002	Rating Area 7	No Preference	46	323.34
49316MN1010002	Rating Area 7	No Preference	47	323.34
49316MN1010002	Rating Area 7	No Preference	48	323.34
49316MN1010002	Rating Area 7	No Preference	49	323.34
49316MN1010002	Rating Area 7	No Preference	50	402.83
49316MN1010002	Rating Area 7	No Preference	51	402.83
49316MN1010002	Rating Area 7	No Preference	52	402.83
49316MN1010002	Rating Area 7	No Preference	53	402.83
49316MN1010002	Rating Area 7	No Preference	54	402.83
49316MN1010002	Rating Area 7	No Preference	55	500.45
49316MN1010002	Rating Area 7	No Preference	56	500.45
49316MN1010002	Rating Area 7	No Preference	57	500.45
49316MN1010002	Rating Area 7	No Preference	58	500.45
49316MN1010002	Rating Area 7	No Preference	59	500.45
49316MN1010002	Rating Area 7	No Preference	60	591.07
49316MN1010002	Rating Area 7	No Preference	61	591.07
49316MN1010002	Rating Area 7	No Preference	62	591.07
49316MN1010002	Rating Area 7	No Preference	63	591.07
49316MN1010002	Rating Area 7	No Preference	64	617.84

49316MN1010002	Rating Area 7	No Preference	65 and over	617.84
49316MN1010002	Rating Area 8	No Preference	0-20	156.45
49316MN1010002	Rating Area 8	No Preference	21	181.23
49316MN1010002	Rating Area 8	No Preference	22	181.23
49316MN1010002	Rating Area 8	No Preference	23	181.23
49316MN1010002	Rating Area 8	No Preference	24	181.23
49316MN1010002	Rating Area 8	No Preference	25	181.23
49316MN1010002	Rating Area 8	No Preference	26	181.23
49316MN1010002	Rating Area 8	No Preference	27	181.23
49316MN1010002	Rating Area 8	No Preference	28	181.23
49316MN1010002	Rating Area 8	No Preference	29	181.23
49316MN1010002	Rating Area 8	No Preference	30	207.07
49316MN1010002	Rating Area 8	No Preference	31	207.07
49316MN1010002	Rating Area 8	No Preference	32	207.07
49316MN1010002	Rating Area 8	No Preference	33	207.07
49316MN1010002	Rating Area 8	No Preference	34	207.07
49316MN1010002	Rating Area 8	No Preference	35	217.97
49316MN1010002	Rating Area 8	No Preference	36	217.97
49316MN1010002	Rating Area 8	No Preference	37	217.97
49316MN1010002	Rating Area 8	No Preference	38	217.97
49316MN1010002	Rating Area 8	No Preference	39	217.97
49316MN1010002	Rating Area 8	No Preference	40	234.14
49316MN1010002	Rating Area 8	No Preference	41	234.14
49316MN1010002	Rating Area 8	No Preference	42	234.14
49316MN1010002	Rating Area 8	No Preference	43	234.14
49316MN1010002	Rating Area 8	No Preference	44	234.14
49316MN1010002	Rating Area 8	No Preference	45	275.98
49316MN1010002	Rating Area 8	No Preference	46	275.98
49316MN1010002	Rating Area 8	No Preference	47	275.98
49316MN1010002	Rating Area 8	No Preference	48	275.98
49316MN1010002	Rating Area 8	No Preference	49	275.98
49316MN1010002	Rating Area 8	No Preference	50	343.83
49316MN1010002	Rating Area 8	No Preference	51	343.83
49316MN1010002	Rating Area 8	No Preference	52	343.83
49316MN1010002	Rating Area 8	No Preference	53	343.83
49316MN1010002	Rating Area 8	No Preference	54	343.83
49316MN1010002	Rating Area 8	No Preference	55	427.16
49316MN1010002	Rating Area 8	No Preference	56	427.16
49316MN1010002	Rating Area 8	No Preference	57	427.16
49316MN1010002	Rating Area 8	No Preference	58	427.16
49316MN1010002	Rating Area 8	No Preference	59	427.16
49316MN1010002	Rating Area 8	No Preference	60	504.5
49316MN1010002	Rating Area 8	No Preference	61	504.5
49316MN1010002	Rating Area 8	No Preference	62	504.5
49316MN1010002	Rating Area 8	No Preference	63	504.5
49316MN1010002	Rating Area 8	No Preference	64	527.35
49316MN1010002	Rating Area 8	No Preference	65 and over	527.35

49316MN1010002	Rating Area 9	No Preference	0-20	156.45
49316MN1010002	Rating Area 9	No Preference	21	181.23
49316MN1010002	Rating Area 9	No Preference	22	181.23
49316MN1010002	Rating Area 9	No Preference	23	181.23
49316MN1010002	Rating Area 9	No Preference	24	181.23
49316MN1010002	Rating Area 9	No Preference	25	181.23
49316MN1010002	Rating Area 9	No Preference	26	181.23
49316MN1010002	Rating Area 9	No Preference	27	181.23
49316MN1010002	Rating Area 9	No Preference	28	181.23
49316MN1010002	Rating Area 9	No Preference	29	181.23
49316MN1010002	Rating Area 9	No Preference	30	207.07
49316MN1010002	Rating Area 9	No Preference	31	207.07
49316MN1010002	Rating Area 9	No Preference	32	207.07
49316MN1010002	Rating Area 9	No Preference	33	207.07
49316MN1010002	Rating Area 9	No Preference	34	207.07
49316MN1010002	Rating Area 9	No Preference	35	217.97
49316MN1010002	Rating Area 9	No Preference	36	217.97
49316MN1010002	Rating Area 9	No Preference	37	217.97
49316MN1010002	Rating Area 9	No Preference	38	217.97
49316MN1010002	Rating Area 9	No Preference	39	217.97
49316MN1010002	Rating Area 9	No Preference	40	234.14
49316MN1010002	Rating Area 9	No Preference	41	234.14
49316MN1010002	Rating Area 9	No Preference	42	234.14
49316MN1010002	Rating Area 9	No Preference	43	234.14
49316MN1010002	Rating Area 9	No Preference	44	234.14
49316MN1010002	Rating Area 9	No Preference	45	275.98
49316MN1010002	Rating Area 9	No Preference	46	275.98
49316MN1010002	Rating Area 9	No Preference	47	275.98
49316MN1010002	Rating Area 9	No Preference	48	275.98
49316MN1010002	Rating Area 9	No Preference	49	275.98
49316MN1010002	Rating Area 9	No Preference	50	343.83
49316MN1010002	Rating Area 9	No Preference	51	343.83
49316MN1010002	Rating Area 9	No Preference	52	343.83
49316MN1010002	Rating Area 9	No Preference	53	343.83
49316MN1010002	Rating Area 9	No Preference	54	343.83
49316MN1010002	Rating Area 9	No Preference	55	427.16
49316MN1010002	Rating Area 9	No Preference	56	427.16
49316MN1010002	Rating Area 9	No Preference	57	427.16
49316MN1010002	Rating Area 9	No Preference	58	427.16
49316MN1010002	Rating Area 9	No Preference	59	427.16
49316MN1010002	Rating Area 9	No Preference	60	504.5
49316MN1010002	Rating Area 9	No Preference	61	504.5
49316MN1010002	Rating Area 9	No Preference	62	504.5
49316MN1010002	Rating Area 9	No Preference	63	504.5
49316MN1010002	Rating Area 9	No Preference	64	527.35
49316MN1010002	Rating Area 9	No Preference	65 and over	527.35
49316MN1010003	Rating Area 1	No Preference	0-20	171.53

49316MN1010003	Rating Area 1	No Preference	21	198.71
49316MN1010003	Rating Area 1	No Preference	22	198.71
49316MN1010003	Rating Area 1	No Preference	23	198.71
49316MN1010003	Rating Area 1	No Preference	24	198.71
49316MN1010003	Rating Area 1	No Preference	25	198.71
49316MN1010003	Rating Area 1	No Preference	26	198.71
49316MN1010003	Rating Area 1	No Preference	27	198.71
49316MN1010003	Rating Area 1	No Preference	28	198.71
49316MN1010003	Rating Area 1	No Preference	29	198.71
49316MN1010003	Rating Area 1	No Preference	30	227.04
49316MN1010003	Rating Area 1	No Preference	31	227.04
49316MN1010003	Rating Area 1	No Preference	32	227.04
49316MN1010003	Rating Area 1	No Preference	33	227.04
49316MN1010003	Rating Area 1	No Preference	34	227.04
49316MN1010003	Rating Area 1	No Preference	35	238.99
49316MN1010003	Rating Area 1	No Preference	36	238.99
49316MN1010003	Rating Area 1	No Preference	37	238.99
49316MN1010003	Rating Area 1	No Preference	38	238.99
49316MN1010003	Rating Area 1	No Preference	39	238.99
49316MN1010003	Rating Area 1	No Preference	40	256.72
49316MN1010003	Rating Area 1	No Preference	41	256.72
49316MN1010003	Rating Area 1	No Preference	42	256.72
49316MN1010003	Rating Area 1	No Preference	43	256.72
49316MN1010003	Rating Area 1	No Preference	44	256.72
49316MN1010003	Rating Area 1	No Preference	45	302.59
49316MN1010003	Rating Area 1	No Preference	46	302.59
49316MN1010003	Rating Area 1	No Preference	47	302.59
49316MN1010003	Rating Area 1	No Preference	48	302.59
49316MN1010003	Rating Area 1	No Preference	49	302.59
49316MN1010003	Rating Area 1	No Preference	50	376.99
49316MN1010003	Rating Area 1	No Preference	51	376.99
49316MN1010003	Rating Area 1	No Preference	52	376.99
49316MN1010003	Rating Area 1	No Preference	53	376.99
49316MN1010003	Rating Area 1	No Preference	54	376.99
49316MN1010003	Rating Area 1	No Preference	55	468.35
49316MN1010003	Rating Area 1	No Preference	56	468.35
49316MN1010003	Rating Area 1	No Preference	57	468.35
49316MN1010003	Rating Area 1	No Preference	58	468.35
49316MN1010003	Rating Area 1	No Preference	59	468.35
49316MN1010003	Rating Area 1	No Preference	60	553.15
49316MN1010003	Rating Area 1	No Preference	61	553.15
49316MN1010003	Rating Area 1	No Preference	62	553.15
49316MN1010003	Rating Area 1	No Preference	63	553.15
49316MN1010003	Rating Area 1	No Preference	64	578.2
49316MN1010003	Rating Area 1	No Preference	65 and over	578.2
49316MN1010003	Rating Area 2	No Preference	0-20	131
49316MN1010003	Rating Area 2	No Preference	21	151.76

49316MN1010003	Rating Area 2	No Preference	22	151.76
49316MN1010003	Rating Area 2	No Preference	23	151.76
49316MN1010003	Rating Area 2	No Preference	24	151.76
49316MN1010003	Rating Area 2	No Preference	25	151.76
49316MN1010003	Rating Area 2	No Preference	26	151.76
49316MN1010003	Rating Area 2	No Preference	27	151.76
49316MN1010003	Rating Area 2	No Preference	28	151.76
49316MN1010003	Rating Area 2	No Preference	29	151.76
49316MN1010003	Rating Area 2	No Preference	30	173.39
49316MN1010003	Rating Area 2	No Preference	31	173.39
49316MN1010003	Rating Area 2	No Preference	32	173.39
49316MN1010003	Rating Area 2	No Preference	33	173.39
49316MN1010003	Rating Area 2	No Preference	34	173.39
49316MN1010003	Rating Area 2	No Preference	35	182.52
49316MN1010003	Rating Area 2	No Preference	36	182.52
49316MN1010003	Rating Area 2	No Preference	37	182.52
49316MN1010003	Rating Area 2	No Preference	38	182.52
49316MN1010003	Rating Area 2	No Preference	39	182.52
49316MN1010003	Rating Area 2	No Preference	40	196.06
49316MN1010003	Rating Area 2	No Preference	41	196.06
49316MN1010003	Rating Area 2	No Preference	42	196.06
49316MN1010003	Rating Area 2	No Preference	43	196.06
49316MN1010003	Rating Area 2	No Preference	44	196.06
49316MN1010003	Rating Area 2	No Preference	45	231.09
49316MN1010003	Rating Area 2	No Preference	46	231.09
49316MN1010003	Rating Area 2	No Preference	47	231.09
49316MN1010003	Rating Area 2	No Preference	48	231.09
49316MN1010003	Rating Area 2	No Preference	49	231.09
49316MN1010003	Rating Area 2	No Preference	50	287.91
49316MN1010003	Rating Area 2	No Preference	51	287.91
49316MN1010003	Rating Area 2	No Preference	52	287.91
49316MN1010003	Rating Area 2	No Preference	53	287.91
49316MN1010003	Rating Area 2	No Preference	54	287.91
49316MN1010003	Rating Area 2	No Preference	55	357.68
49316MN1010003	Rating Area 2	No Preference	56	357.68
49316MN1010003	Rating Area 2	No Preference	57	357.68
49316MN1010003	Rating Area 2	No Preference	58	357.68
49316MN1010003	Rating Area 2	No Preference	59	357.68
49316MN1010003	Rating Area 2	No Preference	60	422.44
49316MN1010003	Rating Area 2	No Preference	61	422.44
49316MN1010003	Rating Area 2	No Preference	62	422.44
49316MN1010003	Rating Area 2	No Preference	63	422.44
49316MN1010003	Rating Area 2	No Preference	64	441.58
49316MN1010003	Rating Area 2	No Preference	65 and over	441.58
49316MN1010003	Rating Area 3	No Preference	0-20	133.67
49316MN1010003	Rating Area 3	No Preference	21	154.85
49316MN1010003	Rating Area 3	No Preference	22	154.85

49316MN1010003	Rating Area 3	No Preference	23	154.85
49316MN1010003	Rating Area 3	No Preference	24	154.85
49316MN1010003	Rating Area 3	No Preference	25	154.85
49316MN1010003	Rating Area 3	No Preference	26	154.85
49316MN1010003	Rating Area 3	No Preference	27	154.85
49316MN1010003	Rating Area 3	No Preference	28	154.85
49316MN1010003	Rating Area 3	No Preference	29	154.85
49316MN1010003	Rating Area 3	No Preference	30	176.92
49316MN1010003	Rating Area 3	No Preference	31	176.92
49316MN1010003	Rating Area 3	No Preference	32	176.92
49316MN1010003	Rating Area 3	No Preference	33	176.92
49316MN1010003	Rating Area 3	No Preference	34	176.92
49316MN1010003	Rating Area 3	No Preference	35	186.24
49316MN1010003	Rating Area 3	No Preference	36	186.24
49316MN1010003	Rating Area 3	No Preference	37	186.24
49316MN1010003	Rating Area 3	No Preference	38	186.24
49316MN1010003	Rating Area 3	No Preference	39	186.24
49316MN1010003	Rating Area 3	No Preference	40	200.05
49316MN1010003	Rating Area 3	No Preference	41	200.05
49316MN1010003	Rating Area 3	No Preference	42	200.05
49316MN1010003	Rating Area 3	No Preference	43	200.05
49316MN1010003	Rating Area 3	No Preference	44	200.05
49316MN1010003	Rating Area 3	No Preference	45	235.8
49316MN1010003	Rating Area 3	No Preference	46	235.8
49316MN1010003	Rating Area 3	No Preference	47	235.8
49316MN1010003	Rating Area 3	No Preference	48	235.8
49316MN1010003	Rating Area 3	No Preference	49	235.8
49316MN1010003	Rating Area 3	No Preference	50	293.77
49316MN1010003	Rating Area 3	No Preference	51	293.77
49316MN1010003	Rating Area 3	No Preference	52	293.77
49316MN1010003	Rating Area 3	No Preference	53	293.77
49316MN1010003	Rating Area 3	No Preference	54	293.77
49316MN1010003	Rating Area 3	No Preference	55	364.96
49316MN1010003	Rating Area 3	No Preference	56	364.96
49316MN1010003	Rating Area 3	No Preference	57	364.96
49316MN1010003	Rating Area 3	No Preference	58	364.96
49316MN1010003	Rating Area 3	No Preference	59	364.96
49316MN1010003	Rating Area 3	No Preference	60	431.05
49316MN1010003	Rating Area 3	No Preference	61	431.05
49316MN1010003	Rating Area 3	No Preference	62	431.05
49316MN1010003	Rating Area 3	No Preference	63	431.05
49316MN1010003	Rating Area 3	No Preference	64	450.57
49316MN1010003	Rating Area 3	No Preference	65 and over	450.57
49316MN1010003	Rating Area 4	No Preference	0-20	133.67
49316MN1010003	Rating Area 4	No Preference	21	154.85
49316MN1010003	Rating Area 4	No Preference	22	154.85
49316MN1010003	Rating Area 4	No Preference	23	154.85

49316MN1010003	Rating Area 4	No Preference	24	154.85
49316MN1010003	Rating Area 4	No Preference	25	154.85
49316MN1010003	Rating Area 4	No Preference	26	154.85
49316MN1010003	Rating Area 4	No Preference	27	154.85
49316MN1010003	Rating Area 4	No Preference	28	154.85
49316MN1010003	Rating Area 4	No Preference	29	154.85
49316MN1010003	Rating Area 4	No Preference	30	176.92
49316MN1010003	Rating Area 4	No Preference	31	176.92
49316MN1010003	Rating Area 4	No Preference	32	176.92
49316MN1010003	Rating Area 4	No Preference	33	176.92
49316MN1010003	Rating Area 4	No Preference	34	176.92
49316MN1010003	Rating Area 4	No Preference	35	186.24
49316MN1010003	Rating Area 4	No Preference	36	186.24
49316MN1010003	Rating Area 4	No Preference	37	186.24
49316MN1010003	Rating Area 4	No Preference	38	186.24
49316MN1010003	Rating Area 4	No Preference	39	186.24
49316MN1010003	Rating Area 4	No Preference	40	200.05
49316MN1010003	Rating Area 4	No Preference	41	200.05
49316MN1010003	Rating Area 4	No Preference	42	200.05
49316MN1010003	Rating Area 4	No Preference	43	200.05
49316MN1010003	Rating Area 4	No Preference	44	200.05
49316MN1010003	Rating Area 4	No Preference	45	235.8
49316MN1010003	Rating Area 4	No Preference	46	235.8
49316MN1010003	Rating Area 4	No Preference	47	235.8
49316MN1010003	Rating Area 4	No Preference	48	235.8
49316MN1010003	Rating Area 4	No Preference	49	235.8
49316MN1010003	Rating Area 4	No Preference	50	293.77
49316MN1010003	Rating Area 4	No Preference	51	293.77
49316MN1010003	Rating Area 4	No Preference	52	293.77
49316MN1010003	Rating Area 4	No Preference	53	293.77
49316MN1010003	Rating Area 4	No Preference	54	293.77
49316MN1010003	Rating Area 4	No Preference	55	364.96
49316MN1010003	Rating Area 4	No Preference	56	364.96
49316MN1010003	Rating Area 4	No Preference	57	364.96
49316MN1010003	Rating Area 4	No Preference	58	364.96
49316MN1010003	Rating Area 4	No Preference	59	364.96
49316MN1010003	Rating Area 4	No Preference	60	431.05
49316MN1010003	Rating Area 4	No Preference	61	431.05
49316MN1010003	Rating Area 4	No Preference	62	431.05
49316MN1010003	Rating Area 4	No Preference	63	431.05
49316MN1010003	Rating Area 4	No Preference	64	450.57
49316MN1010003	Rating Area 4	No Preference	65 and over	450.57
49316MN1010003	Rating Area 5	No Preference	0-20	133.67
49316MN1010003	Rating Area 5	No Preference	21	154.85
49316MN1010003	Rating Area 5	No Preference	22	154.85
49316MN1010003	Rating Area 5	No Preference	23	154.85
49316MN1010003	Rating Area 5	No Preference	24	154.85

49316MN1010003	Rating Area 5	No Preference	25	154.85
49316MN1010003	Rating Area 5	No Preference	26	154.85
49316MN1010003	Rating Area 5	No Preference	27	154.85
49316MN1010003	Rating Area 5	No Preference	28	154.85
49316MN1010003	Rating Area 5	No Preference	29	154.85
49316MN1010003	Rating Area 5	No Preference	30	176.92
49316MN1010003	Rating Area 5	No Preference	31	176.92
49316MN1010003	Rating Area 5	No Preference	32	176.92
49316MN1010003	Rating Area 5	No Preference	33	176.92
49316MN1010003	Rating Area 5	No Preference	34	176.92
49316MN1010003	Rating Area 5	No Preference	35	186.24
49316MN1010003	Rating Area 5	No Preference	36	186.24
49316MN1010003	Rating Area 5	No Preference	37	186.24
49316MN1010003	Rating Area 5	No Preference	38	186.24
49316MN1010003	Rating Area 5	No Preference	39	186.24
49316MN1010003	Rating Area 5	No Preference	40	200.05
49316MN1010003	Rating Area 5	No Preference	41	200.05
49316MN1010003	Rating Area 5	No Preference	42	200.05
49316MN1010003	Rating Area 5	No Preference	43	200.05
49316MN1010003	Rating Area 5	No Preference	44	200.05
49316MN1010003	Rating Area 5	No Preference	45	235.8
49316MN1010003	Rating Area 5	No Preference	46	235.8
49316MN1010003	Rating Area 5	No Preference	47	235.8
49316MN1010003	Rating Area 5	No Preference	48	235.8
49316MN1010003	Rating Area 5	No Preference	49	235.8
49316MN1010003	Rating Area 5	No Preference	50	293.77
49316MN1010003	Rating Area 5	No Preference	51	293.77
49316MN1010003	Rating Area 5	No Preference	52	293.77
49316MN1010003	Rating Area 5	No Preference	53	293.77
49316MN1010003	Rating Area 5	No Preference	54	293.77
49316MN1010003	Rating Area 5	No Preference	55	364.96
49316MN1010003	Rating Area 5	No Preference	56	364.96
49316MN1010003	Rating Area 5	No Preference	57	364.96
49316MN1010003	Rating Area 5	No Preference	58	364.96
49316MN1010003	Rating Area 5	No Preference	59	364.96
49316MN1010003	Rating Area 5	No Preference	60	431.05
49316MN1010003	Rating Area 5	No Preference	61	431.05
49316MN1010003	Rating Area 5	No Preference	62	431.05
49316MN1010003	Rating Area 5	No Preference	63	431.05
49316MN1010003	Rating Area 5	No Preference	64	450.57
49316MN1010003	Rating Area 5	No Preference	65 and over	450.57
49316MN1010003	Rating Area 6	No Preference	0-20	119.57
49316MN1010003	Rating Area 6	No Preference	21	138.51
49316MN1010003	Rating Area 6	No Preference	22	138.51
49316MN1010003	Rating Area 6	No Preference	23	138.51
49316MN1010003	Rating Area 6	No Preference	24	138.51
49316MN1010003	Rating Area 6	No Preference	25	138.51

49316MN1010003	Rating Area 6	No Preference	26	138.51
49316MN1010003	Rating Area 6	No Preference	27	138.51
49316MN1010003	Rating Area 6	No Preference	28	138.51
49316MN1010003	Rating Area 6	No Preference	29	138.51
49316MN1010003	Rating Area 6	No Preference	30	158.26
49316MN1010003	Rating Area 6	No Preference	31	158.26
49316MN1010003	Rating Area 6	No Preference	32	158.26
49316MN1010003	Rating Area 6	No Preference	33	158.26
49316MN1010003	Rating Area 6	No Preference	34	158.26
49316MN1010003	Rating Area 6	No Preference	35	166.59
49316MN1010003	Rating Area 6	No Preference	36	166.59
49316MN1010003	Rating Area 6	No Preference	37	166.59
49316MN1010003	Rating Area 6	No Preference	38	166.59
49316MN1010003	Rating Area 6	No Preference	39	166.59
49316MN1010003	Rating Area 6	No Preference	40	178.95
49316MN1010003	Rating Area 6	No Preference	41	178.95
49316MN1010003	Rating Area 6	No Preference	42	178.95
49316MN1010003	Rating Area 6	No Preference	43	178.95
49316MN1010003	Rating Area 6	No Preference	44	178.95
49316MN1010003	Rating Area 6	No Preference	45	210.92
49316MN1010003	Rating Area 6	No Preference	46	210.92
49316MN1010003	Rating Area 6	No Preference	47	210.92
49316MN1010003	Rating Area 6	No Preference	48	210.92
49316MN1010003	Rating Area 6	No Preference	49	210.92
49316MN1010003	Rating Area 6	No Preference	50	262.78
49316MN1010003	Rating Area 6	No Preference	51	262.78
49316MN1010003	Rating Area 6	No Preference	52	262.78
49316MN1010003	Rating Area 6	No Preference	53	262.78
49316MN1010003	Rating Area 6	No Preference	54	262.78
49316MN1010003	Rating Area 6	No Preference	55	326.45
49316MN1010003	Rating Area 6	No Preference	56	326.45
49316MN1010003	Rating Area 6	No Preference	57	326.45
49316MN1010003	Rating Area 6	No Preference	58	326.45
49316MN1010003	Rating Area 6	No Preference	59	326.45
49316MN1010003	Rating Area 6	No Preference	60	385.57
49316MN1010003	Rating Area 6	No Preference	61	385.57
49316MN1010003	Rating Area 6	No Preference	62	385.57
49316MN1010003	Rating Area 6	No Preference	63	385.57
49316MN1010003	Rating Area 6	No Preference	64	403.03
49316MN1010003	Rating Area 6	No Preference	65 and over	403.03
49316MN1010003	Rating Area 7	No Preference	0-20	131
49316MN1010003	Rating Area 7	No Preference	21	151.76
49316MN1010003	Rating Area 7	No Preference	22	151.76
49316MN1010003	Rating Area 7	No Preference	23	151.76
49316MN1010003	Rating Area 7	No Preference	24	151.76
49316MN1010003	Rating Area 7	No Preference	25	151.76
49316MN1010003	Rating Area 7	No Preference	26	151.76

49316MN1010003	Rating Area 7	No Preference	27	151.76
49316MN1010003	Rating Area 7	No Preference	28	151.76
49316MN1010003	Rating Area 7	No Preference	29	151.76
49316MN1010003	Rating Area 7	No Preference	30	173.39
49316MN1010003	Rating Area 7	No Preference	31	173.39
49316MN1010003	Rating Area 7	No Preference	32	173.39
49316MN1010003	Rating Area 7	No Preference	33	173.39
49316MN1010003	Rating Area 7	No Preference	34	173.39
49316MN1010003	Rating Area 7	No Preference	35	182.52
49316MN1010003	Rating Area 7	No Preference	36	182.52
49316MN1010003	Rating Area 7	No Preference	37	182.52
49316MN1010003	Rating Area 7	No Preference	38	182.52
49316MN1010003	Rating Area 7	No Preference	39	182.52
49316MN1010003	Rating Area 7	No Preference	40	196.06
49316MN1010003	Rating Area 7	No Preference	41	196.06
49316MN1010003	Rating Area 7	No Preference	42	196.06
49316MN1010003	Rating Area 7	No Preference	43	196.06
49316MN1010003	Rating Area 7	No Preference	44	196.06
49316MN1010003	Rating Area 7	No Preference	45	231.09
49316MN1010003	Rating Area 7	No Preference	46	231.09
49316MN1010003	Rating Area 7	No Preference	47	231.09
49316MN1010003	Rating Area 7	No Preference	48	231.09
49316MN1010003	Rating Area 7	No Preference	49	231.09
49316MN1010003	Rating Area 7	No Preference	50	287.91
49316MN1010003	Rating Area 7	No Preference	51	287.91
49316MN1010003	Rating Area 7	No Preference	52	287.91
49316MN1010003	Rating Area 7	No Preference	53	287.91
49316MN1010003	Rating Area 7	No Preference	54	287.91
49316MN1010003	Rating Area 7	No Preference	55	357.68
49316MN1010003	Rating Area 7	No Preference	56	357.68
49316MN1010003	Rating Area 7	No Preference	57	357.68
49316MN1010003	Rating Area 7	No Preference	58	357.68
49316MN1010003	Rating Area 7	No Preference	59	357.68
49316MN1010003	Rating Area 7	No Preference	60	422.44
49316MN1010003	Rating Area 7	No Preference	61	422.44
49316MN1010003	Rating Area 7	No Preference	62	422.44
49316MN1010003	Rating Area 7	No Preference	63	422.44
49316MN1010003	Rating Area 7	No Preference	64	441.58
49316MN1010003	Rating Area 7	No Preference	65 and over	441.58
49316MN1010003	Rating Area 8	No Preference	0-20	111.81
49316MN1010003	Rating Area 8	No Preference	21	129.53
49316MN1010003	Rating Area 8	No Preference	22	129.53
49316MN1010003	Rating Area 8	No Preference	23	129.53
49316MN1010003	Rating Area 8	No Preference	24	129.53
49316MN1010003	Rating Area 8	No Preference	25	129.53
49316MN1010003	Rating Area 8	No Preference	26	129.53
49316MN1010003	Rating Area 8	No Preference	27	129.53

49316MN1010003	Rating Area 8	No Preference	28	129.53
49316MN1010003	Rating Area 8	No Preference	29	129.53
49316MN1010003	Rating Area 8	No Preference	30	148
49316MN1010003	Rating Area 8	No Preference	31	148
49316MN1010003	Rating Area 8	No Preference	32	148
49316MN1010003	Rating Area 8	No Preference	33	148
49316MN1010003	Rating Area 8	No Preference	34	148
49316MN1010003	Rating Area 8	No Preference	35	155.79
49316MN1010003	Rating Area 8	No Preference	36	155.79
49316MN1010003	Rating Area 8	No Preference	37	155.79
49316MN1010003	Rating Area 8	No Preference	38	155.79
49316MN1010003	Rating Area 8	No Preference	39	155.79
49316MN1010003	Rating Area 8	No Preference	40	167.35
49316MN1010003	Rating Area 8	No Preference	41	167.35
49316MN1010003	Rating Area 8	No Preference	42	167.35
49316MN1010003	Rating Area 8	No Preference	43	167.35
49316MN1010003	Rating Area 8	No Preference	44	167.35
49316MN1010003	Rating Area 8	No Preference	45	197.25
49316MN1010003	Rating Area 8	No Preference	46	197.25
49316MN1010003	Rating Area 8	No Preference	47	197.25
49316MN1010003	Rating Area 8	No Preference	48	197.25
49316MN1010003	Rating Area 8	No Preference	49	197.25
49316MN1010003	Rating Area 8	No Preference	50	245.74
49316MN1010003	Rating Area 8	No Preference	51	245.74
49316MN1010003	Rating Area 8	No Preference	52	245.74
49316MN1010003	Rating Area 8	No Preference	53	245.74
49316MN1010003	Rating Area 8	No Preference	54	245.74
49316MN1010003	Rating Area 8	No Preference	55	305.29
49316MN1010003	Rating Area 8	No Preference	56	305.29
49316MN1010003	Rating Area 8	No Preference	57	305.29
49316MN1010003	Rating Area 8	No Preference	58	305.29
49316MN1010003	Rating Area 8	No Preference	59	305.29
49316MN1010003	Rating Area 8	No Preference	60	360.57
49316MN1010003	Rating Area 8	No Preference	61	360.57
49316MN1010003	Rating Area 8	No Preference	62	360.57
49316MN1010003	Rating Area 8	No Preference	63	360.57
49316MN1010003	Rating Area 8	No Preference	64	376.9
49316MN1010003	Rating Area 8	No Preference	65 and over	376.9
49316MN1010003	Rating Area 9	No Preference	0-20	111.81
49316MN1010003	Rating Area 9	No Preference	21	129.53
49316MN1010003	Rating Area 9	No Preference	22	129.53
49316MN1010003	Rating Area 9	No Preference	23	129.53
49316MN1010003	Rating Area 9	No Preference	24	129.53
49316MN1010003	Rating Area 9	No Preference	25	129.53
49316MN1010003	Rating Area 9	No Preference	26	129.53
49316MN1010003	Rating Area 9	No Preference	27	129.53
49316MN1010003	Rating Area 9	No Preference	28	129.53

49316MN1010003	Rating Area 9	No Preference	29	129.53
49316MN1010003	Rating Area 9	No Preference	30	148
49316MN1010003	Rating Area 9	No Preference	31	148
49316MN1010003	Rating Area 9	No Preference	32	148
49316MN1010003	Rating Area 9	No Preference	33	148
49316MN1010003	Rating Area 9	No Preference	34	148
49316MN1010003	Rating Area 9	No Preference	35	155.79
49316MN1010003	Rating Area 9	No Preference	36	155.79
49316MN1010003	Rating Area 9	No Preference	37	155.79
49316MN1010003	Rating Area 9	No Preference	38	155.79
49316MN1010003	Rating Area 9	No Preference	39	155.79
49316MN1010003	Rating Area 9	No Preference	40	167.35
49316MN1010003	Rating Area 9	No Preference	41	167.35
49316MN1010003	Rating Area 9	No Preference	42	167.35
49316MN1010003	Rating Area 9	No Preference	43	167.35
49316MN1010003	Rating Area 9	No Preference	44	167.35
49316MN1010003	Rating Area 9	No Preference	45	197.25
49316MN1010003	Rating Area 9	No Preference	46	197.25
49316MN1010003	Rating Area 9	No Preference	47	197.25
49316MN1010003	Rating Area 9	No Preference	48	197.25
49316MN1010003	Rating Area 9	No Preference	49	197.25
49316MN1010003	Rating Area 9	No Preference	50	245.74
49316MN1010003	Rating Area 9	No Preference	51	245.74
49316MN1010003	Rating Area 9	No Preference	52	245.74
49316MN1010003	Rating Area 9	No Preference	53	245.74
49316MN1010003	Rating Area 9	No Preference	54	245.74
49316MN1010003	Rating Area 9	No Preference	55	305.29
49316MN1010003	Rating Area 9	No Preference	56	305.29
49316MN1010003	Rating Area 9	No Preference	57	305.29
49316MN1010003	Rating Area 9	No Preference	58	305.29
49316MN1010003	Rating Area 9	No Preference	59	305.29
49316MN1010003	Rating Area 9	No Preference	60	360.57
49316MN1010003	Rating Area 9	No Preference	61	360.57
49316MN1010003	Rating Area 9	No Preference	62	360.57
49316MN1010003	Rating Area 9	No Preference	63	360.57
49316MN1010003	Rating Area 9	No Preference	64	376.9
49316MN1010003	Rating Area 9	No Preference	65 and over	376.9
49316MN1010004	Rating Area 1	No Preference	0-20	256.67
49316MN1010004	Rating Area 1	No Preference	21	297.33
49316MN1010004	Rating Area 1	No Preference	22	297.33
49316MN1010004	Rating Area 1	No Preference	23	297.33
49316MN1010004	Rating Area 1	No Preference	24	297.33
49316MN1010004	Rating Area 1	No Preference	25	297.33
49316MN1010004	Rating Area 1	No Preference	26	297.33
49316MN1010004	Rating Area 1	No Preference	27	297.33
49316MN1010004	Rating Area 1	No Preference	28	297.33
49316MN1010004	Rating Area 1	No Preference	29	297.33

49316MN1010004	Rating Area 1	No Preference	30	339.72
49316MN1010004	Rating Area 1	No Preference	31	339.72
49316MN1010004	Rating Area 1	No Preference	32	339.72
49316MN1010004	Rating Area 1	No Preference	33	339.72
49316MN1010004	Rating Area 1	No Preference	34	339.72
49316MN1010004	Rating Area 1	No Preference	35	357.6
49316MN1010004	Rating Area 1	No Preference	36	357.6
49316MN1010004	Rating Area 1	No Preference	37	357.6
49316MN1010004	Rating Area 1	No Preference	38	357.6
49316MN1010004	Rating Area 1	No Preference	39	357.6
49316MN1010004	Rating Area 1	No Preference	40	384.14
49316MN1010004	Rating Area 1	No Preference	41	384.14
49316MN1010004	Rating Area 1	No Preference	42	384.14
49316MN1010004	Rating Area 1	No Preference	43	384.14
49316MN1010004	Rating Area 1	No Preference	44	384.14
49316MN1010004	Rating Area 1	No Preference	45	452.77
49316MN1010004	Rating Area 1	No Preference	46	452.77
49316MN1010004	Rating Area 1	No Preference	47	452.77
49316MN1010004	Rating Area 1	No Preference	48	452.77
49316MN1010004	Rating Area 1	No Preference	49	452.77
49316MN1010004	Rating Area 1	No Preference	50	564.09
49316MN1010004	Rating Area 1	No Preference	51	564.09
49316MN1010004	Rating Area 1	No Preference	52	564.09
49316MN1010004	Rating Area 1	No Preference	53	564.09
49316MN1010004	Rating Area 1	No Preference	54	564.09
49316MN1010004	Rating Area 1	No Preference	55	700.79
49316MN1010004	Rating Area 1	No Preference	56	700.79
49316MN1010004	Rating Area 1	No Preference	57	700.79
49316MN1010004	Rating Area 1	No Preference	58	700.79
49316MN1010004	Rating Area 1	No Preference	59	700.79
49316MN1010004	Rating Area 1	No Preference	60	827.68
49316MN1010004	Rating Area 1	No Preference	61	827.68
49316MN1010004	Rating Area 1	No Preference	62	827.68
49316MN1010004	Rating Area 1	No Preference	63	827.68
49316MN1010004	Rating Area 1	No Preference	64	865.17
49316MN1010004	Rating Area 1	No Preference	65 and over	865.17
49316MN1010004	Rating Area 2	No Preference	0-20	196.02
49316MN1010004	Rating Area 2	No Preference	21	227.07
49316MN1010004	Rating Area 2	No Preference	22	227.07
49316MN1010004	Rating Area 2	No Preference	23	227.07
49316MN1010004	Rating Area 2	No Preference	24	227.07
49316MN1010004	Rating Area 2	No Preference	25	227.07
49316MN1010004	Rating Area 2	No Preference	26	227.07
49316MN1010004	Rating Area 2	No Preference	27	227.07
49316MN1010004	Rating Area 2	No Preference	28	227.07
49316MN1010004	Rating Area 2	No Preference	29	227.07
49316MN1010004	Rating Area 2	No Preference	30	259.45

49316MN1010004	Rating Area 2	No Preference	31	259.45
49316MN1010004	Rating Area 2	No Preference	32	259.45
49316MN1010004	Rating Area 2	No Preference	33	259.45
49316MN1010004	Rating Area 2	No Preference	34	259.45
49316MN1010004	Rating Area 2	No Preference	35	273.1
49316MN1010004	Rating Area 2	No Preference	36	273.1
49316MN1010004	Rating Area 2	No Preference	37	273.1
49316MN1010004	Rating Area 2	No Preference	38	273.1
49316MN1010004	Rating Area 2	No Preference	39	273.1
49316MN1010004	Rating Area 2	No Preference	40	293.37
49316MN1010004	Rating Area 2	No Preference	41	293.37
49316MN1010004	Rating Area 2	No Preference	42	293.37
49316MN1010004	Rating Area 2	No Preference	43	293.37
49316MN1010004	Rating Area 2	No Preference	44	293.37
49316MN1010004	Rating Area 2	No Preference	45	345.78
49316MN1010004	Rating Area 2	No Preference	46	345.78
49316MN1010004	Rating Area 2	No Preference	47	345.78
49316MN1010004	Rating Area 2	No Preference	48	345.78
49316MN1010004	Rating Area 2	No Preference	49	345.78
49316MN1010004	Rating Area 2	No Preference	50	430.8
49316MN1010004	Rating Area 2	No Preference	51	430.8
49316MN1010004	Rating Area 2	No Preference	52	430.8
49316MN1010004	Rating Area 2	No Preference	53	430.8
49316MN1010004	Rating Area 2	No Preference	54	430.8
49316MN1010004	Rating Area 2	No Preference	55	535.19
49316MN1010004	Rating Area 2	No Preference	56	535.19
49316MN1010004	Rating Area 2	No Preference	57	535.19
49316MN1010004	Rating Area 2	No Preference	58	535.19
49316MN1010004	Rating Area 2	No Preference	59	535.19
49316MN1010004	Rating Area 2	No Preference	60	632.1
49316MN1010004	Rating Area 2	No Preference	61	632.1
49316MN1010004	Rating Area 2	No Preference	62	632.1
49316MN1010004	Rating Area 2	No Preference	63	632.1
49316MN1010004	Rating Area 2	No Preference	64	660.73
49316MN1010004	Rating Area 2	No Preference	65 and over	660.73
49316MN1010004	Rating Area 3	No Preference	0-20	200.01
49316MN1010004	Rating Area 3	No Preference	21	231.7
49316MN1010004	Rating Area 3	No Preference	22	231.7
49316MN1010004	Rating Area 3	No Preference	23	231.7
49316MN1010004	Rating Area 3	No Preference	24	231.7
49316MN1010004	Rating Area 3	No Preference	25	231.7
49316MN1010004	Rating Area 3	No Preference	26	231.7
49316MN1010004	Rating Area 3	No Preference	27	231.7
49316MN1010004	Rating Area 3	No Preference	28	231.7
49316MN1010004	Rating Area 3	No Preference	29	231.7
49316MN1010004	Rating Area 3	No Preference	30	264.73
49316MN1010004	Rating Area 3	No Preference	31	264.73

49316MN1010004	Rating Area 3	No Preference	32	264.73
49316MN1010004	Rating Area 3	No Preference	33	264.73
49316MN1010004	Rating Area 3	No Preference	34	264.73
49316MN1010004	Rating Area 3	No Preference	35	278.67
49316MN1010004	Rating Area 3	No Preference	36	278.67
49316MN1010004	Rating Area 3	No Preference	37	278.67
49316MN1010004	Rating Area 3	No Preference	38	278.67
49316MN1010004	Rating Area 3	No Preference	39	278.67
49316MN1010004	Rating Area 3	No Preference	40	299.34
49316MN1010004	Rating Area 3	No Preference	41	299.34
49316MN1010004	Rating Area 3	No Preference	42	299.34
49316MN1010004	Rating Area 3	No Preference	43	299.34
49316MN1010004	Rating Area 3	No Preference	44	299.34
49316MN1010004	Rating Area 3	No Preference	45	352.83
49316MN1010004	Rating Area 3	No Preference	46	352.83
49316MN1010004	Rating Area 3	No Preference	47	352.83
49316MN1010004	Rating Area 3	No Preference	48	352.83
49316MN1010004	Rating Area 3	No Preference	49	352.83
49316MN1010004	Rating Area 3	No Preference	50	439.57
49316MN1010004	Rating Area 3	No Preference	51	439.57
49316MN1010004	Rating Area 3	No Preference	52	439.57
49316MN1010004	Rating Area 3	No Preference	53	439.57
49316MN1010004	Rating Area 3	No Preference	54	439.57
49316MN1010004	Rating Area 3	No Preference	55	546.1
49316MN1010004	Rating Area 3	No Preference	56	546.1
49316MN1010004	Rating Area 3	No Preference	57	546.1
49316MN1010004	Rating Area 3	No Preference	58	546.1
49316MN1010004	Rating Area 3	No Preference	59	546.1
49316MN1010004	Rating Area 3	No Preference	60	644.98
49316MN1010004	Rating Area 3	No Preference	61	644.98
49316MN1010004	Rating Area 3	No Preference	62	644.98
49316MN1010004	Rating Area 3	No Preference	63	644.98
49316MN1010004	Rating Area 3	No Preference	64	674.19
49316MN1010004	Rating Area 3	No Preference	65 and over	674.19
49316MN1010004	Rating Area 4	No Preference	0-20	200.01
49316MN1010004	Rating Area 4	No Preference	21	231.7
49316MN1010004	Rating Area 4	No Preference	22	231.7
49316MN1010004	Rating Area 4	No Preference	23	231.7
49316MN1010004	Rating Area 4	No Preference	24	231.7
49316MN1010004	Rating Area 4	No Preference	25	231.7
49316MN1010004	Rating Area 4	No Preference	26	231.7
49316MN1010004	Rating Area 4	No Preference	27	231.7
49316MN1010004	Rating Area 4	No Preference	28	231.7
49316MN1010004	Rating Area 4	No Preference	29	231.7
49316MN1010004	Rating Area 4	No Preference	30	264.73
49316MN1010004	Rating Area 4	No Preference	31	264.73
49316MN1010004	Rating Area 4	No Preference	32	264.73

49316MN1010004	Rating Area 4	No Preference	33	264.73
49316MN1010004	Rating Area 4	No Preference	34	264.73
49316MN1010004	Rating Area 4	No Preference	35	278.67
49316MN1010004	Rating Area 4	No Preference	36	278.67
49316MN1010004	Rating Area 4	No Preference	37	278.67
49316MN1010004	Rating Area 4	No Preference	38	278.67
49316MN1010004	Rating Area 4	No Preference	39	278.67
49316MN1010004	Rating Area 4	No Preference	40	299.34
49316MN1010004	Rating Area 4	No Preference	41	299.34
49316MN1010004	Rating Area 4	No Preference	42	299.34
49316MN1010004	Rating Area 4	No Preference	43	299.34
49316MN1010004	Rating Area 4	No Preference	44	299.34
49316MN1010004	Rating Area 4	No Preference	45	352.83
49316MN1010004	Rating Area 4	No Preference	46	352.83
49316MN1010004	Rating Area 4	No Preference	47	352.83
49316MN1010004	Rating Area 4	No Preference	48	352.83
49316MN1010004	Rating Area 4	No Preference	49	352.83
49316MN1010004	Rating Area 4	No Preference	50	439.57
49316MN1010004	Rating Area 4	No Preference	51	439.57
49316MN1010004	Rating Area 4	No Preference	52	439.57
49316MN1010004	Rating Area 4	No Preference	53	439.57
49316MN1010004	Rating Area 4	No Preference	54	439.57
49316MN1010004	Rating Area 4	No Preference	55	546.1
49316MN1010004	Rating Area 4	No Preference	56	546.1
49316MN1010004	Rating Area 4	No Preference	57	546.1
49316MN1010004	Rating Area 4	No Preference	58	546.1
49316MN1010004	Rating Area 4	No Preference	59	546.1
49316MN1010004	Rating Area 4	No Preference	60	644.98
49316MN1010004	Rating Area 4	No Preference	61	644.98
49316MN1010004	Rating Area 4	No Preference	62	644.98
49316MN1010004	Rating Area 4	No Preference	63	644.98
49316MN1010004	Rating Area 4	No Preference	64	674.19
49316MN1010004	Rating Area 4	No Preference	65 and over	674.19
49316MN1010004	Rating Area 5	No Preference	0-20	200.01
49316MN1010004	Rating Area 5	No Preference	21	231.7
49316MN1010004	Rating Area 5	No Preference	22	231.7
49316MN1010004	Rating Area 5	No Preference	23	231.7
49316MN1010004	Rating Area 5	No Preference	24	231.7
49316MN1010004	Rating Area 5	No Preference	25	231.7
49316MN1010004	Rating Area 5	No Preference	26	231.7
49316MN1010004	Rating Area 5	No Preference	27	231.7
49316MN1010004	Rating Area 5	No Preference	28	231.7
49316MN1010004	Rating Area 5	No Preference	29	231.7
49316MN1010004	Rating Area 5	No Preference	30	264.73
49316MN1010004	Rating Area 5	No Preference	31	264.73
49316MN1010004	Rating Area 5	No Preference	32	264.73
49316MN1010004	Rating Area 5	No Preference	33	264.73

49316MN1010004	Rating Area 5	No Preference	34	264.73
49316MN1010004	Rating Area 5	No Preference	35	278.67
49316MN1010004	Rating Area 5	No Preference	36	278.67
49316MN1010004	Rating Area 5	No Preference	37	278.67
49316MN1010004	Rating Area 5	No Preference	38	278.67
49316MN1010004	Rating Area 5	No Preference	39	278.67
49316MN1010004	Rating Area 5	No Preference	40	299.34
49316MN1010004	Rating Area 5	No Preference	41	299.34
49316MN1010004	Rating Area 5	No Preference	42	299.34
49316MN1010004	Rating Area 5	No Preference	43	299.34
49316MN1010004	Rating Area 5	No Preference	44	299.34
49316MN1010004	Rating Area 5	No Preference	45	352.83
49316MN1010004	Rating Area 5	No Preference	46	352.83
49316MN1010004	Rating Area 5	No Preference	47	352.83
49316MN1010004	Rating Area 5	No Preference	48	352.83
49316MN1010004	Rating Area 5	No Preference	49	352.83
49316MN1010004	Rating Area 5	No Preference	50	439.57
49316MN1010004	Rating Area 5	No Preference	51	439.57
49316MN1010004	Rating Area 5	No Preference	52	439.57
49316MN1010004	Rating Area 5	No Preference	53	439.57
49316MN1010004	Rating Area 5	No Preference	54	439.57
49316MN1010004	Rating Area 5	No Preference	55	546.1
49316MN1010004	Rating Area 5	No Preference	56	546.1
49316MN1010004	Rating Area 5	No Preference	57	546.1
49316MN1010004	Rating Area 5	No Preference	58	546.1
49316MN1010004	Rating Area 5	No Preference	59	546.1
49316MN1010004	Rating Area 5	No Preference	60	644.98
49316MN1010004	Rating Area 5	No Preference	61	644.98
49316MN1010004	Rating Area 5	No Preference	62	644.98
49316MN1010004	Rating Area 5	No Preference	63	644.98
49316MN1010004	Rating Area 5	No Preference	64	674.19
49316MN1010004	Rating Area 5	No Preference	65 and over	674.19
49316MN1010004	Rating Area 6	No Preference	0-20	178.91
49316MN1010004	Rating Area 6	No Preference	21	207.25
49316MN1010004	Rating Area 6	No Preference	22	207.25
49316MN1010004	Rating Area 6	No Preference	23	207.25
49316MN1010004	Rating Area 6	No Preference	24	207.25
49316MN1010004	Rating Area 6	No Preference	25	207.25
49316MN1010004	Rating Area 6	No Preference	26	207.25
49316MN1010004	Rating Area 6	No Preference	27	207.25
49316MN1010004	Rating Area 6	No Preference	28	207.25
49316MN1010004	Rating Area 6	No Preference	29	207.25
49316MN1010004	Rating Area 6	No Preference	30	236.8
49316MN1010004	Rating Area 6	No Preference	31	236.8
49316MN1010004	Rating Area 6	No Preference	32	236.8
49316MN1010004	Rating Area 6	No Preference	33	236.8
49316MN1010004	Rating Area 6	No Preference	34	236.8

49316MN1010004	Rating Area 6	No Preference	35	249.26
49316MN1010004	Rating Area 6	No Preference	36	249.26
49316MN1010004	Rating Area 6	No Preference	37	249.26
49316MN1010004	Rating Area 6	No Preference	38	249.26
49316MN1010004	Rating Area 6	No Preference	39	249.26
49316MN1010004	Rating Area 6	No Preference	40	267.76
49316MN1010004	Rating Area 6	No Preference	41	267.76
49316MN1010004	Rating Area 6	No Preference	42	267.76
49316MN1010004	Rating Area 6	No Preference	43	267.76
49316MN1010004	Rating Area 6	No Preference	44	267.76
49316MN1010004	Rating Area 6	No Preference	45	315.6
49316MN1010004	Rating Area 6	No Preference	46	315.6
49316MN1010004	Rating Area 6	No Preference	47	315.6
49316MN1010004	Rating Area 6	No Preference	48	315.6
49316MN1010004	Rating Area 6	No Preference	49	315.6
49316MN1010004	Rating Area 6	No Preference	50	393.19
49316MN1010004	Rating Area 6	No Preference	51	393.19
49316MN1010004	Rating Area 6	No Preference	52	393.19
49316MN1010004	Rating Area 6	No Preference	53	393.19
49316MN1010004	Rating Area 6	No Preference	54	393.19
49316MN1010004	Rating Area 6	No Preference	55	488.48
49316MN1010004	Rating Area 6	No Preference	56	488.48
49316MN1010004	Rating Area 6	No Preference	57	488.48
49316MN1010004	Rating Area 6	No Preference	58	488.48
49316MN1010004	Rating Area 6	No Preference	59	488.48
49316MN1010004	Rating Area 6	No Preference	60	576.92
49316MN1010004	Rating Area 6	No Preference	61	576.92
49316MN1010004	Rating Area 6	No Preference	62	576.92
49316MN1010004	Rating Area 6	No Preference	63	576.92
49316MN1010004	Rating Area 6	No Preference	64	603.06
49316MN1010004	Rating Area 6	No Preference	65 and over	603.06
49316MN1010004	Rating Area 7	No Preference	0-20	196.02
49316MN1010004	Rating Area 7	No Preference	21	227.07
49316MN1010004	Rating Area 7	No Preference	22	227.07
49316MN1010004	Rating Area 7	No Preference	23	227.07
49316MN1010004	Rating Area 7	No Preference	24	227.07
49316MN1010004	Rating Area 7	No Preference	25	227.07
49316MN1010004	Rating Area 7	No Preference	26	227.07
49316MN1010004	Rating Area 7	No Preference	27	227.07
49316MN1010004	Rating Area 7	No Preference	28	227.07
49316MN1010004	Rating Area 7	No Preference	29	227.07
49316MN1010004	Rating Area 7	No Preference	30	259.45
49316MN1010004	Rating Area 7	No Preference	31	259.45
49316MN1010004	Rating Area 7	No Preference	32	259.45
49316MN1010004	Rating Area 7	No Preference	33	259.45
49316MN1010004	Rating Area 7	No Preference	34	259.45
49316MN1010004	Rating Area 7	No Preference	35	273.1

49316MN1010004	Rating Area 7	No Preference	36	273.1
49316MN1010004	Rating Area 7	No Preference	37	273.1
49316MN1010004	Rating Area 7	No Preference	38	273.1
49316MN1010004	Rating Area 7	No Preference	39	273.1
49316MN1010004	Rating Area 7	No Preference	40	293.37
49316MN1010004	Rating Area 7	No Preference	41	293.37
49316MN1010004	Rating Area 7	No Preference	42	293.37
49316MN1010004	Rating Area 7	No Preference	43	293.37
49316MN1010004	Rating Area 7	No Preference	44	293.37
49316MN1010004	Rating Area 7	No Preference	45	345.78
49316MN1010004	Rating Area 7	No Preference	46	345.78
49316MN1010004	Rating Area 7	No Preference	47	345.78
49316MN1010004	Rating Area 7	No Preference	48	345.78
49316MN1010004	Rating Area 7	No Preference	49	345.78
49316MN1010004	Rating Area 7	No Preference	50	430.8
49316MN1010004	Rating Area 7	No Preference	51	430.8
49316MN1010004	Rating Area 7	No Preference	52	430.8
49316MN1010004	Rating Area 7	No Preference	53	430.8
49316MN1010004	Rating Area 7	No Preference	54	430.8
49316MN1010004	Rating Area 7	No Preference	55	535.19
49316MN1010004	Rating Area 7	No Preference	56	535.19
49316MN1010004	Rating Area 7	No Preference	57	535.19
49316MN1010004	Rating Area 7	No Preference	58	535.19
49316MN1010004	Rating Area 7	No Preference	59	535.19
49316MN1010004	Rating Area 7	No Preference	60	632.1
49316MN1010004	Rating Area 7	No Preference	61	632.1
49316MN1010004	Rating Area 7	No Preference	62	632.1
49316MN1010004	Rating Area 7	No Preference	63	632.1
49316MN1010004	Rating Area 7	No Preference	64	660.73
49316MN1010004	Rating Area 7	No Preference	65 and over	660.73
49316MN1010004	Rating Area 8	No Preference	0-20	167.31
49316MN1010004	Rating Area 8	No Preference	21	193.82
49316MN1010004	Rating Area 8	No Preference	22	193.82
49316MN1010004	Rating Area 8	No Preference	23	193.82
49316MN1010004	Rating Area 8	No Preference	24	193.82
49316MN1010004	Rating Area 8	No Preference	25	193.82
49316MN1010004	Rating Area 8	No Preference	26	193.82
49316MN1010004	Rating Area 8	No Preference	27	193.82
49316MN1010004	Rating Area 8	No Preference	28	193.82
49316MN1010004	Rating Area 8	No Preference	29	193.82
49316MN1010004	Rating Area 8	No Preference	30	221.45
49316MN1010004	Rating Area 8	No Preference	31	221.45
49316MN1010004	Rating Area 8	No Preference	32	221.45
49316MN1010004	Rating Area 8	No Preference	33	221.45
49316MN1010004	Rating Area 8	No Preference	34	221.45
49316MN1010004	Rating Area 8	No Preference	35	233.1
49316MN1010004	Rating Area 8	No Preference	36	233.1

49316MN1010004	Rating Area 8	No Preference	37	233.1
49316MN1010004	Rating Area 8	No Preference	38	233.1
49316MN1010004	Rating Area 8	No Preference	39	233.1
49316MN1010004	Rating Area 8	No Preference	40	250.4
49316MN1010004	Rating Area 8	No Preference	41	250.4
49316MN1010004	Rating Area 8	No Preference	42	250.4
49316MN1010004	Rating Area 8	No Preference	43	250.4
49316MN1010004	Rating Area 8	No Preference	44	250.4
49316MN1010004	Rating Area 8	No Preference	45	295.14
49316MN1010004	Rating Area 8	No Preference	46	295.14
49316MN1010004	Rating Area 8	No Preference	47	295.14
49316MN1010004	Rating Area 8	No Preference	48	295.14
49316MN1010004	Rating Area 8	No Preference	49	295.14
49316MN1010004	Rating Area 8	No Preference	50	367.7
49316MN1010004	Rating Area 8	No Preference	51	367.7
49316MN1010004	Rating Area 8	No Preference	52	367.7
49316MN1010004	Rating Area 8	No Preference	53	367.7
49316MN1010004	Rating Area 8	No Preference	54	367.7
49316MN1010004	Rating Area 8	No Preference	55	456.81
49316MN1010004	Rating Area 8	No Preference	56	456.81
49316MN1010004	Rating Area 8	No Preference	57	456.81
49316MN1010004	Rating Area 8	No Preference	58	456.81
49316MN1010004	Rating Area 8	No Preference	59	456.81
49316MN1010004	Rating Area 8	No Preference	60	539.52
49316MN1010004	Rating Area 8	No Preference	61	539.52
49316MN1010004	Rating Area 8	No Preference	62	539.52
49316MN1010004	Rating Area 8	No Preference	63	539.52
49316MN1010004	Rating Area 8	No Preference	64	563.96
49316MN1010004	Rating Area 8	No Preference	65 and over	563.96
49316MN1010004	Rating Area 9	No Preference	0-20	167.31
49316MN1010004	Rating Area 9	No Preference	21	193.82
49316MN1010004	Rating Area 9	No Preference	22	193.82
49316MN1010004	Rating Area 9	No Preference	23	193.82
49316MN1010004	Rating Area 9	No Preference	24	193.82
49316MN1010004	Rating Area 9	No Preference	25	193.82
49316MN1010004	Rating Area 9	No Preference	26	193.82
49316MN1010004	Rating Area 9	No Preference	27	193.82
49316MN1010004	Rating Area 9	No Preference	28	193.82
49316MN1010004	Rating Area 9	No Preference	29	193.82
49316MN1010004	Rating Area 9	No Preference	30	221.45
49316MN1010004	Rating Area 9	No Preference	31	221.45
49316MN1010004	Rating Area 9	No Preference	32	221.45
49316MN1010004	Rating Area 9	No Preference	33	221.45
49316MN1010004	Rating Area 9	No Preference	34	221.45
49316MN1010004	Rating Area 9	No Preference	35	233.1
49316MN1010004	Rating Area 9	No Preference	36	233.1
49316MN1010004	Rating Area 9	No Preference	37	233.1

49316MN1010004	Rating Area 9	No Preference	38	233.1
49316MN1010004	Rating Area 9	No Preference	39	233.1
49316MN1010004	Rating Area 9	No Preference	40	250.4
49316MN1010004	Rating Area 9	No Preference	41	250.4
49316MN1010004	Rating Area 9	No Preference	42	250.4
49316MN1010004	Rating Area 9	No Preference	43	250.4
49316MN1010004	Rating Area 9	No Preference	44	250.4
49316MN1010004	Rating Area 9	No Preference	45	295.14
49316MN1010004	Rating Area 9	No Preference	46	295.14
49316MN1010004	Rating Area 9	No Preference	47	295.14
49316MN1010004	Rating Area 9	No Preference	48	295.14
49316MN1010004	Rating Area 9	No Preference	49	295.14
49316MN1010004	Rating Area 9	No Preference	50	367.7
49316MN1010004	Rating Area 9	No Preference	51	367.7
49316MN1010004	Rating Area 9	No Preference	52	367.7
49316MN1010004	Rating Area 9	No Preference	53	367.7
49316MN1010004	Rating Area 9	No Preference	54	367.7
49316MN1010004	Rating Area 9	No Preference	55	456.81
49316MN1010004	Rating Area 9	No Preference	56	456.81
49316MN1010004	Rating Area 9	No Preference	57	456.81
49316MN1010004	Rating Area 9	No Preference	58	456.81
49316MN1010004	Rating Area 9	No Preference	59	456.81
49316MN1010004	Rating Area 9	No Preference	60	539.52
49316MN1010004	Rating Area 9	No Preference	61	539.52
49316MN1010004	Rating Area 9	No Preference	62	539.52
49316MN1010004	Rating Area 9	No Preference	63	539.52
49316MN1010004	Rating Area 9	No Preference	64	563.96
49316MN1010004	Rating Area 9	No Preference	65 and over	563.96
49316MN1010005	Rating Area 1	No Preference	0-20	288.53
49316MN1010005	Rating Area 1	No Preference	21	334.24
49316MN1010005	Rating Area 1	No Preference	22	334.24
49316MN1010005	Rating Area 1	No Preference	23	334.24
49316MN1010005	Rating Area 1	No Preference	24	334.24
49316MN1010005	Rating Area 1	No Preference	25	334.24
49316MN1010005	Rating Area 1	No Preference	26	334.24
49316MN1010005	Rating Area 1	No Preference	27	334.24
49316MN1010005	Rating Area 1	No Preference	28	334.24
49316MN1010005	Rating Area 1	No Preference	29	334.24
49316MN1010005	Rating Area 1	No Preference	30	381.9
49316MN1010005	Rating Area 1	No Preference	31	381.9
49316MN1010005	Rating Area 1	No Preference	32	381.9
49316MN1010005	Rating Area 1	No Preference	33	381.9
49316MN1010005	Rating Area 1	No Preference	34	381.9
49316MN1010005	Rating Area 1	No Preference	35	402
49316MN1010005	Rating Area 1	No Preference	36	402
49316MN1010005	Rating Area 1	No Preference	37	402
49316MN1010005	Rating Area 1	No Preference	38	402

49316MN1010005	Rating Area 1	No Preference	39	402
49316MN1010005	Rating Area 1	No Preference	40	431.83
49316MN1010005	Rating Area 1	No Preference	41	431.83
49316MN1010005	Rating Area 1	No Preference	42	431.83
49316MN1010005	Rating Area 1	No Preference	43	431.83
49316MN1010005	Rating Area 1	No Preference	44	431.83
49316MN1010005	Rating Area 1	No Preference	45	508.98
49316MN1010005	Rating Area 1	No Preference	46	508.98
49316MN1010005	Rating Area 1	No Preference	47	508.98
49316MN1010005	Rating Area 1	No Preference	48	508.98
49316MN1010005	Rating Area 1	No Preference	49	508.98
49316MN1010005	Rating Area 1	No Preference	50	634.12
49316MN1010005	Rating Area 1	No Preference	51	634.12
49316MN1010005	Rating Area 1	No Preference	52	634.12
49316MN1010005	Rating Area 1	No Preference	53	634.12
49316MN1010005	Rating Area 1	No Preference	54	634.12
49316MN1010005	Rating Area 1	No Preference	55	787.79
49316MN1010005	Rating Area 1	No Preference	56	787.79
49316MN1010005	Rating Area 1	No Preference	57	787.79
49316MN1010005	Rating Area 1	No Preference	58	787.79
49316MN1010005	Rating Area 1	No Preference	59	787.79
49316MN1010005	Rating Area 1	No Preference	60	930.44
49316MN1010005	Rating Area 1	No Preference	61	930.44
49316MN1010005	Rating Area 1	No Preference	62	930.44
49316MN1010005	Rating Area 1	No Preference	63	930.44
49316MN1010005	Rating Area 1	No Preference	64	972.58
49316MN1010005	Rating Area 1	No Preference	65 and over	972.58
49316MN1010005	Rating Area 2	No Preference	0-20	220.35
49316MN1010005	Rating Area 2	No Preference	21	255.26
49316MN1010005	Rating Area 2	No Preference	22	255.26
49316MN1010005	Rating Area 2	No Preference	23	255.26
49316MN1010005	Rating Area 2	No Preference	24	255.26
49316MN1010005	Rating Area 2	No Preference	25	255.26
49316MN1010005	Rating Area 2	No Preference	26	255.26
49316MN1010005	Rating Area 2	No Preference	27	255.26
49316MN1010005	Rating Area 2	No Preference	28	255.26
49316MN1010005	Rating Area 2	No Preference	29	255.26
49316MN1010005	Rating Area 2	No Preference	30	291.66
49316MN1010005	Rating Area 2	No Preference	31	291.66
49316MN1010005	Rating Area 2	No Preference	32	291.66
49316MN1010005	Rating Area 2	No Preference	33	291.66
49316MN1010005	Rating Area 2	No Preference	34	291.66
49316MN1010005	Rating Area 2	No Preference	35	307.01
49316MN1010005	Rating Area 2	No Preference	36	307.01
49316MN1010005	Rating Area 2	No Preference	37	307.01
49316MN1010005	Rating Area 2	No Preference	38	307.01
49316MN1010005	Rating Area 2	No Preference	39	307.01

49316MN1010005	Rating Area 2	No Preference	40	329.79
49316MN1010005	Rating Area 2	No Preference	41	329.79
49316MN1010005	Rating Area 2	No Preference	42	329.79
49316MN1010005	Rating Area 2	No Preference	43	329.79
49316MN1010005	Rating Area 2	No Preference	44	329.79
49316MN1010005	Rating Area 2	No Preference	45	388.71
49316MN1010005	Rating Area 2	No Preference	46	388.71
49316MN1010005	Rating Area 2	No Preference	47	388.71
49316MN1010005	Rating Area 2	No Preference	48	388.71
49316MN1010005	Rating Area 2	No Preference	49	388.71
49316MN1010005	Rating Area 2	No Preference	50	484.28
49316MN1010005	Rating Area 2	No Preference	51	484.28
49316MN1010005	Rating Area 2	No Preference	52	484.28
49316MN1010005	Rating Area 2	No Preference	53	484.28
49316MN1010005	Rating Area 2	No Preference	54	484.28
49316MN1010005	Rating Area 2	No Preference	55	601.64
49316MN1010005	Rating Area 2	No Preference	56	601.64
49316MN1010005	Rating Area 2	No Preference	57	601.64
49316MN1010005	Rating Area 2	No Preference	58	601.64
49316MN1010005	Rating Area 2	No Preference	59	601.64
49316MN1010005	Rating Area 2	No Preference	60	710.58
49316MN1010005	Rating Area 2	No Preference	61	710.58
49316MN1010005	Rating Area 2	No Preference	62	710.58
49316MN1010005	Rating Area 2	No Preference	63	710.58
49316MN1010005	Rating Area 2	No Preference	64	742.76
49316MN1010005	Rating Area 2	No Preference	65 and over	742.76
49316MN1010005	Rating Area 3	No Preference	0-20	224.84
49316MN1010005	Rating Area 3	No Preference	21	260.46
49316MN1010005	Rating Area 3	No Preference	22	260.46
49316MN1010005	Rating Area 3	No Preference	23	260.46
49316MN1010005	Rating Area 3	No Preference	24	260.46
49316MN1010005	Rating Area 3	No Preference	25	260.46
49316MN1010005	Rating Area 3	No Preference	26	260.46
49316MN1010005	Rating Area 3	No Preference	27	260.46
49316MN1010005	Rating Area 3	No Preference	28	260.46
49316MN1010005	Rating Area 3	No Preference	29	260.46
49316MN1010005	Rating Area 3	No Preference	30	297.6
49316MN1010005	Rating Area 3	No Preference	31	297.6
49316MN1010005	Rating Area 3	No Preference	32	297.6
49316MN1010005	Rating Area 3	No Preference	33	297.6
49316MN1010005	Rating Area 3	No Preference	34	297.6
49316MN1010005	Rating Area 3	No Preference	35	313.26
49316MN1010005	Rating Area 3	No Preference	36	313.26
49316MN1010005	Rating Area 3	No Preference	37	313.26
49316MN1010005	Rating Area 3	No Preference	38	313.26
49316MN1010005	Rating Area 3	No Preference	39	313.26
49316MN1010005	Rating Area 3	No Preference	40	336.5

49316MN1010005	Rating Area 3	No Preference	41	336.5
49316MN1010005	Rating Area 3	No Preference	42	336.5
49316MN1010005	Rating Area 3	No Preference	43	336.5
49316MN1010005	Rating Area 3	No Preference	44	336.5
49316MN1010005	Rating Area 3	No Preference	45	396.63
49316MN1010005	Rating Area 3	No Preference	46	396.63
49316MN1010005	Rating Area 3	No Preference	47	396.63
49316MN1010005	Rating Area 3	No Preference	48	396.63
49316MN1010005	Rating Area 3	No Preference	49	396.63
49316MN1010005	Rating Area 3	No Preference	50	494.15
49316MN1010005	Rating Area 3	No Preference	51	494.15
49316MN1010005	Rating Area 3	No Preference	52	494.15
49316MN1010005	Rating Area 3	No Preference	53	494.15
49316MN1010005	Rating Area 3	No Preference	54	494.15
49316MN1010005	Rating Area 3	No Preference	55	613.89
49316MN1010005	Rating Area 3	No Preference	56	613.89
49316MN1010005	Rating Area 3	No Preference	57	613.89
49316MN1010005	Rating Area 3	No Preference	58	613.89
49316MN1010005	Rating Area 3	No Preference	59	613.89
49316MN1010005	Rating Area 3	No Preference	60	725.05
49316MN1010005	Rating Area 3	No Preference	61	725.05
49316MN1010005	Rating Area 3	No Preference	62	725.05
49316MN1010005	Rating Area 3	No Preference	63	725.05
49316MN1010005	Rating Area 3	No Preference	64	757.89
49316MN1010005	Rating Area 3	No Preference	65 and over	757.89
49316MN1010005	Rating Area 4	No Preference	0-20	224.84
49316MN1010005	Rating Area 4	No Preference	21	260.46
49316MN1010005	Rating Area 4	No Preference	22	260.46
49316MN1010005	Rating Area 4	No Preference	23	260.46
49316MN1010005	Rating Area 4	No Preference	24	260.46
49316MN1010005	Rating Area 4	No Preference	25	260.46
49316MN1010005	Rating Area 4	No Preference	26	260.46
49316MN1010005	Rating Area 4	No Preference	27	260.46
49316MN1010005	Rating Area 4	No Preference	28	260.46
49316MN1010005	Rating Area 4	No Preference	29	260.46
49316MN1010005	Rating Area 4	No Preference	30	297.6
49316MN1010005	Rating Area 4	No Preference	31	297.6
49316MN1010005	Rating Area 4	No Preference	32	297.6
49316MN1010005	Rating Area 4	No Preference	33	297.6
49316MN1010005	Rating Area 4	No Preference	34	297.6
49316MN1010005	Rating Area 4	No Preference	35	313.26
49316MN1010005	Rating Area 4	No Preference	36	313.26
49316MN1010005	Rating Area 4	No Preference	37	313.26
49316MN1010005	Rating Area 4	No Preference	38	313.26
49316MN1010005	Rating Area 4	No Preference	39	313.26
49316MN1010005	Rating Area 4	No Preference	40	336.5
49316MN1010005	Rating Area 4	No Preference	41	336.5

49316MN1010005	Rating Area 4	No Preference	42	336.5
49316MN1010005	Rating Area 4	No Preference	43	336.5
49316MN1010005	Rating Area 4	No Preference	44	336.5
49316MN1010005	Rating Area 4	No Preference	45	396.63
49316MN1010005	Rating Area 4	No Preference	46	396.63
49316MN1010005	Rating Area 4	No Preference	47	396.63
49316MN1010005	Rating Area 4	No Preference	48	396.63
49316MN1010005	Rating Area 4	No Preference	49	396.63
49316MN1010005	Rating Area 4	No Preference	50	494.15
49316MN1010005	Rating Area 4	No Preference	51	494.15
49316MN1010005	Rating Area 4	No Preference	52	494.15
49316MN1010005	Rating Area 4	No Preference	53	494.15
49316MN1010005	Rating Area 4	No Preference	54	494.15
49316MN1010005	Rating Area 4	No Preference	55	613.89
49316MN1010005	Rating Area 4	No Preference	56	613.89
49316MN1010005	Rating Area 4	No Preference	57	613.89
49316MN1010005	Rating Area 4	No Preference	58	613.89
49316MN1010005	Rating Area 4	No Preference	59	613.89
49316MN1010005	Rating Area 4	No Preference	60	725.05
49316MN1010005	Rating Area 4	No Preference	61	725.05
49316MN1010005	Rating Area 4	No Preference	62	725.05
49316MN1010005	Rating Area 4	No Preference	63	725.05
49316MN1010005	Rating Area 4	No Preference	64	757.89
49316MN1010005	Rating Area 4	No Preference	65 and over	757.89
49316MN1010005	Rating Area 5	No Preference	0-20	224.84
49316MN1010005	Rating Area 5	No Preference	21	260.46
49316MN1010005	Rating Area 5	No Preference	22	260.46
49316MN1010005	Rating Area 5	No Preference	23	260.46
49316MN1010005	Rating Area 5	No Preference	24	260.46
49316MN1010005	Rating Area 5	No Preference	25	260.46
49316MN1010005	Rating Area 5	No Preference	26	260.46
49316MN1010005	Rating Area 5	No Preference	27	260.46
49316MN1010005	Rating Area 5	No Preference	28	260.46
49316MN1010005	Rating Area 5	No Preference	29	260.46
49316MN1010005	Rating Area 5	No Preference	30	297.6
49316MN1010005	Rating Area 5	No Preference	31	297.6
49316MN1010005	Rating Area 5	No Preference	32	297.6
49316MN1010005	Rating Area 5	No Preference	33	297.6
49316MN1010005	Rating Area 5	No Preference	34	297.6
49316MN1010005	Rating Area 5	No Preference	35	313.26
49316MN1010005	Rating Area 5	No Preference	36	313.26
49316MN1010005	Rating Area 5	No Preference	37	313.26
49316MN1010005	Rating Area 5	No Preference	38	313.26
49316MN1010005	Rating Area 5	No Preference	39	313.26
49316MN1010005	Rating Area 5	No Preference	40	336.5
49316MN1010005	Rating Area 5	No Preference	41	336.5
49316MN1010005	Rating Area 5	No Preference	42	336.5

49316MN1010005	Rating Area 5	No Preference	43	336.5
49316MN1010005	Rating Area 5	No Preference	44	336.5
49316MN1010005	Rating Area 5	No Preference	45	396.63
49316MN1010005	Rating Area 5	No Preference	46	396.63
49316MN1010005	Rating Area 5	No Preference	47	396.63
49316MN1010005	Rating Area 5	No Preference	48	396.63
49316MN1010005	Rating Area 5	No Preference	49	396.63
49316MN1010005	Rating Area 5	No Preference	50	494.15
49316MN1010005	Rating Area 5	No Preference	51	494.15
49316MN1010005	Rating Area 5	No Preference	52	494.15
49316MN1010005	Rating Area 5	No Preference	53	494.15
49316MN1010005	Rating Area 5	No Preference	54	494.15
49316MN1010005	Rating Area 5	No Preference	55	613.89
49316MN1010005	Rating Area 5	No Preference	56	613.89
49316MN1010005	Rating Area 5	No Preference	57	613.89
49316MN1010005	Rating Area 5	No Preference	58	613.89
49316MN1010005	Rating Area 5	No Preference	59	613.89
49316MN1010005	Rating Area 5	No Preference	60	725.05
49316MN1010005	Rating Area 5	No Preference	61	725.05
49316MN1010005	Rating Area 5	No Preference	62	725.05
49316MN1010005	Rating Area 5	No Preference	63	725.05
49316MN1010005	Rating Area 5	No Preference	64	757.89
49316MN1010005	Rating Area 5	No Preference	65 and over	757.89
49316MN1010005	Rating Area 6	No Preference	0-20	201.12
49316MN1010005	Rating Area 6	No Preference	21	232.98
49316MN1010005	Rating Area 6	No Preference	22	232.98
49316MN1010005	Rating Area 6	No Preference	23	232.98
49316MN1010005	Rating Area 6	No Preference	24	232.98
49316MN1010005	Rating Area 6	No Preference	25	232.98
49316MN1010005	Rating Area 6	No Preference	26	232.98
49316MN1010005	Rating Area 6	No Preference	27	232.98
49316MN1010005	Rating Area 6	No Preference	28	232.98
49316MN1010005	Rating Area 6	No Preference	29	232.98
49316MN1010005	Rating Area 6	No Preference	30	266.2
49316MN1010005	Rating Area 6	No Preference	31	266.2
49316MN1010005	Rating Area 6	No Preference	32	266.2
49316MN1010005	Rating Area 6	No Preference	33	266.2
49316MN1010005	Rating Area 6	No Preference	34	266.2
49316MN1010005	Rating Area 6	No Preference	35	280.21
49316MN1010005	Rating Area 6	No Preference	36	280.21
49316MN1010005	Rating Area 6	No Preference	37	280.21
49316MN1010005	Rating Area 6	No Preference	38	280.21
49316MN1010005	Rating Area 6	No Preference	39	280.21
49316MN1010005	Rating Area 6	No Preference	40	301
49316MN1010005	Rating Area 6	No Preference	41	301
49316MN1010005	Rating Area 6	No Preference	42	301
49316MN1010005	Rating Area 6	No Preference	43	301

49316MN1010005	Rating Area 6	No Preference	44	301
49316MN1010005	Rating Area 6	No Preference	45	354.78
49316MN1010005	Rating Area 6	No Preference	46	354.78
49316MN1010005	Rating Area 6	No Preference	47	354.78
49316MN1010005	Rating Area 6	No Preference	48	354.78
49316MN1010005	Rating Area 6	No Preference	49	354.78
49316MN1010005	Rating Area 6	No Preference	50	442.01
49316MN1010005	Rating Area 6	No Preference	51	442.01
49316MN1010005	Rating Area 6	No Preference	52	442.01
49316MN1010005	Rating Area 6	No Preference	53	442.01
49316MN1010005	Rating Area 6	No Preference	54	442.01
49316MN1010005	Rating Area 6	No Preference	55	549.12
49316MN1010005	Rating Area 6	No Preference	56	549.12
49316MN1010005	Rating Area 6	No Preference	57	549.12
49316MN1010005	Rating Area 6	No Preference	58	549.12
49316MN1010005	Rating Area 6	No Preference	59	549.12
49316MN1010005	Rating Area 6	No Preference	60	648.55
49316MN1010005	Rating Area 6	No Preference	61	648.55
49316MN1010005	Rating Area 6	No Preference	62	648.55
49316MN1010005	Rating Area 6	No Preference	63	648.55
49316MN1010005	Rating Area 6	No Preference	64	677.93
49316MN1010005	Rating Area 6	No Preference	65 and over	677.93
49316MN1010005	Rating Area 7	No Preference	0-20	220.35
49316MN1010005	Rating Area 7	No Preference	21	255.26
49316MN1010005	Rating Area 7	No Preference	22	255.26
49316MN1010005	Rating Area 7	No Preference	23	255.26
49316MN1010005	Rating Area 7	No Preference	24	255.26
49316MN1010005	Rating Area 7	No Preference	25	255.26
49316MN1010005	Rating Area 7	No Preference	26	255.26
49316MN1010005	Rating Area 7	No Preference	27	255.26
49316MN1010005	Rating Area 7	No Preference	28	255.26
49316MN1010005	Rating Area 7	No Preference	29	255.26
49316MN1010005	Rating Area 7	No Preference	30	291.66
49316MN1010005	Rating Area 7	No Preference	31	291.66
49316MN1010005	Rating Area 7	No Preference	32	291.66
49316MN1010005	Rating Area 7	No Preference	33	291.66
49316MN1010005	Rating Area 7	No Preference	34	291.66
49316MN1010005	Rating Area 7	No Preference	35	307.01
49316MN1010005	Rating Area 7	No Preference	36	307.01
49316MN1010005	Rating Area 7	No Preference	37	307.01
49316MN1010005	Rating Area 7	No Preference	38	307.01
49316MN1010005	Rating Area 7	No Preference	39	307.01
49316MN1010005	Rating Area 7	No Preference	40	329.79
49316MN1010005	Rating Area 7	No Preference	41	329.79
49316MN1010005	Rating Area 7	No Preference	42	329.79
49316MN1010005	Rating Area 7	No Preference	43	329.79
49316MN1010005	Rating Area 7	No Preference	44	329.79

49316MN1010005	Rating Area 7	No Preference	45	388.71
49316MN1010005	Rating Area 7	No Preference	46	388.71
49316MN1010005	Rating Area 7	No Preference	47	388.71
49316MN1010005	Rating Area 7	No Preference	48	388.71
49316MN1010005	Rating Area 7	No Preference	49	388.71
49316MN1010005	Rating Area 7	No Preference	50	484.28
49316MN1010005	Rating Area 7	No Preference	51	484.28
49316MN1010005	Rating Area 7	No Preference	52	484.28
49316MN1010005	Rating Area 7	No Preference	53	484.28
49316MN1010005	Rating Area 7	No Preference	54	484.28
49316MN1010005	Rating Area 7	No Preference	55	601.64
49316MN1010005	Rating Area 7	No Preference	56	601.64
49316MN1010005	Rating Area 7	No Preference	57	601.64
49316MN1010005	Rating Area 7	No Preference	58	601.64
49316MN1010005	Rating Area 7	No Preference	59	601.64
49316MN1010005	Rating Area 7	No Preference	60	710.58
49316MN1010005	Rating Area 7	No Preference	61	710.58
49316MN1010005	Rating Area 7	No Preference	62	710.58
49316MN1010005	Rating Area 7	No Preference	63	710.58
49316MN1010005	Rating Area 7	No Preference	64	742.76
49316MN1010005	Rating Area 7	No Preference	65 and over	742.76
49316MN1010005	Rating Area 8	No Preference	0-20	188.08
49316MN1010005	Rating Area 8	No Preference	21	217.88
49316MN1010005	Rating Area 8	No Preference	22	217.88
49316MN1010005	Rating Area 8	No Preference	23	217.88
49316MN1010005	Rating Area 8	No Preference	24	217.88
49316MN1010005	Rating Area 8	No Preference	25	217.88
49316MN1010005	Rating Area 8	No Preference	26	217.88
49316MN1010005	Rating Area 8	No Preference	27	217.88
49316MN1010005	Rating Area 8	No Preference	28	217.88
49316MN1010005	Rating Area 8	No Preference	29	217.88
49316MN1010005	Rating Area 8	No Preference	30	248.94
49316MN1010005	Rating Area 8	No Preference	31	248.94
49316MN1010005	Rating Area 8	No Preference	32	248.94
49316MN1010005	Rating Area 8	No Preference	33	248.94
49316MN1010005	Rating Area 8	No Preference	34	248.94
49316MN1010005	Rating Area 8	No Preference	35	262.04
49316MN1010005	Rating Area 8	No Preference	36	262.04
49316MN1010005	Rating Area 8	No Preference	37	262.04
49316MN1010005	Rating Area 8	No Preference	38	262.04
49316MN1010005	Rating Area 8	No Preference	39	262.04
49316MN1010005	Rating Area 8	No Preference	40	281.49
49316MN1010005	Rating Area 8	No Preference	41	281.49
49316MN1010005	Rating Area 8	No Preference	42	281.49
49316MN1010005	Rating Area 8	No Preference	43	281.49
49316MN1010005	Rating Area 8	No Preference	44	281.49
49316MN1010005	Rating Area 8	No Preference	45	331.78

49316MN1010005	Rating Area 8	No Preference	46	331.78
49316MN1010005	Rating Area 8	No Preference	47	331.78
49316MN1010005	Rating Area 8	No Preference	48	331.78
49316MN1010005	Rating Area 8	No Preference	49	331.78
49316MN1010005	Rating Area 8	No Preference	50	413.35
49316MN1010005	Rating Area 8	No Preference	51	413.35
49316MN1010005	Rating Area 8	No Preference	52	413.35
49316MN1010005	Rating Area 8	No Preference	53	413.35
49316MN1010005	Rating Area 8	No Preference	54	413.35
49316MN1010005	Rating Area 8	No Preference	55	513.52
49316MN1010005	Rating Area 8	No Preference	56	513.52
49316MN1010005	Rating Area 8	No Preference	57	513.52
49316MN1010005	Rating Area 8	No Preference	58	513.52
49316MN1010005	Rating Area 8	No Preference	59	513.52
49316MN1010005	Rating Area 8	No Preference	60	606.51
49316MN1010005	Rating Area 8	No Preference	61	606.51
49316MN1010005	Rating Area 8	No Preference	62	606.51
49316MN1010005	Rating Area 8	No Preference	63	606.51
49316MN1010005	Rating Area 8	No Preference	64	633.98
49316MN1010005	Rating Area 8	No Preference	65 and over	633.98
49316MN1010005	Rating Area 9	No Preference	0-20	188.08
49316MN1010005	Rating Area 9	No Preference	21	217.88
49316MN1010005	Rating Area 9	No Preference	22	217.88
49316MN1010005	Rating Area 9	No Preference	23	217.88
49316MN1010005	Rating Area 9	No Preference	24	217.88
49316MN1010005	Rating Area 9	No Preference	25	217.88
49316MN1010005	Rating Area 9	No Preference	26	217.88
49316MN1010005	Rating Area 9	No Preference	27	217.88
49316MN1010005	Rating Area 9	No Preference	28	217.88
49316MN1010005	Rating Area 9	No Preference	29	217.88
49316MN1010005	Rating Area 9	No Preference	30	248.94
49316MN1010005	Rating Area 9	No Preference	31	248.94
49316MN1010005	Rating Area 9	No Preference	32	248.94
49316MN1010005	Rating Area 9	No Preference	33	248.94
49316MN1010005	Rating Area 9	No Preference	34	248.94
49316MN1010005	Rating Area 9	No Preference	35	262.04
49316MN1010005	Rating Area 9	No Preference	36	262.04
49316MN1010005	Rating Area 9	No Preference	37	262.04
49316MN1010005	Rating Area 9	No Preference	38	262.04
49316MN1010005	Rating Area 9	No Preference	39	262.04
49316MN1010005	Rating Area 9	No Preference	40	281.49
49316MN1010005	Rating Area 9	No Preference	41	281.49
49316MN1010005	Rating Area 9	No Preference	42	281.49
49316MN1010005	Rating Area 9	No Preference	43	281.49
49316MN1010005	Rating Area 9	No Preference	44	281.49
49316MN1010005	Rating Area 9	No Preference	45	331.78
49316MN1010005	Rating Area 9	No Preference	46	331.78

49316MN1010005	Rating Area 9	No Preference	47	331.78
49316MN1010005	Rating Area 9	No Preference	48	331.78
49316MN1010005	Rating Area 9	No Preference	49	331.78
49316MN1010005	Rating Area 9	No Preference	50	413.35
49316MN1010005	Rating Area 9	No Preference	51	413.35
49316MN1010005	Rating Area 9	No Preference	52	413.35
49316MN1010005	Rating Area 9	No Preference	53	413.35
49316MN1010005	Rating Area 9	No Preference	54	413.35
49316MN1010005	Rating Area 9	No Preference	55	513.52
49316MN1010005	Rating Area 9	No Preference	56	513.52
49316MN1010005	Rating Area 9	No Preference	57	513.52
49316MN1010005	Rating Area 9	No Preference	58	513.52
49316MN1010005	Rating Area 9	No Preference	59	513.52
49316MN1010005	Rating Area 9	No Preference	60	606.51
49316MN1010005	Rating Area 9	No Preference	61	606.51
49316MN1010005	Rating Area 9	No Preference	62	606.51
49316MN1010005	Rating Area 9	No Preference	63	606.51
49316MN1010005	Rating Area 9	No Preference	64	633.98
49316MN1010005	Rating Area 9	No Preference	65 and over	633.98
49316MN1020001	Rating Area 1	No Preference	0-20	203.99
49316MN1020001	Rating Area 1	No Preference	21	236.31
49316MN1020001	Rating Area 1	No Preference	22	236.31
49316MN1020001	Rating Area 1	No Preference	23	236.31
49316MN1020001	Rating Area 1	No Preference	24	236.31
49316MN1020001	Rating Area 1	No Preference	25	236.31
49316MN1020001	Rating Area 1	No Preference	26	236.31
49316MN1020001	Rating Area 1	No Preference	27	236.31
49316MN1020001	Rating Area 1	No Preference	28	236.31
49316MN1020001	Rating Area 1	No Preference	29	236.31
49316MN1020001	Rating Area 1	No Preference	30	270.01
49316MN1020001	Rating Area 1	No Preference	31	270.01
49316MN1020001	Rating Area 1	No Preference	32	270.01
49316MN1020001	Rating Area 1	No Preference	33	270.01
49316MN1020001	Rating Area 1	No Preference	34	270.01
49316MN1020001	Rating Area 1	No Preference	35	284.22
49316MN1020001	Rating Area 1	No Preference	36	284.22
49316MN1020001	Rating Area 1	No Preference	37	284.22
49316MN1020001	Rating Area 1	No Preference	38	284.22
49316MN1020001	Rating Area 1	No Preference	39	284.22
49316MN1020001	Rating Area 1	No Preference	40	305.3
49316MN1020001	Rating Area 1	No Preference	41	305.3
49316MN1020001	Rating Area 1	No Preference	42	305.3
49316MN1020001	Rating Area 1	No Preference	43	305.3
49316MN1020001	Rating Area 1	No Preference	44	305.3
49316MN1020001	Rating Area 1	No Preference	45	359.86
49316MN1020001	Rating Area 1	No Preference	46	359.86
49316MN1020001	Rating Area 1	No Preference	47	359.86

49316MN1020001	Rating Area 1	No Preference	48	359.86
49316MN1020001	Rating Area 1	No Preference	49	359.86
49316MN1020001	Rating Area 1	No Preference	50	448.33
49316MN1020001	Rating Area 1	No Preference	51	448.33
49316MN1020001	Rating Area 1	No Preference	52	448.33
49316MN1020001	Rating Area 1	No Preference	53	448.33
49316MN1020001	Rating Area 1	No Preference	54	448.33
49316MN1020001	Rating Area 1	No Preference	55	556.97
49316MN1020001	Rating Area 1	No Preference	56	556.97
49316MN1020001	Rating Area 1	No Preference	57	556.97
49316MN1020001	Rating Area 1	No Preference	58	556.97
49316MN1020001	Rating Area 1	No Preference	59	556.97
49316MN1020001	Rating Area 1	No Preference	60	657.82
49316MN1020001	Rating Area 1	No Preference	61	657.82
49316MN1020001	Rating Area 1	No Preference	62	657.82
49316MN1020001	Rating Area 1	No Preference	63	657.82
49316MN1020001	Rating Area 1	No Preference	64	687.62
49316MN1020001	Rating Area 1	No Preference	65 and over	687.62
49316MN1020001	Rating Area 2	No Preference	0-20	155.79
49316MN1020001	Rating Area 2	No Preference	21	180.47
49316MN1020001	Rating Area 2	No Preference	22	180.47
49316MN1020001	Rating Area 2	No Preference	23	180.47
49316MN1020001	Rating Area 2	No Preference	24	180.47
49316MN1020001	Rating Area 2	No Preference	25	180.47
49316MN1020001	Rating Area 2	No Preference	26	180.47
49316MN1020001	Rating Area 2	No Preference	27	180.47
49316MN1020001	Rating Area 2	No Preference	28	180.47
49316MN1020001	Rating Area 2	No Preference	29	180.47
49316MN1020001	Rating Area 2	No Preference	30	206.2
49316MN1020001	Rating Area 2	No Preference	31	206.2
49316MN1020001	Rating Area 2	No Preference	32	206.2
49316MN1020001	Rating Area 2	No Preference	33	206.2
49316MN1020001	Rating Area 2	No Preference	34	206.2
49316MN1020001	Rating Area 2	No Preference	35	217.06
49316MN1020001	Rating Area 2	No Preference	36	217.06
49316MN1020001	Rating Area 2	No Preference	37	217.06
49316MN1020001	Rating Area 2	No Preference	38	217.06
49316MN1020001	Rating Area 2	No Preference	39	217.06
49316MN1020001	Rating Area 2	No Preference	40	233.16
49316MN1020001	Rating Area 2	No Preference	41	233.16
49316MN1020001	Rating Area 2	No Preference	42	233.16
49316MN1020001	Rating Area 2	No Preference	43	233.16
49316MN1020001	Rating Area 2	No Preference	44	233.16
49316MN1020001	Rating Area 2	No Preference	45	274.82
49316MN1020001	Rating Area 2	No Preference	46	274.82
49316MN1020001	Rating Area 2	No Preference	47	274.82
49316MN1020001	Rating Area 2	No Preference	48	274.82

49316MN1020001	Rating Area 2	No Preference	49	274.82
49316MN1020001	Rating Area 2	No Preference	50	342.39
49316MN1020001	Rating Area 2	No Preference	51	342.39
49316MN1020001	Rating Area 2	No Preference	52	342.39
49316MN1020001	Rating Area 2	No Preference	53	342.39
49316MN1020001	Rating Area 2	No Preference	54	342.39
49316MN1020001	Rating Area 2	No Preference	55	425.36
49316MN1020001	Rating Area 2	No Preference	56	425.36
49316MN1020001	Rating Area 2	No Preference	57	425.36
49316MN1020001	Rating Area 2	No Preference	58	425.36
49316MN1020001	Rating Area 2	No Preference	59	425.36
49316MN1020001	Rating Area 2	No Preference	60	502.38
49316MN1020001	Rating Area 2	No Preference	61	502.38
49316MN1020001	Rating Area 2	No Preference	62	502.38
49316MN1020001	Rating Area 2	No Preference	63	502.38
49316MN1020001	Rating Area 2	No Preference	64	525.14
49316MN1020001	Rating Area 2	No Preference	65 and over	525.14
49316MN1020001	Rating Area 3	No Preference	0-20	158.96
49316MN1020001	Rating Area 3	No Preference	21	184.15
49316MN1020001	Rating Area 3	No Preference	22	184.15
49316MN1020001	Rating Area 3	No Preference	23	184.15
49316MN1020001	Rating Area 3	No Preference	24	184.15
49316MN1020001	Rating Area 3	No Preference	25	184.15
49316MN1020001	Rating Area 3	No Preference	26	184.15
49316MN1020001	Rating Area 3	No Preference	27	184.15
49316MN1020001	Rating Area 3	No Preference	28	184.15
49316MN1020001	Rating Area 3	No Preference	29	184.15
49316MN1020001	Rating Area 3	No Preference	30	210.4
49316MN1020001	Rating Area 3	No Preference	31	210.4
49316MN1020001	Rating Area 3	No Preference	32	210.4
49316MN1020001	Rating Area 3	No Preference	33	210.4
49316MN1020001	Rating Area 3	No Preference	34	210.4
49316MN1020001	Rating Area 3	No Preference	35	221.48
49316MN1020001	Rating Area 3	No Preference	36	221.48
49316MN1020001	Rating Area 3	No Preference	37	221.48
49316MN1020001	Rating Area 3	No Preference	38	221.48
49316MN1020001	Rating Area 3	No Preference	39	221.48
49316MN1020001	Rating Area 3	No Preference	40	237.91
49316MN1020001	Rating Area 3	No Preference	41	237.91
49316MN1020001	Rating Area 3	No Preference	42	237.91
49316MN1020001	Rating Area 3	No Preference	43	237.91
49316MN1020001	Rating Area 3	No Preference	44	237.91
49316MN1020001	Rating Area 3	No Preference	45	280.42
49316MN1020001	Rating Area 3	No Preference	46	280.42
49316MN1020001	Rating Area 3	No Preference	47	280.42
49316MN1020001	Rating Area 3	No Preference	48	280.42
49316MN1020001	Rating Area 3	No Preference	49	280.42

49316MN1020001	Rating Area 3	No Preference	50	349.36
49316MN1020001	Rating Area 3	No Preference	51	349.36
49316MN1020001	Rating Area 3	No Preference	52	349.36
49316MN1020001	Rating Area 3	No Preference	53	349.36
49316MN1020001	Rating Area 3	No Preference	54	349.36
49316MN1020001	Rating Area 3	No Preference	55	434.03
49316MN1020001	Rating Area 3	No Preference	56	434.03
49316MN1020001	Rating Area 3	No Preference	57	434.03
49316MN1020001	Rating Area 3	No Preference	58	434.03
49316MN1020001	Rating Area 3	No Preference	59	434.03
49316MN1020001	Rating Area 3	No Preference	60	512.62
49316MN1020001	Rating Area 3	No Preference	61	512.62
49316MN1020001	Rating Area 3	No Preference	62	512.62
49316MN1020001	Rating Area 3	No Preference	63	512.62
49316MN1020001	Rating Area 3	No Preference	64	535.84
49316MN1020001	Rating Area 3	No Preference	65 and over	535.84
49316MN1020001	Rating Area 4	No Preference	0-20	158.96
49316MN1020001	Rating Area 4	No Preference	21	184.15
49316MN1020001	Rating Area 4	No Preference	22	184.15
49316MN1020001	Rating Area 4	No Preference	23	184.15
49316MN1020001	Rating Area 4	No Preference	24	184.15
49316MN1020001	Rating Area 4	No Preference	25	184.15
49316MN1020001	Rating Area 4	No Preference	26	184.15
49316MN1020001	Rating Area 4	No Preference	27	184.15
49316MN1020001	Rating Area 4	No Preference	28	184.15
49316MN1020001	Rating Area 4	No Preference	29	184.15
49316MN1020001	Rating Area 4	No Preference	30	210.4
49316MN1020001	Rating Area 4	No Preference	31	210.4
49316MN1020001	Rating Area 4	No Preference	32	210.4
49316MN1020001	Rating Area 4	No Preference	33	210.4
49316MN1020001	Rating Area 4	No Preference	34	210.4
49316MN1020001	Rating Area 4	No Preference	35	221.48
49316MN1020001	Rating Area 4	No Preference	36	221.48
49316MN1020001	Rating Area 4	No Preference	37	221.48
49316MN1020001	Rating Area 4	No Preference	38	221.48
49316MN1020001	Rating Area 4	No Preference	39	221.48
49316MN1020001	Rating Area 4	No Preference	40	237.91
49316MN1020001	Rating Area 4	No Preference	41	237.91
49316MN1020001	Rating Area 4	No Preference	42	237.91
49316MN1020001	Rating Area 4	No Preference	43	237.91
49316MN1020001	Rating Area 4	No Preference	44	237.91
49316MN1020001	Rating Area 4	No Preference	45	280.42
49316MN1020001	Rating Area 4	No Preference	46	280.42
49316MN1020001	Rating Area 4	No Preference	47	280.42
49316MN1020001	Rating Area 4	No Preference	48	280.42
49316MN1020001	Rating Area 4	No Preference	49	280.42
49316MN1020001	Rating Area 4	No Preference	50	349.36

49316MN1020001	Rating Area 4	No Preference	51	349.36
49316MN1020001	Rating Area 4	No Preference	52	349.36
49316MN1020001	Rating Area 4	No Preference	53	349.36
49316MN1020001	Rating Area 4	No Preference	54	349.36
49316MN1020001	Rating Area 4	No Preference	55	434.03
49316MN1020001	Rating Area 4	No Preference	56	434.03
49316MN1020001	Rating Area 4	No Preference	57	434.03
49316MN1020001	Rating Area 4	No Preference	58	434.03
49316MN1020001	Rating Area 4	No Preference	59	434.03
49316MN1020001	Rating Area 4	No Preference	60	512.62
49316MN1020001	Rating Area 4	No Preference	61	512.62
49316MN1020001	Rating Area 4	No Preference	62	512.62
49316MN1020001	Rating Area 4	No Preference	63	512.62
49316MN1020001	Rating Area 4	No Preference	64	535.84
49316MN1020001	Rating Area 4	No Preference	65 and over	535.84
49316MN1020001	Rating Area 5	No Preference	0-20	158.96
49316MN1020001	Rating Area 5	No Preference	21	184.15
49316MN1020001	Rating Area 5	No Preference	22	184.15
49316MN1020001	Rating Area 5	No Preference	23	184.15
49316MN1020001	Rating Area 5	No Preference	24	184.15
49316MN1020001	Rating Area 5	No Preference	25	184.15
49316MN1020001	Rating Area 5	No Preference	26	184.15
49316MN1020001	Rating Area 5	No Preference	27	184.15
49316MN1020001	Rating Area 5	No Preference	28	184.15
49316MN1020001	Rating Area 5	No Preference	29	184.15
49316MN1020001	Rating Area 5	No Preference	30	210.4
49316MN1020001	Rating Area 5	No Preference	31	210.4
49316MN1020001	Rating Area 5	No Preference	32	210.4
49316MN1020001	Rating Area 5	No Preference	33	210.4
49316MN1020001	Rating Area 5	No Preference	34	210.4
49316MN1020001	Rating Area 5	No Preference	35	221.48
49316MN1020001	Rating Area 5	No Preference	36	221.48
49316MN1020001	Rating Area 5	No Preference	37	221.48
49316MN1020001	Rating Area 5	No Preference	38	221.48
49316MN1020001	Rating Area 5	No Preference	39	221.48
49316MN1020001	Rating Area 5	No Preference	40	237.91
49316MN1020001	Rating Area 5	No Preference	41	237.91
49316MN1020001	Rating Area 5	No Preference	42	237.91
49316MN1020001	Rating Area 5	No Preference	43	237.91
49316MN1020001	Rating Area 5	No Preference	44	237.91
49316MN1020001	Rating Area 5	No Preference	45	280.42
49316MN1020001	Rating Area 5	No Preference	46	280.42
49316MN1020001	Rating Area 5	No Preference	47	280.42
49316MN1020001	Rating Area 5	No Preference	48	280.42
49316MN1020001	Rating Area 5	No Preference	49	280.42
49316MN1020001	Rating Area 5	No Preference	50	349.36
49316MN1020001	Rating Area 5	No Preference	51	349.36

49316MN1020001	Rating Area 5	No Preference	52	349.36
49316MN1020001	Rating Area 5	No Preference	53	349.36
49316MN1020001	Rating Area 5	No Preference	54	349.36
49316MN1020001	Rating Area 5	No Preference	55	434.03
49316MN1020001	Rating Area 5	No Preference	56	434.03
49316MN1020001	Rating Area 5	No Preference	57	434.03
49316MN1020001	Rating Area 5	No Preference	58	434.03
49316MN1020001	Rating Area 5	No Preference	59	434.03
49316MN1020001	Rating Area 5	No Preference	60	512.62
49316MN1020001	Rating Area 5	No Preference	61	512.62
49316MN1020001	Rating Area 5	No Preference	62	512.62
49316MN1020001	Rating Area 5	No Preference	63	512.62
49316MN1020001	Rating Area 5	No Preference	64	535.84
49316MN1020001	Rating Area 5	No Preference	65 and over	535.84
49316MN1020001	Rating Area 6	No Preference	0-20	142.19
49316MN1020001	Rating Area 6	No Preference	21	164.72
49316MN1020001	Rating Area 6	No Preference	22	164.72
49316MN1020001	Rating Area 6	No Preference	23	164.72
49316MN1020001	Rating Area 6	No Preference	24	164.72
49316MN1020001	Rating Area 6	No Preference	25	164.72
49316MN1020001	Rating Area 6	No Preference	26	164.72
49316MN1020001	Rating Area 6	No Preference	27	164.72
49316MN1020001	Rating Area 6	No Preference	28	164.72
49316MN1020001	Rating Area 6	No Preference	29	164.72
49316MN1020001	Rating Area 6	No Preference	30	188.2
49316MN1020001	Rating Area 6	No Preference	31	188.2
49316MN1020001	Rating Area 6	No Preference	32	188.2
49316MN1020001	Rating Area 6	No Preference	33	188.2
49316MN1020001	Rating Area 6	No Preference	34	188.2
49316MN1020001	Rating Area 6	No Preference	35	198.11
49316MN1020001	Rating Area 6	No Preference	36	198.11
49316MN1020001	Rating Area 6	No Preference	37	198.11
49316MN1020001	Rating Area 6	No Preference	38	198.11
49316MN1020001	Rating Area 6	No Preference	39	198.11
49316MN1020001	Rating Area 6	No Preference	40	212.81
49316MN1020001	Rating Area 6	No Preference	41	212.81
49316MN1020001	Rating Area 6	No Preference	42	212.81
49316MN1020001	Rating Area 6	No Preference	43	212.81
49316MN1020001	Rating Area 6	No Preference	44	212.81
49316MN1020001	Rating Area 6	No Preference	45	250.83
49316MN1020001	Rating Area 6	No Preference	46	250.83
49316MN1020001	Rating Area 6	No Preference	47	250.83
49316MN1020001	Rating Area 6	No Preference	48	250.83
49316MN1020001	Rating Area 6	No Preference	49	250.83
49316MN1020001	Rating Area 6	No Preference	50	312.5
49316MN1020001	Rating Area 6	No Preference	51	312.5
49316MN1020001	Rating Area 6	No Preference	52	312.5

49316MN1020001	Rating Area 6	No Preference	53	312.5
49316MN1020001	Rating Area 6	No Preference	54	312.5
49316MN1020001	Rating Area 6	No Preference	55	388.23
49316MN1020001	Rating Area 6	No Preference	56	388.23
49316MN1020001	Rating Area 6	No Preference	57	388.23
49316MN1020001	Rating Area 6	No Preference	58	388.23
49316MN1020001	Rating Area 6	No Preference	59	388.23
49316MN1020001	Rating Area 6	No Preference	60	458.53
49316MN1020001	Rating Area 6	No Preference	61	458.53
49316MN1020001	Rating Area 6	No Preference	62	458.53
49316MN1020001	Rating Area 6	No Preference	63	458.53
49316MN1020001	Rating Area 6	No Preference	64	479.3
49316MN1020001	Rating Area 6	No Preference	65 and over	479.3
49316MN1020001	Rating Area 7	No Preference	0-20	155.79
49316MN1020001	Rating Area 7	No Preference	21	180.47
49316MN1020001	Rating Area 7	No Preference	22	180.47
49316MN1020001	Rating Area 7	No Preference	23	180.47
49316MN1020001	Rating Area 7	No Preference	24	180.47
49316MN1020001	Rating Area 7	No Preference	25	180.47
49316MN1020001	Rating Area 7	No Preference	26	180.47
49316MN1020001	Rating Area 7	No Preference	27	180.47
49316MN1020001	Rating Area 7	No Preference	28	180.47
49316MN1020001	Rating Area 7	No Preference	29	180.47
49316MN1020001	Rating Area 7	No Preference	30	206.2
49316MN1020001	Rating Area 7	No Preference	31	206.2
49316MN1020001	Rating Area 7	No Preference	32	206.2
49316MN1020001	Rating Area 7	No Preference	33	206.2
49316MN1020001	Rating Area 7	No Preference	34	206.2
49316MN1020001	Rating Area 7	No Preference	35	217.06
49316MN1020001	Rating Area 7	No Preference	36	217.06
49316MN1020001	Rating Area 7	No Preference	37	217.06
49316MN1020001	Rating Area 7	No Preference	38	217.06
49316MN1020001	Rating Area 7	No Preference	39	217.06
49316MN1020001	Rating Area 7	No Preference	40	233.16
49316MN1020001	Rating Area 7	No Preference	41	233.16
49316MN1020001	Rating Area 7	No Preference	42	233.16
49316MN1020001	Rating Area 7	No Preference	43	233.16
49316MN1020001	Rating Area 7	No Preference	44	233.16
49316MN1020001	Rating Area 7	No Preference	45	274.82
49316MN1020001	Rating Area 7	No Preference	46	274.82
49316MN1020001	Rating Area 7	No Preference	47	274.82
49316MN1020001	Rating Area 7	No Preference	48	274.82
49316MN1020001	Rating Area 7	No Preference	49	274.82
49316MN1020001	Rating Area 7	No Preference	50	342.39
49316MN1020001	Rating Area 7	No Preference	51	342.39
49316MN1020001	Rating Area 7	No Preference	52	342.39
49316MN1020001	Rating Area 7	No Preference	53	342.39

49316MN1020001	Rating Area 7	No Preference	54	342.39
49316MN1020001	Rating Area 7	No Preference	55	425.36
49316MN1020001	Rating Area 7	No Preference	56	425.36
49316MN1020001	Rating Area 7	No Preference	57	425.36
49316MN1020001	Rating Area 7	No Preference	58	425.36
49316MN1020001	Rating Area 7	No Preference	59	425.36
49316MN1020001	Rating Area 7	No Preference	60	502.38
49316MN1020001	Rating Area 7	No Preference	61	502.38
49316MN1020001	Rating Area 7	No Preference	62	502.38
49316MN1020001	Rating Area 7	No Preference	63	502.38
49316MN1020001	Rating Area 7	No Preference	64	525.14
49316MN1020001	Rating Area 7	No Preference	65 and over	525.14
49316MN1020001	Rating Area 8	No Preference	0-20	132.97
49316MN1020001	Rating Area 8	No Preference	21	154.04
49316MN1020001	Rating Area 8	No Preference	22	154.04
49316MN1020001	Rating Area 8	No Preference	23	154.04
49316MN1020001	Rating Area 8	No Preference	24	154.04
49316MN1020001	Rating Area 8	No Preference	25	154.04
49316MN1020001	Rating Area 8	No Preference	26	154.04
49316MN1020001	Rating Area 8	No Preference	27	154.04
49316MN1020001	Rating Area 8	No Preference	28	154.04
49316MN1020001	Rating Area 8	No Preference	29	154.04
49316MN1020001	Rating Area 8	No Preference	30	176
49316MN1020001	Rating Area 8	No Preference	31	176
49316MN1020001	Rating Area 8	No Preference	32	176
49316MN1020001	Rating Area 8	No Preference	33	176
49316MN1020001	Rating Area 8	No Preference	34	176
49316MN1020001	Rating Area 8	No Preference	35	185.27
49316MN1020001	Rating Area 8	No Preference	36	185.27
49316MN1020001	Rating Area 8	No Preference	37	185.27
49316MN1020001	Rating Area 8	No Preference	38	185.27
49316MN1020001	Rating Area 8	No Preference	39	185.27
49316MN1020001	Rating Area 8	No Preference	40	199.01
49316MN1020001	Rating Area 8	No Preference	41	199.01
49316MN1020001	Rating Area 8	No Preference	42	199.01
49316MN1020001	Rating Area 8	No Preference	43	199.01
49316MN1020001	Rating Area 8	No Preference	44	199.01
49316MN1020001	Rating Area 8	No Preference	45	234.57
49316MN1020001	Rating Area 8	No Preference	46	234.57
49316MN1020001	Rating Area 8	No Preference	47	234.57
49316MN1020001	Rating Area 8	No Preference	48	234.57
49316MN1020001	Rating Area 8	No Preference	49	234.57
49316MN1020001	Rating Area 8	No Preference	50	292.24
49316MN1020001	Rating Area 8	No Preference	51	292.24
49316MN1020001	Rating Area 8	No Preference	52	292.24
49316MN1020001	Rating Area 8	No Preference	53	292.24
49316MN1020001	Rating Area 8	No Preference	54	292.24

49316MN1020001	Rating Area 8	No Preference	55	363.06
49316MN1020001	Rating Area 8	No Preference	56	363.06
49316MN1020001	Rating Area 8	No Preference	57	363.06
49316MN1020001	Rating Area 8	No Preference	58	363.06
49316MN1020001	Rating Area 8	No Preference	59	363.06
49316MN1020001	Rating Area 8	No Preference	60	428.8
49316MN1020001	Rating Area 8	No Preference	61	428.8
49316MN1020001	Rating Area 8	No Preference	62	428.8
49316MN1020001	Rating Area 8	No Preference	63	428.8
49316MN1020001	Rating Area 8	No Preference	64	448.23
49316MN1020001	Rating Area 8	No Preference	65 and over	448.23
49316MN1020001	Rating Area 9	No Preference	0-20	132.97
49316MN1020001	Rating Area 9	No Preference	21	154.04
49316MN1020001	Rating Area 9	No Preference	22	154.04
49316MN1020001	Rating Area 9	No Preference	23	154.04
49316MN1020001	Rating Area 9	No Preference	24	154.04
49316MN1020001	Rating Area 9	No Preference	25	154.04
49316MN1020001	Rating Area 9	No Preference	26	154.04
49316MN1020001	Rating Area 9	No Preference	27	154.04
49316MN1020001	Rating Area 9	No Preference	28	154.04
49316MN1020001	Rating Area 9	No Preference	29	154.04
49316MN1020001	Rating Area 9	No Preference	30	176
49316MN1020001	Rating Area 9	No Preference	31	176
49316MN1020001	Rating Area 9	No Preference	32	176
49316MN1020001	Rating Area 9	No Preference	33	176
49316MN1020001	Rating Area 9	No Preference	34	176
49316MN1020001	Rating Area 9	No Preference	35	185.27
49316MN1020001	Rating Area 9	No Preference	36	185.27
49316MN1020001	Rating Area 9	No Preference	37	185.27
49316MN1020001	Rating Area 9	No Preference	38	185.27
49316MN1020001	Rating Area 9	No Preference	39	185.27
49316MN1020001	Rating Area 9	No Preference	40	199.01
49316MN1020001	Rating Area 9	No Preference	41	199.01
49316MN1020001	Rating Area 9	No Preference	42	199.01
49316MN1020001	Rating Area 9	No Preference	43	199.01
49316MN1020001	Rating Area 9	No Preference	44	199.01
49316MN1020001	Rating Area 9	No Preference	45	234.57
49316MN1020001	Rating Area 9	No Preference	46	234.57
49316MN1020001	Rating Area 9	No Preference	47	234.57
49316MN1020001	Rating Area 9	No Preference	48	234.57
49316MN1020001	Rating Area 9	No Preference	49	234.57
49316MN1020001	Rating Area 9	No Preference	50	292.24
49316MN1020001	Rating Area 9	No Preference	51	292.24
49316MN1020001	Rating Area 9	No Preference	52	292.24
49316MN1020001	Rating Area 9	No Preference	53	292.24
49316MN1020001	Rating Area 9	No Preference	54	292.24
49316MN1020001	Rating Area 9	No Preference	55	363.06

49316MN1020001	Rating Area 9	No Preference	56	363.06
49316MN1020001	Rating Area 9	No Preference	57	363.06
49316MN1020001	Rating Area 9	No Preference	58	363.06
49316MN1020001	Rating Area 9	No Preference	59	363.06
49316MN1020001	Rating Area 9	No Preference	60	428.8
49316MN1020001	Rating Area 9	No Preference	61	428.8
49316MN1020001	Rating Area 9	No Preference	62	428.8
49316MN1020001	Rating Area 9	No Preference	63	428.8
49316MN1020001	Rating Area 9	No Preference	64	448.23
49316MN1020001	Rating Area 9	No Preference	65 and over	448.23
49316MN1030001	Rating Area 1	No Preference	0-20	199.6
49316MN1030001	Rating Area 1	No Preference	21	231.22
49316MN1030001	Rating Area 1	No Preference	22	231.22
49316MN1030001	Rating Area 1	No Preference	23	231.22
49316MN1030001	Rating Area 1	No Preference	24	231.22
49316MN1030001	Rating Area 1	No Preference	25	231.22
49316MN1030001	Rating Area 1	No Preference	26	231.22
49316MN1030001	Rating Area 1	No Preference	27	231.22
49316MN1030001	Rating Area 1	No Preference	28	231.22
49316MN1030001	Rating Area 1	No Preference	29	231.22
49316MN1030001	Rating Area 1	No Preference	30	264.19
49316MN1030001	Rating Area 1	No Preference	31	264.19
49316MN1030001	Rating Area 1	No Preference	32	264.19
49316MN1030001	Rating Area 1	No Preference	33	264.19
49316MN1030001	Rating Area 1	No Preference	34	264.19
49316MN1030001	Rating Area 1	No Preference	35	278.09
49316MN1030001	Rating Area 1	No Preference	36	278.09
49316MN1030001	Rating Area 1	No Preference	37	278.09
49316MN1030001	Rating Area 1	No Preference	38	278.09
49316MN1030001	Rating Area 1	No Preference	39	278.09
49316MN1030001	Rating Area 1	No Preference	40	298.73
49316MN1030001	Rating Area 1	No Preference	41	298.73
49316MN1030001	Rating Area 1	No Preference	42	298.73
49316MN1030001	Rating Area 1	No Preference	43	298.73
49316MN1030001	Rating Area 1	No Preference	44	298.73
49316MN1030001	Rating Area 1	No Preference	45	352.1
49316MN1030001	Rating Area 1	No Preference	46	352.1
49316MN1030001	Rating Area 1	No Preference	47	352.1
49316MN1030001	Rating Area 1	No Preference	48	352.1
49316MN1030001	Rating Area 1	No Preference	49	352.1
49316MN1030001	Rating Area 1	No Preference	50	438.67
49316MN1030001	Rating Area 1	No Preference	51	438.67
49316MN1030001	Rating Area 1	No Preference	52	438.67
49316MN1030001	Rating Area 1	No Preference	53	438.67
49316MN1030001	Rating Area 1	No Preference	54	438.67
49316MN1030001	Rating Area 1	No Preference	55	544.97
49316MN1030001	Rating Area 1	No Preference	56	544.97

49316MN1030001	Rating Area 1	No Preference	57	544.97
49316MN1030001	Rating Area 1	No Preference	58	544.97
49316MN1030001	Rating Area 1	No Preference	59	544.97
49316MN1030001	Rating Area 1	No Preference	60	643.65
49316MN1030001	Rating Area 1	No Preference	61	643.65
49316MN1030001	Rating Area 1	No Preference	62	643.65
49316MN1030001	Rating Area 1	No Preference	63	643.65
49316MN1030001	Rating Area 1	No Preference	64	672.81
49316MN1030001	Rating Area 1	No Preference	65 and over	672.81
49316MN1030001	Rating Area 2	No Preference	0-20	152.43
49316MN1030001	Rating Area 2	No Preference	21	176.58
49316MN1030001	Rating Area 2	No Preference	22	176.58
49316MN1030001	Rating Area 2	No Preference	23	176.58
49316MN1030001	Rating Area 2	No Preference	24	176.58
49316MN1030001	Rating Area 2	No Preference	25	176.58
49316MN1030001	Rating Area 2	No Preference	26	176.58
49316MN1030001	Rating Area 2	No Preference	27	176.58
49316MN1030001	Rating Area 2	No Preference	28	176.58
49316MN1030001	Rating Area 2	No Preference	29	176.58
49316MN1030001	Rating Area 2	No Preference	30	201.76
49316MN1030001	Rating Area 2	No Preference	31	201.76
49316MN1030001	Rating Area 2	No Preference	32	201.76
49316MN1030001	Rating Area 2	No Preference	33	201.76
49316MN1030001	Rating Area 2	No Preference	34	201.76
49316MN1030001	Rating Area 2	No Preference	35	212.38
49316MN1030001	Rating Area 2	No Preference	36	212.38
49316MN1030001	Rating Area 2	No Preference	37	212.38
49316MN1030001	Rating Area 2	No Preference	38	212.38
49316MN1030001	Rating Area 2	No Preference	39	212.38
49316MN1030001	Rating Area 2	No Preference	40	228.14
49316MN1030001	Rating Area 2	No Preference	41	228.14
49316MN1030001	Rating Area 2	No Preference	42	228.14
49316MN1030001	Rating Area 2	No Preference	43	228.14
49316MN1030001	Rating Area 2	No Preference	44	228.14
49316MN1030001	Rating Area 2	No Preference	45	268.9
49316MN1030001	Rating Area 2	No Preference	46	268.9
49316MN1030001	Rating Area 2	No Preference	47	268.9
49316MN1030001	Rating Area 2	No Preference	48	268.9
49316MN1030001	Rating Area 2	No Preference	49	268.9
49316MN1030001	Rating Area 2	No Preference	50	335.01
49316MN1030001	Rating Area 2	No Preference	51	335.01
49316MN1030001	Rating Area 2	No Preference	52	335.01
49316MN1030001	Rating Area 2	No Preference	53	335.01
49316MN1030001	Rating Area 2	No Preference	54	335.01
49316MN1030001	Rating Area 2	No Preference	55	416.2
49316MN1030001	Rating Area 2	No Preference	56	416.2
49316MN1030001	Rating Area 2	No Preference	57	416.2

49316MN1030001	Rating Area 2	No Preference	58	416.2
49316MN1030001	Rating Area 2	No Preference	59	416.2
49316MN1030001	Rating Area 2	No Preference	60	491.56
49316MN1030001	Rating Area 2	No Preference	61	491.56
49316MN1030001	Rating Area 2	No Preference	62	491.56
49316MN1030001	Rating Area 2	No Preference	63	491.56
49316MN1030001	Rating Area 2	No Preference	64	513.83
49316MN1030001	Rating Area 2	No Preference	65 and over	513.83
49316MN1030001	Rating Area 3	No Preference	0-20	155.54
49316MN1030001	Rating Area 3	No Preference	21	180.18
49316MN1030001	Rating Area 3	No Preference	22	180.18
49316MN1030001	Rating Area 3	No Preference	23	180.18
49316MN1030001	Rating Area 3	No Preference	24	180.18
49316MN1030001	Rating Area 3	No Preference	25	180.18
49316MN1030001	Rating Area 3	No Preference	26	180.18
49316MN1030001	Rating Area 3	No Preference	27	180.18
49316MN1030001	Rating Area 3	No Preference	28	180.18
49316MN1030001	Rating Area 3	No Preference	29	180.18
49316MN1030001	Rating Area 3	No Preference	30	205.87
49316MN1030001	Rating Area 3	No Preference	31	205.87
49316MN1030001	Rating Area 3	No Preference	32	205.87
49316MN1030001	Rating Area 3	No Preference	33	205.87
49316MN1030001	Rating Area 3	No Preference	34	205.87
49316MN1030001	Rating Area 3	No Preference	35	216.71
49316MN1030001	Rating Area 3	No Preference	36	216.71
49316MN1030001	Rating Area 3	No Preference	37	216.71
49316MN1030001	Rating Area 3	No Preference	38	216.71
49316MN1030001	Rating Area 3	No Preference	39	216.71
49316MN1030001	Rating Area 3	No Preference	40	232.79
49316MN1030001	Rating Area 3	No Preference	41	232.79
49316MN1030001	Rating Area 3	No Preference	42	232.79
49316MN1030001	Rating Area 3	No Preference	43	232.79
49316MN1030001	Rating Area 3	No Preference	44	232.79
49316MN1030001	Rating Area 3	No Preference	45	274.38
49316MN1030001	Rating Area 3	No Preference	46	274.38
49316MN1030001	Rating Area 3	No Preference	47	274.38
49316MN1030001	Rating Area 3	No Preference	48	274.38
49316MN1030001	Rating Area 3	No Preference	49	274.38
49316MN1030001	Rating Area 3	No Preference	50	341.84
49316MN1030001	Rating Area 3	No Preference	51	341.84
49316MN1030001	Rating Area 3	No Preference	52	341.84
49316MN1030001	Rating Area 3	No Preference	53	341.84
49316MN1030001	Rating Area 3	No Preference	54	341.84
49316MN1030001	Rating Area 3	No Preference	55	424.68
49316MN1030001	Rating Area 3	No Preference	56	424.68
49316MN1030001	Rating Area 3	No Preference	57	424.68
49316MN1030001	Rating Area 3	No Preference	58	424.68

49316MN1030001	Rating Area 3	No Preference	59	424.68
49316MN1030001	Rating Area 3	No Preference	60	501.57
49316MN1030001	Rating Area 3	No Preference	61	501.57
49316MN1030001	Rating Area 3	No Preference	62	501.57
49316MN1030001	Rating Area 3	No Preference	63	501.57
49316MN1030001	Rating Area 3	No Preference	64	524.29
49316MN1030001	Rating Area 3	No Preference	65 and over	524.29
49316MN1030001	Rating Area 4	No Preference	0-20	155.54
49316MN1030001	Rating Area 4	No Preference	21	180.18
49316MN1030001	Rating Area 4	No Preference	22	180.18
49316MN1030001	Rating Area 4	No Preference	23	180.18
49316MN1030001	Rating Area 4	No Preference	24	180.18
49316MN1030001	Rating Area 4	No Preference	25	180.18
49316MN1030001	Rating Area 4	No Preference	26	180.18
49316MN1030001	Rating Area 4	No Preference	27	180.18
49316MN1030001	Rating Area 4	No Preference	28	180.18
49316MN1030001	Rating Area 4	No Preference	29	180.18
49316MN1030001	Rating Area 4	No Preference	30	205.87
49316MN1030001	Rating Area 4	No Preference	31	205.87
49316MN1030001	Rating Area 4	No Preference	32	205.87
49316MN1030001	Rating Area 4	No Preference	33	205.87
49316MN1030001	Rating Area 4	No Preference	34	205.87
49316MN1030001	Rating Area 4	No Preference	35	216.71
49316MN1030001	Rating Area 4	No Preference	36	216.71
49316MN1030001	Rating Area 4	No Preference	37	216.71
49316MN1030001	Rating Area 4	No Preference	38	216.71
49316MN1030001	Rating Area 4	No Preference	39	216.71
49316MN1030001	Rating Area 4	No Preference	40	232.79
49316MN1030001	Rating Area 4	No Preference	41	232.79
49316MN1030001	Rating Area 4	No Preference	42	232.79
49316MN1030001	Rating Area 4	No Preference	43	232.79
49316MN1030001	Rating Area 4	No Preference	44	232.79
49316MN1030001	Rating Area 4	No Preference	45	274.38
49316MN1030001	Rating Area 4	No Preference	46	274.38
49316MN1030001	Rating Area 4	No Preference	47	274.38
49316MN1030001	Rating Area 4	No Preference	48	274.38
49316MN1030001	Rating Area 4	No Preference	49	274.38
49316MN1030001	Rating Area 4	No Preference	50	341.84
49316MN1030001	Rating Area 4	No Preference	51	341.84
49316MN1030001	Rating Area 4	No Preference	52	341.84
49316MN1030001	Rating Area 4	No Preference	53	341.84
49316MN1030001	Rating Area 4	No Preference	54	341.84
49316MN1030001	Rating Area 4	No Preference	55	424.68
49316MN1030001	Rating Area 4	No Preference	56	424.68
49316MN1030001	Rating Area 4	No Preference	57	424.68
49316MN1030001	Rating Area 4	No Preference	58	424.68
49316MN1030001	Rating Area 4	No Preference	59	424.68

49316MN1030001	Rating Area 4	No Preference	60	501.57
49316MN1030001	Rating Area 4	No Preference	61	501.57
49316MN1030001	Rating Area 4	No Preference	62	501.57
49316MN1030001	Rating Area 4	No Preference	63	501.57
49316MN1030001	Rating Area 4	No Preference	64	524.29
49316MN1030001	Rating Area 4	No Preference	65 and over	524.29
49316MN1030001	Rating Area 5	No Preference	0-20	155.54
49316MN1030001	Rating Area 5	No Preference	21	180.18
49316MN1030001	Rating Area 5	No Preference	22	180.18
49316MN1030001	Rating Area 5	No Preference	23	180.18
49316MN1030001	Rating Area 5	No Preference	24	180.18
49316MN1030001	Rating Area 5	No Preference	25	180.18
49316MN1030001	Rating Area 5	No Preference	26	180.18
49316MN1030001	Rating Area 5	No Preference	27	180.18
49316MN1030001	Rating Area 5	No Preference	28	180.18
49316MN1030001	Rating Area 5	No Preference	29	180.18
49316MN1030001	Rating Area 5	No Preference	30	205.87
49316MN1030001	Rating Area 5	No Preference	31	205.87
49316MN1030001	Rating Area 5	No Preference	32	205.87
49316MN1030001	Rating Area 5	No Preference	33	205.87
49316MN1030001	Rating Area 5	No Preference	34	205.87
49316MN1030001	Rating Area 5	No Preference	35	216.71
49316MN1030001	Rating Area 5	No Preference	36	216.71
49316MN1030001	Rating Area 5	No Preference	37	216.71
49316MN1030001	Rating Area 5	No Preference	38	216.71
49316MN1030001	Rating Area 5	No Preference	39	216.71
49316MN1030001	Rating Area 5	No Preference	40	232.79
49316MN1030001	Rating Area 5	No Preference	41	232.79
49316MN1030001	Rating Area 5	No Preference	42	232.79
49316MN1030001	Rating Area 5	No Preference	43	232.79
49316MN1030001	Rating Area 5	No Preference	44	232.79
49316MN1030001	Rating Area 5	No Preference	45	274.38
49316MN1030001	Rating Area 5	No Preference	46	274.38
49316MN1030001	Rating Area 5	No Preference	47	274.38
49316MN1030001	Rating Area 5	No Preference	48	274.38
49316MN1030001	Rating Area 5	No Preference	49	274.38
49316MN1030001	Rating Area 5	No Preference	50	341.84
49316MN1030001	Rating Area 5	No Preference	51	341.84
49316MN1030001	Rating Area 5	No Preference	52	341.84
49316MN1030001	Rating Area 5	No Preference	53	341.84
49316MN1030001	Rating Area 5	No Preference	54	341.84
49316MN1030001	Rating Area 5	No Preference	55	424.68
49316MN1030001	Rating Area 5	No Preference	56	424.68
49316MN1030001	Rating Area 5	No Preference	57	424.68
49316MN1030001	Rating Area 5	No Preference	58	424.68
49316MN1030001	Rating Area 5	No Preference	59	424.68
49316MN1030001	Rating Area 5	No Preference	60	501.57

49316MN1030001	Rating Area 5	No Preference	61	501.57
49316MN1030001	Rating Area 5	No Preference	62	501.57
49316MN1030001	Rating Area 5	No Preference	63	501.57
49316MN1030001	Rating Area 5	No Preference	64	524.29
49316MN1030001	Rating Area 5	No Preference	65 and over	524.29
49316MN1030001	Rating Area 6	No Preference	0-20	139.13
49316MN1030001	Rating Area 6	No Preference	21	161.17
49316MN1030001	Rating Area 6	No Preference	22	161.17
49316MN1030001	Rating Area 6	No Preference	23	161.17
49316MN1030001	Rating Area 6	No Preference	24	161.17
49316MN1030001	Rating Area 6	No Preference	25	161.17
49316MN1030001	Rating Area 6	No Preference	26	161.17
49316MN1030001	Rating Area 6	No Preference	27	161.17
49316MN1030001	Rating Area 6	No Preference	28	161.17
49316MN1030001	Rating Area 6	No Preference	29	161.17
49316MN1030001	Rating Area 6	No Preference	30	184.15
49316MN1030001	Rating Area 6	No Preference	31	184.15
49316MN1030001	Rating Area 6	No Preference	32	184.15
49316MN1030001	Rating Area 6	No Preference	33	184.15
49316MN1030001	Rating Area 6	No Preference	34	184.15
49316MN1030001	Rating Area 6	No Preference	35	193.84
49316MN1030001	Rating Area 6	No Preference	36	193.84
49316MN1030001	Rating Area 6	No Preference	37	193.84
49316MN1030001	Rating Area 6	No Preference	38	193.84
49316MN1030001	Rating Area 6	No Preference	39	193.84
49316MN1030001	Rating Area 6	No Preference	40	208.22
49316MN1030001	Rating Area 6	No Preference	41	208.22
49316MN1030001	Rating Area 6	No Preference	42	208.22
49316MN1030001	Rating Area 6	No Preference	43	208.22
49316MN1030001	Rating Area 6	No Preference	44	208.22
49316MN1030001	Rating Area 6	No Preference	45	245.43
49316MN1030001	Rating Area 6	No Preference	46	245.43
49316MN1030001	Rating Area 6	No Preference	47	245.43
49316MN1030001	Rating Area 6	No Preference	48	245.43
49316MN1030001	Rating Area 6	No Preference	49	245.43
49316MN1030001	Rating Area 6	No Preference	50	305.77
49316MN1030001	Rating Area 6	No Preference	51	305.77
49316MN1030001	Rating Area 6	No Preference	52	305.77
49316MN1030001	Rating Area 6	No Preference	53	305.77
49316MN1030001	Rating Area 6	No Preference	54	305.77
49316MN1030001	Rating Area 6	No Preference	55	379.87
49316MN1030001	Rating Area 6	No Preference	56	379.87
49316MN1030001	Rating Area 6	No Preference	57	379.87
49316MN1030001	Rating Area 6	No Preference	58	379.87
49316MN1030001	Rating Area 6	No Preference	59	379.87
49316MN1030001	Rating Area 6	No Preference	60	448.65
49316MN1030001	Rating Area 6	No Preference	61	448.65

49316MN1030001	Rating Area 6	No Preference	62	448.65
49316MN1030001	Rating Area 6	No Preference	63	448.65
49316MN1030001	Rating Area 6	No Preference	64	468.97
49316MN1030001	Rating Area 6	No Preference	65 and over	468.97
49316MN1030001	Rating Area 7	No Preference	0-20	152.43
49316MN1030001	Rating Area 7	No Preference	21	176.58
49316MN1030001	Rating Area 7	No Preference	22	176.58
49316MN1030001	Rating Area 7	No Preference	23	176.58
49316MN1030001	Rating Area 7	No Preference	24	176.58
49316MN1030001	Rating Area 7	No Preference	25	176.58
49316MN1030001	Rating Area 7	No Preference	26	176.58
49316MN1030001	Rating Area 7	No Preference	27	176.58
49316MN1030001	Rating Area 7	No Preference	28	176.58
49316MN1030001	Rating Area 7	No Preference	29	176.58
49316MN1030001	Rating Area 7	No Preference	30	201.76
49316MN1030001	Rating Area 7	No Preference	31	201.76
49316MN1030001	Rating Area 7	No Preference	32	201.76
49316MN1030001	Rating Area 7	No Preference	33	201.76
49316MN1030001	Rating Area 7	No Preference	34	201.76
49316MN1030001	Rating Area 7	No Preference	35	212.38
49316MN1030001	Rating Area 7	No Preference	36	212.38
49316MN1030001	Rating Area 7	No Preference	37	212.38
49316MN1030001	Rating Area 7	No Preference	38	212.38
49316MN1030001	Rating Area 7	No Preference	39	212.38
49316MN1030001	Rating Area 7	No Preference	40	228.14
49316MN1030001	Rating Area 7	No Preference	41	228.14
49316MN1030001	Rating Area 7	No Preference	42	228.14
49316MN1030001	Rating Area 7	No Preference	43	228.14
49316MN1030001	Rating Area 7	No Preference	44	228.14
49316MN1030001	Rating Area 7	No Preference	45	268.9
49316MN1030001	Rating Area 7	No Preference	46	268.9
49316MN1030001	Rating Area 7	No Preference	47	268.9
49316MN1030001	Rating Area 7	No Preference	48	268.9
49316MN1030001	Rating Area 7	No Preference	49	268.9
49316MN1030001	Rating Area 7	No Preference	50	335.01
49316MN1030001	Rating Area 7	No Preference	51	335.01
49316MN1030001	Rating Area 7	No Preference	52	335.01
49316MN1030001	Rating Area 7	No Preference	53	335.01
49316MN1030001	Rating Area 7	No Preference	54	335.01
49316MN1030001	Rating Area 7	No Preference	55	416.2
49316MN1030001	Rating Area 7	No Preference	56	416.2
49316MN1030001	Rating Area 7	No Preference	57	416.2
49316MN1030001	Rating Area 7	No Preference	58	416.2
49316MN1030001	Rating Area 7	No Preference	59	416.2
49316MN1030001	Rating Area 7	No Preference	60	491.56
49316MN1030001	Rating Area 7	No Preference	61	491.56
49316MN1030001	Rating Area 7	No Preference	62	491.56

49316MN1030001	Rating Area 7	No Preference	63	491.56
49316MN1030001	Rating Area 7	No Preference	64	513.83
49316MN1030001	Rating Area 7	No Preference	65 and over	513.83
49316MN1030001	Rating Area 8	No Preference	0-20	130.11
49316MN1030001	Rating Area 8	No Preference	21	150.72
49316MN1030001	Rating Area 8	No Preference	22	150.72
49316MN1030001	Rating Area 8	No Preference	23	150.72
49316MN1030001	Rating Area 8	No Preference	24	150.72
49316MN1030001	Rating Area 8	No Preference	25	150.72
49316MN1030001	Rating Area 8	No Preference	26	150.72
49316MN1030001	Rating Area 8	No Preference	27	150.72
49316MN1030001	Rating Area 8	No Preference	28	150.72
49316MN1030001	Rating Area 8	No Preference	29	150.72
49316MN1030001	Rating Area 8	No Preference	30	172.21
49316MN1030001	Rating Area 8	No Preference	31	172.21
49316MN1030001	Rating Area 8	No Preference	32	172.21
49316MN1030001	Rating Area 8	No Preference	33	172.21
49316MN1030001	Rating Area 8	No Preference	34	172.21
49316MN1030001	Rating Area 8	No Preference	35	181.28
49316MN1030001	Rating Area 8	No Preference	36	181.28
49316MN1030001	Rating Area 8	No Preference	37	181.28
49316MN1030001	Rating Area 8	No Preference	38	181.28
49316MN1030001	Rating Area 8	No Preference	39	181.28
49316MN1030001	Rating Area 8	No Preference	40	194.73
49316MN1030001	Rating Area 8	No Preference	41	194.73
49316MN1030001	Rating Area 8	No Preference	42	194.73
49316MN1030001	Rating Area 8	No Preference	43	194.73
49316MN1030001	Rating Area 8	No Preference	44	194.73
49316MN1030001	Rating Area 8	No Preference	45	229.52
49316MN1030001	Rating Area 8	No Preference	46	229.52
49316MN1030001	Rating Area 8	No Preference	47	229.52
49316MN1030001	Rating Area 8	No Preference	48	229.52
49316MN1030001	Rating Area 8	No Preference	49	229.52
49316MN1030001	Rating Area 8	No Preference	50	285.95
49316MN1030001	Rating Area 8	No Preference	51	285.95
49316MN1030001	Rating Area 8	No Preference	52	285.95
49316MN1030001	Rating Area 8	No Preference	53	285.95
49316MN1030001	Rating Area 8	No Preference	54	285.95
49316MN1030001	Rating Area 8	No Preference	55	355.24
49316MN1030001	Rating Area 8	No Preference	56	355.24
49316MN1030001	Rating Area 8	No Preference	57	355.24
49316MN1030001	Rating Area 8	No Preference	58	355.24
49316MN1030001	Rating Area 8	No Preference	59	355.24
49316MN1030001	Rating Area 8	No Preference	60	419.57
49316MN1030001	Rating Area 8	No Preference	61	419.57
49316MN1030001	Rating Area 8	No Preference	62	419.57
49316MN1030001	Rating Area 8	No Preference	63	419.57

49316MN1030001	Rating Area 8	No Preference	64	438.57
49316MN1030001	Rating Area 8	No Preference	65 and over	438.57
49316MN1030001	Rating Area 9	No Preference	0-20	130.11
49316MN1030001	Rating Area 9	No Preference	21	150.72
49316MN1030001	Rating Area 9	No Preference	22	150.72
49316MN1030001	Rating Area 9	No Preference	23	150.72
49316MN1030001	Rating Area 9	No Preference	24	150.72
49316MN1030001	Rating Area 9	No Preference	25	150.72
49316MN1030001	Rating Area 9	No Preference	26	150.72
49316MN1030001	Rating Area 9	No Preference	27	150.72
49316MN1030001	Rating Area 9	No Preference	28	150.72
49316MN1030001	Rating Area 9	No Preference	29	150.72
49316MN1030001	Rating Area 9	No Preference	30	172.21
49316MN1030001	Rating Area 9	No Preference	31	172.21
49316MN1030001	Rating Area 9	No Preference	32	172.21
49316MN1030001	Rating Area 9	No Preference	33	172.21
49316MN1030001	Rating Area 9	No Preference	34	172.21
49316MN1030001	Rating Area 9	No Preference	35	181.28
49316MN1030001	Rating Area 9	No Preference	36	181.28
49316MN1030001	Rating Area 9	No Preference	37	181.28
49316MN1030001	Rating Area 9	No Preference	38	181.28
49316MN1030001	Rating Area 9	No Preference	39	181.28
49316MN1030001	Rating Area 9	No Preference	40	194.73
49316MN1030001	Rating Area 9	No Preference	41	194.73
49316MN1030001	Rating Area 9	No Preference	42	194.73
49316MN1030001	Rating Area 9	No Preference	43	194.73
49316MN1030001	Rating Area 9	No Preference	44	194.73
49316MN1030001	Rating Area 9	No Preference	45	229.52
49316MN1030001	Rating Area 9	No Preference	46	229.52
49316MN1030001	Rating Area 9	No Preference	47	229.52
49316MN1030001	Rating Area 9	No Preference	48	229.52
49316MN1030001	Rating Area 9	No Preference	49	229.52
49316MN1030001	Rating Area 9	No Preference	50	285.95
49316MN1030001	Rating Area 9	No Preference	51	285.95
49316MN1030001	Rating Area 9	No Preference	52	285.95
49316MN1030001	Rating Area 9	No Preference	53	285.95
49316MN1030001	Rating Area 9	No Preference	54	285.95
49316MN1030001	Rating Area 9	No Preference	55	355.24
49316MN1030001	Rating Area 9	No Preference	56	355.24
49316MN1030001	Rating Area 9	No Preference	57	355.24
49316MN1030001	Rating Area 9	No Preference	58	355.24
49316MN1030001	Rating Area 9	No Preference	59	355.24
49316MN1030001	Rating Area 9	No Preference	60	419.57
49316MN1030001	Rating Area 9	No Preference	61	419.57
49316MN1030001	Rating Area 9	No Preference	62	419.57
49316MN1030001	Rating Area 9	No Preference	63	419.57
49316MN1030001	Rating Area 9	No Preference	64	438.57

49316MN1030001	Rating Area 9	No Preference	65 and over	438.57
49316MN1030002	Rating Area 1	No Preference	0-20	220.95
49316MN1030002	Rating Area 1	No Preference	21	255.96
49316MN1030002	Rating Area 1	No Preference	22	255.96
49316MN1030002	Rating Area 1	No Preference	23	255.96
49316MN1030002	Rating Area 1	No Preference	24	255.96
49316MN1030002	Rating Area 1	No Preference	25	255.96
49316MN1030002	Rating Area 1	No Preference	26	255.96
49316MN1030002	Rating Area 1	No Preference	27	255.96
49316MN1030002	Rating Area 1	No Preference	28	255.96
49316MN1030002	Rating Area 1	No Preference	29	255.96
49316MN1030002	Rating Area 1	No Preference	30	292.45
49316MN1030002	Rating Area 1	No Preference	31	292.45
49316MN1030002	Rating Area 1	No Preference	32	292.45
49316MN1030002	Rating Area 1	No Preference	33	292.45
49316MN1030002	Rating Area 1	No Preference	34	292.45
49316MN1030002	Rating Area 1	No Preference	35	307.84
49316MN1030002	Rating Area 1	No Preference	36	307.84
49316MN1030002	Rating Area 1	No Preference	37	307.84
49316MN1030002	Rating Area 1	No Preference	38	307.84
49316MN1030002	Rating Area 1	No Preference	39	307.84
49316MN1030002	Rating Area 1	No Preference	40	330.68
49316MN1030002	Rating Area 1	No Preference	41	330.68
49316MN1030002	Rating Area 1	No Preference	42	330.68
49316MN1030002	Rating Area 1	No Preference	43	330.68
49316MN1030002	Rating Area 1	No Preference	44	330.68
49316MN1030002	Rating Area 1	No Preference	45	389.77
49316MN1030002	Rating Area 1	No Preference	46	389.77
49316MN1030002	Rating Area 1	No Preference	47	389.77
49316MN1030002	Rating Area 1	No Preference	48	389.77
49316MN1030002	Rating Area 1	No Preference	49	389.77
49316MN1030002	Rating Area 1	No Preference	50	485.6
49316MN1030002	Rating Area 1	No Preference	51	485.6
49316MN1030002	Rating Area 1	No Preference	52	485.6
49316MN1030002	Rating Area 1	No Preference	53	485.6
49316MN1030002	Rating Area 1	No Preference	54	485.6
49316MN1030002	Rating Area 1	No Preference	55	603.27
49316MN1030002	Rating Area 1	No Preference	56	603.27
49316MN1030002	Rating Area 1	No Preference	57	603.27
49316MN1030002	Rating Area 1	No Preference	58	603.27
49316MN1030002	Rating Area 1	No Preference	59	603.27
49316MN1030002	Rating Area 1	No Preference	60	712.51
49316MN1030002	Rating Area 1	No Preference	61	712.51
49316MN1030002	Rating Area 1	No Preference	62	712.51
49316MN1030002	Rating Area 1	No Preference	63	712.51
49316MN1030002	Rating Area 1	No Preference	64	744.78
49316MN1030002	Rating Area 1	No Preference	65 and over	744.78

49316MN1030002	Rating Area 2	No Preference	0-20	168.74
49316MN1030002	Rating Area 2	No Preference	21	195.48
49316MN1030002	Rating Area 2	No Preference	22	195.48
49316MN1030002	Rating Area 2	No Preference	23	195.48
49316MN1030002	Rating Area 2	No Preference	24	195.48
49316MN1030002	Rating Area 2	No Preference	25	195.48
49316MN1030002	Rating Area 2	No Preference	26	195.48
49316MN1030002	Rating Area 2	No Preference	27	195.48
49316MN1030002	Rating Area 2	No Preference	28	195.48
49316MN1030002	Rating Area 2	No Preference	29	195.48
49316MN1030002	Rating Area 2	No Preference	30	223.35
49316MN1030002	Rating Area 2	No Preference	31	223.35
49316MN1030002	Rating Area 2	No Preference	32	223.35
49316MN1030002	Rating Area 2	No Preference	33	223.35
49316MN1030002	Rating Area 2	No Preference	34	223.35
49316MN1030002	Rating Area 2	No Preference	35	235.1
49316MN1030002	Rating Area 2	No Preference	36	235.1
49316MN1030002	Rating Area 2	No Preference	37	235.1
49316MN1030002	Rating Area 2	No Preference	38	235.1
49316MN1030002	Rating Area 2	No Preference	39	235.1
49316MN1030002	Rating Area 2	No Preference	40	252.54
49316MN1030002	Rating Area 2	No Preference	41	252.54
49316MN1030002	Rating Area 2	No Preference	42	252.54
49316MN1030002	Rating Area 2	No Preference	43	252.54
49316MN1030002	Rating Area 2	No Preference	44	252.54
49316MN1030002	Rating Area 2	No Preference	45	297.67
49316MN1030002	Rating Area 2	No Preference	46	297.67
49316MN1030002	Rating Area 2	No Preference	47	297.67
49316MN1030002	Rating Area 2	No Preference	48	297.67
49316MN1030002	Rating Area 2	No Preference	49	297.67
49316MN1030002	Rating Area 2	No Preference	50	370.85
49316MN1030002	Rating Area 2	No Preference	51	370.85
49316MN1030002	Rating Area 2	No Preference	52	370.85
49316MN1030002	Rating Area 2	No Preference	53	370.85
49316MN1030002	Rating Area 2	No Preference	54	370.85
49316MN1030002	Rating Area 2	No Preference	55	460.72
49316MN1030002	Rating Area 2	No Preference	56	460.72
49316MN1030002	Rating Area 2	No Preference	57	460.72
49316MN1030002	Rating Area 2	No Preference	58	460.72
49316MN1030002	Rating Area 2	No Preference	59	460.72
49316MN1030002	Rating Area 2	No Preference	60	544.15
49316MN1030002	Rating Area 2	No Preference	61	544.15
49316MN1030002	Rating Area 2	No Preference	62	544.15
49316MN1030002	Rating Area 2	No Preference	63	544.15
49316MN1030002	Rating Area 2	No Preference	64	568.79
49316MN1030002	Rating Area 2	No Preference	65 and over	568.79
49316MN1030002	Rating Area 3	No Preference	0-20	172.18

49316MN1030002	Rating Area 3	No Preference	21	199.46
49316MN1030002	Rating Area 3	No Preference	22	199.46
49316MN1030002	Rating Area 3	No Preference	23	199.46
49316MN1030002	Rating Area 3	No Preference	24	199.46
49316MN1030002	Rating Area 3	No Preference	25	199.46
49316MN1030002	Rating Area 3	No Preference	26	199.46
49316MN1030002	Rating Area 3	No Preference	27	199.46
49316MN1030002	Rating Area 3	No Preference	28	199.46
49316MN1030002	Rating Area 3	No Preference	29	199.46
49316MN1030002	Rating Area 3	No Preference	30	227.9
49316MN1030002	Rating Area 3	No Preference	31	227.9
49316MN1030002	Rating Area 3	No Preference	32	227.9
49316MN1030002	Rating Area 3	No Preference	33	227.9
49316MN1030002	Rating Area 3	No Preference	34	227.9
49316MN1030002	Rating Area 3	No Preference	35	239.89
49316MN1030002	Rating Area 3	No Preference	36	239.89
49316MN1030002	Rating Area 3	No Preference	37	239.89
49316MN1030002	Rating Area 3	No Preference	38	239.89
49316MN1030002	Rating Area 3	No Preference	39	239.89
49316MN1030002	Rating Area 3	No Preference	40	257.69
49316MN1030002	Rating Area 3	No Preference	41	257.69
49316MN1030002	Rating Area 3	No Preference	42	257.69
49316MN1030002	Rating Area 3	No Preference	43	257.69
49316MN1030002	Rating Area 3	No Preference	44	257.69
49316MN1030002	Rating Area 3	No Preference	45	303.73
49316MN1030002	Rating Area 3	No Preference	46	303.73
49316MN1030002	Rating Area 3	No Preference	47	303.73
49316MN1030002	Rating Area 3	No Preference	48	303.73
49316MN1030002	Rating Area 3	No Preference	49	303.73
49316MN1030002	Rating Area 3	No Preference	50	378.41
49316MN1030002	Rating Area 3	No Preference	51	378.41
49316MN1030002	Rating Area 3	No Preference	52	378.41
49316MN1030002	Rating Area 3	No Preference	53	378.41
49316MN1030002	Rating Area 3	No Preference	54	378.41
49316MN1030002	Rating Area 3	No Preference	55	470.11
49316MN1030002	Rating Area 3	No Preference	56	470.11
49316MN1030002	Rating Area 3	No Preference	57	470.11
49316MN1030002	Rating Area 3	No Preference	58	470.11
49316MN1030002	Rating Area 3	No Preference	59	470.11
49316MN1030002	Rating Area 3	No Preference	60	555.23
49316MN1030002	Rating Area 3	No Preference	61	555.23
49316MN1030002	Rating Area 3	No Preference	62	555.23
49316MN1030002	Rating Area 3	No Preference	63	555.23
49316MN1030002	Rating Area 3	No Preference	64	580.38
49316MN1030002	Rating Area 3	No Preference	65 and over	580.38
49316MN1030002	Rating Area 4	No Preference	0-20	172.18
49316MN1030002	Rating Area 4	No Preference	21	199.46

49316MN1030002	Rating Area 4	No Preference	22	199.46
49316MN1030002	Rating Area 4	No Preference	23	199.46
49316MN1030002	Rating Area 4	No Preference	24	199.46
49316MN1030002	Rating Area 4	No Preference	25	199.46
49316MN1030002	Rating Area 4	No Preference	26	199.46
49316MN1030002	Rating Area 4	No Preference	27	199.46
49316MN1030002	Rating Area 4	No Preference	28	199.46
49316MN1030002	Rating Area 4	No Preference	29	199.46
49316MN1030002	Rating Area 4	No Preference	30	227.9
49316MN1030002	Rating Area 4	No Preference	31	227.9
49316MN1030002	Rating Area 4	No Preference	32	227.9
49316MN1030002	Rating Area 4	No Preference	33	227.9
49316MN1030002	Rating Area 4	No Preference	34	227.9
49316MN1030002	Rating Area 4	No Preference	35	239.89
49316MN1030002	Rating Area 4	No Preference	36	239.89
49316MN1030002	Rating Area 4	No Preference	37	239.89
49316MN1030002	Rating Area 4	No Preference	38	239.89
49316MN1030002	Rating Area 4	No Preference	39	239.89
49316MN1030002	Rating Area 4	No Preference	40	257.69
49316MN1030002	Rating Area 4	No Preference	41	257.69
49316MN1030002	Rating Area 4	No Preference	42	257.69
49316MN1030002	Rating Area 4	No Preference	43	257.69
49316MN1030002	Rating Area 4	No Preference	44	257.69
49316MN1030002	Rating Area 4	No Preference	45	303.73
49316MN1030002	Rating Area 4	No Preference	46	303.73
49316MN1030002	Rating Area 4	No Preference	47	303.73
49316MN1030002	Rating Area 4	No Preference	48	303.73
49316MN1030002	Rating Area 4	No Preference	49	303.73
49316MN1030002	Rating Area 4	No Preference	50	378.41
49316MN1030002	Rating Area 4	No Preference	51	378.41
49316MN1030002	Rating Area 4	No Preference	52	378.41
49316MN1030002	Rating Area 4	No Preference	53	378.41
49316MN1030002	Rating Area 4	No Preference	54	378.41
49316MN1030002	Rating Area 4	No Preference	55	470.11
49316MN1030002	Rating Area 4	No Preference	56	470.11
49316MN1030002	Rating Area 4	No Preference	57	470.11
49316MN1030002	Rating Area 4	No Preference	58	470.11
49316MN1030002	Rating Area 4	No Preference	59	470.11
49316MN1030002	Rating Area 4	No Preference	60	555.23
49316MN1030002	Rating Area 4	No Preference	61	555.23
49316MN1030002	Rating Area 4	No Preference	62	555.23
49316MN1030002	Rating Area 4	No Preference	63	555.23
49316MN1030002	Rating Area 4	No Preference	64	580.38
49316MN1030002	Rating Area 4	No Preference	65 and over	580.38
49316MN1030002	Rating Area 5	No Preference	0-20	172.18
49316MN1030002	Rating Area 5	No Preference	21	199.46
49316MN1030002	Rating Area 5	No Preference	22	199.46

49316MN1030002	Rating Area 5	No Preference	23	199.46
49316MN1030002	Rating Area 5	No Preference	24	199.46
49316MN1030002	Rating Area 5	No Preference	25	199.46
49316MN1030002	Rating Area 5	No Preference	26	199.46
49316MN1030002	Rating Area 5	No Preference	27	199.46
49316MN1030002	Rating Area 5	No Preference	28	199.46
49316MN1030002	Rating Area 5	No Preference	29	199.46
49316MN1030002	Rating Area 5	No Preference	30	227.9
49316MN1030002	Rating Area 5	No Preference	31	227.9
49316MN1030002	Rating Area 5	No Preference	32	227.9
49316MN1030002	Rating Area 5	No Preference	33	227.9
49316MN1030002	Rating Area 5	No Preference	34	227.9
49316MN1030002	Rating Area 5	No Preference	35	239.89
49316MN1030002	Rating Area 5	No Preference	36	239.89
49316MN1030002	Rating Area 5	No Preference	37	239.89
49316MN1030002	Rating Area 5	No Preference	38	239.89
49316MN1030002	Rating Area 5	No Preference	39	239.89
49316MN1030002	Rating Area 5	No Preference	40	257.69
49316MN1030002	Rating Area 5	No Preference	41	257.69
49316MN1030002	Rating Area 5	No Preference	42	257.69
49316MN1030002	Rating Area 5	No Preference	43	257.69
49316MN1030002	Rating Area 5	No Preference	44	257.69
49316MN1030002	Rating Area 5	No Preference	45	303.73
49316MN1030002	Rating Area 5	No Preference	46	303.73
49316MN1030002	Rating Area 5	No Preference	47	303.73
49316MN1030002	Rating Area 5	No Preference	48	303.73
49316MN1030002	Rating Area 5	No Preference	49	303.73
49316MN1030002	Rating Area 5	No Preference	50	378.41
49316MN1030002	Rating Area 5	No Preference	51	378.41
49316MN1030002	Rating Area 5	No Preference	52	378.41
49316MN1030002	Rating Area 5	No Preference	53	378.41
49316MN1030002	Rating Area 5	No Preference	54	378.41
49316MN1030002	Rating Area 5	No Preference	55	470.11
49316MN1030002	Rating Area 5	No Preference	56	470.11
49316MN1030002	Rating Area 5	No Preference	57	470.11
49316MN1030002	Rating Area 5	No Preference	58	470.11
49316MN1030002	Rating Area 5	No Preference	59	470.11
49316MN1030002	Rating Area 5	No Preference	60	555.23
49316MN1030002	Rating Area 5	No Preference	61	555.23
49316MN1030002	Rating Area 5	No Preference	62	555.23
49316MN1030002	Rating Area 5	No Preference	63	555.23
49316MN1030002	Rating Area 5	No Preference	64	580.38
49316MN1030002	Rating Area 5	No Preference	65 and over	580.38
49316MN1030002	Rating Area 6	No Preference	0-20	154.01
49316MN1030002	Rating Area 6	No Preference	21	178.41
49316MN1030002	Rating Area 6	No Preference	22	178.41
49316MN1030002	Rating Area 6	No Preference	23	178.41

49316MN1030002	Rating Area 6	No Preference	24	178.41
49316MN1030002	Rating Area 6	No Preference	25	178.41
49316MN1030002	Rating Area 6	No Preference	26	178.41
49316MN1030002	Rating Area 6	No Preference	27	178.41
49316MN1030002	Rating Area 6	No Preference	28	178.41
49316MN1030002	Rating Area 6	No Preference	29	178.41
49316MN1030002	Rating Area 6	No Preference	30	203.85
49316MN1030002	Rating Area 6	No Preference	31	203.85
49316MN1030002	Rating Area 6	No Preference	32	203.85
49316MN1030002	Rating Area 6	No Preference	33	203.85
49316MN1030002	Rating Area 6	No Preference	34	203.85
49316MN1030002	Rating Area 6	No Preference	35	214.58
49316MN1030002	Rating Area 6	No Preference	36	214.58
49316MN1030002	Rating Area 6	No Preference	37	214.58
49316MN1030002	Rating Area 6	No Preference	38	214.58
49316MN1030002	Rating Area 6	No Preference	39	214.58
49316MN1030002	Rating Area 6	No Preference	40	230.5
49316MN1030002	Rating Area 6	No Preference	41	230.5
49316MN1030002	Rating Area 6	No Preference	42	230.5
49316MN1030002	Rating Area 6	No Preference	43	230.5
49316MN1030002	Rating Area 6	No Preference	44	230.5
49316MN1030002	Rating Area 6	No Preference	45	271.68
49316MN1030002	Rating Area 6	No Preference	46	271.68
49316MN1030002	Rating Area 6	No Preference	47	271.68
49316MN1030002	Rating Area 6	No Preference	48	271.68
49316MN1030002	Rating Area 6	No Preference	49	271.68
49316MN1030002	Rating Area 6	No Preference	50	338.48
49316MN1030002	Rating Area 6	No Preference	51	338.48
49316MN1030002	Rating Area 6	No Preference	52	338.48
49316MN1030002	Rating Area 6	No Preference	53	338.48
49316MN1030002	Rating Area 6	No Preference	54	338.48
49316MN1030002	Rating Area 6	No Preference	55	420.5
49316MN1030002	Rating Area 6	No Preference	56	420.5
49316MN1030002	Rating Area 6	No Preference	57	420.5
49316MN1030002	Rating Area 6	No Preference	58	420.5
49316MN1030002	Rating Area 6	No Preference	59	420.5
49316MN1030002	Rating Area 6	No Preference	60	496.65
49316MN1030002	Rating Area 6	No Preference	61	496.65
49316MN1030002	Rating Area 6	No Preference	62	496.65
49316MN1030002	Rating Area 6	No Preference	63	496.65
49316MN1030002	Rating Area 6	No Preference	64	519.14
49316MN1030002	Rating Area 6	No Preference	65 and over	519.14
49316MN1030002	Rating Area 7	No Preference	0-20	168.74
49316MN1030002	Rating Area 7	No Preference	21	195.48
49316MN1030002	Rating Area 7	No Preference	22	195.48
49316MN1030002	Rating Area 7	No Preference	23	195.48
49316MN1030002	Rating Area 7	No Preference	24	195.48

49316MN1030002	Rating Area 7	No Preference	25	195.48
49316MN1030002	Rating Area 7	No Preference	26	195.48
49316MN1030002	Rating Area 7	No Preference	27	195.48
49316MN1030002	Rating Area 7	No Preference	28	195.48
49316MN1030002	Rating Area 7	No Preference	29	195.48
49316MN1030002	Rating Area 7	No Preference	30	223.35
49316MN1030002	Rating Area 7	No Preference	31	223.35
49316MN1030002	Rating Area 7	No Preference	32	223.35
49316MN1030002	Rating Area 7	No Preference	33	223.35
49316MN1030002	Rating Area 7	No Preference	34	223.35
49316MN1030002	Rating Area 7	No Preference	35	235.1
49316MN1030002	Rating Area 7	No Preference	36	235.1
49316MN1030002	Rating Area 7	No Preference	37	235.1
49316MN1030002	Rating Area 7	No Preference	38	235.1
49316MN1030002	Rating Area 7	No Preference	39	235.1
49316MN1030002	Rating Area 7	No Preference	40	252.54
49316MN1030002	Rating Area 7	No Preference	41	252.54
49316MN1030002	Rating Area 7	No Preference	42	252.54
49316MN1030002	Rating Area 7	No Preference	43	252.54
49316MN1030002	Rating Area 7	No Preference	44	252.54
49316MN1030002	Rating Area 7	No Preference	45	297.67
49316MN1030002	Rating Area 7	No Preference	46	297.67
49316MN1030002	Rating Area 7	No Preference	47	297.67
49316MN1030002	Rating Area 7	No Preference	48	297.67
49316MN1030002	Rating Area 7	No Preference	49	297.67
49316MN1030002	Rating Area 7	No Preference	50	370.85
49316MN1030002	Rating Area 7	No Preference	51	370.85
49316MN1030002	Rating Area 7	No Preference	52	370.85
49316MN1030002	Rating Area 7	No Preference	53	370.85
49316MN1030002	Rating Area 7	No Preference	54	370.85
49316MN1030002	Rating Area 7	No Preference	55	460.72
49316MN1030002	Rating Area 7	No Preference	56	460.72
49316MN1030002	Rating Area 7	No Preference	57	460.72
49316MN1030002	Rating Area 7	No Preference	58	460.72
49316MN1030002	Rating Area 7	No Preference	59	460.72
49316MN1030002	Rating Area 7	No Preference	60	544.15
49316MN1030002	Rating Area 7	No Preference	61	544.15
49316MN1030002	Rating Area 7	No Preference	62	544.15
49316MN1030002	Rating Area 7	No Preference	63	544.15
49316MN1030002	Rating Area 7	No Preference	64	568.79
49316MN1030002	Rating Area 7	No Preference	65 and over	568.79
49316MN1030002	Rating Area 8	No Preference	0-20	144.03
49316MN1030002	Rating Area 8	No Preference	21	166.85
49316MN1030002	Rating Area 8	No Preference	22	166.85
49316MN1030002	Rating Area 8	No Preference	23	166.85
49316MN1030002	Rating Area 8	No Preference	24	166.85
49316MN1030002	Rating Area 8	No Preference	25	166.85

49316MN1030002	Rating Area 8	No Preference	26	166.85
49316MN1030002	Rating Area 8	No Preference	27	166.85
49316MN1030002	Rating Area 8	No Preference	28	166.85
49316MN1030002	Rating Area 8	No Preference	29	166.85
49316MN1030002	Rating Area 8	No Preference	30	190.64
49316MN1030002	Rating Area 8	No Preference	31	190.64
49316MN1030002	Rating Area 8	No Preference	32	190.64
49316MN1030002	Rating Area 8	No Preference	33	190.64
49316MN1030002	Rating Area 8	No Preference	34	190.64
49316MN1030002	Rating Area 8	No Preference	35	200.67
49316MN1030002	Rating Area 8	No Preference	36	200.67
49316MN1030002	Rating Area 8	No Preference	37	200.67
49316MN1030002	Rating Area 8	No Preference	38	200.67
49316MN1030002	Rating Area 8	No Preference	39	200.67
49316MN1030002	Rating Area 8	No Preference	40	215.56
49316MN1030002	Rating Area 8	No Preference	41	215.56
49316MN1030002	Rating Area 8	No Preference	42	215.56
49316MN1030002	Rating Area 8	No Preference	43	215.56
49316MN1030002	Rating Area 8	No Preference	44	215.56
49316MN1030002	Rating Area 8	No Preference	45	254.07
49316MN1030002	Rating Area 8	No Preference	46	254.07
49316MN1030002	Rating Area 8	No Preference	47	254.07
49316MN1030002	Rating Area 8	No Preference	48	254.07
49316MN1030002	Rating Area 8	No Preference	49	254.07
49316MN1030002	Rating Area 8	No Preference	50	316.54
49316MN1030002	Rating Area 8	No Preference	51	316.54
49316MN1030002	Rating Area 8	No Preference	52	316.54
49316MN1030002	Rating Area 8	No Preference	53	316.54
49316MN1030002	Rating Area 8	No Preference	54	316.54
49316MN1030002	Rating Area 8	No Preference	55	393.25
49316MN1030002	Rating Area 8	No Preference	56	393.25
49316MN1030002	Rating Area 8	No Preference	57	393.25
49316MN1030002	Rating Area 8	No Preference	58	393.25
49316MN1030002	Rating Area 8	No Preference	59	393.25
49316MN1030002	Rating Area 8	No Preference	60	464.45
49316MN1030002	Rating Area 8	No Preference	61	464.45
49316MN1030002	Rating Area 8	No Preference	62	464.45
49316MN1030002	Rating Area 8	No Preference	63	464.45
49316MN1030002	Rating Area 8	No Preference	64	485.49
49316MN1030002	Rating Area 8	No Preference	65 and over	485.49
49316MN1030002	Rating Area 9	No Preference	0-20	144.03
49316MN1030002	Rating Area 9	No Preference	21	166.85
49316MN1030002	Rating Area 9	No Preference	22	166.85
49316MN1030002	Rating Area 9	No Preference	23	166.85
49316MN1030002	Rating Area 9	No Preference	24	166.85
49316MN1030002	Rating Area 9	No Preference	25	166.85
49316MN1030002	Rating Area 9	No Preference	26	166.85

49316MN1030002	Rating Area 9	No Preference	27	166.85
49316MN1030002	Rating Area 9	No Preference	28	166.85
49316MN1030002	Rating Area 9	No Preference	29	166.85
49316MN1030002	Rating Area 9	No Preference	30	190.64
49316MN1030002	Rating Area 9	No Preference	31	190.64
49316MN1030002	Rating Area 9	No Preference	32	190.64
49316MN1030002	Rating Area 9	No Preference	33	190.64
49316MN1030002	Rating Area 9	No Preference	34	190.64
49316MN1030002	Rating Area 9	No Preference	35	200.67
49316MN1030002	Rating Area 9	No Preference	36	200.67
49316MN1030002	Rating Area 9	No Preference	37	200.67
49316MN1030002	Rating Area 9	No Preference	38	200.67
49316MN1030002	Rating Area 9	No Preference	39	200.67
49316MN1030002	Rating Area 9	No Preference	40	215.56
49316MN1030002	Rating Area 9	No Preference	41	215.56
49316MN1030002	Rating Area 9	No Preference	42	215.56
49316MN1030002	Rating Area 9	No Preference	43	215.56
49316MN1030002	Rating Area 9	No Preference	44	215.56
49316MN1030002	Rating Area 9	No Preference	45	254.07
49316MN1030002	Rating Area 9	No Preference	46	254.07
49316MN1030002	Rating Area 9	No Preference	47	254.07
49316MN1030002	Rating Area 9	No Preference	48	254.07
49316MN1030002	Rating Area 9	No Preference	49	254.07
49316MN1030002	Rating Area 9	No Preference	50	316.54
49316MN1030002	Rating Area 9	No Preference	51	316.54
49316MN1030002	Rating Area 9	No Preference	52	316.54
49316MN1030002	Rating Area 9	No Preference	53	316.54
49316MN1030002	Rating Area 9	No Preference	54	316.54
49316MN1030002	Rating Area 9	No Preference	55	393.25
49316MN1030002	Rating Area 9	No Preference	56	393.25
49316MN1030002	Rating Area 9	No Preference	57	393.25
49316MN1030002	Rating Area 9	No Preference	58	393.25
49316MN1030002	Rating Area 9	No Preference	59	393.25
49316MN1030002	Rating Area 9	No Preference	60	464.45
49316MN1030002	Rating Area 9	No Preference	61	464.45
49316MN1030002	Rating Area 9	No Preference	62	464.45
49316MN1030002	Rating Area 9	No Preference	63	464.45
49316MN1030002	Rating Area 9	No Preference	64	485.49
49316MN1030002	Rating Area 9	No Preference	65 and over	485.49
49316MN1030003	Rating Area 1	No Preference	0-20	250.7
49316MN1030003	Rating Area 1	No Preference	21	290.42
49316MN1030003	Rating Area 1	No Preference	22	290.42
49316MN1030003	Rating Area 1	No Preference	23	290.42
49316MN1030003	Rating Area 1	No Preference	24	290.42
49316MN1030003	Rating Area 1	No Preference	25	290.42
49316MN1030003	Rating Area 1	No Preference	26	290.42
49316MN1030003	Rating Area 1	No Preference	27	290.42

49316MN1030003	Rating Area 1	No Preference	28	290.42
49316MN1030003	Rating Area 1	No Preference	29	290.42
49316MN1030003	Rating Area 1	No Preference	30	331.83
49316MN1030003	Rating Area 1	No Preference	31	331.83
49316MN1030003	Rating Area 1	No Preference	32	331.83
49316MN1030003	Rating Area 1	No Preference	33	331.83
49316MN1030003	Rating Area 1	No Preference	34	331.83
49316MN1030003	Rating Area 1	No Preference	35	349.29
49316MN1030003	Rating Area 1	No Preference	36	349.29
49316MN1030003	Rating Area 1	No Preference	37	349.29
49316MN1030003	Rating Area 1	No Preference	38	349.29
49316MN1030003	Rating Area 1	No Preference	39	349.29
49316MN1030003	Rating Area 1	No Preference	40	375.21
49316MN1030003	Rating Area 1	No Preference	41	375.21
49316MN1030003	Rating Area 1	No Preference	42	375.21
49316MN1030003	Rating Area 1	No Preference	43	375.21
49316MN1030003	Rating Area 1	No Preference	44	375.21
49316MN1030003	Rating Area 1	No Preference	45	442.25
49316MN1030003	Rating Area 1	No Preference	46	442.25
49316MN1030003	Rating Area 1	No Preference	47	442.25
49316MN1030003	Rating Area 1	No Preference	48	442.25
49316MN1030003	Rating Area 1	No Preference	49	442.25
49316MN1030003	Rating Area 1	No Preference	50	550.98
49316MN1030003	Rating Area 1	No Preference	51	550.98
49316MN1030003	Rating Area 1	No Preference	52	550.98
49316MN1030003	Rating Area 1	No Preference	53	550.98
49316MN1030003	Rating Area 1	No Preference	54	550.98
49316MN1030003	Rating Area 1	No Preference	55	684.5
49316MN1030003	Rating Area 1	No Preference	56	684.5
49316MN1030003	Rating Area 1	No Preference	57	684.5
49316MN1030003	Rating Area 1	No Preference	58	684.5
49316MN1030003	Rating Area 1	No Preference	59	684.5
49316MN1030003	Rating Area 1	No Preference	60	808.45
49316MN1030003	Rating Area 1	No Preference	61	808.45
49316MN1030003	Rating Area 1	No Preference	62	808.45
49316MN1030003	Rating Area 1	No Preference	63	808.45
49316MN1030003	Rating Area 1	No Preference	64	845.07
49316MN1030003	Rating Area 1	No Preference	65 and over	845.07
49316MN1030003	Rating Area 2	No Preference	0-20	191.46
49316MN1030003	Rating Area 2	No Preference	21	221.8
49316MN1030003	Rating Area 2	No Preference	22	221.8
49316MN1030003	Rating Area 2	No Preference	23	221.8
49316MN1030003	Rating Area 2	No Preference	24	221.8
49316MN1030003	Rating Area 2	No Preference	25	221.8
49316MN1030003	Rating Area 2	No Preference	26	221.8
49316MN1030003	Rating Area 2	No Preference	27	221.8
49316MN1030003	Rating Area 2	No Preference	28	221.8

49316MN1030003	Rating Area 2	No Preference	29	221.8
49316MN1030003	Rating Area 2	No Preference	30	253.42
49316MN1030003	Rating Area 2	No Preference	31	253.42
49316MN1030003	Rating Area 2	No Preference	32	253.42
49316MN1030003	Rating Area 2	No Preference	33	253.42
49316MN1030003	Rating Area 2	No Preference	34	253.42
49316MN1030003	Rating Area 2	No Preference	35	266.76
49316MN1030003	Rating Area 2	No Preference	36	266.76
49316MN1030003	Rating Area 2	No Preference	37	266.76
49316MN1030003	Rating Area 2	No Preference	38	266.76
49316MN1030003	Rating Area 2	No Preference	39	266.76
49316MN1030003	Rating Area 2	No Preference	40	286.55
49316MN1030003	Rating Area 2	No Preference	41	286.55
49316MN1030003	Rating Area 2	No Preference	42	286.55
49316MN1030003	Rating Area 2	No Preference	43	286.55
49316MN1030003	Rating Area 2	No Preference	44	286.55
49316MN1030003	Rating Area 2	No Preference	45	337.75
49316MN1030003	Rating Area 2	No Preference	46	337.75
49316MN1030003	Rating Area 2	No Preference	47	337.75
49316MN1030003	Rating Area 2	No Preference	48	337.75
49316MN1030003	Rating Area 2	No Preference	49	337.75
49316MN1030003	Rating Area 2	No Preference	50	420.79
49316MN1030003	Rating Area 2	No Preference	51	420.79
49316MN1030003	Rating Area 2	No Preference	52	420.79
49316MN1030003	Rating Area 2	No Preference	53	420.79
49316MN1030003	Rating Area 2	No Preference	54	420.79
49316MN1030003	Rating Area 2	No Preference	55	522.76
49316MN1030003	Rating Area 2	No Preference	56	522.76
49316MN1030003	Rating Area 2	No Preference	57	522.76
49316MN1030003	Rating Area 2	No Preference	58	522.76
49316MN1030003	Rating Area 2	No Preference	59	522.76
49316MN1030003	Rating Area 2	No Preference	60	617.41
49316MN1030003	Rating Area 2	No Preference	61	617.41
49316MN1030003	Rating Area 2	No Preference	62	617.41
49316MN1030003	Rating Area 2	No Preference	63	617.41
49316MN1030003	Rating Area 2	No Preference	64	645.38
49316MN1030003	Rating Area 2	No Preference	65 and over	645.38
49316MN1030003	Rating Area 3	No Preference	0-20	195.36
49316MN1030003	Rating Area 3	No Preference	21	226.31
49316MN1030003	Rating Area 3	No Preference	22	226.31
49316MN1030003	Rating Area 3	No Preference	23	226.31
49316MN1030003	Rating Area 3	No Preference	24	226.31
49316MN1030003	Rating Area 3	No Preference	25	226.31
49316MN1030003	Rating Area 3	No Preference	26	226.31
49316MN1030003	Rating Area 3	No Preference	27	226.31
49316MN1030003	Rating Area 3	No Preference	28	226.31
49316MN1030003	Rating Area 3	No Preference	29	226.31

49316MN1030003	Rating Area 3	No Preference	30	258.58
49316MN1030003	Rating Area 3	No Preference	31	258.58
49316MN1030003	Rating Area 3	No Preference	32	258.58
49316MN1030003	Rating Area 3	No Preference	33	258.58
49316MN1030003	Rating Area 3	No Preference	34	258.58
49316MN1030003	Rating Area 3	No Preference	35	272.19
49316MN1030003	Rating Area 3	No Preference	36	272.19
49316MN1030003	Rating Area 3	No Preference	37	272.19
49316MN1030003	Rating Area 3	No Preference	38	272.19
49316MN1030003	Rating Area 3	No Preference	39	272.19
49316MN1030003	Rating Area 3	No Preference	40	292.39
49316MN1030003	Rating Area 3	No Preference	41	292.39
49316MN1030003	Rating Area 3	No Preference	42	292.39
49316MN1030003	Rating Area 3	No Preference	43	292.39
49316MN1030003	Rating Area 3	No Preference	44	292.39
49316MN1030003	Rating Area 3	No Preference	45	344.63
49316MN1030003	Rating Area 3	No Preference	46	344.63
49316MN1030003	Rating Area 3	No Preference	47	344.63
49316MN1030003	Rating Area 3	No Preference	48	344.63
49316MN1030003	Rating Area 3	No Preference	49	344.63
49316MN1030003	Rating Area 3	No Preference	50	429.36
49316MN1030003	Rating Area 3	No Preference	51	429.36
49316MN1030003	Rating Area 3	No Preference	52	429.36
49316MN1030003	Rating Area 3	No Preference	53	429.36
49316MN1030003	Rating Area 3	No Preference	54	429.36
49316MN1030003	Rating Area 3	No Preference	55	533.41
49316MN1030003	Rating Area 3	No Preference	56	533.41
49316MN1030003	Rating Area 3	No Preference	57	533.41
49316MN1030003	Rating Area 3	No Preference	58	533.41
49316MN1030003	Rating Area 3	No Preference	59	533.41
49316MN1030003	Rating Area 3	No Preference	60	629.99
49316MN1030003	Rating Area 3	No Preference	61	629.99
49316MN1030003	Rating Area 3	No Preference	62	629.99
49316MN1030003	Rating Area 3	No Preference	63	629.99
49316MN1030003	Rating Area 3	No Preference	64	658.53
49316MN1030003	Rating Area 3	No Preference	65 and over	658.53
49316MN1030003	Rating Area 4	No Preference	0-20	195.36
49316MN1030003	Rating Area 4	No Preference	21	226.31
49316MN1030003	Rating Area 4	No Preference	22	226.31
49316MN1030003	Rating Area 4	No Preference	23	226.31
49316MN1030003	Rating Area 4	No Preference	24	226.31
49316MN1030003	Rating Area 4	No Preference	25	226.31
49316MN1030003	Rating Area 4	No Preference	26	226.31
49316MN1030003	Rating Area 4	No Preference	27	226.31
49316MN1030003	Rating Area 4	No Preference	28	226.31
49316MN1030003	Rating Area 4	No Preference	29	226.31
49316MN1030003	Rating Area 4	No Preference	30	258.58

49316MN1030003	Rating Area 4	No Preference	31	258.58
49316MN1030003	Rating Area 4	No Preference	32	258.58
49316MN1030003	Rating Area 4	No Preference	33	258.58
49316MN1030003	Rating Area 4	No Preference	34	258.58
49316MN1030003	Rating Area 4	No Preference	35	272.19
49316MN1030003	Rating Area 4	No Preference	36	272.19
49316MN1030003	Rating Area 4	No Preference	37	272.19
49316MN1030003	Rating Area 4	No Preference	38	272.19
49316MN1030003	Rating Area 4	No Preference	39	272.19
49316MN1030003	Rating Area 4	No Preference	40	292.39
49316MN1030003	Rating Area 4	No Preference	41	292.39
49316MN1030003	Rating Area 4	No Preference	42	292.39
49316MN1030003	Rating Area 4	No Preference	43	292.39
49316MN1030003	Rating Area 4	No Preference	44	292.39
49316MN1030003	Rating Area 4	No Preference	45	344.63
49316MN1030003	Rating Area 4	No Preference	46	344.63
49316MN1030003	Rating Area 4	No Preference	47	344.63
49316MN1030003	Rating Area 4	No Preference	48	344.63
49316MN1030003	Rating Area 4	No Preference	49	344.63
49316MN1030003	Rating Area 4	No Preference	50	429.36
49316MN1030003	Rating Area 4	No Preference	51	429.36
49316MN1030003	Rating Area 4	No Preference	52	429.36
49316MN1030003	Rating Area 4	No Preference	53	429.36
49316MN1030003	Rating Area 4	No Preference	54	429.36
49316MN1030003	Rating Area 4	No Preference	55	533.41
49316MN1030003	Rating Area 4	No Preference	56	533.41
49316MN1030003	Rating Area 4	No Preference	57	533.41
49316MN1030003	Rating Area 4	No Preference	58	533.41
49316MN1030003	Rating Area 4	No Preference	59	533.41
49316MN1030003	Rating Area 4	No Preference	60	629.99
49316MN1030003	Rating Area 4	No Preference	61	629.99
49316MN1030003	Rating Area 4	No Preference	62	629.99
49316MN1030003	Rating Area 4	No Preference	63	629.99
49316MN1030003	Rating Area 4	No Preference	64	658.53
49316MN1030003	Rating Area 4	No Preference	65 and over	658.53
49316MN1030003	Rating Area 5	No Preference	0-20	195.36
49316MN1030003	Rating Area 5	No Preference	21	226.31
49316MN1030003	Rating Area 5	No Preference	22	226.31
49316MN1030003	Rating Area 5	No Preference	23	226.31
49316MN1030003	Rating Area 5	No Preference	24	226.31
49316MN1030003	Rating Area 5	No Preference	25	226.31
49316MN1030003	Rating Area 5	No Preference	26	226.31
49316MN1030003	Rating Area 5	No Preference	27	226.31
49316MN1030003	Rating Area 5	No Preference	28	226.31
49316MN1030003	Rating Area 5	No Preference	29	226.31
49316MN1030003	Rating Area 5	No Preference	30	258.58
49316MN1030003	Rating Area 5	No Preference	31	258.58

49316MN1030003	Rating Area 5	No Preference	32	258.58
49316MN1030003	Rating Area 5	No Preference	33	258.58
49316MN1030003	Rating Area 5	No Preference	34	258.58
49316MN1030003	Rating Area 5	No Preference	35	272.19
49316MN1030003	Rating Area 5	No Preference	36	272.19
49316MN1030003	Rating Area 5	No Preference	37	272.19
49316MN1030003	Rating Area 5	No Preference	38	272.19
49316MN1030003	Rating Area 5	No Preference	39	272.19
49316MN1030003	Rating Area 5	No Preference	40	292.39
49316MN1030003	Rating Area 5	No Preference	41	292.39
49316MN1030003	Rating Area 5	No Preference	42	292.39
49316MN1030003	Rating Area 5	No Preference	43	292.39
49316MN1030003	Rating Area 5	No Preference	44	292.39
49316MN1030003	Rating Area 5	No Preference	45	344.63
49316MN1030003	Rating Area 5	No Preference	46	344.63
49316MN1030003	Rating Area 5	No Preference	47	344.63
49316MN1030003	Rating Area 5	No Preference	48	344.63
49316MN1030003	Rating Area 5	No Preference	49	344.63
49316MN1030003	Rating Area 5	No Preference	50	429.36
49316MN1030003	Rating Area 5	No Preference	51	429.36
49316MN1030003	Rating Area 5	No Preference	52	429.36
49316MN1030003	Rating Area 5	No Preference	53	429.36
49316MN1030003	Rating Area 5	No Preference	54	429.36
49316MN1030003	Rating Area 5	No Preference	55	533.41
49316MN1030003	Rating Area 5	No Preference	56	533.41
49316MN1030003	Rating Area 5	No Preference	57	533.41
49316MN1030003	Rating Area 5	No Preference	58	533.41
49316MN1030003	Rating Area 5	No Preference	59	533.41
49316MN1030003	Rating Area 5	No Preference	60	629.99
49316MN1030003	Rating Area 5	No Preference	61	629.99
49316MN1030003	Rating Area 5	No Preference	62	629.99
49316MN1030003	Rating Area 5	No Preference	63	629.99
49316MN1030003	Rating Area 5	No Preference	64	658.53
49316MN1030003	Rating Area 5	No Preference	65 and over	658.53
49316MN1030003	Rating Area 6	No Preference	0-20	174.75
49316MN1030003	Rating Area 6	No Preference	21	202.43
49316MN1030003	Rating Area 6	No Preference	22	202.43
49316MN1030003	Rating Area 6	No Preference	23	202.43
49316MN1030003	Rating Area 6	No Preference	24	202.43
49316MN1030003	Rating Area 6	No Preference	25	202.43
49316MN1030003	Rating Area 6	No Preference	26	202.43
49316MN1030003	Rating Area 6	No Preference	27	202.43
49316MN1030003	Rating Area 6	No Preference	28	202.43
49316MN1030003	Rating Area 6	No Preference	29	202.43
49316MN1030003	Rating Area 6	No Preference	30	231.3
49316MN1030003	Rating Area 6	No Preference	31	231.3
49316MN1030003	Rating Area 6	No Preference	32	231.3

49316MN1030003	Rating Area 6	No Preference	33	231.3
49316MN1030003	Rating Area 6	No Preference	34	231.3
49316MN1030003	Rating Area 6	No Preference	35	243.47
49316MN1030003	Rating Area 6	No Preference	36	243.47
49316MN1030003	Rating Area 6	No Preference	37	243.47
49316MN1030003	Rating Area 6	No Preference	38	243.47
49316MN1030003	Rating Area 6	No Preference	39	243.47
49316MN1030003	Rating Area 6	No Preference	40	261.54
49316MN1030003	Rating Area 6	No Preference	41	261.54
49316MN1030003	Rating Area 6	No Preference	42	261.54
49316MN1030003	Rating Area 6	No Preference	43	261.54
49316MN1030003	Rating Area 6	No Preference	44	261.54
49316MN1030003	Rating Area 6	No Preference	45	308.27
49316MN1030003	Rating Area 6	No Preference	46	308.27
49316MN1030003	Rating Area 6	No Preference	47	308.27
49316MN1030003	Rating Area 6	No Preference	48	308.27
49316MN1030003	Rating Area 6	No Preference	49	308.27
49316MN1030003	Rating Area 6	No Preference	50	384.06
49316MN1030003	Rating Area 6	No Preference	51	384.06
49316MN1030003	Rating Area 6	No Preference	52	384.06
49316MN1030003	Rating Area 6	No Preference	53	384.06
49316MN1030003	Rating Area 6	No Preference	54	384.06
49316MN1030003	Rating Area 6	No Preference	55	477.12
49316MN1030003	Rating Area 6	No Preference	56	477.12
49316MN1030003	Rating Area 6	No Preference	57	477.12
49316MN1030003	Rating Area 6	No Preference	58	477.12
49316MN1030003	Rating Area 6	No Preference	59	477.12
49316MN1030003	Rating Area 6	No Preference	60	563.52
49316MN1030003	Rating Area 6	No Preference	61	563.52
49316MN1030003	Rating Area 6	No Preference	62	563.52
49316MN1030003	Rating Area 6	No Preference	63	563.52
49316MN1030003	Rating Area 6	No Preference	64	589.04
49316MN1030003	Rating Area 6	No Preference	65 and over	589.04
49316MN1030003	Rating Area 7	No Preference	0-20	191.46
49316MN1030003	Rating Area 7	No Preference	21	221.8
49316MN1030003	Rating Area 7	No Preference	22	221.8
49316MN1030003	Rating Area 7	No Preference	23	221.8
49316MN1030003	Rating Area 7	No Preference	24	221.8
49316MN1030003	Rating Area 7	No Preference	25	221.8
49316MN1030003	Rating Area 7	No Preference	26	221.8
49316MN1030003	Rating Area 7	No Preference	27	221.8
49316MN1030003	Rating Area 7	No Preference	28	221.8
49316MN1030003	Rating Area 7	No Preference	29	221.8
49316MN1030003	Rating Area 7	No Preference	30	253.42
49316MN1030003	Rating Area 7	No Preference	31	253.42
49316MN1030003	Rating Area 7	No Preference	32	253.42
49316MN1030003	Rating Area 7	No Preference	33	253.42

49316MN1030003	Rating Area 7	No Preference	34	253.42
49316MN1030003	Rating Area 7	No Preference	35	266.76
49316MN1030003	Rating Area 7	No Preference	36	266.76
49316MN1030003	Rating Area 7	No Preference	37	266.76
49316MN1030003	Rating Area 7	No Preference	38	266.76
49316MN1030003	Rating Area 7	No Preference	39	266.76
49316MN1030003	Rating Area 7	No Preference	40	286.55
49316MN1030003	Rating Area 7	No Preference	41	286.55
49316MN1030003	Rating Area 7	No Preference	42	286.55
49316MN1030003	Rating Area 7	No Preference	43	286.55
49316MN1030003	Rating Area 7	No Preference	44	286.55
49316MN1030003	Rating Area 7	No Preference	45	337.75
49316MN1030003	Rating Area 7	No Preference	46	337.75
49316MN1030003	Rating Area 7	No Preference	47	337.75
49316MN1030003	Rating Area 7	No Preference	48	337.75
49316MN1030003	Rating Area 7	No Preference	49	337.75
49316MN1030003	Rating Area 7	No Preference	50	420.79
49316MN1030003	Rating Area 7	No Preference	51	420.79
49316MN1030003	Rating Area 7	No Preference	52	420.79
49316MN1030003	Rating Area 7	No Preference	53	420.79
49316MN1030003	Rating Area 7	No Preference	54	420.79
49316MN1030003	Rating Area 7	No Preference	55	522.76
49316MN1030003	Rating Area 7	No Preference	56	522.76
49316MN1030003	Rating Area 7	No Preference	57	522.76
49316MN1030003	Rating Area 7	No Preference	58	522.76
49316MN1030003	Rating Area 7	No Preference	59	522.76
49316MN1030003	Rating Area 7	No Preference	60	617.41
49316MN1030003	Rating Area 7	No Preference	61	617.41
49316MN1030003	Rating Area 7	No Preference	62	617.41
49316MN1030003	Rating Area 7	No Preference	63	617.41
49316MN1030003	Rating Area 7	No Preference	64	645.38
49316MN1030003	Rating Area 7	No Preference	65 and over	645.38
49316MN1030003	Rating Area 8	No Preference	0-20	163.42
49316MN1030003	Rating Area 8	No Preference	21	189.31
49316MN1030003	Rating Area 8	No Preference	22	189.31
49316MN1030003	Rating Area 8	No Preference	23	189.31
49316MN1030003	Rating Area 8	No Preference	24	189.31
49316MN1030003	Rating Area 8	No Preference	25	189.31
49316MN1030003	Rating Area 8	No Preference	26	189.31
49316MN1030003	Rating Area 8	No Preference	27	189.31
49316MN1030003	Rating Area 8	No Preference	28	189.31
49316MN1030003	Rating Area 8	No Preference	29	189.31
49316MN1030003	Rating Area 8	No Preference	30	216.3
49316MN1030003	Rating Area 8	No Preference	31	216.3
49316MN1030003	Rating Area 8	No Preference	32	216.3
49316MN1030003	Rating Area 8	No Preference	33	216.3
49316MN1030003	Rating Area 8	No Preference	34	216.3

49316MN1030003	Rating Area 8	No Preference	35	227.69
49316MN1030003	Rating Area 8	No Preference	36	227.69
49316MN1030003	Rating Area 8	No Preference	37	227.69
49316MN1030003	Rating Area 8	No Preference	38	227.69
49316MN1030003	Rating Area 8	No Preference	39	227.69
49316MN1030003	Rating Area 8	No Preference	40	244.58
49316MN1030003	Rating Area 8	No Preference	41	244.58
49316MN1030003	Rating Area 8	No Preference	42	244.58
49316MN1030003	Rating Area 8	No Preference	43	244.58
49316MN1030003	Rating Area 8	No Preference	44	244.58
49316MN1030003	Rating Area 8	No Preference	45	288.28
49316MN1030003	Rating Area 8	No Preference	46	288.28
49316MN1030003	Rating Area 8	No Preference	47	288.28
49316MN1030003	Rating Area 8	No Preference	48	288.28
49316MN1030003	Rating Area 8	No Preference	49	288.28
49316MN1030003	Rating Area 8	No Preference	50	359.16
49316MN1030003	Rating Area 8	No Preference	51	359.16
49316MN1030003	Rating Area 8	No Preference	52	359.16
49316MN1030003	Rating Area 8	No Preference	53	359.16
49316MN1030003	Rating Area 8	No Preference	54	359.16
49316MN1030003	Rating Area 8	No Preference	55	446.2
49316MN1030003	Rating Area 8	No Preference	56	446.2
49316MN1030003	Rating Area 8	No Preference	57	446.2
49316MN1030003	Rating Area 8	No Preference	58	446.2
49316MN1030003	Rating Area 8	No Preference	59	446.2
49316MN1030003	Rating Area 8	No Preference	60	526.99
49316MN1030003	Rating Area 8	No Preference	61	526.99
49316MN1030003	Rating Area 8	No Preference	62	526.99
49316MN1030003	Rating Area 8	No Preference	63	526.99
49316MN1030003	Rating Area 8	No Preference	64	550.86
49316MN1030003	Rating Area 8	No Preference	65 and over	550.86
49316MN1030003	Rating Area 9	No Preference	0-20	163.42
49316MN1030003	Rating Area 9	No Preference	21	189.31
49316MN1030003	Rating Area 9	No Preference	22	189.31
49316MN1030003	Rating Area 9	No Preference	23	189.31
49316MN1030003	Rating Area 9	No Preference	24	189.31
49316MN1030003	Rating Area 9	No Preference	25	189.31
49316MN1030003	Rating Area 9	No Preference	26	189.31
49316MN1030003	Rating Area 9	No Preference	27	189.31
49316MN1030003	Rating Area 9	No Preference	28	189.31
49316MN1030003	Rating Area 9	No Preference	29	189.31
49316MN1030003	Rating Area 9	No Preference	30	216.3
49316MN1030003	Rating Area 9	No Preference	31	216.3
49316MN1030003	Rating Area 9	No Preference	32	216.3
49316MN1030003	Rating Area 9	No Preference	33	216.3
49316MN1030003	Rating Area 9	No Preference	34	216.3
49316MN1030003	Rating Area 9	No Preference	35	227.69

49316MN1030003	Rating Area 9	No Preference	36	227.69
49316MN1030003	Rating Area 9	No Preference	37	227.69
49316MN1030003	Rating Area 9	No Preference	38	227.69
49316MN1030003	Rating Area 9	No Preference	39	227.69
49316MN1030003	Rating Area 9	No Preference	40	244.58
49316MN1030003	Rating Area 9	No Preference	41	244.58
49316MN1030003	Rating Area 9	No Preference	42	244.58
49316MN1030003	Rating Area 9	No Preference	43	244.58
49316MN1030003	Rating Area 9	No Preference	44	244.58
49316MN1030003	Rating Area 9	No Preference	45	288.28
49316MN1030003	Rating Area 9	No Preference	46	288.28
49316MN1030003	Rating Area 9	No Preference	47	288.28
49316MN1030003	Rating Area 9	No Preference	48	288.28
49316MN1030003	Rating Area 9	No Preference	49	288.28
49316MN1030003	Rating Area 9	No Preference	50	359.16
49316MN1030003	Rating Area 9	No Preference	51	359.16
49316MN1030003	Rating Area 9	No Preference	52	359.16
49316MN1030003	Rating Area 9	No Preference	53	359.16
49316MN1030003	Rating Area 9	No Preference	54	359.16
49316MN1030003	Rating Area 9	No Preference	55	446.2
49316MN1030003	Rating Area 9	No Preference	56	446.2
49316MN1030003	Rating Area 9	No Preference	57	446.2
49316MN1030003	Rating Area 9	No Preference	58	446.2
49316MN1030003	Rating Area 9	No Preference	59	446.2
49316MN1030003	Rating Area 9	No Preference	60	526.99
49316MN1030003	Rating Area 9	No Preference	61	526.99
49316MN1030003	Rating Area 9	No Preference	62	526.99
49316MN1030003	Rating Area 9	No Preference	63	526.99
49316MN1030003	Rating Area 9	No Preference	64	550.86
49316MN1030003	Rating Area 9	No Preference	65 and over	550.86
49316MN1040001	Rating Area 1	No Preference	0-20	199.6
49316MN1040001	Rating Area 1	No Preference	21	231.22
49316MN1040001	Rating Area 1	No Preference	22	231.22
49316MN1040001	Rating Area 1	No Preference	23	231.22
49316MN1040001	Rating Area 1	No Preference	24	231.22
49316MN1040001	Rating Area 1	No Preference	25	231.22
49316MN1040001	Rating Area 1	No Preference	26	231.22
49316MN1040001	Rating Area 1	No Preference	27	231.22
49316MN1040001	Rating Area 1	No Preference	28	231.22
49316MN1040001	Rating Area 1	No Preference	29	231.22
49316MN1040001	Rating Area 1	No Preference	30	264.19
49316MN1040001	Rating Area 1	No Preference	31	264.19
49316MN1040001	Rating Area 1	No Preference	32	264.19
49316MN1040001	Rating Area 1	No Preference	33	264.19
49316MN1040001	Rating Area 1	No Preference	34	264.19
49316MN1040001	Rating Area 1	No Preference	35	278.09
49316MN1040001	Rating Area 1	No Preference	36	278.09

49316MN1040001	Rating Area 1	No Preference	37	278.09
49316MN1040001	Rating Area 1	No Preference	38	278.09
49316MN1040001	Rating Area 1	No Preference	39	278.09
49316MN1040001	Rating Area 1	No Preference	40	298.73
49316MN1040001	Rating Area 1	No Preference	41	298.73
49316MN1040001	Rating Area 1	No Preference	42	298.73
49316MN1040001	Rating Area 1	No Preference	43	298.73
49316MN1040001	Rating Area 1	No Preference	44	298.73
49316MN1040001	Rating Area 1	No Preference	45	352.1
49316MN1040001	Rating Area 1	No Preference	46	352.1
49316MN1040001	Rating Area 1	No Preference	47	352.1
49316MN1040001	Rating Area 1	No Preference	48	352.1
49316MN1040001	Rating Area 1	No Preference	49	352.1
49316MN1040001	Rating Area 1	No Preference	50	438.67
49316MN1040001	Rating Area 1	No Preference	51	438.67
49316MN1040001	Rating Area 1	No Preference	52	438.67
49316MN1040001	Rating Area 1	No Preference	53	438.67
49316MN1040001	Rating Area 1	No Preference	54	438.67
49316MN1040001	Rating Area 1	No Preference	55	544.97
49316MN1040001	Rating Area 1	No Preference	56	544.97
49316MN1040001	Rating Area 1	No Preference	57	544.97
49316MN1040001	Rating Area 1	No Preference	58	544.97
49316MN1040001	Rating Area 1	No Preference	59	544.97
49316MN1040001	Rating Area 1	No Preference	60	643.65
49316MN1040001	Rating Area 1	No Preference	61	643.65
49316MN1040001	Rating Area 1	No Preference	62	643.65
49316MN1040001	Rating Area 1	No Preference	63	643.65
49316MN1040001	Rating Area 1	No Preference	64	672.81
49316MN1040001	Rating Area 1	No Preference	65 and over	672.81
49316MN1040001	Rating Area 2	No Preference	0-20	152.43
49316MN1040001	Rating Area 2	No Preference	21	176.58
49316MN1040001	Rating Area 2	No Preference	22	176.58
49316MN1040001	Rating Area 2	No Preference	23	176.58
49316MN1040001	Rating Area 2	No Preference	24	176.58
49316MN1040001	Rating Area 2	No Preference	25	176.58
49316MN1040001	Rating Area 2	No Preference	26	176.58
49316MN1040001	Rating Area 2	No Preference	27	176.58
49316MN1040001	Rating Area 2	No Preference	28	176.58
49316MN1040001	Rating Area 2	No Preference	29	176.58
49316MN1040001	Rating Area 2	No Preference	30	201.76
49316MN1040001	Rating Area 2	No Preference	31	201.76
49316MN1040001	Rating Area 2	No Preference	32	201.76
49316MN1040001	Rating Area 2	No Preference	33	201.76
49316MN1040001	Rating Area 2	No Preference	34	201.76
49316MN1040001	Rating Area 2	No Preference	35	212.38
49316MN1040001	Rating Area 2	No Preference	36	212.38
49316MN1040001	Rating Area 2	No Preference	37	212.38

49316MN1040001	Rating Area 2	No Preference	38	212.38
49316MN1040001	Rating Area 2	No Preference	39	212.38
49316MN1040001	Rating Area 2	No Preference	40	228.14
49316MN1040001	Rating Area 2	No Preference	41	228.14
49316MN1040001	Rating Area 2	No Preference	42	228.14
49316MN1040001	Rating Area 2	No Preference	43	228.14
49316MN1040001	Rating Area 2	No Preference	44	228.14
49316MN1040001	Rating Area 2	No Preference	45	268.9
49316MN1040001	Rating Area 2	No Preference	46	268.9
49316MN1040001	Rating Area 2	No Preference	47	268.9
49316MN1040001	Rating Area 2	No Preference	48	268.9
49316MN1040001	Rating Area 2	No Preference	49	268.9
49316MN1040001	Rating Area 2	No Preference	50	335.01
49316MN1040001	Rating Area 2	No Preference	51	335.01
49316MN1040001	Rating Area 2	No Preference	52	335.01
49316MN1040001	Rating Area 2	No Preference	53	335.01
49316MN1040001	Rating Area 2	No Preference	54	335.01
49316MN1040001	Rating Area 2	No Preference	55	416.2
49316MN1040001	Rating Area 2	No Preference	56	416.2
49316MN1040001	Rating Area 2	No Preference	57	416.2
49316MN1040001	Rating Area 2	No Preference	58	416.2
49316MN1040001	Rating Area 2	No Preference	59	416.2
49316MN1040001	Rating Area 2	No Preference	60	491.56
49316MN1040001	Rating Area 2	No Preference	61	491.56
49316MN1040001	Rating Area 2	No Preference	62	491.56
49316MN1040001	Rating Area 2	No Preference	63	491.56
49316MN1040001	Rating Area 2	No Preference	64	513.83
49316MN1040001	Rating Area 2	No Preference	65 and over	513.83
49316MN1040001	Rating Area 3	No Preference	0-20	155.54
49316MN1040001	Rating Area 3	No Preference	21	180.18
49316MN1040001	Rating Area 3	No Preference	22	180.18
49316MN1040001	Rating Area 3	No Preference	23	180.18
49316MN1040001	Rating Area 3	No Preference	24	180.18
49316MN1040001	Rating Area 3	No Preference	25	180.18
49316MN1040001	Rating Area 3	No Preference	26	180.18
49316MN1040001	Rating Area 3	No Preference	27	180.18
49316MN1040001	Rating Area 3	No Preference	28	180.18
49316MN1040001	Rating Area 3	No Preference	29	180.18
49316MN1040001	Rating Area 3	No Preference	30	205.87
49316MN1040001	Rating Area 3	No Preference	31	205.87
49316MN1040001	Rating Area 3	No Preference	32	205.87
49316MN1040001	Rating Area 3	No Preference	33	205.87
49316MN1040001	Rating Area 3	No Preference	34	205.87
49316MN1040001	Rating Area 3	No Preference	35	216.71
49316MN1040001	Rating Area 3	No Preference	36	216.71
49316MN1040001	Rating Area 3	No Preference	37	216.71
49316MN1040001	Rating Area 3	No Preference	38	216.71

49316MN1040001	Rating Area 3	No Preference	39	216.71
49316MN1040001	Rating Area 3	No Preference	40	232.79
49316MN1040001	Rating Area 3	No Preference	41	232.79
49316MN1040001	Rating Area 3	No Preference	42	232.79
49316MN1040001	Rating Area 3	No Preference	43	232.79
49316MN1040001	Rating Area 3	No Preference	44	232.79
49316MN1040001	Rating Area 3	No Preference	45	274.38
49316MN1040001	Rating Area 3	No Preference	46	274.38
49316MN1040001	Rating Area 3	No Preference	47	274.38
49316MN1040001	Rating Area 3	No Preference	48	274.38
49316MN1040001	Rating Area 3	No Preference	49	274.38
49316MN1040001	Rating Area 3	No Preference	50	341.84
49316MN1040001	Rating Area 3	No Preference	51	341.84
49316MN1040001	Rating Area 3	No Preference	52	341.84
49316MN1040001	Rating Area 3	No Preference	53	341.84
49316MN1040001	Rating Area 3	No Preference	54	341.84
49316MN1040001	Rating Area 3	No Preference	55	424.68
49316MN1040001	Rating Area 3	No Preference	56	424.68
49316MN1040001	Rating Area 3	No Preference	57	424.68
49316MN1040001	Rating Area 3	No Preference	58	424.68
49316MN1040001	Rating Area 3	No Preference	59	424.68
49316MN1040001	Rating Area 3	No Preference	60	501.57
49316MN1040001	Rating Area 3	No Preference	61	501.57
49316MN1040001	Rating Area 3	No Preference	62	501.57
49316MN1040001	Rating Area 3	No Preference	63	501.57
49316MN1040001	Rating Area 3	No Preference	64	524.29
49316MN1040001	Rating Area 3	No Preference	65 and over	524.29
49316MN1040001	Rating Area 4	No Preference	0-20	155.54
49316MN1040001	Rating Area 4	No Preference	21	180.18
49316MN1040001	Rating Area 4	No Preference	22	180.18
49316MN1040001	Rating Area 4	No Preference	23	180.18
49316MN1040001	Rating Area 4	No Preference	24	180.18
49316MN1040001	Rating Area 4	No Preference	25	180.18
49316MN1040001	Rating Area 4	No Preference	26	180.18
49316MN1040001	Rating Area 4	No Preference	27	180.18
49316MN1040001	Rating Area 4	No Preference	28	180.18
49316MN1040001	Rating Area 4	No Preference	29	180.18
49316MN1040001	Rating Area 4	No Preference	30	205.87
49316MN1040001	Rating Area 4	No Preference	31	205.87
49316MN1040001	Rating Area 4	No Preference	32	205.87
49316MN1040001	Rating Area 4	No Preference	33	205.87
49316MN1040001	Rating Area 4	No Preference	34	205.87
49316MN1040001	Rating Area 4	No Preference	35	216.71
49316MN1040001	Rating Area 4	No Preference	36	216.71
49316MN1040001	Rating Area 4	No Preference	37	216.71
49316MN1040001	Rating Area 4	No Preference	38	216.71
49316MN1040001	Rating Area 4	No Preference	39	216.71

49316MN1040001	Rating Area 4	No Preference	40	232.79
49316MN1040001	Rating Area 4	No Preference	41	232.79
49316MN1040001	Rating Area 4	No Preference	42	232.79
49316MN1040001	Rating Area 4	No Preference	43	232.79
49316MN1040001	Rating Area 4	No Preference	44	232.79
49316MN1040001	Rating Area 4	No Preference	45	274.38
49316MN1040001	Rating Area 4	No Preference	46	274.38
49316MN1040001	Rating Area 4	No Preference	47	274.38
49316MN1040001	Rating Area 4	No Preference	48	274.38
49316MN1040001	Rating Area 4	No Preference	49	274.38
49316MN1040001	Rating Area 4	No Preference	50	341.84
49316MN1040001	Rating Area 4	No Preference	51	341.84
49316MN1040001	Rating Area 4	No Preference	52	341.84
49316MN1040001	Rating Area 4	No Preference	53	341.84
49316MN1040001	Rating Area 4	No Preference	54	341.84
49316MN1040001	Rating Area 4	No Preference	55	424.68
49316MN1040001	Rating Area 4	No Preference	56	424.68
49316MN1040001	Rating Area 4	No Preference	57	424.68
49316MN1040001	Rating Area 4	No Preference	58	424.68
49316MN1040001	Rating Area 4	No Preference	59	424.68
49316MN1040001	Rating Area 4	No Preference	60	501.57
49316MN1040001	Rating Area 4	No Preference	61	501.57
49316MN1040001	Rating Area 4	No Preference	62	501.57
49316MN1040001	Rating Area 4	No Preference	63	501.57
49316MN1040001	Rating Area 4	No Preference	64	524.29
49316MN1040001	Rating Area 4	No Preference	65 and over	524.29
49316MN1040001	Rating Area 5	No Preference	0-20	155.54
49316MN1040001	Rating Area 5	No Preference	21	180.18
49316MN1040001	Rating Area 5	No Preference	22	180.18
49316MN1040001	Rating Area 5	No Preference	23	180.18
49316MN1040001	Rating Area 5	No Preference	24	180.18
49316MN1040001	Rating Area 5	No Preference	25	180.18
49316MN1040001	Rating Area 5	No Preference	26	180.18
49316MN1040001	Rating Area 5	No Preference	27	180.18
49316MN1040001	Rating Area 5	No Preference	28	180.18
49316MN1040001	Rating Area 5	No Preference	29	180.18
49316MN1040001	Rating Area 5	No Preference	30	205.87
49316MN1040001	Rating Area 5	No Preference	31	205.87
49316MN1040001	Rating Area 5	No Preference	32	205.87
49316MN1040001	Rating Area 5	No Preference	33	205.87
49316MN1040001	Rating Area 5	No Preference	34	205.87
49316MN1040001	Rating Area 5	No Preference	35	216.71
49316MN1040001	Rating Area 5	No Preference	36	216.71
49316MN1040001	Rating Area 5	No Preference	37	216.71
49316MN1040001	Rating Area 5	No Preference	38	216.71
49316MN1040001	Rating Area 5	No Preference	39	216.71
49316MN1040001	Rating Area 5	No Preference	40	232.79

49316MN1040001	Rating Area 5	No Preference	41	232.79
49316MN1040001	Rating Area 5	No Preference	42	232.79
49316MN1040001	Rating Area 5	No Preference	43	232.79
49316MN1040001	Rating Area 5	No Preference	44	232.79
49316MN1040001	Rating Area 5	No Preference	45	274.38
49316MN1040001	Rating Area 5	No Preference	46	274.38
49316MN1040001	Rating Area 5	No Preference	47	274.38
49316MN1040001	Rating Area 5	No Preference	48	274.38
49316MN1040001	Rating Area 5	No Preference	49	274.38
49316MN1040001	Rating Area 5	No Preference	50	341.84
49316MN1040001	Rating Area 5	No Preference	51	341.84
49316MN1040001	Rating Area 5	No Preference	52	341.84
49316MN1040001	Rating Area 5	No Preference	53	341.84
49316MN1040001	Rating Area 5	No Preference	54	341.84
49316MN1040001	Rating Area 5	No Preference	55	424.68
49316MN1040001	Rating Area 5	No Preference	56	424.68
49316MN1040001	Rating Area 5	No Preference	57	424.68
49316MN1040001	Rating Area 5	No Preference	58	424.68
49316MN1040001	Rating Area 5	No Preference	59	424.68
49316MN1040001	Rating Area 5	No Preference	60	501.57
49316MN1040001	Rating Area 5	No Preference	61	501.57
49316MN1040001	Rating Area 5	No Preference	62	501.57
49316MN1040001	Rating Area 5	No Preference	63	501.57
49316MN1040001	Rating Area 5	No Preference	64	524.29
49316MN1040001	Rating Area 5	No Preference	65 and over	524.29
49316MN1040001	Rating Area 6	No Preference	0-20	139.13
49316MN1040001	Rating Area 6	No Preference	21	161.17
49316MN1040001	Rating Area 6	No Preference	22	161.17
49316MN1040001	Rating Area 6	No Preference	23	161.17
49316MN1040001	Rating Area 6	No Preference	24	161.17
49316MN1040001	Rating Area 6	No Preference	25	161.17
49316MN1040001	Rating Area 6	No Preference	26	161.17
49316MN1040001	Rating Area 6	No Preference	27	161.17
49316MN1040001	Rating Area 6	No Preference	28	161.17
49316MN1040001	Rating Area 6	No Preference	29	161.17
49316MN1040001	Rating Area 6	No Preference	30	184.15
49316MN1040001	Rating Area 6	No Preference	31	184.15
49316MN1040001	Rating Area 6	No Preference	32	184.15
49316MN1040001	Rating Area 6	No Preference	33	184.15
49316MN1040001	Rating Area 6	No Preference	34	184.15
49316MN1040001	Rating Area 6	No Preference	35	193.84
49316MN1040001	Rating Area 6	No Preference	36	193.84
49316MN1040001	Rating Area 6	No Preference	37	193.84
49316MN1040001	Rating Area 6	No Preference	38	193.84
49316MN1040001	Rating Area 6	No Preference	39	193.84
49316MN1040001	Rating Area 6	No Preference	40	208.22
49316MN1040001	Rating Area 6	No Preference	41	208.22

49316MN1040001	Rating Area 6	No Preference	42	208.22
49316MN1040001	Rating Area 6	No Preference	43	208.22
49316MN1040001	Rating Area 6	No Preference	44	208.22
49316MN1040001	Rating Area 6	No Preference	45	245.43
49316MN1040001	Rating Area 6	No Preference	46	245.43
49316MN1040001	Rating Area 6	No Preference	47	245.43
49316MN1040001	Rating Area 6	No Preference	48	245.43
49316MN1040001	Rating Area 6	No Preference	49	245.43
49316MN1040001	Rating Area 6	No Preference	50	305.77
49316MN1040001	Rating Area 6	No Preference	51	305.77
49316MN1040001	Rating Area 6	No Preference	52	305.77
49316MN1040001	Rating Area 6	No Preference	53	305.77
49316MN1040001	Rating Area 6	No Preference	54	305.77
49316MN1040001	Rating Area 6	No Preference	55	379.87
49316MN1040001	Rating Area 6	No Preference	56	379.87
49316MN1040001	Rating Area 6	No Preference	57	379.87
49316MN1040001	Rating Area 6	No Preference	58	379.87
49316MN1040001	Rating Area 6	No Preference	59	379.87
49316MN1040001	Rating Area 6	No Preference	60	448.65
49316MN1040001	Rating Area 6	No Preference	61	448.65
49316MN1040001	Rating Area 6	No Preference	62	448.65
49316MN1040001	Rating Area 6	No Preference	63	448.65
49316MN1040001	Rating Area 6	No Preference	64	468.97
49316MN1040001	Rating Area 6	No Preference	65 and over	468.97
49316MN1040001	Rating Area 7	No Preference	0-20	152.43
49316MN1040001	Rating Area 7	No Preference	21	176.58
49316MN1040001	Rating Area 7	No Preference	22	176.58
49316MN1040001	Rating Area 7	No Preference	23	176.58
49316MN1040001	Rating Area 7	No Preference	24	176.58
49316MN1040001	Rating Area 7	No Preference	25	176.58
49316MN1040001	Rating Area 7	No Preference	26	176.58
49316MN1040001	Rating Area 7	No Preference	27	176.58
49316MN1040001	Rating Area 7	No Preference	28	176.58
49316MN1040001	Rating Area 7	No Preference	29	176.58
49316MN1040001	Rating Area 7	No Preference	30	201.76
49316MN1040001	Rating Area 7	No Preference	31	201.76
49316MN1040001	Rating Area 7	No Preference	32	201.76
49316MN1040001	Rating Area 7	No Preference	33	201.76
49316MN1040001	Rating Area 7	No Preference	34	201.76
49316MN1040001	Rating Area 7	No Preference	35	212.38
49316MN1040001	Rating Area 7	No Preference	36	212.38
49316MN1040001	Rating Area 7	No Preference	37	212.38
49316MN1040001	Rating Area 7	No Preference	38	212.38
49316MN1040001	Rating Area 7	No Preference	39	212.38
49316MN1040001	Rating Area 7	No Preference	40	228.14
49316MN1040001	Rating Area 7	No Preference	41	228.14
49316MN1040001	Rating Area 7	No Preference	42	228.14

49316MN1040001	Rating Area 7	No Preference	43	228.14
49316MN1040001	Rating Area 7	No Preference	44	228.14
49316MN1040001	Rating Area 7	No Preference	45	268.9
49316MN1040001	Rating Area 7	No Preference	46	268.9
49316MN1040001	Rating Area 7	No Preference	47	268.9
49316MN1040001	Rating Area 7	No Preference	48	268.9
49316MN1040001	Rating Area 7	No Preference	49	268.9
49316MN1040001	Rating Area 7	No Preference	50	335.01
49316MN1040001	Rating Area 7	No Preference	51	335.01
49316MN1040001	Rating Area 7	No Preference	52	335.01
49316MN1040001	Rating Area 7	No Preference	53	335.01
49316MN1040001	Rating Area 7	No Preference	54	335.01
49316MN1040001	Rating Area 7	No Preference	55	416.2
49316MN1040001	Rating Area 7	No Preference	56	416.2
49316MN1040001	Rating Area 7	No Preference	57	416.2
49316MN1040001	Rating Area 7	No Preference	58	416.2
49316MN1040001	Rating Area 7	No Preference	59	416.2
49316MN1040001	Rating Area 7	No Preference	60	491.56
49316MN1040001	Rating Area 7	No Preference	61	491.56
49316MN1040001	Rating Area 7	No Preference	62	491.56
49316MN1040001	Rating Area 7	No Preference	63	491.56
49316MN1040001	Rating Area 7	No Preference	64	513.83
49316MN1040001	Rating Area 7	No Preference	65 and over	513.83
49316MN1040001	Rating Area 8	No Preference	0-20	130.11
49316MN1040001	Rating Area 8	No Preference	21	150.72
49316MN1040001	Rating Area 8	No Preference	22	150.72
49316MN1040001	Rating Area 8	No Preference	23	150.72
49316MN1040001	Rating Area 8	No Preference	24	150.72
49316MN1040001	Rating Area 8	No Preference	25	150.72
49316MN1040001	Rating Area 8	No Preference	26	150.72
49316MN1040001	Rating Area 8	No Preference	27	150.72
49316MN1040001	Rating Area 8	No Preference	28	150.72
49316MN1040001	Rating Area 8	No Preference	29	150.72
49316MN1040001	Rating Area 8	No Preference	30	172.21
49316MN1040001	Rating Area 8	No Preference	31	172.21
49316MN1040001	Rating Area 8	No Preference	32	172.21
49316MN1040001	Rating Area 8	No Preference	33	172.21
49316MN1040001	Rating Area 8	No Preference	34	172.21
49316MN1040001	Rating Area 8	No Preference	35	181.28
49316MN1040001	Rating Area 8	No Preference	36	181.28
49316MN1040001	Rating Area 8	No Preference	37	181.28
49316MN1040001	Rating Area 8	No Preference	38	181.28
49316MN1040001	Rating Area 8	No Preference	39	181.28
49316MN1040001	Rating Area 8	No Preference	40	194.73
49316MN1040001	Rating Area 8	No Preference	41	194.73
49316MN1040001	Rating Area 8	No Preference	42	194.73
49316MN1040001	Rating Area 8	No Preference	43	194.73

49316MN1040001	Rating Area 8	No Preference	44	194.73
49316MN1040001	Rating Area 8	No Preference	45	229.52
49316MN1040001	Rating Area 8	No Preference	46	229.52
49316MN1040001	Rating Area 8	No Preference	47	229.52
49316MN1040001	Rating Area 8	No Preference	48	229.52
49316MN1040001	Rating Area 8	No Preference	49	229.52
49316MN1040001	Rating Area 8	No Preference	50	285.95
49316MN1040001	Rating Area 8	No Preference	51	285.95
49316MN1040001	Rating Area 8	No Preference	52	285.95
49316MN1040001	Rating Area 8	No Preference	53	285.95
49316MN1040001	Rating Area 8	No Preference	54	285.95
49316MN1040001	Rating Area 8	No Preference	55	355.24
49316MN1040001	Rating Area 8	No Preference	56	355.24
49316MN1040001	Rating Area 8	No Preference	57	355.24
49316MN1040001	Rating Area 8	No Preference	58	355.24
49316MN1040001	Rating Area 8	No Preference	59	355.24
49316MN1040001	Rating Area 8	No Preference	60	419.57
49316MN1040001	Rating Area 8	No Preference	61	419.57
49316MN1040001	Rating Area 8	No Preference	62	419.57
49316MN1040001	Rating Area 8	No Preference	63	419.57
49316MN1040001	Rating Area 8	No Preference	64	438.57
49316MN1040001	Rating Area 8	No Preference	65 and over	438.57
49316MN1040001	Rating Area 9	No Preference	0-20	130.11
49316MN1040001	Rating Area 9	No Preference	21	150.72
49316MN1040001	Rating Area 9	No Preference	22	150.72
49316MN1040001	Rating Area 9	No Preference	23	150.72
49316MN1040001	Rating Area 9	No Preference	24	150.72
49316MN1040001	Rating Area 9	No Preference	25	150.72
49316MN1040001	Rating Area 9	No Preference	26	150.72
49316MN1040001	Rating Area 9	No Preference	27	150.72
49316MN1040001	Rating Area 9	No Preference	28	150.72
49316MN1040001	Rating Area 9	No Preference	29	150.72
49316MN1040001	Rating Area 9	No Preference	30	172.21
49316MN1040001	Rating Area 9	No Preference	31	172.21
49316MN1040001	Rating Area 9	No Preference	32	172.21
49316MN1040001	Rating Area 9	No Preference	33	172.21
49316MN1040001	Rating Area 9	No Preference	34	172.21
49316MN1040001	Rating Area 9	No Preference	35	181.28
49316MN1040001	Rating Area 9	No Preference	36	181.28
49316MN1040001	Rating Area 9	No Preference	37	181.28
49316MN1040001	Rating Area 9	No Preference	38	181.28
49316MN1040001	Rating Area 9	No Preference	39	181.28
49316MN1040001	Rating Area 9	No Preference	40	194.73
49316MN1040001	Rating Area 9	No Preference	41	194.73
49316MN1040001	Rating Area 9	No Preference	42	194.73
49316MN1040001	Rating Area 9	No Preference	43	194.73
49316MN1040001	Rating Area 9	No Preference	44	194.73

49316MN1040001	Rating Area 9	No Preference	45	229.52
49316MN1040001	Rating Area 9	No Preference	46	229.52
49316MN1040001	Rating Area 9	No Preference	47	229.52
49316MN1040001	Rating Area 9	No Preference	48	229.52
49316MN1040001	Rating Area 9	No Preference	49	229.52
49316MN1040001	Rating Area 9	No Preference	50	285.95
49316MN1040001	Rating Area 9	No Preference	51	285.95
49316MN1040001	Rating Area 9	No Preference	52	285.95
49316MN1040001	Rating Area 9	No Preference	53	285.95
49316MN1040001	Rating Area 9	No Preference	54	285.95
49316MN1040001	Rating Area 9	No Preference	55	355.24
49316MN1040001	Rating Area 9	No Preference	56	355.24
49316MN1040001	Rating Area 9	No Preference	57	355.24
49316MN1040001	Rating Area 9	No Preference	58	355.24
49316MN1040001	Rating Area 9	No Preference	59	355.24
49316MN1040001	Rating Area 9	No Preference	60	419.57
49316MN1040001	Rating Area 9	No Preference	61	419.57
49316MN1040001	Rating Area 9	No Preference	62	419.57
49316MN1040001	Rating Area 9	No Preference	63	419.57
49316MN1040001	Rating Area 9	No Preference	64	438.57
49316MN1040001	Rating Area 9	No Preference	65 and over	438.57
49316MN1040002	Rating Area 1	No Preference	0-20	220.95
49316MN1040002	Rating Area 1	No Preference	21	255.96
49316MN1040002	Rating Area 1	No Preference	22	255.96
49316MN1040002	Rating Area 1	No Preference	23	255.96
49316MN1040002	Rating Area 1	No Preference	24	255.96
49316MN1040002	Rating Area 1	No Preference	25	255.96
49316MN1040002	Rating Area 1	No Preference	26	255.96
49316MN1040002	Rating Area 1	No Preference	27	255.96
49316MN1040002	Rating Area 1	No Preference	28	255.96
49316MN1040002	Rating Area 1	No Preference	29	255.96
49316MN1040002	Rating Area 1	No Preference	30	292.45
49316MN1040002	Rating Area 1	No Preference	31	292.45
49316MN1040002	Rating Area 1	No Preference	32	292.45
49316MN1040002	Rating Area 1	No Preference	33	292.45
49316MN1040002	Rating Area 1	No Preference	34	292.45
49316MN1040002	Rating Area 1	No Preference	35	307.84
49316MN1040002	Rating Area 1	No Preference	36	307.84
49316MN1040002	Rating Area 1	No Preference	37	307.84
49316MN1040002	Rating Area 1	No Preference	38	307.84
49316MN1040002	Rating Area 1	No Preference	39	307.84
49316MN1040002	Rating Area 1	No Preference	40	330.68
49316MN1040002	Rating Area 1	No Preference	41	330.68
49316MN1040002	Rating Area 1	No Preference	42	330.68
49316MN1040002	Rating Area 1	No Preference	43	330.68
49316MN1040002	Rating Area 1	No Preference	44	330.68
49316MN1040002	Rating Area 1	No Preference	45	389.77

49316MN1040002	Rating Area 1	No Preference	46	389.77
49316MN1040002	Rating Area 1	No Preference	47	389.77
49316MN1040002	Rating Area 1	No Preference	48	389.77
49316MN1040002	Rating Area 1	No Preference	49	389.77
49316MN1040002	Rating Area 1	No Preference	50	485.6
49316MN1040002	Rating Area 1	No Preference	51	485.6
49316MN1040002	Rating Area 1	No Preference	52	485.6
49316MN1040002	Rating Area 1	No Preference	53	485.6
49316MN1040002	Rating Area 1	No Preference	54	485.6
49316MN1040002	Rating Area 1	No Preference	55	603.27
49316MN1040002	Rating Area 1	No Preference	56	603.27
49316MN1040002	Rating Area 1	No Preference	57	603.27
49316MN1040002	Rating Area 1	No Preference	58	603.27
49316MN1040002	Rating Area 1	No Preference	59	603.27
49316MN1040002	Rating Area 1	No Preference	60	712.51
49316MN1040002	Rating Area 1	No Preference	61	712.51
49316MN1040002	Rating Area 1	No Preference	62	712.51
49316MN1040002	Rating Area 1	No Preference	63	712.51
49316MN1040002	Rating Area 1	No Preference	64	744.78
49316MN1040002	Rating Area 1	No Preference	65 and over	744.78
49316MN1040002	Rating Area 2	No Preference	0-20	168.74
49316MN1040002	Rating Area 2	No Preference	21	195.48
49316MN1040002	Rating Area 2	No Preference	22	195.48
49316MN1040002	Rating Area 2	No Preference	23	195.48
49316MN1040002	Rating Area 2	No Preference	24	195.48
49316MN1040002	Rating Area 2	No Preference	25	195.48
49316MN1040002	Rating Area 2	No Preference	26	195.48
49316MN1040002	Rating Area 2	No Preference	27	195.48
49316MN1040002	Rating Area 2	No Preference	28	195.48
49316MN1040002	Rating Area 2	No Preference	29	195.48
49316MN1040002	Rating Area 2	No Preference	30	223.35
49316MN1040002	Rating Area 2	No Preference	31	223.35
49316MN1040002	Rating Area 2	No Preference	32	223.35
49316MN1040002	Rating Area 2	No Preference	33	223.35
49316MN1040002	Rating Area 2	No Preference	34	223.35
49316MN1040002	Rating Area 2	No Preference	35	235.1
49316MN1040002	Rating Area 2	No Preference	36	235.1
49316MN1040002	Rating Area 2	No Preference	37	235.1
49316MN1040002	Rating Area 2	No Preference	38	235.1
49316MN1040002	Rating Area 2	No Preference	39	235.1
49316MN1040002	Rating Area 2	No Preference	40	252.54
49316MN1040002	Rating Area 2	No Preference	41	252.54
49316MN1040002	Rating Area 2	No Preference	42	252.54
49316MN1040002	Rating Area 2	No Preference	43	252.54
49316MN1040002	Rating Area 2	No Preference	44	252.54
49316MN1040002	Rating Area 2	No Preference	45	297.67
49316MN1040002	Rating Area 2	No Preference	46	297.67

49316MN1040002	Rating Area 2	No Preference	47	297.67
49316MN1040002	Rating Area 2	No Preference	48	297.67
49316MN1040002	Rating Area 2	No Preference	49	297.67
49316MN1040002	Rating Area 2	No Preference	50	370.85
49316MN1040002	Rating Area 2	No Preference	51	370.85
49316MN1040002	Rating Area 2	No Preference	52	370.85
49316MN1040002	Rating Area 2	No Preference	53	370.85
49316MN1040002	Rating Area 2	No Preference	54	370.85
49316MN1040002	Rating Area 2	No Preference	55	460.72
49316MN1040002	Rating Area 2	No Preference	56	460.72
49316MN1040002	Rating Area 2	No Preference	57	460.72
49316MN1040002	Rating Area 2	No Preference	58	460.72
49316MN1040002	Rating Area 2	No Preference	59	460.72
49316MN1040002	Rating Area 2	No Preference	60	544.15
49316MN1040002	Rating Area 2	No Preference	61	544.15
49316MN1040002	Rating Area 2	No Preference	62	544.15
49316MN1040002	Rating Area 2	No Preference	63	544.15
49316MN1040002	Rating Area 2	No Preference	64	568.79
49316MN1040002	Rating Area 2	No Preference	65 and over	568.79
49316MN1040002	Rating Area 3	No Preference	0-20	172.18
49316MN1040002	Rating Area 3	No Preference	21	199.46
49316MN1040002	Rating Area 3	No Preference	22	199.46
49316MN1040002	Rating Area 3	No Preference	23	199.46
49316MN1040002	Rating Area 3	No Preference	24	199.46
49316MN1040002	Rating Area 3	No Preference	25	199.46
49316MN1040002	Rating Area 3	No Preference	26	199.46
49316MN1040002	Rating Area 3	No Preference	27	199.46
49316MN1040002	Rating Area 3	No Preference	28	199.46
49316MN1040002	Rating Area 3	No Preference	29	199.46
49316MN1040002	Rating Area 3	No Preference	30	227.9
49316MN1040002	Rating Area 3	No Preference	31	227.9
49316MN1040002	Rating Area 3	No Preference	32	227.9
49316MN1040002	Rating Area 3	No Preference	33	227.9
49316MN1040002	Rating Area 3	No Preference	34	227.9
49316MN1040002	Rating Area 3	No Preference	35	239.89
49316MN1040002	Rating Area 3	No Preference	36	239.89
49316MN1040002	Rating Area 3	No Preference	37	239.89
49316MN1040002	Rating Area 3	No Preference	38	239.89
49316MN1040002	Rating Area 3	No Preference	39	239.89
49316MN1040002	Rating Area 3	No Preference	40	257.69
49316MN1040002	Rating Area 3	No Preference	41	257.69
49316MN1040002	Rating Area 3	No Preference	42	257.69
49316MN1040002	Rating Area 3	No Preference	43	257.69
49316MN1040002	Rating Area 3	No Preference	44	257.69
49316MN1040002	Rating Area 3	No Preference	45	303.73
49316MN1040002	Rating Area 3	No Preference	46	303.73
49316MN1040002	Rating Area 3	No Preference	47	303.73

49316MN1040002	Rating Area 3	No Preference	48	303.73
49316MN1040002	Rating Area 3	No Preference	49	303.73
49316MN1040002	Rating Area 3	No Preference	50	378.41
49316MN1040002	Rating Area 3	No Preference	51	378.41
49316MN1040002	Rating Area 3	No Preference	52	378.41
49316MN1040002	Rating Area 3	No Preference	53	378.41
49316MN1040002	Rating Area 3	No Preference	54	378.41
49316MN1040002	Rating Area 3	No Preference	55	470.11
49316MN1040002	Rating Area 3	No Preference	56	470.11
49316MN1040002	Rating Area 3	No Preference	57	470.11
49316MN1040002	Rating Area 3	No Preference	58	470.11
49316MN1040002	Rating Area 3	No Preference	59	470.11
49316MN1040002	Rating Area 3	No Preference	60	555.23
49316MN1040002	Rating Area 3	No Preference	61	555.23
49316MN1040002	Rating Area 3	No Preference	62	555.23
49316MN1040002	Rating Area 3	No Preference	63	555.23
49316MN1040002	Rating Area 3	No Preference	64	580.38
49316MN1040002	Rating Area 3	No Preference	65 and over	580.38
49316MN1040002	Rating Area 4	No Preference	0-20	172.18
49316MN1040002	Rating Area 4	No Preference	21	199.46
49316MN1040002	Rating Area 4	No Preference	22	199.46
49316MN1040002	Rating Area 4	No Preference	23	199.46
49316MN1040002	Rating Area 4	No Preference	24	199.46
49316MN1040002	Rating Area 4	No Preference	25	199.46
49316MN1040002	Rating Area 4	No Preference	26	199.46
49316MN1040002	Rating Area 4	No Preference	27	199.46
49316MN1040002	Rating Area 4	No Preference	28	199.46
49316MN1040002	Rating Area 4	No Preference	29	199.46
49316MN1040002	Rating Area 4	No Preference	30	227.9
49316MN1040002	Rating Area 4	No Preference	31	227.9
49316MN1040002	Rating Area 4	No Preference	32	227.9
49316MN1040002	Rating Area 4	No Preference	33	227.9
49316MN1040002	Rating Area 4	No Preference	34	227.9
49316MN1040002	Rating Area 4	No Preference	35	239.89
49316MN1040002	Rating Area 4	No Preference	36	239.89
49316MN1040002	Rating Area 4	No Preference	37	239.89
49316MN1040002	Rating Area 4	No Preference	38	239.89
49316MN1040002	Rating Area 4	No Preference	39	239.89
49316MN1040002	Rating Area 4	No Preference	40	257.69
49316MN1040002	Rating Area 4	No Preference	41	257.69
49316MN1040002	Rating Area 4	No Preference	42	257.69
49316MN1040002	Rating Area 4	No Preference	43	257.69
49316MN1040002	Rating Area 4	No Preference	44	257.69
49316MN1040002	Rating Area 4	No Preference	45	303.73
49316MN1040002	Rating Area 4	No Preference	46	303.73
49316MN1040002	Rating Area 4	No Preference	47	303.73
49316MN1040002	Rating Area 4	No Preference	48	303.73

49316MN1040002	Rating Area 4	No Preference	49	303.73
49316MN1040002	Rating Area 4	No Preference	50	378.41
49316MN1040002	Rating Area 4	No Preference	51	378.41
49316MN1040002	Rating Area 4	No Preference	52	378.41
49316MN1040002	Rating Area 4	No Preference	53	378.41
49316MN1040002	Rating Area 4	No Preference	54	378.41
49316MN1040002	Rating Area 4	No Preference	55	470.11
49316MN1040002	Rating Area 4	No Preference	56	470.11
49316MN1040002	Rating Area 4	No Preference	57	470.11
49316MN1040002	Rating Area 4	No Preference	58	470.11
49316MN1040002	Rating Area 4	No Preference	59	470.11
49316MN1040002	Rating Area 4	No Preference	60	555.23
49316MN1040002	Rating Area 4	No Preference	61	555.23
49316MN1040002	Rating Area 4	No Preference	62	555.23
49316MN1040002	Rating Area 4	No Preference	63	555.23
49316MN1040002	Rating Area 4	No Preference	64	580.38
49316MN1040002	Rating Area 4	No Preference	65 and over	580.38
49316MN1040002	Rating Area 5	No Preference	0-20	172.18
49316MN1040002	Rating Area 5	No Preference	21	199.46
49316MN1040002	Rating Area 5	No Preference	22	199.46
49316MN1040002	Rating Area 5	No Preference	23	199.46
49316MN1040002	Rating Area 5	No Preference	24	199.46
49316MN1040002	Rating Area 5	No Preference	25	199.46
49316MN1040002	Rating Area 5	No Preference	26	199.46
49316MN1040002	Rating Area 5	No Preference	27	199.46
49316MN1040002	Rating Area 5	No Preference	28	199.46
49316MN1040002	Rating Area 5	No Preference	29	199.46
49316MN1040002	Rating Area 5	No Preference	30	227.9
49316MN1040002	Rating Area 5	No Preference	31	227.9
49316MN1040002	Rating Area 5	No Preference	32	227.9
49316MN1040002	Rating Area 5	No Preference	33	227.9
49316MN1040002	Rating Area 5	No Preference	34	227.9
49316MN1040002	Rating Area 5	No Preference	35	239.89
49316MN1040002	Rating Area 5	No Preference	36	239.89
49316MN1040002	Rating Area 5	No Preference	37	239.89
49316MN1040002	Rating Area 5	No Preference	38	239.89
49316MN1040002	Rating Area 5	No Preference	39	239.89
49316MN1040002	Rating Area 5	No Preference	40	257.69
49316MN1040002	Rating Area 5	No Preference	41	257.69
49316MN1040002	Rating Area 5	No Preference	42	257.69
49316MN1040002	Rating Area 5	No Preference	43	257.69
49316MN1040002	Rating Area 5	No Preference	44	257.69
49316MN1040002	Rating Area 5	No Preference	45	303.73
49316MN1040002	Rating Area 5	No Preference	46	303.73
49316MN1040002	Rating Area 5	No Preference	47	303.73
49316MN1040002	Rating Area 5	No Preference	48	303.73
49316MN1040002	Rating Area 5	No Preference	49	303.73

49316MN1040002	Rating Area 5	No Preference	50	378.41
49316MN1040002	Rating Area 5	No Preference	51	378.41
49316MN1040002	Rating Area 5	No Preference	52	378.41
49316MN1040002	Rating Area 5	No Preference	53	378.41
49316MN1040002	Rating Area 5	No Preference	54	378.41
49316MN1040002	Rating Area 5	No Preference	55	470.11
49316MN1040002	Rating Area 5	No Preference	56	470.11
49316MN1040002	Rating Area 5	No Preference	57	470.11
49316MN1040002	Rating Area 5	No Preference	58	470.11
49316MN1040002	Rating Area 5	No Preference	59	470.11
49316MN1040002	Rating Area 5	No Preference	60	555.23
49316MN1040002	Rating Area 5	No Preference	61	555.23
49316MN1040002	Rating Area 5	No Preference	62	555.23
49316MN1040002	Rating Area 5	No Preference	63	555.23
49316MN1040002	Rating Area 5	No Preference	64	580.38
49316MN1040002	Rating Area 5	No Preference	65 and over	580.38
49316MN1040002	Rating Area 6	No Preference	0-20	154.01
49316MN1040002	Rating Area 6	No Preference	21	178.41
49316MN1040002	Rating Area 6	No Preference	22	178.41
49316MN1040002	Rating Area 6	No Preference	23	178.41
49316MN1040002	Rating Area 6	No Preference	24	178.41
49316MN1040002	Rating Area 6	No Preference	25	178.41
49316MN1040002	Rating Area 6	No Preference	26	178.41
49316MN1040002	Rating Area 6	No Preference	27	178.41
49316MN1040002	Rating Area 6	No Preference	28	178.41
49316MN1040002	Rating Area 6	No Preference	29	178.41
49316MN1040002	Rating Area 6	No Preference	30	203.85
49316MN1040002	Rating Area 6	No Preference	31	203.85
49316MN1040002	Rating Area 6	No Preference	32	203.85
49316MN1040002	Rating Area 6	No Preference	33	203.85
49316MN1040002	Rating Area 6	No Preference	34	203.85
49316MN1040002	Rating Area 6	No Preference	35	214.58
49316MN1040002	Rating Area 6	No Preference	36	214.58
49316MN1040002	Rating Area 6	No Preference	37	214.58
49316MN1040002	Rating Area 6	No Preference	38	214.58
49316MN1040002	Rating Area 6	No Preference	39	214.58
49316MN1040002	Rating Area 6	No Preference	40	230.5
49316MN1040002	Rating Area 6	No Preference	41	230.5
49316MN1040002	Rating Area 6	No Preference	42	230.5
49316MN1040002	Rating Area 6	No Preference	43	230.5
49316MN1040002	Rating Area 6	No Preference	44	230.5
49316MN1040002	Rating Area 6	No Preference	45	271.68
49316MN1040002	Rating Area 6	No Preference	46	271.68
49316MN1040002	Rating Area 6	No Preference	47	271.68
49316MN1040002	Rating Area 6	No Preference	48	271.68
49316MN1040002	Rating Area 6	No Preference	49	271.68
49316MN1040002	Rating Area 6	No Preference	50	338.48

49316MN1040002	Rating Area 6	No Preference	51	338.48
49316MN1040002	Rating Area 6	No Preference	52	338.48
49316MN1040002	Rating Area 6	No Preference	53	338.48
49316MN1040002	Rating Area 6	No Preference	54	338.48
49316MN1040002	Rating Area 6	No Preference	55	420.5
49316MN1040002	Rating Area 6	No Preference	56	420.5
49316MN1040002	Rating Area 6	No Preference	57	420.5
49316MN1040002	Rating Area 6	No Preference	58	420.5
49316MN1040002	Rating Area 6	No Preference	59	420.5
49316MN1040002	Rating Area 6	No Preference	60	496.65
49316MN1040002	Rating Area 6	No Preference	61	496.65
49316MN1040002	Rating Area 6	No Preference	62	496.65
49316MN1040002	Rating Area 6	No Preference	63	496.65
49316MN1040002	Rating Area 6	No Preference	64	519.14
49316MN1040002	Rating Area 6	No Preference	65 and over	519.14
49316MN1040002	Rating Area 7	No Preference	0-20	168.74
49316MN1040002	Rating Area 7	No Preference	21	195.48
49316MN1040002	Rating Area 7	No Preference	22	195.48
49316MN1040002	Rating Area 7	No Preference	23	195.48
49316MN1040002	Rating Area 7	No Preference	24	195.48
49316MN1040002	Rating Area 7	No Preference	25	195.48
49316MN1040002	Rating Area 7	No Preference	26	195.48
49316MN1040002	Rating Area 7	No Preference	27	195.48
49316MN1040002	Rating Area 7	No Preference	28	195.48
49316MN1040002	Rating Area 7	No Preference	29	195.48
49316MN1040002	Rating Area 7	No Preference	30	223.35
49316MN1040002	Rating Area 7	No Preference	31	223.35
49316MN1040002	Rating Area 7	No Preference	32	223.35
49316MN1040002	Rating Area 7	No Preference	33	223.35
49316MN1040002	Rating Area 7	No Preference	34	223.35
49316MN1040002	Rating Area 7	No Preference	35	235.1
49316MN1040002	Rating Area 7	No Preference	36	235.1
49316MN1040002	Rating Area 7	No Preference	37	235.1
49316MN1040002	Rating Area 7	No Preference	38	235.1
49316MN1040002	Rating Area 7	No Preference	39	235.1
49316MN1040002	Rating Area 7	No Preference	40	252.54
49316MN1040002	Rating Area 7	No Preference	41	252.54
49316MN1040002	Rating Area 7	No Preference	42	252.54
49316MN1040002	Rating Area 7	No Preference	43	252.54
49316MN1040002	Rating Area 7	No Preference	44	252.54
49316MN1040002	Rating Area 7	No Preference	45	297.67
49316MN1040002	Rating Area 7	No Preference	46	297.67
49316MN1040002	Rating Area 7	No Preference	47	297.67
49316MN1040002	Rating Area 7	No Preference	48	297.67
49316MN1040002	Rating Area 7	No Preference	49	297.67
49316MN1040002	Rating Area 7	No Preference	50	370.85
49316MN1040002	Rating Area 7	No Preference	51	370.85

49316MN1040002	Rating Area 7	No Preference	52	370.85
49316MN1040002	Rating Area 7	No Preference	53	370.85
49316MN1040002	Rating Area 7	No Preference	54	370.85
49316MN1040002	Rating Area 7	No Preference	55	460.72
49316MN1040002	Rating Area 7	No Preference	56	460.72
49316MN1040002	Rating Area 7	No Preference	57	460.72
49316MN1040002	Rating Area 7	No Preference	58	460.72
49316MN1040002	Rating Area 7	No Preference	59	460.72
49316MN1040002	Rating Area 7	No Preference	60	544.15
49316MN1040002	Rating Area 7	No Preference	61	544.15
49316MN1040002	Rating Area 7	No Preference	62	544.15
49316MN1040002	Rating Area 7	No Preference	63	544.15
49316MN1040002	Rating Area 7	No Preference	64	568.79
49316MN1040002	Rating Area 7	No Preference	65 and over	568.79
49316MN1040002	Rating Area 8	No Preference	0-20	144.03
49316MN1040002	Rating Area 8	No Preference	21	166.85
49316MN1040002	Rating Area 8	No Preference	22	166.85
49316MN1040002	Rating Area 8	No Preference	23	166.85
49316MN1040002	Rating Area 8	No Preference	24	166.85
49316MN1040002	Rating Area 8	No Preference	25	166.85
49316MN1040002	Rating Area 8	No Preference	26	166.85
49316MN1040002	Rating Area 8	No Preference	27	166.85
49316MN1040002	Rating Area 8	No Preference	28	166.85
49316MN1040002	Rating Area 8	No Preference	29	166.85
49316MN1040002	Rating Area 8	No Preference	30	190.64
49316MN1040002	Rating Area 8	No Preference	31	190.64
49316MN1040002	Rating Area 8	No Preference	32	190.64
49316MN1040002	Rating Area 8	No Preference	33	190.64
49316MN1040002	Rating Area 8	No Preference	34	190.64
49316MN1040002	Rating Area 8	No Preference	35	200.67
49316MN1040002	Rating Area 8	No Preference	36	200.67
49316MN1040002	Rating Area 8	No Preference	37	200.67
49316MN1040002	Rating Area 8	No Preference	38	200.67
49316MN1040002	Rating Area 8	No Preference	39	200.67
49316MN1040002	Rating Area 8	No Preference	40	215.56
49316MN1040002	Rating Area 8	No Preference	41	215.56
49316MN1040002	Rating Area 8	No Preference	42	215.56
49316MN1040002	Rating Area 8	No Preference	43	215.56
49316MN1040002	Rating Area 8	No Preference	44	215.56
49316MN1040002	Rating Area 8	No Preference	45	254.07
49316MN1040002	Rating Area 8	No Preference	46	254.07
49316MN1040002	Rating Area 8	No Preference	47	254.07
49316MN1040002	Rating Area 8	No Preference	48	254.07
49316MN1040002	Rating Area 8	No Preference	49	254.07
49316MN1040002	Rating Area 8	No Preference	50	316.54
49316MN1040002	Rating Area 8	No Preference	51	316.54
49316MN1040002	Rating Area 8	No Preference	52	316.54

49316MN1040002	Rating Area 8	No Preference	53	316.54
49316MN1040002	Rating Area 8	No Preference	54	316.54
49316MN1040002	Rating Area 8	No Preference	55	393.25
49316MN1040002	Rating Area 8	No Preference	56	393.25
49316MN1040002	Rating Area 8	No Preference	57	393.25
49316MN1040002	Rating Area 8	No Preference	58	393.25
49316MN1040002	Rating Area 8	No Preference	59	393.25
49316MN1040002	Rating Area 8	No Preference	60	464.45
49316MN1040002	Rating Area 8	No Preference	61	464.45
49316MN1040002	Rating Area 8	No Preference	62	464.45
49316MN1040002	Rating Area 8	No Preference	63	464.45
49316MN1040002	Rating Area 8	No Preference	64	485.49
49316MN1040002	Rating Area 8	No Preference	65 and over	485.49
49316MN1040002	Rating Area 9	No Preference	0-20	144.03
49316MN1040002	Rating Area 9	No Preference	21	166.85
49316MN1040002	Rating Area 9	No Preference	22	166.85
49316MN1040002	Rating Area 9	No Preference	23	166.85
49316MN1040002	Rating Area 9	No Preference	24	166.85
49316MN1040002	Rating Area 9	No Preference	25	166.85
49316MN1040002	Rating Area 9	No Preference	26	166.85
49316MN1040002	Rating Area 9	No Preference	27	166.85
49316MN1040002	Rating Area 9	No Preference	28	166.85
49316MN1040002	Rating Area 9	No Preference	29	166.85
49316MN1040002	Rating Area 9	No Preference	30	190.64
49316MN1040002	Rating Area 9	No Preference	31	190.64
49316MN1040002	Rating Area 9	No Preference	32	190.64
49316MN1040002	Rating Area 9	No Preference	33	190.64
49316MN1040002	Rating Area 9	No Preference	34	190.64
49316MN1040002	Rating Area 9	No Preference	35	200.67
49316MN1040002	Rating Area 9	No Preference	36	200.67
49316MN1040002	Rating Area 9	No Preference	37	200.67
49316MN1040002	Rating Area 9	No Preference	38	200.67
49316MN1040002	Rating Area 9	No Preference	39	200.67
49316MN1040002	Rating Area 9	No Preference	40	215.56
49316MN1040002	Rating Area 9	No Preference	41	215.56
49316MN1040002	Rating Area 9	No Preference	42	215.56
49316MN1040002	Rating Area 9	No Preference	43	215.56
49316MN1040002	Rating Area 9	No Preference	44	215.56
49316MN1040002	Rating Area 9	No Preference	45	254.07
49316MN1040002	Rating Area 9	No Preference	46	254.07
49316MN1040002	Rating Area 9	No Preference	47	254.07
49316MN1040002	Rating Area 9	No Preference	48	254.07
49316MN1040002	Rating Area 9	No Preference	49	254.07
49316MN1040002	Rating Area 9	No Preference	50	316.54
49316MN1040002	Rating Area 9	No Preference	51	316.54
49316MN1040002	Rating Area 9	No Preference	52	316.54
49316MN1040002	Rating Area 9	No Preference	53	316.54

49316MN1040002	Rating Area 9	No Preference	54	316.54
49316MN1040002	Rating Area 9	No Preference	55	393.25
49316MN1040002	Rating Area 9	No Preference	56	393.25
49316MN1040002	Rating Area 9	No Preference	57	393.25
49316MN1040002	Rating Area 9	No Preference	58	393.25
49316MN1040002	Rating Area 9	No Preference	59	393.25
49316MN1040002	Rating Area 9	No Preference	60	464.45
49316MN1040002	Rating Area 9	No Preference	61	464.45
49316MN1040002	Rating Area 9	No Preference	62	464.45
49316MN1040002	Rating Area 9	No Preference	63	464.45
49316MN1040002	Rating Area 9	No Preference	64	485.49
49316MN1040002	Rating Area 9	No Preference	65 and over	485.49
49316MN1040003	Rating Area 1	No Preference	0-20	250.7
49316MN1040003	Rating Area 1	No Preference	21	290.42
49316MN1040003	Rating Area 1	No Preference	22	290.42
49316MN1040003	Rating Area 1	No Preference	23	290.42
49316MN1040003	Rating Area 1	No Preference	24	290.42
49316MN1040003	Rating Area 1	No Preference	25	290.42
49316MN1040003	Rating Area 1	No Preference	26	290.42
49316MN1040003	Rating Area 1	No Preference	27	290.42
49316MN1040003	Rating Area 1	No Preference	28	290.42
49316MN1040003	Rating Area 1	No Preference	29	290.42
49316MN1040003	Rating Area 1	No Preference	30	331.83
49316MN1040003	Rating Area 1	No Preference	31	331.83
49316MN1040003	Rating Area 1	No Preference	32	331.83
49316MN1040003	Rating Area 1	No Preference	33	331.83
49316MN1040003	Rating Area 1	No Preference	34	331.83
49316MN1040003	Rating Area 1	No Preference	35	349.29
49316MN1040003	Rating Area 1	No Preference	36	349.29
49316MN1040003	Rating Area 1	No Preference	37	349.29
49316MN1040003	Rating Area 1	No Preference	38	349.29
49316MN1040003	Rating Area 1	No Preference	39	349.29
49316MN1040003	Rating Area 1	No Preference	40	375.21
49316MN1040003	Rating Area 1	No Preference	41	375.21
49316MN1040003	Rating Area 1	No Preference	42	375.21
49316MN1040003	Rating Area 1	No Preference	43	375.21
49316MN1040003	Rating Area 1	No Preference	44	375.21
49316MN1040003	Rating Area 1	No Preference	45	442.25
49316MN1040003	Rating Area 1	No Preference	46	442.25
49316MN1040003	Rating Area 1	No Preference	47	442.25
49316MN1040003	Rating Area 1	No Preference	48	442.25
49316MN1040003	Rating Area 1	No Preference	49	442.25
49316MN1040003	Rating Area 1	No Preference	50	550.98
49316MN1040003	Rating Area 1	No Preference	51	550.98
49316MN1040003	Rating Area 1	No Preference	52	550.98
49316MN1040003	Rating Area 1	No Preference	53	550.98
49316MN1040003	Rating Area 1	No Preference	54	550.98

49316MN1040003	Rating Area 1	No Preference	55	684.5
49316MN1040003	Rating Area 1	No Preference	56	684.5
49316MN1040003	Rating Area 1	No Preference	57	684.5
49316MN1040003	Rating Area 1	No Preference	58	684.5
49316MN1040003	Rating Area 1	No Preference	59	684.5
49316MN1040003	Rating Area 1	No Preference	60	808.45
49316MN1040003	Rating Area 1	No Preference	61	808.45
49316MN1040003	Rating Area 1	No Preference	62	808.45
49316MN1040003	Rating Area 1	No Preference	63	808.45
49316MN1040003	Rating Area 1	No Preference	64	845.07
49316MN1040003	Rating Area 1	No Preference	65 and over	845.07
49316MN1040003	Rating Area 2	No Preference	0-20	191.46
49316MN1040003	Rating Area 2	No Preference	21	221.8
49316MN1040003	Rating Area 2	No Preference	22	221.8
49316MN1040003	Rating Area 2	No Preference	23	221.8
49316MN1040003	Rating Area 2	No Preference	24	221.8
49316MN1040003	Rating Area 2	No Preference	25	221.8
49316MN1040003	Rating Area 2	No Preference	26	221.8
49316MN1040003	Rating Area 2	No Preference	27	221.8
49316MN1040003	Rating Area 2	No Preference	28	221.8
49316MN1040003	Rating Area 2	No Preference	29	221.8
49316MN1040003	Rating Area 2	No Preference	30	253.42
49316MN1040003	Rating Area 2	No Preference	31	253.42
49316MN1040003	Rating Area 2	No Preference	32	253.42
49316MN1040003	Rating Area 2	No Preference	33	253.42
49316MN1040003	Rating Area 2	No Preference	34	253.42
49316MN1040003	Rating Area 2	No Preference	35	266.76
49316MN1040003	Rating Area 2	No Preference	36	266.76
49316MN1040003	Rating Area 2	No Preference	37	266.76
49316MN1040003	Rating Area 2	No Preference	38	266.76
49316MN1040003	Rating Area 2	No Preference	39	266.76
49316MN1040003	Rating Area 2	No Preference	40	286.55
49316MN1040003	Rating Area 2	No Preference	41	286.55
49316MN1040003	Rating Area 2	No Preference	42	286.55
49316MN1040003	Rating Area 2	No Preference	43	286.55
49316MN1040003	Rating Area 2	No Preference	44	286.55
49316MN1040003	Rating Area 2	No Preference	45	337.75
49316MN1040003	Rating Area 2	No Preference	46	337.75
49316MN1040003	Rating Area 2	No Preference	47	337.75
49316MN1040003	Rating Area 2	No Preference	48	337.75
49316MN1040003	Rating Area 2	No Preference	49	337.75
49316MN1040003	Rating Area 2	No Preference	50	420.79
49316MN1040003	Rating Area 2	No Preference	51	420.79
49316MN1040003	Rating Area 2	No Preference	52	420.79
49316MN1040003	Rating Area 2	No Preference	53	420.79
49316MN1040003	Rating Area 2	No Preference	54	420.79
49316MN1040003	Rating Area 2	No Preference	55	522.76

49316MN1040003	Rating Area 2	No Preference	56	522.76
49316MN1040003	Rating Area 2	No Preference	57	522.76
49316MN1040003	Rating Area 2	No Preference	58	522.76
49316MN1040003	Rating Area 2	No Preference	59	522.76
49316MN1040003	Rating Area 2	No Preference	60	617.41
49316MN1040003	Rating Area 2	No Preference	61	617.41
49316MN1040003	Rating Area 2	No Preference	62	617.41
49316MN1040003	Rating Area 2	No Preference	63	617.41
49316MN1040003	Rating Area 2	No Preference	64	645.38
49316MN1040003	Rating Area 2	No Preference	65 and over	645.38
49316MN1040003	Rating Area 3	No Preference	0-20	195.36
49316MN1040003	Rating Area 3	No Preference	21	226.31
49316MN1040003	Rating Area 3	No Preference	22	226.31
49316MN1040003	Rating Area 3	No Preference	23	226.31
49316MN1040003	Rating Area 3	No Preference	24	226.31
49316MN1040003	Rating Area 3	No Preference	25	226.31
49316MN1040003	Rating Area 3	No Preference	26	226.31
49316MN1040003	Rating Area 3	No Preference	27	226.31
49316MN1040003	Rating Area 3	No Preference	28	226.31
49316MN1040003	Rating Area 3	No Preference	29	226.31
49316MN1040003	Rating Area 3	No Preference	30	258.58
49316MN1040003	Rating Area 3	No Preference	31	258.58
49316MN1040003	Rating Area 3	No Preference	32	258.58
49316MN1040003	Rating Area 3	No Preference	33	258.58
49316MN1040003	Rating Area 3	No Preference	34	258.58
49316MN1040003	Rating Area 3	No Preference	35	272.19
49316MN1040003	Rating Area 3	No Preference	36	272.19
49316MN1040003	Rating Area 3	No Preference	37	272.19
49316MN1040003	Rating Area 3	No Preference	38	272.19
49316MN1040003	Rating Area 3	No Preference	39	272.19
49316MN1040003	Rating Area 3	No Preference	40	292.39
49316MN1040003	Rating Area 3	No Preference	41	292.39
49316MN1040003	Rating Area 3	No Preference	42	292.39
49316MN1040003	Rating Area 3	No Preference	43	292.39
49316MN1040003	Rating Area 3	No Preference	44	292.39
49316MN1040003	Rating Area 3	No Preference	45	344.63
49316MN1040003	Rating Area 3	No Preference	46	344.63
49316MN1040003	Rating Area 3	No Preference	47	344.63
49316MN1040003	Rating Area 3	No Preference	48	344.63
49316MN1040003	Rating Area 3	No Preference	49	344.63
49316MN1040003	Rating Area 3	No Preference	50	429.36
49316MN1040003	Rating Area 3	No Preference	51	429.36
49316MN1040003	Rating Area 3	No Preference	52	429.36
49316MN1040003	Rating Area 3	No Preference	53	429.36
49316MN1040003	Rating Area 3	No Preference	54	429.36
49316MN1040003	Rating Area 3	No Preference	55	533.41
49316MN1040003	Rating Area 3	No Preference	56	533.41

49316MN1040003	Rating Area 3	No Preference	57	533.41
49316MN1040003	Rating Area 3	No Preference	58	533.41
49316MN1040003	Rating Area 3	No Preference	59	533.41
49316MN1040003	Rating Area 3	No Preference	60	629.99
49316MN1040003	Rating Area 3	No Preference	61	629.99
49316MN1040003	Rating Area 3	No Preference	62	629.99
49316MN1040003	Rating Area 3	No Preference	63	629.99
49316MN1040003	Rating Area 3	No Preference	64	658.53
49316MN1040003	Rating Area 3	No Preference	65 and over	658.53
49316MN1040003	Rating Area 4	No Preference	0-20	195.36
49316MN1040003	Rating Area 4	No Preference	21	226.31
49316MN1040003	Rating Area 4	No Preference	22	226.31
49316MN1040003	Rating Area 4	No Preference	23	226.31
49316MN1040003	Rating Area 4	No Preference	24	226.31
49316MN1040003	Rating Area 4	No Preference	25	226.31
49316MN1040003	Rating Area 4	No Preference	26	226.31
49316MN1040003	Rating Area 4	No Preference	27	226.31
49316MN1040003	Rating Area 4	No Preference	28	226.31
49316MN1040003	Rating Area 4	No Preference	29	226.31
49316MN1040003	Rating Area 4	No Preference	30	258.58
49316MN1040003	Rating Area 4	No Preference	31	258.58
49316MN1040003	Rating Area 4	No Preference	32	258.58
49316MN1040003	Rating Area 4	No Preference	33	258.58
49316MN1040003	Rating Area 4	No Preference	34	258.58
49316MN1040003	Rating Area 4	No Preference	35	272.19
49316MN1040003	Rating Area 4	No Preference	36	272.19
49316MN1040003	Rating Area 4	No Preference	37	272.19
49316MN1040003	Rating Area 4	No Preference	38	272.19
49316MN1040003	Rating Area 4	No Preference	39	272.19
49316MN1040003	Rating Area 4	No Preference	40	292.39
49316MN1040003	Rating Area 4	No Preference	41	292.39
49316MN1040003	Rating Area 4	No Preference	42	292.39
49316MN1040003	Rating Area 4	No Preference	43	292.39
49316MN1040003	Rating Area 4	No Preference	44	292.39
49316MN1040003	Rating Area 4	No Preference	45	344.63
49316MN1040003	Rating Area 4	No Preference	46	344.63
49316MN1040003	Rating Area 4	No Preference	47	344.63
49316MN1040003	Rating Area 4	No Preference	48	344.63
49316MN1040003	Rating Area 4	No Preference	49	344.63
49316MN1040003	Rating Area 4	No Preference	50	429.36
49316MN1040003	Rating Area 4	No Preference	51	429.36
49316MN1040003	Rating Area 4	No Preference	52	429.36
49316MN1040003	Rating Area 4	No Preference	53	429.36
49316MN1040003	Rating Area 4	No Preference	54	429.36
49316MN1040003	Rating Area 4	No Preference	55	533.41
49316MN1040003	Rating Area 4	No Preference	56	533.41
49316MN1040003	Rating Area 4	No Preference	57	533.41

49316MN1040003	Rating Area 4	No Preference	58	533.41
49316MN1040003	Rating Area 4	No Preference	59	533.41
49316MN1040003	Rating Area 4	No Preference	60	629.99
49316MN1040003	Rating Area 4	No Preference	61	629.99
49316MN1040003	Rating Area 4	No Preference	62	629.99
49316MN1040003	Rating Area 4	No Preference	63	629.99
49316MN1040003	Rating Area 4	No Preference	64	658.53
49316MN1040003	Rating Area 4	No Preference	65 and over	658.53
49316MN1040003	Rating Area 5	No Preference	0-20	195.36
49316MN1040003	Rating Area 5	No Preference	21	226.31
49316MN1040003	Rating Area 5	No Preference	22	226.31
49316MN1040003	Rating Area 5	No Preference	23	226.31
49316MN1040003	Rating Area 5	No Preference	24	226.31
49316MN1040003	Rating Area 5	No Preference	25	226.31
49316MN1040003	Rating Area 5	No Preference	26	226.31
49316MN1040003	Rating Area 5	No Preference	27	226.31
49316MN1040003	Rating Area 5	No Preference	28	226.31
49316MN1040003	Rating Area 5	No Preference	29	226.31
49316MN1040003	Rating Area 5	No Preference	30	258.58
49316MN1040003	Rating Area 5	No Preference	31	258.58
49316MN1040003	Rating Area 5	No Preference	32	258.58
49316MN1040003	Rating Area 5	No Preference	33	258.58
49316MN1040003	Rating Area 5	No Preference	34	258.58
49316MN1040003	Rating Area 5	No Preference	35	272.19
49316MN1040003	Rating Area 5	No Preference	36	272.19
49316MN1040003	Rating Area 5	No Preference	37	272.19
49316MN1040003	Rating Area 5	No Preference	38	272.19
49316MN1040003	Rating Area 5	No Preference	39	272.19
49316MN1040003	Rating Area 5	No Preference	40	292.39
49316MN1040003	Rating Area 5	No Preference	41	292.39
49316MN1040003	Rating Area 5	No Preference	42	292.39
49316MN1040003	Rating Area 5	No Preference	43	292.39
49316MN1040003	Rating Area 5	No Preference	44	292.39
49316MN1040003	Rating Area 5	No Preference	45	344.63
49316MN1040003	Rating Area 5	No Preference	46	344.63
49316MN1040003	Rating Area 5	No Preference	47	344.63
49316MN1040003	Rating Area 5	No Preference	48	344.63
49316MN1040003	Rating Area 5	No Preference	49	344.63
49316MN1040003	Rating Area 5	No Preference	50	429.36
49316MN1040003	Rating Area 5	No Preference	51	429.36
49316MN1040003	Rating Area 5	No Preference	52	429.36
49316MN1040003	Rating Area 5	No Preference	53	429.36
49316MN1040003	Rating Area 5	No Preference	54	429.36
49316MN1040003	Rating Area 5	No Preference	55	533.41
49316MN1040003	Rating Area 5	No Preference	56	533.41
49316MN1040003	Rating Area 5	No Preference	57	533.41
49316MN1040003	Rating Area 5	No Preference	58	533.41

49316MN1040003	Rating Area 5	No Preference	59	533.41
49316MN1040003	Rating Area 5	No Preference	60	629.99
49316MN1040003	Rating Area 5	No Preference	61	629.99
49316MN1040003	Rating Area 5	No Preference	62	629.99
49316MN1040003	Rating Area 5	No Preference	63	629.99
49316MN1040003	Rating Area 5	No Preference	64	658.53
49316MN1040003	Rating Area 5	No Preference	65 and over	658.53
49316MN1040003	Rating Area 6	No Preference	0-20	174.75
49316MN1040003	Rating Area 6	No Preference	21	202.43
49316MN1040003	Rating Area 6	No Preference	22	202.43
49316MN1040003	Rating Area 6	No Preference	23	202.43
49316MN1040003	Rating Area 6	No Preference	24	202.43
49316MN1040003	Rating Area 6	No Preference	25	202.43
49316MN1040003	Rating Area 6	No Preference	26	202.43
49316MN1040003	Rating Area 6	No Preference	27	202.43
49316MN1040003	Rating Area 6	No Preference	28	202.43
49316MN1040003	Rating Area 6	No Preference	29	202.43
49316MN1040003	Rating Area 6	No Preference	30	231.3
49316MN1040003	Rating Area 6	No Preference	31	231.3
49316MN1040003	Rating Area 6	No Preference	32	231.3
49316MN1040003	Rating Area 6	No Preference	33	231.3
49316MN1040003	Rating Area 6	No Preference	34	231.3
49316MN1040003	Rating Area 6	No Preference	35	243.47
49316MN1040003	Rating Area 6	No Preference	36	243.47
49316MN1040003	Rating Area 6	No Preference	37	243.47
49316MN1040003	Rating Area 6	No Preference	38	243.47
49316MN1040003	Rating Area 6	No Preference	39	243.47
49316MN1040003	Rating Area 6	No Preference	40	261.54
49316MN1040003	Rating Area 6	No Preference	41	261.54
49316MN1040003	Rating Area 6	No Preference	42	261.54
49316MN1040003	Rating Area 6	No Preference	43	261.54
49316MN1040003	Rating Area 6	No Preference	44	261.54
49316MN1040003	Rating Area 6	No Preference	45	308.27
49316MN1040003	Rating Area 6	No Preference	46	308.27
49316MN1040003	Rating Area 6	No Preference	47	308.27
49316MN1040003	Rating Area 6	No Preference	48	308.27
49316MN1040003	Rating Area 6	No Preference	49	308.27
49316MN1040003	Rating Area 6	No Preference	50	384.06
49316MN1040003	Rating Area 6	No Preference	51	384.06
49316MN1040003	Rating Area 6	No Preference	52	384.06
49316MN1040003	Rating Area 6	No Preference	53	384.06
49316MN1040003	Rating Area 6	No Preference	54	384.06
49316MN1040003	Rating Area 6	No Preference	55	477.12
49316MN1040003	Rating Area 6	No Preference	56	477.12
49316MN1040003	Rating Area 6	No Preference	57	477.12
49316MN1040003	Rating Area 6	No Preference	58	477.12
49316MN1040003	Rating Area 6	No Preference	59	477.12

49316MN1040003	Rating Area 6	No Preference	60	563.52
49316MN1040003	Rating Area 6	No Preference	61	563.52
49316MN1040003	Rating Area 6	No Preference	62	563.52
49316MN1040003	Rating Area 6	No Preference	63	563.52
49316MN1040003	Rating Area 6	No Preference	64	589.04
49316MN1040003	Rating Area 6	No Preference	65 and over	589.04
49316MN1040003	Rating Area 7	No Preference	0-20	191.46
49316MN1040003	Rating Area 7	No Preference	21	221.8
49316MN1040003	Rating Area 7	No Preference	22	221.8
49316MN1040003	Rating Area 7	No Preference	23	221.8
49316MN1040003	Rating Area 7	No Preference	24	221.8
49316MN1040003	Rating Area 7	No Preference	25	221.8
49316MN1040003	Rating Area 7	No Preference	26	221.8
49316MN1040003	Rating Area 7	No Preference	27	221.8
49316MN1040003	Rating Area 7	No Preference	28	221.8
49316MN1040003	Rating Area 7	No Preference	29	221.8
49316MN1040003	Rating Area 7	No Preference	30	253.42
49316MN1040003	Rating Area 7	No Preference	31	253.42
49316MN1040003	Rating Area 7	No Preference	32	253.42
49316MN1040003	Rating Area 7	No Preference	33	253.42
49316MN1040003	Rating Area 7	No Preference	34	253.42
49316MN1040003	Rating Area 7	No Preference	35	266.76
49316MN1040003	Rating Area 7	No Preference	36	266.76
49316MN1040003	Rating Area 7	No Preference	37	266.76
49316MN1040003	Rating Area 7	No Preference	38	266.76
49316MN1040003	Rating Area 7	No Preference	39	266.76
49316MN1040003	Rating Area 7	No Preference	40	286.55
49316MN1040003	Rating Area 7	No Preference	41	286.55
49316MN1040003	Rating Area 7	No Preference	42	286.55
49316MN1040003	Rating Area 7	No Preference	43	286.55
49316MN1040003	Rating Area 7	No Preference	44	286.55
49316MN1040003	Rating Area 7	No Preference	45	337.75
49316MN1040003	Rating Area 7	No Preference	46	337.75
49316MN1040003	Rating Area 7	No Preference	47	337.75
49316MN1040003	Rating Area 7	No Preference	48	337.75
49316MN1040003	Rating Area 7	No Preference	49	337.75
49316MN1040003	Rating Area 7	No Preference	50	420.79
49316MN1040003	Rating Area 7	No Preference	51	420.79
49316MN1040003	Rating Area 7	No Preference	52	420.79
49316MN1040003	Rating Area 7	No Preference	53	420.79
49316MN1040003	Rating Area 7	No Preference	54	420.79
49316MN1040003	Rating Area 7	No Preference	55	522.76
49316MN1040003	Rating Area 7	No Preference	56	522.76
49316MN1040003	Rating Area 7	No Preference	57	522.76
49316MN1040003	Rating Area 7	No Preference	58	522.76
49316MN1040003	Rating Area 7	No Preference	59	522.76
49316MN1040003	Rating Area 7	No Preference	60	617.41

49316MN1040003	Rating Area 7	No Preference	61	617.41
49316MN1040003	Rating Area 7	No Preference	62	617.41
49316MN1040003	Rating Area 7	No Preference	63	617.41
49316MN1040003	Rating Area 7	No Preference	64	645.38
49316MN1040003	Rating Area 7	No Preference	65 and over	645.38
49316MN1040003	Rating Area 8	No Preference	0-20	163.42
49316MN1040003	Rating Area 8	No Preference	21	189.31
49316MN1040003	Rating Area 8	No Preference	22	189.31
49316MN1040003	Rating Area 8	No Preference	23	189.31
49316MN1040003	Rating Area 8	No Preference	24	189.31
49316MN1040003	Rating Area 8	No Preference	25	189.31
49316MN1040003	Rating Area 8	No Preference	26	189.31
49316MN1040003	Rating Area 8	No Preference	27	189.31
49316MN1040003	Rating Area 8	No Preference	28	189.31
49316MN1040003	Rating Area 8	No Preference	29	189.31
49316MN1040003	Rating Area 8	No Preference	30	216.3
49316MN1040003	Rating Area 8	No Preference	31	216.3
49316MN1040003	Rating Area 8	No Preference	32	216.3
49316MN1040003	Rating Area 8	No Preference	33	216.3
49316MN1040003	Rating Area 8	No Preference	34	216.3
49316MN1040003	Rating Area 8	No Preference	35	227.69
49316MN1040003	Rating Area 8	No Preference	36	227.69
49316MN1040003	Rating Area 8	No Preference	37	227.69
49316MN1040003	Rating Area 8	No Preference	38	227.69
49316MN1040003	Rating Area 8	No Preference	39	227.69
49316MN1040003	Rating Area 8	No Preference	40	244.58
49316MN1040003	Rating Area 8	No Preference	41	244.58
49316MN1040003	Rating Area 8	No Preference	42	244.58
49316MN1040003	Rating Area 8	No Preference	43	244.58
49316MN1040003	Rating Area 8	No Preference	44	244.58
49316MN1040003	Rating Area 8	No Preference	45	288.28
49316MN1040003	Rating Area 8	No Preference	46	288.28
49316MN1040003	Rating Area 8	No Preference	47	288.28
49316MN1040003	Rating Area 8	No Preference	48	288.28
49316MN1040003	Rating Area 8	No Preference	49	288.28
49316MN1040003	Rating Area 8	No Preference	50	359.16
49316MN1040003	Rating Area 8	No Preference	51	359.16
49316MN1040003	Rating Area 8	No Preference	52	359.16
49316MN1040003	Rating Area 8	No Preference	53	359.16
49316MN1040003	Rating Area 8	No Preference	54	359.16
49316MN1040003	Rating Area 8	No Preference	55	446.2
49316MN1040003	Rating Area 8	No Preference	56	446.2
49316MN1040003	Rating Area 8	No Preference	57	446.2
49316MN1040003	Rating Area 8	No Preference	58	446.2
49316MN1040003	Rating Area 8	No Preference	59	446.2
49316MN1040003	Rating Area 8	No Preference	60	526.99
49316MN1040003	Rating Area 8	No Preference	61	526.99

49316MN1040003	Rating Area 8	No Preference	62	526.99
49316MN1040003	Rating Area 8	No Preference	63	526.99
49316MN1040003	Rating Area 8	No Preference	64	550.86
49316MN1040003	Rating Area 8	No Preference	65 and over	550.86
49316MN1040003	Rating Area 9	No Preference	0-20	163.42
49316MN1040003	Rating Area 9	No Preference	21	189.31
49316MN1040003	Rating Area 9	No Preference	22	189.31
49316MN1040003	Rating Area 9	No Preference	23	189.31
49316MN1040003	Rating Area 9	No Preference	24	189.31
49316MN1040003	Rating Area 9	No Preference	25	189.31
49316MN1040003	Rating Area 9	No Preference	26	189.31
49316MN1040003	Rating Area 9	No Preference	27	189.31
49316MN1040003	Rating Area 9	No Preference	28	189.31
49316MN1040003	Rating Area 9	No Preference	29	189.31
49316MN1040003	Rating Area 9	No Preference	30	216.3
49316MN1040003	Rating Area 9	No Preference	31	216.3
49316MN1040003	Rating Area 9	No Preference	32	216.3
49316MN1040003	Rating Area 9	No Preference	33	216.3
49316MN1040003	Rating Area 9	No Preference	34	216.3
49316MN1040003	Rating Area 9	No Preference	35	227.69
49316MN1040003	Rating Area 9	No Preference	36	227.69
49316MN1040003	Rating Area 9	No Preference	37	227.69
49316MN1040003	Rating Area 9	No Preference	38	227.69
49316MN1040003	Rating Area 9	No Preference	39	227.69
49316MN1040003	Rating Area 9	No Preference	40	244.58
49316MN1040003	Rating Area 9	No Preference	41	244.58
49316MN1040003	Rating Area 9	No Preference	42	244.58
49316MN1040003	Rating Area 9	No Preference	43	244.58
49316MN1040003	Rating Area 9	No Preference	44	244.58
49316MN1040003	Rating Area 9	No Preference	45	288.28
49316MN1040003	Rating Area 9	No Preference	46	288.28
49316MN1040003	Rating Area 9	No Preference	47	288.28
49316MN1040003	Rating Area 9	No Preference	48	288.28
49316MN1040003	Rating Area 9	No Preference	49	288.28
49316MN1040003	Rating Area 9	No Preference	50	359.16
49316MN1040003	Rating Area 9	No Preference	51	359.16
49316MN1040003	Rating Area 9	No Preference	52	359.16
49316MN1040003	Rating Area 9	No Preference	53	359.16
49316MN1040003	Rating Area 9	No Preference	54	359.16
49316MN1040003	Rating Area 9	No Preference	55	446.2
49316MN1040003	Rating Area 9	No Preference	56	446.2
49316MN1040003	Rating Area 9	No Preference	57	446.2
49316MN1040003	Rating Area 9	No Preference	58	446.2
49316MN1040003	Rating Area 9	No Preference	59	446.2
49316MN1040003	Rating Area 9	No Preference	60	526.99
49316MN1040003	Rating Area 9	No Preference	61	526.99
49316MN1040003	Rating Area 9	No Preference	62	526.99

49316MN1040003	Rating Area 9	No Preference	63	526.99
49316MN1040003	Rating Area 9	No Preference	64	550.86
49316MN1040003	Rating Area 9	No Preference	65 and over	550.86
49316MN1060001	Rating Area 1	No Preference	0-20	119.61
49316MN1060001	Rating Area 1	No Preference	21	138.56
49316MN1060001	Rating Area 1	No Preference	22	138.56
49316MN1060001	Rating Area 1	No Preference	23	138.56
49316MN1060001	Rating Area 1	No Preference	24	138.56
49316MN1060001	Rating Area 1	No Preference	25	138.56
49316MN1060001	Rating Area 1	No Preference	26	138.56
49316MN1060001	Rating Area 1	No Preference	27	138.56
49316MN1060001	Rating Area 1	No Preference	28	138.56
49316MN1060001	Rating Area 1	No Preference	29	138.56
49316MN1060001	Rating Area 1	No Preference	30	158.32
49316MN1060001	Rating Area 1	No Preference	31	158.32
49316MN1060001	Rating Area 1	No Preference	32	158.32
49316MN1060001	Rating Area 1	No Preference	33	158.32
49316MN1060001	Rating Area 1	No Preference	34	158.32
49316MN1060001	Rating Area 1	No Preference	35	166.65
49316MN1060001	Rating Area 1	No Preference	36	166.65
49316MN1060001	Rating Area 1	No Preference	37	166.65
49316MN1060001	Rating Area 1	No Preference	38	166.65
49316MN1060001	Rating Area 1	No Preference	39	166.65
49316MN1060001	Rating Area 1	No Preference	40	179.02
49316MN1060001	Rating Area 1	No Preference	41	179.02
49316MN1060001	Rating Area 1	No Preference	42	179.02
49316MN1060001	Rating Area 1	No Preference	43	179.02
49316MN1060001	Rating Area 1	No Preference	44	179.02
49316MN1060001	Rating Area 1	No Preference	45	211
49316MN1060001	Rating Area 1	No Preference	46	211
49316MN1060001	Rating Area 1	No Preference	47	211
49316MN1060001	Rating Area 1	No Preference	48	211
49316MN1060001	Rating Area 1	No Preference	49	211
49316MN1060001	Rating Area 1	No Preference	50	262.88
49316MN1060001	Rating Area 1	No Preference	51	262.88
49316MN1060001	Rating Area 1	No Preference	52	262.88
49316MN1060001	Rating Area 1	No Preference	53	262.88
49316MN1060001	Rating Area 1	No Preference	54	262.88
49316MN1060001	Rating Area 1	No Preference	55	326.58
49316MN1060001	Rating Area 1	No Preference	56	326.58
49316MN1060001	Rating Area 1	No Preference	57	326.58
49316MN1060001	Rating Area 1	No Preference	58	326.58
49316MN1060001	Rating Area 1	No Preference	59	326.58
49316MN1060001	Rating Area 1	No Preference	60	385.72
49316MN1060001	Rating Area 1	No Preference	61	385.72
49316MN1060001	Rating Area 1	No Preference	62	385.72
49316MN1060001	Rating Area 1	No Preference	63	385.72

49316MN1060001	Rating Area 1	No Preference	64	403.19
49316MN1060001	Rating Area 1	No Preference	65 and over	403.19
49316MN1060001	Rating Area 2	No Preference	0-20	91.35
49316MN1060001	Rating Area 2	No Preference	21	105.82
49316MN1060001	Rating Area 2	No Preference	22	105.82
49316MN1060001	Rating Area 2	No Preference	23	105.82
49316MN1060001	Rating Area 2	No Preference	24	105.82
49316MN1060001	Rating Area 2	No Preference	25	105.82
49316MN1060001	Rating Area 2	No Preference	26	105.82
49316MN1060001	Rating Area 2	No Preference	27	105.82
49316MN1060001	Rating Area 2	No Preference	28	105.82
49316MN1060001	Rating Area 2	No Preference	29	105.82
49316MN1060001	Rating Area 2	No Preference	30	120.91
49316MN1060001	Rating Area 2	No Preference	31	120.91
49316MN1060001	Rating Area 2	No Preference	32	120.91
49316MN1060001	Rating Area 2	No Preference	33	120.91
49316MN1060001	Rating Area 2	No Preference	34	120.91
49316MN1060001	Rating Area 2	No Preference	35	127.27
49316MN1060001	Rating Area 2	No Preference	36	127.27
49316MN1060001	Rating Area 2	No Preference	37	127.27
49316MN1060001	Rating Area 2	No Preference	38	127.27
49316MN1060001	Rating Area 2	No Preference	39	127.27
49316MN1060001	Rating Area 2	No Preference	40	136.71
49316MN1060001	Rating Area 2	No Preference	41	136.71
49316MN1060001	Rating Area 2	No Preference	42	136.71
49316MN1060001	Rating Area 2	No Preference	43	136.71
49316MN1060001	Rating Area 2	No Preference	44	136.71
49316MN1060001	Rating Area 2	No Preference	45	161.14
49316MN1060001	Rating Area 2	No Preference	46	161.14
49316MN1060001	Rating Area 2	No Preference	47	161.14
49316MN1060001	Rating Area 2	No Preference	48	161.14
49316MN1060001	Rating Area 2	No Preference	49	161.14
49316MN1060001	Rating Area 2	No Preference	50	200.76
49316MN1060001	Rating Area 2	No Preference	51	200.76
49316MN1060001	Rating Area 2	No Preference	52	200.76
49316MN1060001	Rating Area 2	No Preference	53	200.76
49316MN1060001	Rating Area 2	No Preference	54	200.76
49316MN1060001	Rating Area 2	No Preference	55	249.41
49316MN1060001	Rating Area 2	No Preference	56	249.41
49316MN1060001	Rating Area 2	No Preference	57	249.41
49316MN1060001	Rating Area 2	No Preference	58	249.41
49316MN1060001	Rating Area 2	No Preference	59	249.41
49316MN1060001	Rating Area 2	No Preference	60	294.57
49316MN1060001	Rating Area 2	No Preference	61	294.57
49316MN1060001	Rating Area 2	No Preference	62	294.57
49316MN1060001	Rating Area 2	No Preference	63	294.57
49316MN1060001	Rating Area 2	No Preference	64	307.92

49316MN1060001	Rating Area 2	No Preference	65 and over	307.92
49316MN1060001	Rating Area 3	No Preference	0-20	93.21
49316MN1060001	Rating Area 3	No Preference	21	107.98
49316MN1060001	Rating Area 3	No Preference	22	107.98
49316MN1060001	Rating Area 3	No Preference	23	107.98
49316MN1060001	Rating Area 3	No Preference	24	107.98
49316MN1060001	Rating Area 3	No Preference	25	107.98
49316MN1060001	Rating Area 3	No Preference	26	107.98
49316MN1060001	Rating Area 3	No Preference	27	107.98
49316MN1060001	Rating Area 3	No Preference	28	107.98
49316MN1060001	Rating Area 3	No Preference	29	107.98
49316MN1060001	Rating Area 3	No Preference	30	123.37
49316MN1060001	Rating Area 3	No Preference	31	123.37
49316MN1060001	Rating Area 3	No Preference	32	123.37
49316MN1060001	Rating Area 3	No Preference	33	123.37
49316MN1060001	Rating Area 3	No Preference	34	123.37
49316MN1060001	Rating Area 3	No Preference	35	129.86
49316MN1060001	Rating Area 3	No Preference	36	129.86
49316MN1060001	Rating Area 3	No Preference	37	129.86
49316MN1060001	Rating Area 3	No Preference	38	129.86
49316MN1060001	Rating Area 3	No Preference	39	129.86
49316MN1060001	Rating Area 3	No Preference	40	139.5
49316MN1060001	Rating Area 3	No Preference	41	139.5
49316MN1060001	Rating Area 3	No Preference	42	139.5
49316MN1060001	Rating Area 3	No Preference	43	139.5
49316MN1060001	Rating Area 3	No Preference	44	139.5
49316MN1060001	Rating Area 3	No Preference	45	164.42
49316MN1060001	Rating Area 3	No Preference	46	164.42
49316MN1060001	Rating Area 3	No Preference	47	164.42
49316MN1060001	Rating Area 3	No Preference	48	164.42
49316MN1060001	Rating Area 3	No Preference	49	164.42
49316MN1060001	Rating Area 3	No Preference	50	204.85
49316MN1060001	Rating Area 3	No Preference	51	204.85
49316MN1060001	Rating Area 3	No Preference	52	204.85
49316MN1060001	Rating Area 3	No Preference	53	204.85
49316MN1060001	Rating Area 3	No Preference	54	204.85
49316MN1060001	Rating Area 3	No Preference	55	254.49
49316MN1060001	Rating Area 3	No Preference	56	254.49
49316MN1060001	Rating Area 3	No Preference	57	254.49
49316MN1060001	Rating Area 3	No Preference	58	254.49
49316MN1060001	Rating Area 3	No Preference	59	254.49
49316MN1060001	Rating Area 3	No Preference	60	300.57
49316MN1060001	Rating Area 3	No Preference	61	300.57
49316MN1060001	Rating Area 3	No Preference	62	300.57
49316MN1060001	Rating Area 3	No Preference	63	300.57
49316MN1060001	Rating Area 3	No Preference	64	314.19
49316MN1060001	Rating Area 3	No Preference	65 and over	314.19

49316MN1060001	Rating Area 4	No Preference	0-20	93.21
49316MN1060001	Rating Area 4	No Preference	21	107.98
49316MN1060001	Rating Area 4	No Preference	22	107.98
49316MN1060001	Rating Area 4	No Preference	23	107.98
49316MN1060001	Rating Area 4	No Preference	24	107.98
49316MN1060001	Rating Area 4	No Preference	25	107.98
49316MN1060001	Rating Area 4	No Preference	26	107.98
49316MN1060001	Rating Area 4	No Preference	27	107.98
49316MN1060001	Rating Area 4	No Preference	28	107.98
49316MN1060001	Rating Area 4	No Preference	29	107.98
49316MN1060001	Rating Area 4	No Preference	30	123.37
49316MN1060001	Rating Area 4	No Preference	31	123.37
49316MN1060001	Rating Area 4	No Preference	32	123.37
49316MN1060001	Rating Area 4	No Preference	33	123.37
49316MN1060001	Rating Area 4	No Preference	34	123.37
49316MN1060001	Rating Area 4	No Preference	35	129.86
49316MN1060001	Rating Area 4	No Preference	36	129.86
49316MN1060001	Rating Area 4	No Preference	37	129.86
49316MN1060001	Rating Area 4	No Preference	38	129.86
49316MN1060001	Rating Area 4	No Preference	39	129.86
49316MN1060001	Rating Area 4	No Preference	40	139.5
49316MN1060001	Rating Area 4	No Preference	41	139.5
49316MN1060001	Rating Area 4	No Preference	42	139.5
49316MN1060001	Rating Area 4	No Preference	43	139.5
49316MN1060001	Rating Area 4	No Preference	44	139.5
49316MN1060001	Rating Area 4	No Preference	45	164.42
49316MN1060001	Rating Area 4	No Preference	46	164.42
49316MN1060001	Rating Area 4	No Preference	47	164.42
49316MN1060001	Rating Area 4	No Preference	48	164.42
49316MN1060001	Rating Area 4	No Preference	49	164.42
49316MN1060001	Rating Area 4	No Preference	50	204.85
49316MN1060001	Rating Area 4	No Preference	51	204.85
49316MN1060001	Rating Area 4	No Preference	52	204.85
49316MN1060001	Rating Area 4	No Preference	53	204.85
49316MN1060001	Rating Area 4	No Preference	54	204.85
49316MN1060001	Rating Area 4	No Preference	55	254.49
49316MN1060001	Rating Area 4	No Preference	56	254.49
49316MN1060001	Rating Area 4	No Preference	57	254.49
49316MN1060001	Rating Area 4	No Preference	58	254.49
49316MN1060001	Rating Area 4	No Preference	59	254.49
49316MN1060001	Rating Area 4	No Preference	60	300.57
49316MN1060001	Rating Area 4	No Preference	61	300.57
49316MN1060001	Rating Area 4	No Preference	62	300.57
49316MN1060001	Rating Area 4	No Preference	63	300.57
49316MN1060001	Rating Area 4	No Preference	64	314.19
49316MN1060001	Rating Area 4	No Preference	65 and over	314.19
49316MN1060001	Rating Area 5	No Preference	0-20	93.21

49316MN1060001	Rating Area 5	No Preference	21	107.98
49316MN1060001	Rating Area 5	No Preference	22	107.98
49316MN1060001	Rating Area 5	No Preference	23	107.98
49316MN1060001	Rating Area 5	No Preference	24	107.98
49316MN1060001	Rating Area 5	No Preference	25	107.98
49316MN1060001	Rating Area 5	No Preference	26	107.98
49316MN1060001	Rating Area 5	No Preference	27	107.98
49316MN1060001	Rating Area 5	No Preference	28	107.98
49316MN1060001	Rating Area 5	No Preference	29	107.98
49316MN1060001	Rating Area 5	No Preference	30	123.37
49316MN1060001	Rating Area 5	No Preference	31	123.37
49316MN1060001	Rating Area 5	No Preference	32	123.37
49316MN1060001	Rating Area 5	No Preference	33	123.37
49316MN1060001	Rating Area 5	No Preference	34	123.37
49316MN1060001	Rating Area 5	No Preference	35	129.86
49316MN1060001	Rating Area 5	No Preference	36	129.86
49316MN1060001	Rating Area 5	No Preference	37	129.86
49316MN1060001	Rating Area 5	No Preference	38	129.86
49316MN1060001	Rating Area 5	No Preference	39	129.86
49316MN1060001	Rating Area 5	No Preference	40	139.5
49316MN1060001	Rating Area 5	No Preference	41	139.5
49316MN1060001	Rating Area 5	No Preference	42	139.5
49316MN1060001	Rating Area 5	No Preference	43	139.5
49316MN1060001	Rating Area 5	No Preference	44	139.5
49316MN1060001	Rating Area 5	No Preference	45	164.42
49316MN1060001	Rating Area 5	No Preference	46	164.42
49316MN1060001	Rating Area 5	No Preference	47	164.42
49316MN1060001	Rating Area 5	No Preference	48	164.42
49316MN1060001	Rating Area 5	No Preference	49	164.42
49316MN1060001	Rating Area 5	No Preference	50	204.85
49316MN1060001	Rating Area 5	No Preference	51	204.85
49316MN1060001	Rating Area 5	No Preference	52	204.85
49316MN1060001	Rating Area 5	No Preference	53	204.85
49316MN1060001	Rating Area 5	No Preference	54	204.85
49316MN1060001	Rating Area 5	No Preference	55	254.49
49316MN1060001	Rating Area 5	No Preference	56	254.49
49316MN1060001	Rating Area 5	No Preference	57	254.49
49316MN1060001	Rating Area 5	No Preference	58	254.49
49316MN1060001	Rating Area 5	No Preference	59	254.49
49316MN1060001	Rating Area 5	No Preference	60	300.57
49316MN1060001	Rating Area 5	No Preference	61	300.57
49316MN1060001	Rating Area 5	No Preference	62	300.57
49316MN1060001	Rating Area 5	No Preference	63	300.57
49316MN1060001	Rating Area 5	No Preference	64	314.19
49316MN1060001	Rating Area 5	No Preference	65 and over	314.19
49316MN1060001	Rating Area 6	No Preference	0-20	83.37
49316MN1060001	Rating Area 6	No Preference	21	96.58

49316MN1060001	Rating Area 6	No Preference	22	96.58
49316MN1060001	Rating Area 6	No Preference	23	96.58
49316MN1060001	Rating Area 6	No Preference	24	96.58
49316MN1060001	Rating Area 6	No Preference	25	96.58
49316MN1060001	Rating Area 6	No Preference	26	96.58
49316MN1060001	Rating Area 6	No Preference	27	96.58
49316MN1060001	Rating Area 6	No Preference	28	96.58
49316MN1060001	Rating Area 6	No Preference	29	96.58
49316MN1060001	Rating Area 6	No Preference	30	110.35
49316MN1060001	Rating Area 6	No Preference	31	110.35
49316MN1060001	Rating Area 6	No Preference	32	110.35
49316MN1060001	Rating Area 6	No Preference	33	110.35
49316MN1060001	Rating Area 6	No Preference	34	110.35
49316MN1060001	Rating Area 6	No Preference	35	116.16
49316MN1060001	Rating Area 6	No Preference	36	116.16
49316MN1060001	Rating Area 6	No Preference	37	116.16
49316MN1060001	Rating Area 6	No Preference	38	116.16
49316MN1060001	Rating Area 6	No Preference	39	116.16
49316MN1060001	Rating Area 6	No Preference	40	124.78
49316MN1060001	Rating Area 6	No Preference	41	124.78
49316MN1060001	Rating Area 6	No Preference	42	124.78
49316MN1060001	Rating Area 6	No Preference	43	124.78
49316MN1060001	Rating Area 6	No Preference	44	124.78
49316MN1060001	Rating Area 6	No Preference	45	147.08
49316MN1060001	Rating Area 6	No Preference	46	147.08
49316MN1060001	Rating Area 6	No Preference	47	147.08
49316MN1060001	Rating Area 6	No Preference	48	147.08
49316MN1060001	Rating Area 6	No Preference	49	147.08
49316MN1060001	Rating Area 6	No Preference	50	183.24
49316MN1060001	Rating Area 6	No Preference	51	183.24
49316MN1060001	Rating Area 6	No Preference	52	183.24
49316MN1060001	Rating Area 6	No Preference	53	183.24
49316MN1060001	Rating Area 6	No Preference	54	183.24
49316MN1060001	Rating Area 6	No Preference	55	227.64
49316MN1060001	Rating Area 6	No Preference	56	227.64
49316MN1060001	Rating Area 6	No Preference	57	227.64
49316MN1060001	Rating Area 6	No Preference	58	227.64
49316MN1060001	Rating Area 6	No Preference	59	227.64
49316MN1060001	Rating Area 6	No Preference	60	268.86
49316MN1060001	Rating Area 6	No Preference	61	268.86
49316MN1060001	Rating Area 6	No Preference	62	268.86
49316MN1060001	Rating Area 6	No Preference	63	268.86
49316MN1060001	Rating Area 6	No Preference	64	281.04
49316MN1060001	Rating Area 6	No Preference	65 and over	281.04
49316MN1060001	Rating Area 7	No Preference	0-20	91.35
49316MN1060001	Rating Area 7	No Preference	21	105.82
49316MN1060001	Rating Area 7	No Preference	22	105.82

49316MN1060001	Rating Area 7	No Preference	23	105.82
49316MN1060001	Rating Area 7	No Preference	24	105.82
49316MN1060001	Rating Area 7	No Preference	25	105.82
49316MN1060001	Rating Area 7	No Preference	26	105.82
49316MN1060001	Rating Area 7	No Preference	27	105.82
49316MN1060001	Rating Area 7	No Preference	28	105.82
49316MN1060001	Rating Area 7	No Preference	29	105.82
49316MN1060001	Rating Area 7	No Preference	30	120.91
49316MN1060001	Rating Area 7	No Preference	31	120.91
49316MN1060001	Rating Area 7	No Preference	32	120.91
49316MN1060001	Rating Area 7	No Preference	33	120.91
49316MN1060001	Rating Area 7	No Preference	34	120.91
49316MN1060001	Rating Area 7	No Preference	35	127.27
49316MN1060001	Rating Area 7	No Preference	36	127.27
49316MN1060001	Rating Area 7	No Preference	37	127.27
49316MN1060001	Rating Area 7	No Preference	38	127.27
49316MN1060001	Rating Area 7	No Preference	39	127.27
49316MN1060001	Rating Area 7	No Preference	40	136.71
49316MN1060001	Rating Area 7	No Preference	41	136.71
49316MN1060001	Rating Area 7	No Preference	42	136.71
49316MN1060001	Rating Area 7	No Preference	43	136.71
49316MN1060001	Rating Area 7	No Preference	44	136.71
49316MN1060001	Rating Area 7	No Preference	45	161.14
49316MN1060001	Rating Area 7	No Preference	46	161.14
49316MN1060001	Rating Area 7	No Preference	47	161.14
49316MN1060001	Rating Area 7	No Preference	48	161.14
49316MN1060001	Rating Area 7	No Preference	49	161.14
49316MN1060001	Rating Area 7	No Preference	50	200.76
49316MN1060001	Rating Area 7	No Preference	51	200.76
49316MN1060001	Rating Area 7	No Preference	52	200.76
49316MN1060001	Rating Area 7	No Preference	53	200.76
49316MN1060001	Rating Area 7	No Preference	54	200.76
49316MN1060001	Rating Area 7	No Preference	55	249.41
49316MN1060001	Rating Area 7	No Preference	56	249.41
49316MN1060001	Rating Area 7	No Preference	57	249.41
49316MN1060001	Rating Area 7	No Preference	58	249.41
49316MN1060001	Rating Area 7	No Preference	59	249.41
49316MN1060001	Rating Area 7	No Preference	60	294.57
49316MN1060001	Rating Area 7	No Preference	61	294.57
49316MN1060001	Rating Area 7	No Preference	62	294.57
49316MN1060001	Rating Area 7	No Preference	63	294.57
49316MN1060001	Rating Area 7	No Preference	64	307.92
49316MN1060001	Rating Area 7	No Preference	65 and over	307.92
49316MN1060001	Rating Area 8	No Preference	0-20	77.97
49316MN1060001	Rating Area 8	No Preference	21	90.32
49316MN1060001	Rating Area 8	No Preference	22	90.32
49316MN1060001	Rating Area 8	No Preference	23	90.32

49316MN1060001	Rating Area 8	No Preference	24	90.32
49316MN1060001	Rating Area 8	No Preference	25	90.32
49316MN1060001	Rating Area 8	No Preference	26	90.32
49316MN1060001	Rating Area 8	No Preference	27	90.32
49316MN1060001	Rating Area 8	No Preference	28	90.32
49316MN1060001	Rating Area 8	No Preference	29	90.32
49316MN1060001	Rating Area 8	No Preference	30	103.2
49316MN1060001	Rating Area 8	No Preference	31	103.2
49316MN1060001	Rating Area 8	No Preference	32	103.2
49316MN1060001	Rating Area 8	No Preference	33	103.2
49316MN1060001	Rating Area 8	No Preference	34	103.2
49316MN1060001	Rating Area 8	No Preference	35	108.63
49316MN1060001	Rating Area 8	No Preference	36	108.63
49316MN1060001	Rating Area 8	No Preference	37	108.63
49316MN1060001	Rating Area 8	No Preference	38	108.63
49316MN1060001	Rating Area 8	No Preference	39	108.63
49316MN1060001	Rating Area 8	No Preference	40	116.69
49316MN1060001	Rating Area 8	No Preference	41	116.69
49316MN1060001	Rating Area 8	No Preference	42	116.69
49316MN1060001	Rating Area 8	No Preference	43	116.69
49316MN1060001	Rating Area 8	No Preference	44	116.69
49316MN1060001	Rating Area 8	No Preference	45	137.54
49316MN1060001	Rating Area 8	No Preference	46	137.54
49316MN1060001	Rating Area 8	No Preference	47	137.54
49316MN1060001	Rating Area 8	No Preference	48	137.54
49316MN1060001	Rating Area 8	No Preference	49	137.54
49316MN1060001	Rating Area 8	No Preference	50	171.36
49316MN1060001	Rating Area 8	No Preference	51	171.36
49316MN1060001	Rating Area 8	No Preference	52	171.36
49316MN1060001	Rating Area 8	No Preference	53	171.36
49316MN1060001	Rating Area 8	No Preference	54	171.36
49316MN1060001	Rating Area 8	No Preference	55	212.88
49316MN1060001	Rating Area 8	No Preference	56	212.88
49316MN1060001	Rating Area 8	No Preference	57	212.88
49316MN1060001	Rating Area 8	No Preference	58	212.88
49316MN1060001	Rating Area 8	No Preference	59	212.88
49316MN1060001	Rating Area 8	No Preference	60	251.43
49316MN1060001	Rating Area 8	No Preference	61	251.43
49316MN1060001	Rating Area 8	No Preference	62	251.43
49316MN1060001	Rating Area 8	No Preference	63	251.43
49316MN1060001	Rating Area 8	No Preference	64	262.82
49316MN1060001	Rating Area 8	No Preference	65 and over	262.82
49316MN1060001	Rating Area 9	No Preference	0-20	77.97
49316MN1060001	Rating Area 9	No Preference	21	90.32
49316MN1060001	Rating Area 9	No Preference	22	90.32
49316MN1060001	Rating Area 9	No Preference	23	90.32
49316MN1060001	Rating Area 9	No Preference	24	90.32

49316MN1060001	Rating Area 9	No Preference	25	90.32
49316MN1060001	Rating Area 9	No Preference	26	90.32
49316MN1060001	Rating Area 9	No Preference	27	90.32
49316MN1060001	Rating Area 9	No Preference	28	90.32
49316MN1060001	Rating Area 9	No Preference	29	90.32
49316MN1060001	Rating Area 9	No Preference	30	103.2
49316MN1060001	Rating Area 9	No Preference	31	103.2
49316MN1060001	Rating Area 9	No Preference	32	103.2
49316MN1060001	Rating Area 9	No Preference	33	103.2
49316MN1060001	Rating Area 9	No Preference	34	103.2
49316MN1060001	Rating Area 9	No Preference	35	108.63
49316MN1060001	Rating Area 9	No Preference	36	108.63
49316MN1060001	Rating Area 9	No Preference	37	108.63
49316MN1060001	Rating Area 9	No Preference	38	108.63
49316MN1060001	Rating Area 9	No Preference	39	108.63
49316MN1060001	Rating Area 9	No Preference	40	116.69
49316MN1060001	Rating Area 9	No Preference	41	116.69
49316MN1060001	Rating Area 9	No Preference	42	116.69
49316MN1060001	Rating Area 9	No Preference	43	116.69
49316MN1060001	Rating Area 9	No Preference	44	116.69
49316MN1060001	Rating Area 9	No Preference	45	137.54
49316MN1060001	Rating Area 9	No Preference	46	137.54
49316MN1060001	Rating Area 9	No Preference	47	137.54
49316MN1060001	Rating Area 9	No Preference	48	137.54
49316MN1060001	Rating Area 9	No Preference	49	137.54
49316MN1060001	Rating Area 9	No Preference	50	171.36
49316MN1060001	Rating Area 9	No Preference	51	171.36
49316MN1060001	Rating Area 9	No Preference	52	171.36
49316MN1060001	Rating Area 9	No Preference	53	171.36
49316MN1060001	Rating Area 9	No Preference	54	171.36
49316MN1060001	Rating Area 9	No Preference	55	212.88
49316MN1060001	Rating Area 9	No Preference	56	212.88
49316MN1060001	Rating Area 9	No Preference	57	212.88
49316MN1060001	Rating Area 9	No Preference	58	212.88
49316MN1060001	Rating Area 9	No Preference	59	212.88
49316MN1060001	Rating Area 9	No Preference	60	251.43
49316MN1060001	Rating Area 9	No Preference	61	251.43
49316MN1060001	Rating Area 9	No Preference	62	251.43
49316MN1060001	Rating Area 9	No Preference	63	251.43
49316MN1060001	Rating Area 9	No Preference	64	262.82
49316MN1060001	Rating Area 9	No Preference	65 and over	262.82
49316MN1100001	Rating Area 1	No Preference	0-20	158.82
49316MN1100001	Rating Area 1	No Preference	21	183.98
49316MN1100001	Rating Area 1	No Preference	22	183.98
49316MN1100001	Rating Area 1	No Preference	23	183.98
49316MN1100001	Rating Area 1	No Preference	24	183.98
49316MN1100001	Rating Area 1	No Preference	25	183.98

49316MN1100001	Rating Area 1	No Preference	26	183.98
49316MN1100001	Rating Area 1	No Preference	27	183.98
49316MN1100001	Rating Area 1	No Preference	28	183.98
49316MN1100001	Rating Area 1	No Preference	29	183.98
49316MN1100001	Rating Area 1	No Preference	30	210.21
49316MN1100001	Rating Area 1	No Preference	31	210.21
49316MN1100001	Rating Area 1	No Preference	32	210.21
49316MN1100001	Rating Area 1	No Preference	33	210.21
49316MN1100001	Rating Area 1	No Preference	34	210.21
49316MN1100001	Rating Area 1	No Preference	35	221.28
49316MN1100001	Rating Area 1	No Preference	36	221.28
49316MN1100001	Rating Area 1	No Preference	37	221.28
49316MN1100001	Rating Area 1	No Preference	38	221.28
49316MN1100001	Rating Area 1	No Preference	39	221.28
49316MN1100001	Rating Area 1	No Preference	40	237.69
49316MN1100001	Rating Area 1	No Preference	41	237.69
49316MN1100001	Rating Area 1	No Preference	42	237.69
49316MN1100001	Rating Area 1	No Preference	43	237.69
49316MN1100001	Rating Area 1	No Preference	44	237.69
49316MN1100001	Rating Area 1	No Preference	45	280.17
49316MN1100001	Rating Area 1	No Preference	46	280.17
49316MN1100001	Rating Area 1	No Preference	47	280.17
49316MN1100001	Rating Area 1	No Preference	48	280.17
49316MN1100001	Rating Area 1	No Preference	49	280.17
49316MN1100001	Rating Area 1	No Preference	50	349.05
49316MN1100001	Rating Area 1	No Preference	51	349.05
49316MN1100001	Rating Area 1	No Preference	52	349.05
49316MN1100001	Rating Area 1	No Preference	53	349.05
49316MN1100001	Rating Area 1	No Preference	54	349.05
49316MN1100001	Rating Area 1	No Preference	55	433.63
49316MN1100001	Rating Area 1	No Preference	56	433.63
49316MN1100001	Rating Area 1	No Preference	57	433.63
49316MN1100001	Rating Area 1	No Preference	58	433.63
49316MN1100001	Rating Area 1	No Preference	59	433.63
49316MN1100001	Rating Area 1	No Preference	60	512.15
49316MN1100001	Rating Area 1	No Preference	61	512.15
49316MN1100001	Rating Area 1	No Preference	62	512.15
49316MN1100001	Rating Area 1	No Preference	63	512.15
49316MN1100001	Rating Area 1	No Preference	64	535.35
49316MN1100001	Rating Area 1	No Preference	65 and over	535.35
49316MN1100001	Rating Area 2	No Preference	0-20	121.29
49316MN1100001	Rating Area 2	No Preference	21	140.51
49316MN1100001	Rating Area 2	No Preference	22	140.51
49316MN1100001	Rating Area 2	No Preference	23	140.51
49316MN1100001	Rating Area 2	No Preference	24	140.51
49316MN1100001	Rating Area 2	No Preference	25	140.51
49316MN1100001	Rating Area 2	No Preference	26	140.51

49316MN1100001	Rating Area 2	No Preference	27	140.51
49316MN1100001	Rating Area 2	No Preference	28	140.51
49316MN1100001	Rating Area 2	No Preference	29	140.51
49316MN1100001	Rating Area 2	No Preference	30	160.54
49316MN1100001	Rating Area 2	No Preference	31	160.54
49316MN1100001	Rating Area 2	No Preference	32	160.54
49316MN1100001	Rating Area 2	No Preference	33	160.54
49316MN1100001	Rating Area 2	No Preference	34	160.54
49316MN1100001	Rating Area 2	No Preference	35	168.99
49316MN1100001	Rating Area 2	No Preference	36	168.99
49316MN1100001	Rating Area 2	No Preference	37	168.99
49316MN1100001	Rating Area 2	No Preference	38	168.99
49316MN1100001	Rating Area 2	No Preference	39	168.99
49316MN1100001	Rating Area 2	No Preference	40	181.53
49316MN1100001	Rating Area 2	No Preference	41	181.53
49316MN1100001	Rating Area 2	No Preference	42	181.53
49316MN1100001	Rating Area 2	No Preference	43	181.53
49316MN1100001	Rating Area 2	No Preference	44	181.53
49316MN1100001	Rating Area 2	No Preference	45	213.96
49316MN1100001	Rating Area 2	No Preference	46	213.96
49316MN1100001	Rating Area 2	No Preference	47	213.96
49316MN1100001	Rating Area 2	No Preference	48	213.96
49316MN1100001	Rating Area 2	No Preference	49	213.96
49316MN1100001	Rating Area 2	No Preference	50	266.57
49316MN1100001	Rating Area 2	No Preference	51	266.57
49316MN1100001	Rating Area 2	No Preference	52	266.57
49316MN1100001	Rating Area 2	No Preference	53	266.57
49316MN1100001	Rating Area 2	No Preference	54	266.57
49316MN1100001	Rating Area 2	No Preference	55	331.17
49316MN1100001	Rating Area 2	No Preference	56	331.17
49316MN1100001	Rating Area 2	No Preference	57	331.17
49316MN1100001	Rating Area 2	No Preference	58	331.17
49316MN1100001	Rating Area 2	No Preference	59	331.17
49316MN1100001	Rating Area 2	No Preference	60	391.13
49316MN1100001	Rating Area 2	No Preference	61	391.13
49316MN1100001	Rating Area 2	No Preference	62	391.13
49316MN1100001	Rating Area 2	No Preference	63	391.13
49316MN1100001	Rating Area 2	No Preference	64	408.85
49316MN1100001	Rating Area 2	No Preference	65 and over	408.85
49316MN1100001	Rating Area 3	No Preference	0-20	123.76
49316MN1100001	Rating Area 3	No Preference	21	143.37
49316MN1100001	Rating Area 3	No Preference	22	143.37
49316MN1100001	Rating Area 3	No Preference	23	143.37
49316MN1100001	Rating Area 3	No Preference	24	143.37
49316MN1100001	Rating Area 3	No Preference	25	143.37
49316MN1100001	Rating Area 3	No Preference	26	143.37
49316MN1100001	Rating Area 3	No Preference	27	143.37

49316MN1100001	Rating Area 3	No Preference	28	143.37
49316MN1100001	Rating Area 3	No Preference	29	143.37
49316MN1100001	Rating Area 3	No Preference	30	163.81
49316MN1100001	Rating Area 3	No Preference	31	163.81
49316MN1100001	Rating Area 3	No Preference	32	163.81
49316MN1100001	Rating Area 3	No Preference	33	163.81
49316MN1100001	Rating Area 3	No Preference	34	163.81
49316MN1100001	Rating Area 3	No Preference	35	172.43
49316MN1100001	Rating Area 3	No Preference	36	172.43
49316MN1100001	Rating Area 3	No Preference	37	172.43
49316MN1100001	Rating Area 3	No Preference	38	172.43
49316MN1100001	Rating Area 3	No Preference	39	172.43
49316MN1100001	Rating Area 3	No Preference	40	185.23
49316MN1100001	Rating Area 3	No Preference	41	185.23
49316MN1100001	Rating Area 3	No Preference	42	185.23
49316MN1100001	Rating Area 3	No Preference	43	185.23
49316MN1100001	Rating Area 3	No Preference	44	185.23
49316MN1100001	Rating Area 3	No Preference	45	218.32
49316MN1100001	Rating Area 3	No Preference	46	218.32
49316MN1100001	Rating Area 3	No Preference	47	218.32
49316MN1100001	Rating Area 3	No Preference	48	218.32
49316MN1100001	Rating Area 3	No Preference	49	218.32
49316MN1100001	Rating Area 3	No Preference	50	272
49316MN1100001	Rating Area 3	No Preference	51	272
49316MN1100001	Rating Area 3	No Preference	52	272
49316MN1100001	Rating Area 3	No Preference	53	272
49316MN1100001	Rating Area 3	No Preference	54	272
49316MN1100001	Rating Area 3	No Preference	55	337.91
49316MN1100001	Rating Area 3	No Preference	56	337.91
49316MN1100001	Rating Area 3	No Preference	57	337.91
49316MN1100001	Rating Area 3	No Preference	58	337.91
49316MN1100001	Rating Area 3	No Preference	59	337.91
49316MN1100001	Rating Area 3	No Preference	60	399.1
49316MN1100001	Rating Area 3	No Preference	61	399.1
49316MN1100001	Rating Area 3	No Preference	62	399.1
49316MN1100001	Rating Area 3	No Preference	63	399.1
49316MN1100001	Rating Area 3	No Preference	64	417.17
49316MN1100001	Rating Area 3	No Preference	65 and over	417.17
49316MN1100001	Rating Area 4	No Preference	0-20	123.76
49316MN1100001	Rating Area 4	No Preference	21	143.37
49316MN1100001	Rating Area 4	No Preference	22	143.37
49316MN1100001	Rating Area 4	No Preference	23	143.37
49316MN1100001	Rating Area 4	No Preference	24	143.37
49316MN1100001	Rating Area 4	No Preference	25	143.37
49316MN1100001	Rating Area 4	No Preference	26	143.37
49316MN1100001	Rating Area 4	No Preference	27	143.37
49316MN1100001	Rating Area 4	No Preference	28	143.37

49316MN1100001	Rating Area 4	No Preference	29	143.37
49316MN1100001	Rating Area 4	No Preference	30	163.81
49316MN1100001	Rating Area 4	No Preference	31	163.81
49316MN1100001	Rating Area 4	No Preference	32	163.81
49316MN1100001	Rating Area 4	No Preference	33	163.81
49316MN1100001	Rating Area 4	No Preference	34	163.81
49316MN1100001	Rating Area 4	No Preference	35	172.43
49316MN1100001	Rating Area 4	No Preference	36	172.43
49316MN1100001	Rating Area 4	No Preference	37	172.43
49316MN1100001	Rating Area 4	No Preference	38	172.43
49316MN1100001	Rating Area 4	No Preference	39	172.43
49316MN1100001	Rating Area 4	No Preference	40	185.23
49316MN1100001	Rating Area 4	No Preference	41	185.23
49316MN1100001	Rating Area 4	No Preference	42	185.23
49316MN1100001	Rating Area 4	No Preference	43	185.23
49316MN1100001	Rating Area 4	No Preference	44	185.23
49316MN1100001	Rating Area 4	No Preference	45	218.32
49316MN1100001	Rating Area 4	No Preference	46	218.32
49316MN1100001	Rating Area 4	No Preference	47	218.32
49316MN1100001	Rating Area 4	No Preference	48	218.32
49316MN1100001	Rating Area 4	No Preference	49	218.32
49316MN1100001	Rating Area 4	No Preference	50	272
49316MN1100001	Rating Area 4	No Preference	51	272
49316MN1100001	Rating Area 4	No Preference	52	272
49316MN1100001	Rating Area 4	No Preference	53	272
49316MN1100001	Rating Area 4	No Preference	54	272
49316MN1100001	Rating Area 4	No Preference	55	337.91
49316MN1100001	Rating Area 4	No Preference	56	337.91
49316MN1100001	Rating Area 4	No Preference	57	337.91
49316MN1100001	Rating Area 4	No Preference	58	337.91
49316MN1100001	Rating Area 4	No Preference	59	337.91
49316MN1100001	Rating Area 4	No Preference	60	399.1
49316MN1100001	Rating Area 4	No Preference	61	399.1
49316MN1100001	Rating Area 4	No Preference	62	399.1
49316MN1100001	Rating Area 4	No Preference	63	399.1
49316MN1100001	Rating Area 4	No Preference	64	417.17
49316MN1100001	Rating Area 4	No Preference	65 and over	417.17
49316MN1100001	Rating Area 5	No Preference	0-20	123.76
49316MN1100001	Rating Area 5	No Preference	21	143.37
49316MN1100001	Rating Area 5	No Preference	22	143.37
49316MN1100001	Rating Area 5	No Preference	23	143.37
49316MN1100001	Rating Area 5	No Preference	24	143.37
49316MN1100001	Rating Area 5	No Preference	25	143.37
49316MN1100001	Rating Area 5	No Preference	26	143.37
49316MN1100001	Rating Area 5	No Preference	27	143.37
49316MN1100001	Rating Area 5	No Preference	28	143.37
49316MN1100001	Rating Area 5	No Preference	29	143.37

49316MN1100001	Rating Area 5	No Preference	30	163.81
49316MN1100001	Rating Area 5	No Preference	31	163.81
49316MN1100001	Rating Area 5	No Preference	32	163.81
49316MN1100001	Rating Area 5	No Preference	33	163.81
49316MN1100001	Rating Area 5	No Preference	34	163.81
49316MN1100001	Rating Area 5	No Preference	35	172.43
49316MN1100001	Rating Area 5	No Preference	36	172.43
49316MN1100001	Rating Area 5	No Preference	37	172.43
49316MN1100001	Rating Area 5	No Preference	38	172.43
49316MN1100001	Rating Area 5	No Preference	39	172.43
49316MN1100001	Rating Area 5	No Preference	40	185.23
49316MN1100001	Rating Area 5	No Preference	41	185.23
49316MN1100001	Rating Area 5	No Preference	42	185.23
49316MN1100001	Rating Area 5	No Preference	43	185.23
49316MN1100001	Rating Area 5	No Preference	44	185.23
49316MN1100001	Rating Area 5	No Preference	45	218.32
49316MN1100001	Rating Area 5	No Preference	46	218.32
49316MN1100001	Rating Area 5	No Preference	47	218.32
49316MN1100001	Rating Area 5	No Preference	48	218.32
49316MN1100001	Rating Area 5	No Preference	49	218.32
49316MN1100001	Rating Area 5	No Preference	50	272
49316MN1100001	Rating Area 5	No Preference	51	272
49316MN1100001	Rating Area 5	No Preference	52	272
49316MN1100001	Rating Area 5	No Preference	53	272
49316MN1100001	Rating Area 5	No Preference	54	272
49316MN1100001	Rating Area 5	No Preference	55	337.91
49316MN1100001	Rating Area 5	No Preference	56	337.91
49316MN1100001	Rating Area 5	No Preference	57	337.91
49316MN1100001	Rating Area 5	No Preference	58	337.91
49316MN1100001	Rating Area 5	No Preference	59	337.91
49316MN1100001	Rating Area 5	No Preference	60	399.1
49316MN1100001	Rating Area 5	No Preference	61	399.1
49316MN1100001	Rating Area 5	No Preference	62	399.1
49316MN1100001	Rating Area 5	No Preference	63	399.1
49316MN1100001	Rating Area 5	No Preference	64	417.17
49316MN1100001	Rating Area 5	No Preference	65 and over	417.17
49316MN1100001	Rating Area 6	No Preference	0-20	110.7
49316MN1100001	Rating Area 6	No Preference	21	128.24
49316MN1100001	Rating Area 6	No Preference	22	128.24
49316MN1100001	Rating Area 6	No Preference	23	128.24
49316MN1100001	Rating Area 6	No Preference	24	128.24
49316MN1100001	Rating Area 6	No Preference	25	128.24
49316MN1100001	Rating Area 6	No Preference	26	128.24
49316MN1100001	Rating Area 6	No Preference	27	128.24
49316MN1100001	Rating Area 6	No Preference	28	128.24
49316MN1100001	Rating Area 6	No Preference	29	128.24
49316MN1100001	Rating Area 6	No Preference	30	146.53

49316MN1100001	Rating Area 6	No Preference	31	146.53
49316MN1100001	Rating Area 6	No Preference	32	146.53
49316MN1100001	Rating Area 6	No Preference	33	146.53
49316MN1100001	Rating Area 6	No Preference	34	146.53
49316MN1100001	Rating Area 6	No Preference	35	154.24
49316MN1100001	Rating Area 6	No Preference	36	154.24
49316MN1100001	Rating Area 6	No Preference	37	154.24
49316MN1100001	Rating Area 6	No Preference	38	154.24
49316MN1100001	Rating Area 6	No Preference	39	154.24
49316MN1100001	Rating Area 6	No Preference	40	165.68
49316MN1100001	Rating Area 6	No Preference	41	165.68
49316MN1100001	Rating Area 6	No Preference	42	165.68
49316MN1100001	Rating Area 6	No Preference	43	165.68
49316MN1100001	Rating Area 6	No Preference	44	165.68
49316MN1100001	Rating Area 6	No Preference	45	195.29
49316MN1100001	Rating Area 6	No Preference	46	195.29
49316MN1100001	Rating Area 6	No Preference	47	195.29
49316MN1100001	Rating Area 6	No Preference	48	195.29
49316MN1100001	Rating Area 6	No Preference	49	195.29
49316MN1100001	Rating Area 6	No Preference	50	243.3
49316MN1100001	Rating Area 6	No Preference	51	243.3
49316MN1100001	Rating Area 6	No Preference	52	243.3
49316MN1100001	Rating Area 6	No Preference	53	243.3
49316MN1100001	Rating Area 6	No Preference	54	243.3
49316MN1100001	Rating Area 6	No Preference	55	302.26
49316MN1100001	Rating Area 6	No Preference	56	302.26
49316MN1100001	Rating Area 6	No Preference	57	302.26
49316MN1100001	Rating Area 6	No Preference	58	302.26
49316MN1100001	Rating Area 6	No Preference	59	302.26
49316MN1100001	Rating Area 6	No Preference	60	356.99
49316MN1100001	Rating Area 6	No Preference	61	356.99
49316MN1100001	Rating Area 6	No Preference	62	356.99
49316MN1100001	Rating Area 6	No Preference	63	356.99
49316MN1100001	Rating Area 6	No Preference	64	373.16
49316MN1100001	Rating Area 6	No Preference	65 and over	373.16
49316MN1100001	Rating Area 7	No Preference	0-20	121.29
49316MN1100001	Rating Area 7	No Preference	21	140.51
49316MN1100001	Rating Area 7	No Preference	22	140.51
49316MN1100001	Rating Area 7	No Preference	23	140.51
49316MN1100001	Rating Area 7	No Preference	24	140.51
49316MN1100001	Rating Area 7	No Preference	25	140.51
49316MN1100001	Rating Area 7	No Preference	26	140.51
49316MN1100001	Rating Area 7	No Preference	27	140.51
49316MN1100001	Rating Area 7	No Preference	28	140.51
49316MN1100001	Rating Area 7	No Preference	29	140.51
49316MN1100001	Rating Area 7	No Preference	30	160.54
49316MN1100001	Rating Area 7	No Preference	31	160.54

49316MN1100001	Rating Area 7	No Preference	32	160.54
49316MN1100001	Rating Area 7	No Preference	33	160.54
49316MN1100001	Rating Area 7	No Preference	34	160.54
49316MN1100001	Rating Area 7	No Preference	35	168.99
49316MN1100001	Rating Area 7	No Preference	36	168.99
49316MN1100001	Rating Area 7	No Preference	37	168.99
49316MN1100001	Rating Area 7	No Preference	38	168.99
49316MN1100001	Rating Area 7	No Preference	39	168.99
49316MN1100001	Rating Area 7	No Preference	40	181.53
49316MN1100001	Rating Area 7	No Preference	41	181.53
49316MN1100001	Rating Area 7	No Preference	42	181.53
49316MN1100001	Rating Area 7	No Preference	43	181.53
49316MN1100001	Rating Area 7	No Preference	44	181.53
49316MN1100001	Rating Area 7	No Preference	45	213.96
49316MN1100001	Rating Area 7	No Preference	46	213.96
49316MN1100001	Rating Area 7	No Preference	47	213.96
49316MN1100001	Rating Area 7	No Preference	48	213.96
49316MN1100001	Rating Area 7	No Preference	49	213.96
49316MN1100001	Rating Area 7	No Preference	50	266.57
49316MN1100001	Rating Area 7	No Preference	51	266.57
49316MN1100001	Rating Area 7	No Preference	52	266.57
49316MN1100001	Rating Area 7	No Preference	53	266.57
49316MN1100001	Rating Area 7	No Preference	54	266.57
49316MN1100001	Rating Area 7	No Preference	55	331.17
49316MN1100001	Rating Area 7	No Preference	56	331.17
49316MN1100001	Rating Area 7	No Preference	57	331.17
49316MN1100001	Rating Area 7	No Preference	58	331.17
49316MN1100001	Rating Area 7	No Preference	59	331.17
49316MN1100001	Rating Area 7	No Preference	60	391.13
49316MN1100001	Rating Area 7	No Preference	61	391.13
49316MN1100001	Rating Area 7	No Preference	62	391.13
49316MN1100001	Rating Area 7	No Preference	63	391.13
49316MN1100001	Rating Area 7	No Preference	64	408.85
49316MN1100001	Rating Area 7	No Preference	65 and over	408.85
49316MN1100001	Rating Area 8	No Preference	0-20	103.53
49316MN1100001	Rating Area 8	No Preference	21	119.93
49316MN1100001	Rating Area 8	No Preference	22	119.93
49316MN1100001	Rating Area 8	No Preference	23	119.93
49316MN1100001	Rating Area 8	No Preference	24	119.93
49316MN1100001	Rating Area 8	No Preference	25	119.93
49316MN1100001	Rating Area 8	No Preference	26	119.93
49316MN1100001	Rating Area 8	No Preference	27	119.93
49316MN1100001	Rating Area 8	No Preference	28	119.93
49316MN1100001	Rating Area 8	No Preference	29	119.93
49316MN1100001	Rating Area 8	No Preference	30	137.03
49316MN1100001	Rating Area 8	No Preference	31	137.03
49316MN1100001	Rating Area 8	No Preference	32	137.03

49316MN1100001	Rating Area 8	No Preference	33	137.03
49316MN1100001	Rating Area 8	No Preference	34	137.03
49316MN1100001	Rating Area 8	No Preference	35	144.24
49316MN1100001	Rating Area 8	No Preference	36	144.24
49316MN1100001	Rating Area 8	No Preference	37	144.24
49316MN1100001	Rating Area 8	No Preference	38	144.24
49316MN1100001	Rating Area 8	No Preference	39	144.24
49316MN1100001	Rating Area 8	No Preference	40	154.94
49316MN1100001	Rating Area 8	No Preference	41	154.94
49316MN1100001	Rating Area 8	No Preference	42	154.94
49316MN1100001	Rating Area 8	No Preference	43	154.94
49316MN1100001	Rating Area 8	No Preference	44	154.94
49316MN1100001	Rating Area 8	No Preference	45	182.63
49316MN1100001	Rating Area 8	No Preference	46	182.63
49316MN1100001	Rating Area 8	No Preference	47	182.63
49316MN1100001	Rating Area 8	No Preference	48	182.63
49316MN1100001	Rating Area 8	No Preference	49	182.63
49316MN1100001	Rating Area 8	No Preference	50	227.53
49316MN1100001	Rating Area 8	No Preference	51	227.53
49316MN1100001	Rating Area 8	No Preference	52	227.53
49316MN1100001	Rating Area 8	No Preference	53	227.53
49316MN1100001	Rating Area 8	No Preference	54	227.53
49316MN1100001	Rating Area 8	No Preference	55	282.66
49316MN1100001	Rating Area 8	No Preference	56	282.66
49316MN1100001	Rating Area 8	No Preference	57	282.66
49316MN1100001	Rating Area 8	No Preference	58	282.66
49316MN1100001	Rating Area 8	No Preference	59	282.66
49316MN1100001	Rating Area 8	No Preference	60	333.85
49316MN1100001	Rating Area 8	No Preference	61	333.85
49316MN1100001	Rating Area 8	No Preference	62	333.85
49316MN1100001	Rating Area 8	No Preference	63	333.85
49316MN1100001	Rating Area 8	No Preference	64	348.97
49316MN1100001	Rating Area 8	No Preference	65 and over	348.97
49316MN1100001	Rating Area 9	No Preference	0-20	103.53
49316MN1100001	Rating Area 9	No Preference	21	119.93
49316MN1100001	Rating Area 9	No Preference	22	119.93
49316MN1100001	Rating Area 9	No Preference	23	119.93
49316MN1100001	Rating Area 9	No Preference	24	119.93
49316MN1100001	Rating Area 9	No Preference	25	119.93
49316MN1100001	Rating Area 9	No Preference	26	119.93
49316MN1100001	Rating Area 9	No Preference	27	119.93
49316MN1100001	Rating Area 9	No Preference	28	119.93
49316MN1100001	Rating Area 9	No Preference	29	119.93
49316MN1100001	Rating Area 9	No Preference	30	137.03
49316MN1100001	Rating Area 9	No Preference	31	137.03
49316MN1100001	Rating Area 9	No Preference	32	137.03
49316MN1100001	Rating Area 9	No Preference	33	137.03

49316MN1100001	Rating Area 9	No Preference	34	137.03
49316MN1100001	Rating Area 9	No Preference	35	144.24
49316MN1100001	Rating Area 9	No Preference	36	144.24
49316MN1100001	Rating Area 9	No Preference	37	144.24
49316MN1100001	Rating Area 9	No Preference	38	144.24
49316MN1100001	Rating Area 9	No Preference	39	144.24
49316MN1100001	Rating Area 9	No Preference	40	154.94
49316MN1100001	Rating Area 9	No Preference	41	154.94
49316MN1100001	Rating Area 9	No Preference	42	154.94
49316MN1100001	Rating Area 9	No Preference	43	154.94
49316MN1100001	Rating Area 9	No Preference	44	154.94
49316MN1100001	Rating Area 9	No Preference	45	182.63
49316MN1100001	Rating Area 9	No Preference	46	182.63
49316MN1100001	Rating Area 9	No Preference	47	182.63
49316MN1100001	Rating Area 9	No Preference	48	182.63
49316MN1100001	Rating Area 9	No Preference	49	182.63
49316MN1100001	Rating Area 9	No Preference	50	227.53
49316MN1100001	Rating Area 9	No Preference	51	227.53
49316MN1100001	Rating Area 9	No Preference	52	227.53
49316MN1100001	Rating Area 9	No Preference	53	227.53
49316MN1100001	Rating Area 9	No Preference	54	227.53
49316MN1100001	Rating Area 9	No Preference	55	282.66
49316MN1100001	Rating Area 9	No Preference	56	282.66
49316MN1100001	Rating Area 9	No Preference	57	282.66
49316MN1100001	Rating Area 9	No Preference	58	282.66
49316MN1100001	Rating Area 9	No Preference	59	282.66
49316MN1100001	Rating Area 9	No Preference	60	333.85
49316MN1100001	Rating Area 9	No Preference	61	333.85
49316MN1100001	Rating Area 9	No Preference	62	333.85
49316MN1100001	Rating Area 9	No Preference	63	333.85
49316MN1100001	Rating Area 9	No Preference	64	348.97
49316MN1100001	Rating Area 9	No Preference	65 and over	348.97
49316MN1100002	Rating Area 1	No Preference	0-20	160.93
49316MN1100002	Rating Area 1	No Preference	21	186.42
49316MN1100002	Rating Area 1	No Preference	22	186.42
49316MN1100002	Rating Area 1	No Preference	23	186.42
49316MN1100002	Rating Area 1	No Preference	24	186.42
49316MN1100002	Rating Area 1	No Preference	25	186.42
49316MN1100002	Rating Area 1	No Preference	26	186.42
49316MN1100002	Rating Area 1	No Preference	27	186.42
49316MN1100002	Rating Area 1	No Preference	28	186.42
49316MN1100002	Rating Area 1	No Preference	29	186.42
49316MN1100002	Rating Area 1	No Preference	30	213
49316MN1100002	Rating Area 1	No Preference	31	213
49316MN1100002	Rating Area 1	No Preference	32	213
49316MN1100002	Rating Area 1	No Preference	33	213
49316MN1100002	Rating Area 1	No Preference	34	213

49316MN1100002	Rating Area 1	No Preference	35	224.22
49316MN1100002	Rating Area 1	No Preference	36	224.22
49316MN1100002	Rating Area 1	No Preference	37	224.22
49316MN1100002	Rating Area 1	No Preference	38	224.22
49316MN1100002	Rating Area 1	No Preference	39	224.22
49316MN1100002	Rating Area 1	No Preference	40	240.85
49316MN1100002	Rating Area 1	No Preference	41	240.85
49316MN1100002	Rating Area 1	No Preference	42	240.85
49316MN1100002	Rating Area 1	No Preference	43	240.85
49316MN1100002	Rating Area 1	No Preference	44	240.85
49316MN1100002	Rating Area 1	No Preference	45	283.89
49316MN1100002	Rating Area 1	No Preference	46	283.89
49316MN1100002	Rating Area 1	No Preference	47	283.89
49316MN1100002	Rating Area 1	No Preference	48	283.89
49316MN1100002	Rating Area 1	No Preference	49	283.89
49316MN1100002	Rating Area 1	No Preference	50	353.68
49316MN1100002	Rating Area 1	No Preference	51	353.68
49316MN1100002	Rating Area 1	No Preference	52	353.68
49316MN1100002	Rating Area 1	No Preference	53	353.68
49316MN1100002	Rating Area 1	No Preference	54	353.68
49316MN1100002	Rating Area 1	No Preference	55	439.39
49316MN1100002	Rating Area 1	No Preference	56	439.39
49316MN1100002	Rating Area 1	No Preference	57	439.39
49316MN1100002	Rating Area 1	No Preference	58	439.39
49316MN1100002	Rating Area 1	No Preference	59	439.39
49316MN1100002	Rating Area 1	No Preference	60	518.95
49316MN1100002	Rating Area 1	No Preference	61	518.95
49316MN1100002	Rating Area 1	No Preference	62	518.95
49316MN1100002	Rating Area 1	No Preference	63	518.95
49316MN1100002	Rating Area 1	No Preference	64	542.46
49316MN1100002	Rating Area 1	No Preference	65 and over	542.46
49316MN1100002	Rating Area 2	No Preference	0-20	122.9
49316MN1100002	Rating Area 2	No Preference	21	142.37
49316MN1100002	Rating Area 2	No Preference	22	142.37
49316MN1100002	Rating Area 2	No Preference	23	142.37
49316MN1100002	Rating Area 2	No Preference	24	142.37
49316MN1100002	Rating Area 2	No Preference	25	142.37
49316MN1100002	Rating Area 2	No Preference	26	142.37
49316MN1100002	Rating Area 2	No Preference	27	142.37
49316MN1100002	Rating Area 2	No Preference	28	142.37
49316MN1100002	Rating Area 2	No Preference	29	142.37
49316MN1100002	Rating Area 2	No Preference	30	162.67
49316MN1100002	Rating Area 2	No Preference	31	162.67
49316MN1100002	Rating Area 2	No Preference	32	162.67
49316MN1100002	Rating Area 2	No Preference	33	162.67
49316MN1100002	Rating Area 2	No Preference	34	162.67
49316MN1100002	Rating Area 2	No Preference	35	171.23

49316MN1100002	Rating Area 2	No Preference	36	171.23
49316MN1100002	Rating Area 2	No Preference	37	171.23
49316MN1100002	Rating Area 2	No Preference	38	171.23
49316MN1100002	Rating Area 2	No Preference	39	171.23
49316MN1100002	Rating Area 2	No Preference	40	183.94
49316MN1100002	Rating Area 2	No Preference	41	183.94
49316MN1100002	Rating Area 2	No Preference	42	183.94
49316MN1100002	Rating Area 2	No Preference	43	183.94
49316MN1100002	Rating Area 2	No Preference	44	183.94
49316MN1100002	Rating Area 2	No Preference	45	216.8
49316MN1100002	Rating Area 2	No Preference	46	216.8
49316MN1100002	Rating Area 2	No Preference	47	216.8
49316MN1100002	Rating Area 2	No Preference	48	216.8
49316MN1100002	Rating Area 2	No Preference	49	216.8
49316MN1100002	Rating Area 2	No Preference	50	270.11
49316MN1100002	Rating Area 2	No Preference	51	270.11
49316MN1100002	Rating Area 2	No Preference	52	270.11
49316MN1100002	Rating Area 2	No Preference	53	270.11
49316MN1100002	Rating Area 2	No Preference	54	270.11
49316MN1100002	Rating Area 2	No Preference	55	335.56
49316MN1100002	Rating Area 2	No Preference	56	335.56
49316MN1100002	Rating Area 2	No Preference	57	335.56
49316MN1100002	Rating Area 2	No Preference	58	335.56
49316MN1100002	Rating Area 2	No Preference	59	335.56
49316MN1100002	Rating Area 2	No Preference	60	396.32
49316MN1100002	Rating Area 2	No Preference	61	396.32
49316MN1100002	Rating Area 2	No Preference	62	396.32
49316MN1100002	Rating Area 2	No Preference	63	396.32
49316MN1100002	Rating Area 2	No Preference	64	414.28
49316MN1100002	Rating Area 2	No Preference	65 and over	414.28
49316MN1100002	Rating Area 3	No Preference	0-20	125.41
49316MN1100002	Rating Area 3	No Preference	21	145.27
49316MN1100002	Rating Area 3	No Preference	22	145.27
49316MN1100002	Rating Area 3	No Preference	23	145.27
49316MN1100002	Rating Area 3	No Preference	24	145.27
49316MN1100002	Rating Area 3	No Preference	25	145.27
49316MN1100002	Rating Area 3	No Preference	26	145.27
49316MN1100002	Rating Area 3	No Preference	27	145.27
49316MN1100002	Rating Area 3	No Preference	28	145.27
49316MN1100002	Rating Area 3	No Preference	29	145.27
49316MN1100002	Rating Area 3	No Preference	30	165.99
49316MN1100002	Rating Area 3	No Preference	31	165.99
49316MN1100002	Rating Area 3	No Preference	32	165.99
49316MN1100002	Rating Area 3	No Preference	33	165.99
49316MN1100002	Rating Area 3	No Preference	34	165.99
49316MN1100002	Rating Area 3	No Preference	35	174.72
49316MN1100002	Rating Area 3	No Preference	36	174.72

49316MN1100002	Rating Area 3	No Preference	37	174.72
49316MN1100002	Rating Area 3	No Preference	38	174.72
49316MN1100002	Rating Area 3	No Preference	39	174.72
49316MN1100002	Rating Area 3	No Preference	40	187.69
49316MN1100002	Rating Area 3	No Preference	41	187.69
49316MN1100002	Rating Area 3	No Preference	42	187.69
49316MN1100002	Rating Area 3	No Preference	43	187.69
49316MN1100002	Rating Area 3	No Preference	44	187.69
49316MN1100002	Rating Area 3	No Preference	45	221.22
49316MN1100002	Rating Area 3	No Preference	46	221.22
49316MN1100002	Rating Area 3	No Preference	47	221.22
49316MN1100002	Rating Area 3	No Preference	48	221.22
49316MN1100002	Rating Area 3	No Preference	49	221.22
49316MN1100002	Rating Area 3	No Preference	50	275.61
49316MN1100002	Rating Area 3	No Preference	51	275.61
49316MN1100002	Rating Area 3	No Preference	52	275.61
49316MN1100002	Rating Area 3	No Preference	53	275.61
49316MN1100002	Rating Area 3	No Preference	54	275.61
49316MN1100002	Rating Area 3	No Preference	55	342.4
49316MN1100002	Rating Area 3	No Preference	56	342.4
49316MN1100002	Rating Area 3	No Preference	57	342.4
49316MN1100002	Rating Area 3	No Preference	58	342.4
49316MN1100002	Rating Area 3	No Preference	59	342.4
49316MN1100002	Rating Area 3	No Preference	60	404.4
49316MN1100002	Rating Area 3	No Preference	61	404.4
49316MN1100002	Rating Area 3	No Preference	62	404.4
49316MN1100002	Rating Area 3	No Preference	63	404.4
49316MN1100002	Rating Area 3	No Preference	64	422.71
49316MN1100002	Rating Area 3	No Preference	65 and over	422.71
49316MN1100002	Rating Area 4	No Preference	0-20	125.41
49316MN1100002	Rating Area 4	No Preference	21	145.27
49316MN1100002	Rating Area 4	No Preference	22	145.27
49316MN1100002	Rating Area 4	No Preference	23	145.27
49316MN1100002	Rating Area 4	No Preference	24	145.27
49316MN1100002	Rating Area 4	No Preference	25	145.27
49316MN1100002	Rating Area 4	No Preference	26	145.27
49316MN1100002	Rating Area 4	No Preference	27	145.27
49316MN1100002	Rating Area 4	No Preference	28	145.27
49316MN1100002	Rating Area 4	No Preference	29	145.27
49316MN1100002	Rating Area 4	No Preference	30	165.99
49316MN1100002	Rating Area 4	No Preference	31	165.99
49316MN1100002	Rating Area 4	No Preference	32	165.99
49316MN1100002	Rating Area 4	No Preference	33	165.99
49316MN1100002	Rating Area 4	No Preference	34	165.99
49316MN1100002	Rating Area 4	No Preference	35	174.72
49316MN1100002	Rating Area 4	No Preference	36	174.72
49316MN1100002	Rating Area 4	No Preference	37	174.72

49316MN1100002	Rating Area 4	No Preference	38	174.72
49316MN1100002	Rating Area 4	No Preference	39	174.72
49316MN1100002	Rating Area 4	No Preference	40	187.69
49316MN1100002	Rating Area 4	No Preference	41	187.69
49316MN1100002	Rating Area 4	No Preference	42	187.69
49316MN1100002	Rating Area 4	No Preference	43	187.69
49316MN1100002	Rating Area 4	No Preference	44	187.69
49316MN1100002	Rating Area 4	No Preference	45	221.22
49316MN1100002	Rating Area 4	No Preference	46	221.22
49316MN1100002	Rating Area 4	No Preference	47	221.22
49316MN1100002	Rating Area 4	No Preference	48	221.22
49316MN1100002	Rating Area 4	No Preference	49	221.22
49316MN1100002	Rating Area 4	No Preference	50	275.61
49316MN1100002	Rating Area 4	No Preference	51	275.61
49316MN1100002	Rating Area 4	No Preference	52	275.61
49316MN1100002	Rating Area 4	No Preference	53	275.61
49316MN1100002	Rating Area 4	No Preference	54	275.61
49316MN1100002	Rating Area 4	No Preference	55	342.4
49316MN1100002	Rating Area 4	No Preference	56	342.4
49316MN1100002	Rating Area 4	No Preference	57	342.4
49316MN1100002	Rating Area 4	No Preference	58	342.4
49316MN1100002	Rating Area 4	No Preference	59	342.4
49316MN1100002	Rating Area 4	No Preference	60	404.4
49316MN1100002	Rating Area 4	No Preference	61	404.4
49316MN1100002	Rating Area 4	No Preference	62	404.4
49316MN1100002	Rating Area 4	No Preference	63	404.4
49316MN1100002	Rating Area 4	No Preference	64	422.71
49316MN1100002	Rating Area 4	No Preference	65 and over	422.71
49316MN1100002	Rating Area 5	No Preference	0-20	125.41
49316MN1100002	Rating Area 5	No Preference	21	145.27
49316MN1100002	Rating Area 5	No Preference	22	145.27
49316MN1100002	Rating Area 5	No Preference	23	145.27
49316MN1100002	Rating Area 5	No Preference	24	145.27
49316MN1100002	Rating Area 5	No Preference	25	145.27
49316MN1100002	Rating Area 5	No Preference	26	145.27
49316MN1100002	Rating Area 5	No Preference	27	145.27
49316MN1100002	Rating Area 5	No Preference	28	145.27
49316MN1100002	Rating Area 5	No Preference	29	145.27
49316MN1100002	Rating Area 5	No Preference	30	165.99
49316MN1100002	Rating Area 5	No Preference	31	165.99
49316MN1100002	Rating Area 5	No Preference	32	165.99
49316MN1100002	Rating Area 5	No Preference	33	165.99
49316MN1100002	Rating Area 5	No Preference	34	165.99
49316MN1100002	Rating Area 5	No Preference	35	174.72
49316MN1100002	Rating Area 5	No Preference	36	174.72
49316MN1100002	Rating Area 5	No Preference	37	174.72
49316MN1100002	Rating Area 5	No Preference	38	174.72

49316MN1100002	Rating Area 5	No Preference	39	174.72
49316MN1100002	Rating Area 5	No Preference	40	187.69
49316MN1100002	Rating Area 5	No Preference	41	187.69
49316MN1100002	Rating Area 5	No Preference	42	187.69
49316MN1100002	Rating Area 5	No Preference	43	187.69
49316MN1100002	Rating Area 5	No Preference	44	187.69
49316MN1100002	Rating Area 5	No Preference	45	221.22
49316MN1100002	Rating Area 5	No Preference	46	221.22
49316MN1100002	Rating Area 5	No Preference	47	221.22
49316MN1100002	Rating Area 5	No Preference	48	221.22
49316MN1100002	Rating Area 5	No Preference	49	221.22
49316MN1100002	Rating Area 5	No Preference	50	275.61
49316MN1100002	Rating Area 5	No Preference	51	275.61
49316MN1100002	Rating Area 5	No Preference	52	275.61
49316MN1100002	Rating Area 5	No Preference	53	275.61
49316MN1100002	Rating Area 5	No Preference	54	275.61
49316MN1100002	Rating Area 5	No Preference	55	342.4
49316MN1100002	Rating Area 5	No Preference	56	342.4
49316MN1100002	Rating Area 5	No Preference	57	342.4
49316MN1100002	Rating Area 5	No Preference	58	342.4
49316MN1100002	Rating Area 5	No Preference	59	342.4
49316MN1100002	Rating Area 5	No Preference	60	404.4
49316MN1100002	Rating Area 5	No Preference	61	404.4
49316MN1100002	Rating Area 5	No Preference	62	404.4
49316MN1100002	Rating Area 5	No Preference	63	404.4
49316MN1100002	Rating Area 5	No Preference	64	422.71
49316MN1100002	Rating Area 5	No Preference	65 and over	422.71
49316MN1100002	Rating Area 6	No Preference	0-20	112.17
49316MN1100002	Rating Area 6	No Preference	21	129.94
49316MN1100002	Rating Area 6	No Preference	22	129.94
49316MN1100002	Rating Area 6	No Preference	23	129.94
49316MN1100002	Rating Area 6	No Preference	24	129.94
49316MN1100002	Rating Area 6	No Preference	25	129.94
49316MN1100002	Rating Area 6	No Preference	26	129.94
49316MN1100002	Rating Area 6	No Preference	27	129.94
49316MN1100002	Rating Area 6	No Preference	28	129.94
49316MN1100002	Rating Area 6	No Preference	29	129.94
49316MN1100002	Rating Area 6	No Preference	30	148.47
49316MN1100002	Rating Area 6	No Preference	31	148.47
49316MN1100002	Rating Area 6	No Preference	32	148.47
49316MN1100002	Rating Area 6	No Preference	33	148.47
49316MN1100002	Rating Area 6	No Preference	34	148.47
49316MN1100002	Rating Area 6	No Preference	35	156.29
49316MN1100002	Rating Area 6	No Preference	36	156.29
49316MN1100002	Rating Area 6	No Preference	37	156.29
49316MN1100002	Rating Area 6	No Preference	38	156.29
49316MN1100002	Rating Area 6	No Preference	39	156.29

49316MN1100002	Rating Area 6	No Preference	40	167.88
49316MN1100002	Rating Area 6	No Preference	41	167.88
49316MN1100002	Rating Area 6	No Preference	42	167.88
49316MN1100002	Rating Area 6	No Preference	43	167.88
49316MN1100002	Rating Area 6	No Preference	44	167.88
49316MN1100002	Rating Area 6	No Preference	45	197.88
49316MN1100002	Rating Area 6	No Preference	46	197.88
49316MN1100002	Rating Area 6	No Preference	47	197.88
49316MN1100002	Rating Area 6	No Preference	48	197.88
49316MN1100002	Rating Area 6	No Preference	49	197.88
49316MN1100002	Rating Area 6	No Preference	50	246.53
49316MN1100002	Rating Area 6	No Preference	51	246.53
49316MN1100002	Rating Area 6	No Preference	52	246.53
49316MN1100002	Rating Area 6	No Preference	53	246.53
49316MN1100002	Rating Area 6	No Preference	54	246.53
49316MN1100002	Rating Area 6	No Preference	55	306.27
49316MN1100002	Rating Area 6	No Preference	56	306.27
49316MN1100002	Rating Area 6	No Preference	57	306.27
49316MN1100002	Rating Area 6	No Preference	58	306.27
49316MN1100002	Rating Area 6	No Preference	59	306.27
49316MN1100002	Rating Area 6	No Preference	60	361.73
49316MN1100002	Rating Area 6	No Preference	61	361.73
49316MN1100002	Rating Area 6	No Preference	62	361.73
49316MN1100002	Rating Area 6	No Preference	63	361.73
49316MN1100002	Rating Area 6	No Preference	64	378.11
49316MN1100002	Rating Area 6	No Preference	65 and over	378.11
49316MN1100002	Rating Area 7	No Preference	0-20	122.9
49316MN1100002	Rating Area 7	No Preference	21	142.37
49316MN1100002	Rating Area 7	No Preference	22	142.37
49316MN1100002	Rating Area 7	No Preference	23	142.37
49316MN1100002	Rating Area 7	No Preference	24	142.37
49316MN1100002	Rating Area 7	No Preference	25	142.37
49316MN1100002	Rating Area 7	No Preference	26	142.37
49316MN1100002	Rating Area 7	No Preference	27	142.37
49316MN1100002	Rating Area 7	No Preference	28	142.37
49316MN1100002	Rating Area 7	No Preference	29	142.37
49316MN1100002	Rating Area 7	No Preference	30	162.67
49316MN1100002	Rating Area 7	No Preference	31	162.67
49316MN1100002	Rating Area 7	No Preference	32	162.67
49316MN1100002	Rating Area 7	No Preference	33	162.67
49316MN1100002	Rating Area 7	No Preference	34	162.67
49316MN1100002	Rating Area 7	No Preference	35	171.23
49316MN1100002	Rating Area 7	No Preference	36	171.23
49316MN1100002	Rating Area 7	No Preference	37	171.23
49316MN1100002	Rating Area 7	No Preference	38	171.23
49316MN1100002	Rating Area 7	No Preference	39	171.23
49316MN1100002	Rating Area 7	No Preference	40	183.94

49316MN1100002	Rating Area 7	No Preference	41	183.94
49316MN1100002	Rating Area 7	No Preference	42	183.94
49316MN1100002	Rating Area 7	No Preference	43	183.94
49316MN1100002	Rating Area 7	No Preference	44	183.94
49316MN1100002	Rating Area 7	No Preference	45	216.8
49316MN1100002	Rating Area 7	No Preference	46	216.8
49316MN1100002	Rating Area 7	No Preference	47	216.8
49316MN1100002	Rating Area 7	No Preference	48	216.8
49316MN1100002	Rating Area 7	No Preference	49	216.8
49316MN1100002	Rating Area 7	No Preference	50	270.11
49316MN1100002	Rating Area 7	No Preference	51	270.11
49316MN1100002	Rating Area 7	No Preference	52	270.11
49316MN1100002	Rating Area 7	No Preference	53	270.11
49316MN1100002	Rating Area 7	No Preference	54	270.11
49316MN1100002	Rating Area 7	No Preference	55	335.56
49316MN1100002	Rating Area 7	No Preference	56	335.56
49316MN1100002	Rating Area 7	No Preference	57	335.56
49316MN1100002	Rating Area 7	No Preference	58	335.56
49316MN1100002	Rating Area 7	No Preference	59	335.56
49316MN1100002	Rating Area 7	No Preference	60	396.32
49316MN1100002	Rating Area 7	No Preference	61	396.32
49316MN1100002	Rating Area 7	No Preference	62	396.32
49316MN1100002	Rating Area 7	No Preference	63	396.32
49316MN1100002	Rating Area 7	No Preference	64	414.28
49316MN1100002	Rating Area 7	No Preference	65 and over	414.28
49316MN1100002	Rating Area 8	No Preference	0-20	104.9
49316MN1100002	Rating Area 8	No Preference	21	121.52
49316MN1100002	Rating Area 8	No Preference	22	121.52
49316MN1100002	Rating Area 8	No Preference	23	121.52
49316MN1100002	Rating Area 8	No Preference	24	121.52
49316MN1100002	Rating Area 8	No Preference	25	121.52
49316MN1100002	Rating Area 8	No Preference	26	121.52
49316MN1100002	Rating Area 8	No Preference	27	121.52
49316MN1100002	Rating Area 8	No Preference	28	121.52
49316MN1100002	Rating Area 8	No Preference	29	121.52
49316MN1100002	Rating Area 8	No Preference	30	138.85
49316MN1100002	Rating Area 8	No Preference	31	138.85
49316MN1100002	Rating Area 8	No Preference	32	138.85
49316MN1100002	Rating Area 8	No Preference	33	138.85
49316MN1100002	Rating Area 8	No Preference	34	138.85
49316MN1100002	Rating Area 8	No Preference	35	146.16
49316MN1100002	Rating Area 8	No Preference	36	146.16
49316MN1100002	Rating Area 8	No Preference	37	146.16
49316MN1100002	Rating Area 8	No Preference	38	146.16
49316MN1100002	Rating Area 8	No Preference	39	146.16
49316MN1100002	Rating Area 8	No Preference	40	157
49316MN1100002	Rating Area 8	No Preference	41	157

49316MN1100002	Rating Area 8	No Preference	42	157
49316MN1100002	Rating Area 8	No Preference	43	157
49316MN1100002	Rating Area 8	No Preference	44	157
49316MN1100002	Rating Area 8	No Preference	45	185.05
49316MN1100002	Rating Area 8	No Preference	46	185.05
49316MN1100002	Rating Area 8	No Preference	47	185.05
49316MN1100002	Rating Area 8	No Preference	48	185.05
49316MN1100002	Rating Area 8	No Preference	49	185.05
49316MN1100002	Rating Area 8	No Preference	50	230.55
49316MN1100002	Rating Area 8	No Preference	51	230.55
49316MN1100002	Rating Area 8	No Preference	52	230.55
49316MN1100002	Rating Area 8	No Preference	53	230.55
49316MN1100002	Rating Area 8	No Preference	54	230.55
49316MN1100002	Rating Area 8	No Preference	55	286.42
49316MN1100002	Rating Area 8	No Preference	56	286.42
49316MN1100002	Rating Area 8	No Preference	57	286.42
49316MN1100002	Rating Area 8	No Preference	58	286.42
49316MN1100002	Rating Area 8	No Preference	59	286.42
49316MN1100002	Rating Area 8	No Preference	60	338.28
49316MN1100002	Rating Area 8	No Preference	61	338.28
49316MN1100002	Rating Area 8	No Preference	62	338.28
49316MN1100002	Rating Area 8	No Preference	63	338.28
49316MN1100002	Rating Area 8	No Preference	64	353.6
49316MN1100002	Rating Area 8	No Preference	65 and over	353.6
49316MN1100002	Rating Area 9	No Preference	0-20	104.9
49316MN1100002	Rating Area 9	No Preference	21	121.52
49316MN1100002	Rating Area 9	No Preference	22	121.52
49316MN1100002	Rating Area 9	No Preference	23	121.52
49316MN1100002	Rating Area 9	No Preference	24	121.52
49316MN1100002	Rating Area 9	No Preference	25	121.52
49316MN1100002	Rating Area 9	No Preference	26	121.52
49316MN1100002	Rating Area 9	No Preference	27	121.52
49316MN1100002	Rating Area 9	No Preference	28	121.52
49316MN1100002	Rating Area 9	No Preference	29	121.52
49316MN1100002	Rating Area 9	No Preference	30	138.85
49316MN1100002	Rating Area 9	No Preference	31	138.85
49316MN1100002	Rating Area 9	No Preference	32	138.85
49316MN1100002	Rating Area 9	No Preference	33	138.85
49316MN1100002	Rating Area 9	No Preference	34	138.85
49316MN1100002	Rating Area 9	No Preference	35	146.16
49316MN1100002	Rating Area 9	No Preference	36	146.16
49316MN1100002	Rating Area 9	No Preference	37	146.16
49316MN1100002	Rating Area 9	No Preference	38	146.16
49316MN1100002	Rating Area 9	No Preference	39	146.16
49316MN1100002	Rating Area 9	No Preference	40	157
49316MN1100002	Rating Area 9	No Preference	41	157
49316MN1100002	Rating Area 9	No Preference	42	157

49316MN1100002	Rating Area 9	No Preference	43	157
49316MN1100002	Rating Area 9	No Preference	44	157
49316MN1100002	Rating Area 9	No Preference	45	185.05
49316MN1100002	Rating Area 9	No Preference	46	185.05
49316MN1100002	Rating Area 9	No Preference	47	185.05
49316MN1100002	Rating Area 9	No Preference	48	185.05
49316MN1100002	Rating Area 9	No Preference	49	185.05
49316MN1100002	Rating Area 9	No Preference	50	230.55
49316MN1100002	Rating Area 9	No Preference	51	230.55
49316MN1100002	Rating Area 9	No Preference	52	230.55
49316MN1100002	Rating Area 9	No Preference	53	230.55
49316MN1100002	Rating Area 9	No Preference	54	230.55
49316MN1100002	Rating Area 9	No Preference	55	286.42
49316MN1100002	Rating Area 9	No Preference	56	286.42
49316MN1100002	Rating Area 9	No Preference	57	286.42
49316MN1100002	Rating Area 9	No Preference	58	286.42
49316MN1100002	Rating Area 9	No Preference	59	286.42
49316MN1100002	Rating Area 9	No Preference	60	338.28
49316MN1100002	Rating Area 9	No Preference	61	338.28
49316MN1100002	Rating Area 9	No Preference	62	338.28
49316MN1100002	Rating Area 9	No Preference	63	338.28
49316MN1100002	Rating Area 9	No Preference	64	353.6
49316MN1100002	Rating Area 9	No Preference	65 and over	353.6
49316MN1100003	Rating Area 1	No Preference	0-20	192.86
49316MN1100003	Rating Area 1	No Preference	21	223.41
49316MN1100003	Rating Area 1	No Preference	22	223.41
49316MN1100003	Rating Area 1	No Preference	23	223.41
49316MN1100003	Rating Area 1	No Preference	24	223.41
49316MN1100003	Rating Area 1	No Preference	25	223.41
49316MN1100003	Rating Area 1	No Preference	26	223.41
49316MN1100003	Rating Area 1	No Preference	27	223.41
49316MN1100003	Rating Area 1	No Preference	28	223.41
49316MN1100003	Rating Area 1	No Preference	29	223.41
49316MN1100003	Rating Area 1	No Preference	30	255.26
49316MN1100003	Rating Area 1	No Preference	31	255.26
49316MN1100003	Rating Area 1	No Preference	32	255.26
49316MN1100003	Rating Area 1	No Preference	33	255.26
49316MN1100003	Rating Area 1	No Preference	34	255.26
49316MN1100003	Rating Area 1	No Preference	35	268.7
49316MN1100003	Rating Area 1	No Preference	36	268.7
49316MN1100003	Rating Area 1	No Preference	37	268.7
49316MN1100003	Rating Area 1	No Preference	38	268.7
49316MN1100003	Rating Area 1	No Preference	39	268.7
49316MN1100003	Rating Area 1	No Preference	40	288.63
49316MN1100003	Rating Area 1	No Preference	41	288.63
49316MN1100003	Rating Area 1	No Preference	42	288.63
49316MN1100003	Rating Area 1	No Preference	43	288.63

49316MN1100003	Rating Area 1	No Preference	44	288.63
49316MN1100003	Rating Area 1	No Preference	45	340.21
49316MN1100003	Rating Area 1	No Preference	46	340.21
49316MN1100003	Rating Area 1	No Preference	47	340.21
49316MN1100003	Rating Area 1	No Preference	48	340.21
49316MN1100003	Rating Area 1	No Preference	49	340.21
49316MN1100003	Rating Area 1	No Preference	50	423.85
49316MN1100003	Rating Area 1	No Preference	51	423.85
49316MN1100003	Rating Area 1	No Preference	52	423.85
49316MN1100003	Rating Area 1	No Preference	53	423.85
49316MN1100003	Rating Area 1	No Preference	54	423.85
49316MN1100003	Rating Area 1	No Preference	55	526.56
49316MN1100003	Rating Area 1	No Preference	56	526.56
49316MN1100003	Rating Area 1	No Preference	57	526.56
49316MN1100003	Rating Area 1	No Preference	58	526.56
49316MN1100003	Rating Area 1	No Preference	59	526.56
49316MN1100003	Rating Area 1	No Preference	60	621.9
49316MN1100003	Rating Area 1	No Preference	61	621.9
49316MN1100003	Rating Area 1	No Preference	62	621.9
49316MN1100003	Rating Area 1	No Preference	63	621.9
49316MN1100003	Rating Area 1	No Preference	64	650.07
49316MN1100003	Rating Area 1	No Preference	65 and over	650.07
49316MN1100003	Rating Area 2	No Preference	0-20	147.28
49316MN1100003	Rating Area 2	No Preference	21	170.62
49316MN1100003	Rating Area 2	No Preference	22	170.62
49316MN1100003	Rating Area 2	No Preference	23	170.62
49316MN1100003	Rating Area 2	No Preference	24	170.62
49316MN1100003	Rating Area 2	No Preference	25	170.62
49316MN1100003	Rating Area 2	No Preference	26	170.62
49316MN1100003	Rating Area 2	No Preference	27	170.62
49316MN1100003	Rating Area 2	No Preference	28	170.62
49316MN1100003	Rating Area 2	No Preference	29	170.62
49316MN1100003	Rating Area 2	No Preference	30	194.94
49316MN1100003	Rating Area 2	No Preference	31	194.94
49316MN1100003	Rating Area 2	No Preference	32	194.94
49316MN1100003	Rating Area 2	No Preference	33	194.94
49316MN1100003	Rating Area 2	No Preference	34	194.94
49316MN1100003	Rating Area 2	No Preference	35	205.2
49316MN1100003	Rating Area 2	No Preference	36	205.2
49316MN1100003	Rating Area 2	No Preference	37	205.2
49316MN1100003	Rating Area 2	No Preference	38	205.2
49316MN1100003	Rating Area 2	No Preference	39	205.2
49316MN1100003	Rating Area 2	No Preference	40	220.43
49316MN1100003	Rating Area 2	No Preference	41	220.43
49316MN1100003	Rating Area 2	No Preference	42	220.43
49316MN1100003	Rating Area 2	No Preference	43	220.43
49316MN1100003	Rating Area 2	No Preference	44	220.43

49316MN1100003	Rating Area 2	No Preference	45	259.82
49316MN1100003	Rating Area 2	No Preference	46	259.82
49316MN1100003	Rating Area 2	No Preference	47	259.82
49316MN1100003	Rating Area 2	No Preference	48	259.82
49316MN1100003	Rating Area 2	No Preference	49	259.82
49316MN1100003	Rating Area 2	No Preference	50	323.69
49316MN1100003	Rating Area 2	No Preference	51	323.69
49316MN1100003	Rating Area 2	No Preference	52	323.69
49316MN1100003	Rating Area 2	No Preference	53	323.69
49316MN1100003	Rating Area 2	No Preference	54	323.69
49316MN1100003	Rating Area 2	No Preference	55	402.14
49316MN1100003	Rating Area 2	No Preference	56	402.14
49316MN1100003	Rating Area 2	No Preference	57	402.14
49316MN1100003	Rating Area 2	No Preference	58	402.14
49316MN1100003	Rating Area 2	No Preference	59	402.14
49316MN1100003	Rating Area 2	No Preference	60	474.95
49316MN1100003	Rating Area 2	No Preference	61	474.95
49316MN1100003	Rating Area 2	No Preference	62	474.95
49316MN1100003	Rating Area 2	No Preference	63	474.95
49316MN1100003	Rating Area 2	No Preference	64	496.46
49316MN1100003	Rating Area 2	No Preference	65 and over	496.46
49316MN1100003	Rating Area 3	No Preference	0-20	150.28
49316MN1100003	Rating Area 3	No Preference	21	174.09
49316MN1100003	Rating Area 3	No Preference	22	174.09
49316MN1100003	Rating Area 3	No Preference	23	174.09
49316MN1100003	Rating Area 3	No Preference	24	174.09
49316MN1100003	Rating Area 3	No Preference	25	174.09
49316MN1100003	Rating Area 3	No Preference	26	174.09
49316MN1100003	Rating Area 3	No Preference	27	174.09
49316MN1100003	Rating Area 3	No Preference	28	174.09
49316MN1100003	Rating Area 3	No Preference	29	174.09
49316MN1100003	Rating Area 3	No Preference	30	198.92
49316MN1100003	Rating Area 3	No Preference	31	198.92
49316MN1100003	Rating Area 3	No Preference	32	198.92
49316MN1100003	Rating Area 3	No Preference	33	198.92
49316MN1100003	Rating Area 3	No Preference	34	198.92
49316MN1100003	Rating Area 3	No Preference	35	209.38
49316MN1100003	Rating Area 3	No Preference	36	209.38
49316MN1100003	Rating Area 3	No Preference	37	209.38
49316MN1100003	Rating Area 3	No Preference	38	209.38
49316MN1100003	Rating Area 3	No Preference	39	209.38
49316MN1100003	Rating Area 3	No Preference	40	224.92
49316MN1100003	Rating Area 3	No Preference	41	224.92
49316MN1100003	Rating Area 3	No Preference	42	224.92
49316MN1100003	Rating Area 3	No Preference	43	224.92
49316MN1100003	Rating Area 3	No Preference	44	224.92
49316MN1100003	Rating Area 3	No Preference	45	265.11

49316MN1100003	Rating Area 3	No Preference	46	265.11
49316MN1100003	Rating Area 3	No Preference	47	265.11
49316MN1100003	Rating Area 3	No Preference	48	265.11
49316MN1100003	Rating Area 3	No Preference	49	265.11
49316MN1100003	Rating Area 3	No Preference	50	330.29
49316MN1100003	Rating Area 3	No Preference	51	330.29
49316MN1100003	Rating Area 3	No Preference	52	330.29
49316MN1100003	Rating Area 3	No Preference	53	330.29
49316MN1100003	Rating Area 3	No Preference	54	330.29
49316MN1100003	Rating Area 3	No Preference	55	410.33
49316MN1100003	Rating Area 3	No Preference	56	410.33
49316MN1100003	Rating Area 3	No Preference	57	410.33
49316MN1100003	Rating Area 3	No Preference	58	410.33
49316MN1100003	Rating Area 3	No Preference	59	410.33
49316MN1100003	Rating Area 3	No Preference	60	484.62
49316MN1100003	Rating Area 3	No Preference	61	484.62
49316MN1100003	Rating Area 3	No Preference	62	484.62
49316MN1100003	Rating Area 3	No Preference	63	484.62
49316MN1100003	Rating Area 3	No Preference	64	506.58
49316MN1100003	Rating Area 3	No Preference	65 and over	506.58
49316MN1100003	Rating Area 4	No Preference	0-20	150.28
49316MN1100003	Rating Area 4	No Preference	21	174.09
49316MN1100003	Rating Area 4	No Preference	22	174.09
49316MN1100003	Rating Area 4	No Preference	23	174.09
49316MN1100003	Rating Area 4	No Preference	24	174.09
49316MN1100003	Rating Area 4	No Preference	25	174.09
49316MN1100003	Rating Area 4	No Preference	26	174.09
49316MN1100003	Rating Area 4	No Preference	27	174.09
49316MN1100003	Rating Area 4	No Preference	28	174.09
49316MN1100003	Rating Area 4	No Preference	29	174.09
49316MN1100003	Rating Area 4	No Preference	30	198.92
49316MN1100003	Rating Area 4	No Preference	31	198.92
49316MN1100003	Rating Area 4	No Preference	32	198.92
49316MN1100003	Rating Area 4	No Preference	33	198.92
49316MN1100003	Rating Area 4	No Preference	34	198.92
49316MN1100003	Rating Area 4	No Preference	35	209.38
49316MN1100003	Rating Area 4	No Preference	36	209.38
49316MN1100003	Rating Area 4	No Preference	37	209.38
49316MN1100003	Rating Area 4	No Preference	38	209.38
49316MN1100003	Rating Area 4	No Preference	39	209.38
49316MN1100003	Rating Area 4	No Preference	40	224.92
49316MN1100003	Rating Area 4	No Preference	41	224.92
49316MN1100003	Rating Area 4	No Preference	42	224.92
49316MN1100003	Rating Area 4	No Preference	43	224.92
49316MN1100003	Rating Area 4	No Preference	44	224.92
49316MN1100003	Rating Area 4	No Preference	45	265.11
49316MN1100003	Rating Area 4	No Preference	46	265.11

49316MN1100003	Rating Area 4	No Preference	47	265.11
49316MN1100003	Rating Area 4	No Preference	48	265.11
49316MN1100003	Rating Area 4	No Preference	49	265.11
49316MN1100003	Rating Area 4	No Preference	50	330.29
49316MN1100003	Rating Area 4	No Preference	51	330.29
49316MN1100003	Rating Area 4	No Preference	52	330.29
49316MN1100003	Rating Area 4	No Preference	53	330.29
49316MN1100003	Rating Area 4	No Preference	54	330.29
49316MN1100003	Rating Area 4	No Preference	55	410.33
49316MN1100003	Rating Area 4	No Preference	56	410.33
49316MN1100003	Rating Area 4	No Preference	57	410.33
49316MN1100003	Rating Area 4	No Preference	58	410.33
49316MN1100003	Rating Area 4	No Preference	59	410.33
49316MN1100003	Rating Area 4	No Preference	60	484.62
49316MN1100003	Rating Area 4	No Preference	61	484.62
49316MN1100003	Rating Area 4	No Preference	62	484.62
49316MN1100003	Rating Area 4	No Preference	63	484.62
49316MN1100003	Rating Area 4	No Preference	64	506.58
49316MN1100003	Rating Area 4	No Preference	65 and over	506.58
49316MN1100003	Rating Area 5	No Preference	0-20	150.28
49316MN1100003	Rating Area 5	No Preference	21	174.09
49316MN1100003	Rating Area 5	No Preference	22	174.09
49316MN1100003	Rating Area 5	No Preference	23	174.09
49316MN1100003	Rating Area 5	No Preference	24	174.09
49316MN1100003	Rating Area 5	No Preference	25	174.09
49316MN1100003	Rating Area 5	No Preference	26	174.09
49316MN1100003	Rating Area 5	No Preference	27	174.09
49316MN1100003	Rating Area 5	No Preference	28	174.09
49316MN1100003	Rating Area 5	No Preference	29	174.09
49316MN1100003	Rating Area 5	No Preference	30	198.92
49316MN1100003	Rating Area 5	No Preference	31	198.92
49316MN1100003	Rating Area 5	No Preference	32	198.92
49316MN1100003	Rating Area 5	No Preference	33	198.92
49316MN1100003	Rating Area 5	No Preference	34	198.92
49316MN1100003	Rating Area 5	No Preference	35	209.38
49316MN1100003	Rating Area 5	No Preference	36	209.38
49316MN1100003	Rating Area 5	No Preference	37	209.38
49316MN1100003	Rating Area 5	No Preference	38	209.38
49316MN1100003	Rating Area 5	No Preference	39	209.38
49316MN1100003	Rating Area 5	No Preference	40	224.92
49316MN1100003	Rating Area 5	No Preference	41	224.92
49316MN1100003	Rating Area 5	No Preference	42	224.92
49316MN1100003	Rating Area 5	No Preference	43	224.92
49316MN1100003	Rating Area 5	No Preference	44	224.92
49316MN1100003	Rating Area 5	No Preference	45	265.11
49316MN1100003	Rating Area 5	No Preference	46	265.11
49316MN1100003	Rating Area 5	No Preference	47	265.11

49316MN1100003	Rating Area 5	No Preference	48	265.11
49316MN1100003	Rating Area 5	No Preference	49	265.11
49316MN1100003	Rating Area 5	No Preference	50	330.29
49316MN1100003	Rating Area 5	No Preference	51	330.29
49316MN1100003	Rating Area 5	No Preference	52	330.29
49316MN1100003	Rating Area 5	No Preference	53	330.29
49316MN1100003	Rating Area 5	No Preference	54	330.29
49316MN1100003	Rating Area 5	No Preference	55	410.33
49316MN1100003	Rating Area 5	No Preference	56	410.33
49316MN1100003	Rating Area 5	No Preference	57	410.33
49316MN1100003	Rating Area 5	No Preference	58	410.33
49316MN1100003	Rating Area 5	No Preference	59	410.33
49316MN1100003	Rating Area 5	No Preference	60	484.62
49316MN1100003	Rating Area 5	No Preference	61	484.62
49316MN1100003	Rating Area 5	No Preference	62	484.62
49316MN1100003	Rating Area 5	No Preference	63	484.62
49316MN1100003	Rating Area 5	No Preference	64	506.58
49316MN1100003	Rating Area 5	No Preference	65 and over	506.58
49316MN1100003	Rating Area 6	No Preference	0-20	134.43
49316MN1100003	Rating Area 6	No Preference	21	155.72
49316MN1100003	Rating Area 6	No Preference	22	155.72
49316MN1100003	Rating Area 6	No Preference	23	155.72
49316MN1100003	Rating Area 6	No Preference	24	155.72
49316MN1100003	Rating Area 6	No Preference	25	155.72
49316MN1100003	Rating Area 6	No Preference	26	155.72
49316MN1100003	Rating Area 6	No Preference	27	155.72
49316MN1100003	Rating Area 6	No Preference	28	155.72
49316MN1100003	Rating Area 6	No Preference	29	155.72
49316MN1100003	Rating Area 6	No Preference	30	177.93
49316MN1100003	Rating Area 6	No Preference	31	177.93
49316MN1100003	Rating Area 6	No Preference	32	177.93
49316MN1100003	Rating Area 6	No Preference	33	177.93
49316MN1100003	Rating Area 6	No Preference	34	177.93
49316MN1100003	Rating Area 6	No Preference	35	187.29
49316MN1100003	Rating Area 6	No Preference	36	187.29
49316MN1100003	Rating Area 6	No Preference	37	187.29
49316MN1100003	Rating Area 6	No Preference	38	187.29
49316MN1100003	Rating Area 6	No Preference	39	187.29
49316MN1100003	Rating Area 6	No Preference	40	201.19
49316MN1100003	Rating Area 6	No Preference	41	201.19
49316MN1100003	Rating Area 6	No Preference	42	201.19
49316MN1100003	Rating Area 6	No Preference	43	201.19
49316MN1100003	Rating Area 6	No Preference	44	201.19
49316MN1100003	Rating Area 6	No Preference	45	237.14
49316MN1100003	Rating Area 6	No Preference	46	237.14
49316MN1100003	Rating Area 6	No Preference	47	237.14
49316MN1100003	Rating Area 6	No Preference	48	237.14

49316MN1100003	Rating Area 6	No Preference	49	237.14
49316MN1100003	Rating Area 6	No Preference	50	295.44
49316MN1100003	Rating Area 6	No Preference	51	295.44
49316MN1100003	Rating Area 6	No Preference	52	295.44
49316MN1100003	Rating Area 6	No Preference	53	295.44
49316MN1100003	Rating Area 6	No Preference	54	295.44
49316MN1100003	Rating Area 6	No Preference	55	367.03
49316MN1100003	Rating Area 6	No Preference	56	367.03
49316MN1100003	Rating Area 6	No Preference	57	367.03
49316MN1100003	Rating Area 6	No Preference	58	367.03
49316MN1100003	Rating Area 6	No Preference	59	367.03
49316MN1100003	Rating Area 6	No Preference	60	433.49
49316MN1100003	Rating Area 6	No Preference	61	433.49
49316MN1100003	Rating Area 6	No Preference	62	433.49
49316MN1100003	Rating Area 6	No Preference	63	433.49
49316MN1100003	Rating Area 6	No Preference	64	453.13
49316MN1100003	Rating Area 6	No Preference	65 and over	453.13
49316MN1100003	Rating Area 7	No Preference	0-20	147.28
49316MN1100003	Rating Area 7	No Preference	21	170.62
49316MN1100003	Rating Area 7	No Preference	22	170.62
49316MN1100003	Rating Area 7	No Preference	23	170.62
49316MN1100003	Rating Area 7	No Preference	24	170.62
49316MN1100003	Rating Area 7	No Preference	25	170.62
49316MN1100003	Rating Area 7	No Preference	26	170.62
49316MN1100003	Rating Area 7	No Preference	27	170.62
49316MN1100003	Rating Area 7	No Preference	28	170.62
49316MN1100003	Rating Area 7	No Preference	29	170.62
49316MN1100003	Rating Area 7	No Preference	30	194.94
49316MN1100003	Rating Area 7	No Preference	31	194.94
49316MN1100003	Rating Area 7	No Preference	32	194.94
49316MN1100003	Rating Area 7	No Preference	33	194.94
49316MN1100003	Rating Area 7	No Preference	34	194.94
49316MN1100003	Rating Area 7	No Preference	35	205.2
49316MN1100003	Rating Area 7	No Preference	36	205.2
49316MN1100003	Rating Area 7	No Preference	37	205.2
49316MN1100003	Rating Area 7	No Preference	38	205.2
49316MN1100003	Rating Area 7	No Preference	39	205.2
49316MN1100003	Rating Area 7	No Preference	40	220.43
49316MN1100003	Rating Area 7	No Preference	41	220.43
49316MN1100003	Rating Area 7	No Preference	42	220.43
49316MN1100003	Rating Area 7	No Preference	43	220.43
49316MN1100003	Rating Area 7	No Preference	44	220.43
49316MN1100003	Rating Area 7	No Preference	45	259.82
49316MN1100003	Rating Area 7	No Preference	46	259.82
49316MN1100003	Rating Area 7	No Preference	47	259.82
49316MN1100003	Rating Area 7	No Preference	48	259.82
49316MN1100003	Rating Area 7	No Preference	49	259.82

49316MN1100003	Rating Area 7	No Preference	50	323.69
49316MN1100003	Rating Area 7	No Preference	51	323.69
49316MN1100003	Rating Area 7	No Preference	52	323.69
49316MN1100003	Rating Area 7	No Preference	53	323.69
49316MN1100003	Rating Area 7	No Preference	54	323.69
49316MN1100003	Rating Area 7	No Preference	55	402.14
49316MN1100003	Rating Area 7	No Preference	56	402.14
49316MN1100003	Rating Area 7	No Preference	57	402.14
49316MN1100003	Rating Area 7	No Preference	58	402.14
49316MN1100003	Rating Area 7	No Preference	59	402.14
49316MN1100003	Rating Area 7	No Preference	60	474.95
49316MN1100003	Rating Area 7	No Preference	61	474.95
49316MN1100003	Rating Area 7	No Preference	62	474.95
49316MN1100003	Rating Area 7	No Preference	63	474.95
49316MN1100003	Rating Area 7	No Preference	64	496.46
49316MN1100003	Rating Area 7	No Preference	65 and over	496.46
49316MN1100003	Rating Area 8	No Preference	0-20	125.71
49316MN1100003	Rating Area 8	No Preference	21	145.63
49316MN1100003	Rating Area 8	No Preference	22	145.63
49316MN1100003	Rating Area 8	No Preference	23	145.63
49316MN1100003	Rating Area 8	No Preference	24	145.63
49316MN1100003	Rating Area 8	No Preference	25	145.63
49316MN1100003	Rating Area 8	No Preference	26	145.63
49316MN1100003	Rating Area 8	No Preference	27	145.63
49316MN1100003	Rating Area 8	No Preference	28	145.63
49316MN1100003	Rating Area 8	No Preference	29	145.63
49316MN1100003	Rating Area 8	No Preference	30	166.39
49316MN1100003	Rating Area 8	No Preference	31	166.39
49316MN1100003	Rating Area 8	No Preference	32	166.39
49316MN1100003	Rating Area 8	No Preference	33	166.39
49316MN1100003	Rating Area 8	No Preference	34	166.39
49316MN1100003	Rating Area 8	No Preference	35	175.15
49316MN1100003	Rating Area 8	No Preference	36	175.15
49316MN1100003	Rating Area 8	No Preference	37	175.15
49316MN1100003	Rating Area 8	No Preference	38	175.15
49316MN1100003	Rating Area 8	No Preference	39	175.15
49316MN1100003	Rating Area 8	No Preference	40	188.15
49316MN1100003	Rating Area 8	No Preference	41	188.15
49316MN1100003	Rating Area 8	No Preference	42	188.15
49316MN1100003	Rating Area 8	No Preference	43	188.15
49316MN1100003	Rating Area 8	No Preference	44	188.15
49316MN1100003	Rating Area 8	No Preference	45	221.76
49316MN1100003	Rating Area 8	No Preference	46	221.76
49316MN1100003	Rating Area 8	No Preference	47	221.76
49316MN1100003	Rating Area 8	No Preference	48	221.76
49316MN1100003	Rating Area 8	No Preference	49	221.76
49316MN1100003	Rating Area 8	No Preference	50	276.29

49316MN1100003	Rating Area 8	No Preference	51	276.29
49316MN1100003	Rating Area 8	No Preference	52	276.29
49316MN1100003	Rating Area 8	No Preference	53	276.29
49316MN1100003	Rating Area 8	No Preference	54	276.29
49316MN1100003	Rating Area 8	No Preference	55	343.24
49316MN1100003	Rating Area 8	No Preference	56	343.24
49316MN1100003	Rating Area 8	No Preference	57	343.24
49316MN1100003	Rating Area 8	No Preference	58	343.24
49316MN1100003	Rating Area 8	No Preference	59	343.24
49316MN1100003	Rating Area 8	No Preference	60	405.39
49316MN1100003	Rating Area 8	No Preference	61	405.39
49316MN1100003	Rating Area 8	No Preference	62	405.39
49316MN1100003	Rating Area 8	No Preference	63	405.39
49316MN1100003	Rating Area 8	No Preference	64	423.75
49316MN1100003	Rating Area 8	No Preference	65 and over	423.75
49316MN1100003	Rating Area 9	No Preference	0-20	125.71
49316MN1100003	Rating Area 9	No Preference	21	145.63
49316MN1100003	Rating Area 9	No Preference	22	145.63
49316MN1100003	Rating Area 9	No Preference	23	145.63
49316MN1100003	Rating Area 9	No Preference	24	145.63
49316MN1100003	Rating Area 9	No Preference	25	145.63
49316MN1100003	Rating Area 9	No Preference	26	145.63
49316MN1100003	Rating Area 9	No Preference	27	145.63
49316MN1100003	Rating Area 9	No Preference	28	145.63
49316MN1100003	Rating Area 9	No Preference	29	145.63
49316MN1100003	Rating Area 9	No Preference	30	166.39
49316MN1100003	Rating Area 9	No Preference	31	166.39
49316MN1100003	Rating Area 9	No Preference	32	166.39
49316MN1100003	Rating Area 9	No Preference	33	166.39
49316MN1100003	Rating Area 9	No Preference	34	166.39
49316MN1100003	Rating Area 9	No Preference	35	175.15
49316MN1100003	Rating Area 9	No Preference	36	175.15
49316MN1100003	Rating Area 9	No Preference	37	175.15
49316MN1100003	Rating Area 9	No Preference	38	175.15
49316MN1100003	Rating Area 9	No Preference	39	175.15
49316MN1100003	Rating Area 9	No Preference	40	188.15
49316MN1100003	Rating Area 9	No Preference	41	188.15
49316MN1100003	Rating Area 9	No Preference	42	188.15
49316MN1100003	Rating Area 9	No Preference	43	188.15
49316MN1100003	Rating Area 9	No Preference	44	188.15
49316MN1100003	Rating Area 9	No Preference	45	221.76
49316MN1100003	Rating Area 9	No Preference	46	221.76
49316MN1100003	Rating Area 9	No Preference	47	221.76
49316MN1100003	Rating Area 9	No Preference	48	221.76
49316MN1100003	Rating Area 9	No Preference	49	221.76
49316MN1100003	Rating Area 9	No Preference	50	276.29
49316MN1100003	Rating Area 9	No Preference	51	276.29

49316MN1100003	Rating Area 9	No Preference	52	276.29
49316MN1100003	Rating Area 9	No Preference	53	276.29
49316MN1100003	Rating Area 9	No Preference	54	276.29
49316MN1100003	Rating Area 9	No Preference	55	343.24
49316MN1100003	Rating Area 9	No Preference	56	343.24
49316MN1100003	Rating Area 9	No Preference	57	343.24
49316MN1100003	Rating Area 9	No Preference	58	343.24
49316MN1100003	Rating Area 9	No Preference	59	343.24
49316MN1100003	Rating Area 9	No Preference	60	405.39
49316MN1100003	Rating Area 9	No Preference	61	405.39
49316MN1100003	Rating Area 9	No Preference	62	405.39
49316MN1100003	Rating Area 9	No Preference	63	405.39
49316MN1100003	Rating Area 9	No Preference	64	423.75
49316MN1100003	Rating Area 9	No Preference	65 and over	423.75
49316MN1100004	Rating Area 1	No Preference	0-20	185.1
49316MN1100004	Rating Area 1	No Preference	21	214.42
49316MN1100004	Rating Area 1	No Preference	22	214.42
49316MN1100004	Rating Area 1	No Preference	23	214.42
49316MN1100004	Rating Area 1	No Preference	24	214.42
49316MN1100004	Rating Area 1	No Preference	25	214.42
49316MN1100004	Rating Area 1	No Preference	26	214.42
49316MN1100004	Rating Area 1	No Preference	27	214.42
49316MN1100004	Rating Area 1	No Preference	28	214.42
49316MN1100004	Rating Area 1	No Preference	29	214.42
49316MN1100004	Rating Area 1	No Preference	30	245
49316MN1100004	Rating Area 1	No Preference	31	245
49316MN1100004	Rating Area 1	No Preference	32	245
49316MN1100004	Rating Area 1	No Preference	33	245
49316MN1100004	Rating Area 1	No Preference	34	245
49316MN1100004	Rating Area 1	No Preference	35	257.89
49316MN1100004	Rating Area 1	No Preference	36	257.89
49316MN1100004	Rating Area 1	No Preference	37	257.89
49316MN1100004	Rating Area 1	No Preference	38	257.89
49316MN1100004	Rating Area 1	No Preference	39	257.89
49316MN1100004	Rating Area 1	No Preference	40	277.02
49316MN1100004	Rating Area 1	No Preference	41	277.02
49316MN1100004	Rating Area 1	No Preference	42	277.02
49316MN1100004	Rating Area 1	No Preference	43	277.02
49316MN1100004	Rating Area 1	No Preference	44	277.02
49316MN1100004	Rating Area 1	No Preference	45	326.52
49316MN1100004	Rating Area 1	No Preference	46	326.52
49316MN1100004	Rating Area 1	No Preference	47	326.52
49316MN1100004	Rating Area 1	No Preference	48	326.52
49316MN1100004	Rating Area 1	No Preference	49	326.52
49316MN1100004	Rating Area 1	No Preference	50	406.8
49316MN1100004	Rating Area 1	No Preference	51	406.8
49316MN1100004	Rating Area 1	No Preference	52	406.8

49316MN1100004	Rating Area 1	No Preference	53	406.8
49316MN1100004	Rating Area 1	No Preference	54	406.8
49316MN1100004	Rating Area 1	No Preference	55	505.38
49316MN1100004	Rating Area 1	No Preference	56	505.38
49316MN1100004	Rating Area 1	No Preference	57	505.38
49316MN1100004	Rating Area 1	No Preference	58	505.38
49316MN1100004	Rating Area 1	No Preference	59	505.38
49316MN1100004	Rating Area 1	No Preference	60	596.89
49316MN1100004	Rating Area 1	No Preference	61	596.89
49316MN1100004	Rating Area 1	No Preference	62	596.89
49316MN1100004	Rating Area 1	No Preference	63	596.89
49316MN1100004	Rating Area 1	No Preference	64	623.93
49316MN1100004	Rating Area 1	No Preference	65 and over	623.93
49316MN1100004	Rating Area 2	No Preference	0-20	141.36
49316MN1100004	Rating Area 2	No Preference	21	163.76
49316MN1100004	Rating Area 2	No Preference	22	163.76
49316MN1100004	Rating Area 2	No Preference	23	163.76
49316MN1100004	Rating Area 2	No Preference	24	163.76
49316MN1100004	Rating Area 2	No Preference	25	163.76
49316MN1100004	Rating Area 2	No Preference	26	163.76
49316MN1100004	Rating Area 2	No Preference	27	163.76
49316MN1100004	Rating Area 2	No Preference	28	163.76
49316MN1100004	Rating Area 2	No Preference	29	163.76
49316MN1100004	Rating Area 2	No Preference	30	187.1
49316MN1100004	Rating Area 2	No Preference	31	187.1
49316MN1100004	Rating Area 2	No Preference	32	187.1
49316MN1100004	Rating Area 2	No Preference	33	187.1
49316MN1100004	Rating Area 2	No Preference	34	187.1
49316MN1100004	Rating Area 2	No Preference	35	196.95
49316MN1100004	Rating Area 2	No Preference	36	196.95
49316MN1100004	Rating Area 2	No Preference	37	196.95
49316MN1100004	Rating Area 2	No Preference	38	196.95
49316MN1100004	Rating Area 2	No Preference	39	196.95
49316MN1100004	Rating Area 2	No Preference	40	211.56
49316MN1100004	Rating Area 2	No Preference	41	211.56
49316MN1100004	Rating Area 2	No Preference	42	211.56
49316MN1100004	Rating Area 2	No Preference	43	211.56
49316MN1100004	Rating Area 2	No Preference	44	211.56
49316MN1100004	Rating Area 2	No Preference	45	249.37
49316MN1100004	Rating Area 2	No Preference	46	249.37
49316MN1100004	Rating Area 2	No Preference	47	249.37
49316MN1100004	Rating Area 2	No Preference	48	249.37
49316MN1100004	Rating Area 2	No Preference	49	249.37
49316MN1100004	Rating Area 2	No Preference	50	310.67
49316MN1100004	Rating Area 2	No Preference	51	310.67
49316MN1100004	Rating Area 2	No Preference	52	310.67
49316MN1100004	Rating Area 2	No Preference	53	310.67

49316MN1100004	Rating Area 2	No Preference	54	310.67
49316MN1100004	Rating Area 2	No Preference	55	385.96
49316MN1100004	Rating Area 2	No Preference	56	385.96
49316MN1100004	Rating Area 2	No Preference	57	385.96
49316MN1100004	Rating Area 2	No Preference	58	385.96
49316MN1100004	Rating Area 2	No Preference	59	385.96
49316MN1100004	Rating Area 2	No Preference	60	455.85
49316MN1100004	Rating Area 2	No Preference	61	455.85
49316MN1100004	Rating Area 2	No Preference	62	455.85
49316MN1100004	Rating Area 2	No Preference	63	455.85
49316MN1100004	Rating Area 2	No Preference	64	476.5
49316MN1100004	Rating Area 2	No Preference	65 and over	476.5
49316MN1100004	Rating Area 3	No Preference	0-20	144.24
49316MN1100004	Rating Area 3	No Preference	21	167.09
49316MN1100004	Rating Area 3	No Preference	22	167.09
49316MN1100004	Rating Area 3	No Preference	23	167.09
49316MN1100004	Rating Area 3	No Preference	24	167.09
49316MN1100004	Rating Area 3	No Preference	25	167.09
49316MN1100004	Rating Area 3	No Preference	26	167.09
49316MN1100004	Rating Area 3	No Preference	27	167.09
49316MN1100004	Rating Area 3	No Preference	28	167.09
49316MN1100004	Rating Area 3	No Preference	29	167.09
49316MN1100004	Rating Area 3	No Preference	30	190.91
49316MN1100004	Rating Area 3	No Preference	31	190.91
49316MN1100004	Rating Area 3	No Preference	32	190.91
49316MN1100004	Rating Area 3	No Preference	33	190.91
49316MN1100004	Rating Area 3	No Preference	34	190.91
49316MN1100004	Rating Area 3	No Preference	35	200.96
49316MN1100004	Rating Area 3	No Preference	36	200.96
49316MN1100004	Rating Area 3	No Preference	37	200.96
49316MN1100004	Rating Area 3	No Preference	38	200.96
49316MN1100004	Rating Area 3	No Preference	39	200.96
49316MN1100004	Rating Area 3	No Preference	40	215.87
49316MN1100004	Rating Area 3	No Preference	41	215.87
49316MN1100004	Rating Area 3	No Preference	42	215.87
49316MN1100004	Rating Area 3	No Preference	43	215.87
49316MN1100004	Rating Area 3	No Preference	44	215.87
49316MN1100004	Rating Area 3	No Preference	45	254.45
49316MN1100004	Rating Area 3	No Preference	46	254.45
49316MN1100004	Rating Area 3	No Preference	47	254.45
49316MN1100004	Rating Area 3	No Preference	48	254.45
49316MN1100004	Rating Area 3	No Preference	49	254.45
49316MN1100004	Rating Area 3	No Preference	50	317
49316MN1100004	Rating Area 3	No Preference	51	317
49316MN1100004	Rating Area 3	No Preference	52	317
49316MN1100004	Rating Area 3	No Preference	53	317
49316MN1100004	Rating Area 3	No Preference	54	317

49316MN1100004	Rating Area 3	No Preference	55	393.82
49316MN1100004	Rating Area 3	No Preference	56	393.82
49316MN1100004	Rating Area 3	No Preference	57	393.82
49316MN1100004	Rating Area 3	No Preference	58	393.82
49316MN1100004	Rating Area 3	No Preference	59	393.82
49316MN1100004	Rating Area 3	No Preference	60	465.13
49316MN1100004	Rating Area 3	No Preference	61	465.13
49316MN1100004	Rating Area 3	No Preference	62	465.13
49316MN1100004	Rating Area 3	No Preference	63	465.13
49316MN1100004	Rating Area 3	No Preference	64	486.2
49316MN1100004	Rating Area 3	No Preference	65 and over	486.2
49316MN1100004	Rating Area 4	No Preference	0-20	144.24
49316MN1100004	Rating Area 4	No Preference	21	167.09
49316MN1100004	Rating Area 4	No Preference	22	167.09
49316MN1100004	Rating Area 4	No Preference	23	167.09
49316MN1100004	Rating Area 4	No Preference	24	167.09
49316MN1100004	Rating Area 4	No Preference	25	167.09
49316MN1100004	Rating Area 4	No Preference	26	167.09
49316MN1100004	Rating Area 4	No Preference	27	167.09
49316MN1100004	Rating Area 4	No Preference	28	167.09
49316MN1100004	Rating Area 4	No Preference	29	167.09
49316MN1100004	Rating Area 4	No Preference	30	190.91
49316MN1100004	Rating Area 4	No Preference	31	190.91
49316MN1100004	Rating Area 4	No Preference	32	190.91
49316MN1100004	Rating Area 4	No Preference	33	190.91
49316MN1100004	Rating Area 4	No Preference	34	190.91
49316MN1100004	Rating Area 4	No Preference	35	200.96
49316MN1100004	Rating Area 4	No Preference	36	200.96
49316MN1100004	Rating Area 4	No Preference	37	200.96
49316MN1100004	Rating Area 4	No Preference	38	200.96
49316MN1100004	Rating Area 4	No Preference	39	200.96
49316MN1100004	Rating Area 4	No Preference	40	215.87
49316MN1100004	Rating Area 4	No Preference	41	215.87
49316MN1100004	Rating Area 4	No Preference	42	215.87
49316MN1100004	Rating Area 4	No Preference	43	215.87
49316MN1100004	Rating Area 4	No Preference	44	215.87
49316MN1100004	Rating Area 4	No Preference	45	254.45
49316MN1100004	Rating Area 4	No Preference	46	254.45
49316MN1100004	Rating Area 4	No Preference	47	254.45
49316MN1100004	Rating Area 4	No Preference	48	254.45
49316MN1100004	Rating Area 4	No Preference	49	254.45
49316MN1100004	Rating Area 4	No Preference	50	317
49316MN1100004	Rating Area 4	No Preference	51	317
49316MN1100004	Rating Area 4	No Preference	52	317
49316MN1100004	Rating Area 4	No Preference	53	317
49316MN1100004	Rating Area 4	No Preference	54	317
49316MN1100004	Rating Area 4	No Preference	55	393.82

49316MN1100004	Rating Area 4	No Preference	56	393.82
49316MN1100004	Rating Area 4	No Preference	57	393.82
49316MN1100004	Rating Area 4	No Preference	58	393.82
49316MN1100004	Rating Area 4	No Preference	59	393.82
49316MN1100004	Rating Area 4	No Preference	60	465.13
49316MN1100004	Rating Area 4	No Preference	61	465.13
49316MN1100004	Rating Area 4	No Preference	62	465.13
49316MN1100004	Rating Area 4	No Preference	63	465.13
49316MN1100004	Rating Area 4	No Preference	64	486.2
49316MN1100004	Rating Area 4	No Preference	65 and over	486.2
49316MN1100004	Rating Area 5	No Preference	0-20	144.24
49316MN1100004	Rating Area 5	No Preference	21	167.09
49316MN1100004	Rating Area 5	No Preference	22	167.09
49316MN1100004	Rating Area 5	No Preference	23	167.09
49316MN1100004	Rating Area 5	No Preference	24	167.09
49316MN1100004	Rating Area 5	No Preference	25	167.09
49316MN1100004	Rating Area 5	No Preference	26	167.09
49316MN1100004	Rating Area 5	No Preference	27	167.09
49316MN1100004	Rating Area 5	No Preference	28	167.09
49316MN1100004	Rating Area 5	No Preference	29	167.09
49316MN1100004	Rating Area 5	No Preference	30	190.91
49316MN1100004	Rating Area 5	No Preference	31	190.91
49316MN1100004	Rating Area 5	No Preference	32	190.91
49316MN1100004	Rating Area 5	No Preference	33	190.91
49316MN1100004	Rating Area 5	No Preference	34	190.91
49316MN1100004	Rating Area 5	No Preference	35	200.96
49316MN1100004	Rating Area 5	No Preference	36	200.96
49316MN1100004	Rating Area 5	No Preference	37	200.96
49316MN1100004	Rating Area 5	No Preference	38	200.96
49316MN1100004	Rating Area 5	No Preference	39	200.96
49316MN1100004	Rating Area 5	No Preference	40	215.87
49316MN1100004	Rating Area 5	No Preference	41	215.87
49316MN1100004	Rating Area 5	No Preference	42	215.87
49316MN1100004	Rating Area 5	No Preference	43	215.87
49316MN1100004	Rating Area 5	No Preference	44	215.87
49316MN1100004	Rating Area 5	No Preference	45	254.45
49316MN1100004	Rating Area 5	No Preference	46	254.45
49316MN1100004	Rating Area 5	No Preference	47	254.45
49316MN1100004	Rating Area 5	No Preference	48	254.45
49316MN1100004	Rating Area 5	No Preference	49	254.45
49316MN1100004	Rating Area 5	No Preference	50	317
49316MN1100004	Rating Area 5	No Preference	51	317
49316MN1100004	Rating Area 5	No Preference	52	317
49316MN1100004	Rating Area 5	No Preference	53	317
49316MN1100004	Rating Area 5	No Preference	54	317
49316MN1100004	Rating Area 5	No Preference	55	393.82
49316MN1100004	Rating Area 5	No Preference	56	393.82

49316MN1100004	Rating Area 5	No Preference	57	393.82
49316MN1100004	Rating Area 5	No Preference	58	393.82
49316MN1100004	Rating Area 5	No Preference	59	393.82
49316MN1100004	Rating Area 5	No Preference	60	465.13
49316MN1100004	Rating Area 5	No Preference	61	465.13
49316MN1100004	Rating Area 5	No Preference	62	465.13
49316MN1100004	Rating Area 5	No Preference	63	465.13
49316MN1100004	Rating Area 5	No Preference	64	486.2
49316MN1100004	Rating Area 5	No Preference	65 and over	486.2
49316MN1100004	Rating Area 6	No Preference	0-20	129.02
49316MN1100004	Rating Area 6	No Preference	21	149.46
49316MN1100004	Rating Area 6	No Preference	22	149.46
49316MN1100004	Rating Area 6	No Preference	23	149.46
49316MN1100004	Rating Area 6	No Preference	24	149.46
49316MN1100004	Rating Area 6	No Preference	25	149.46
49316MN1100004	Rating Area 6	No Preference	26	149.46
49316MN1100004	Rating Area 6	No Preference	27	149.46
49316MN1100004	Rating Area 6	No Preference	28	149.46
49316MN1100004	Rating Area 6	No Preference	29	149.46
49316MN1100004	Rating Area 6	No Preference	30	170.77
49316MN1100004	Rating Area 6	No Preference	31	170.77
49316MN1100004	Rating Area 6	No Preference	32	170.77
49316MN1100004	Rating Area 6	No Preference	33	170.77
49316MN1100004	Rating Area 6	No Preference	34	170.77
49316MN1100004	Rating Area 6	No Preference	35	179.76
49316MN1100004	Rating Area 6	No Preference	36	179.76
49316MN1100004	Rating Area 6	No Preference	37	179.76
49316MN1100004	Rating Area 6	No Preference	38	179.76
49316MN1100004	Rating Area 6	No Preference	39	179.76
49316MN1100004	Rating Area 6	No Preference	40	193.1
49316MN1100004	Rating Area 6	No Preference	41	193.1
49316MN1100004	Rating Area 6	No Preference	42	193.1
49316MN1100004	Rating Area 6	No Preference	43	193.1
49316MN1100004	Rating Area 6	No Preference	44	193.1
49316MN1100004	Rating Area 6	No Preference	45	227.6
49316MN1100004	Rating Area 6	No Preference	46	227.6
49316MN1100004	Rating Area 6	No Preference	47	227.6
49316MN1100004	Rating Area 6	No Preference	48	227.6
49316MN1100004	Rating Area 6	No Preference	49	227.6
49316MN1100004	Rating Area 6	No Preference	50	283.55
49316MN1100004	Rating Area 6	No Preference	51	283.55
49316MN1100004	Rating Area 6	No Preference	52	283.55
49316MN1100004	Rating Area 6	No Preference	53	283.55
49316MN1100004	Rating Area 6	No Preference	54	283.55
49316MN1100004	Rating Area 6	No Preference	55	352.27
49316MN1100004	Rating Area 6	No Preference	56	352.27
49316MN1100004	Rating Area 6	No Preference	57	352.27

49316MN1100004	Rating Area 6	No Preference	58	352.27
49316MN1100004	Rating Area 6	No Preference	59	352.27
49316MN1100004	Rating Area 6	No Preference	60	416.05
49316MN1100004	Rating Area 6	No Preference	61	416.05
49316MN1100004	Rating Area 6	No Preference	62	416.05
49316MN1100004	Rating Area 6	No Preference	63	416.05
49316MN1100004	Rating Area 6	No Preference	64	434.9
49316MN1100004	Rating Area 6	No Preference	65 and over	434.9
49316MN1100004	Rating Area 7	No Preference	0-20	141.36
49316MN1100004	Rating Area 7	No Preference	21	163.76
49316MN1100004	Rating Area 7	No Preference	22	163.76
49316MN1100004	Rating Area 7	No Preference	23	163.76
49316MN1100004	Rating Area 7	No Preference	24	163.76
49316MN1100004	Rating Area 7	No Preference	25	163.76
49316MN1100004	Rating Area 7	No Preference	26	163.76
49316MN1100004	Rating Area 7	No Preference	27	163.76
49316MN1100004	Rating Area 7	No Preference	28	163.76
49316MN1100004	Rating Area 7	No Preference	29	163.76
49316MN1100004	Rating Area 7	No Preference	30	187.1
49316MN1100004	Rating Area 7	No Preference	31	187.1
49316MN1100004	Rating Area 7	No Preference	32	187.1
49316MN1100004	Rating Area 7	No Preference	33	187.1
49316MN1100004	Rating Area 7	No Preference	34	187.1
49316MN1100004	Rating Area 7	No Preference	35	196.95
49316MN1100004	Rating Area 7	No Preference	36	196.95
49316MN1100004	Rating Area 7	No Preference	37	196.95
49316MN1100004	Rating Area 7	No Preference	38	196.95
49316MN1100004	Rating Area 7	No Preference	39	196.95
49316MN1100004	Rating Area 7	No Preference	40	211.56
49316MN1100004	Rating Area 7	No Preference	41	211.56
49316MN1100004	Rating Area 7	No Preference	42	211.56
49316MN1100004	Rating Area 7	No Preference	43	211.56
49316MN1100004	Rating Area 7	No Preference	44	211.56
49316MN1100004	Rating Area 7	No Preference	45	249.37
49316MN1100004	Rating Area 7	No Preference	46	249.37
49316MN1100004	Rating Area 7	No Preference	47	249.37
49316MN1100004	Rating Area 7	No Preference	48	249.37
49316MN1100004	Rating Area 7	No Preference	49	249.37
49316MN1100004	Rating Area 7	No Preference	50	310.67
49316MN1100004	Rating Area 7	No Preference	51	310.67
49316MN1100004	Rating Area 7	No Preference	52	310.67
49316MN1100004	Rating Area 7	No Preference	53	310.67
49316MN1100004	Rating Area 7	No Preference	54	310.67
49316MN1100004	Rating Area 7	No Preference	55	385.96
49316MN1100004	Rating Area 7	No Preference	56	385.96
49316MN1100004	Rating Area 7	No Preference	57	385.96
49316MN1100004	Rating Area 7	No Preference	58	385.96

49316MN1100004	Rating Area 7	No Preference	59	385.96
49316MN1100004	Rating Area 7	No Preference	60	455.85
49316MN1100004	Rating Area 7	No Preference	61	455.85
49316MN1100004	Rating Area 7	No Preference	62	455.85
49316MN1100004	Rating Area 7	No Preference	63	455.85
49316MN1100004	Rating Area 7	No Preference	64	476.5
49316MN1100004	Rating Area 7	No Preference	65 and over	476.5
49316MN1100004	Rating Area 8	No Preference	0-20	120.66
49316MN1100004	Rating Area 8	No Preference	21	139.77
49316MN1100004	Rating Area 8	No Preference	22	139.77
49316MN1100004	Rating Area 8	No Preference	23	139.77
49316MN1100004	Rating Area 8	No Preference	24	139.77
49316MN1100004	Rating Area 8	No Preference	25	139.77
49316MN1100004	Rating Area 8	No Preference	26	139.77
49316MN1100004	Rating Area 8	No Preference	27	139.77
49316MN1100004	Rating Area 8	No Preference	28	139.77
49316MN1100004	Rating Area 8	No Preference	29	139.77
49316MN1100004	Rating Area 8	No Preference	30	159.7
49316MN1100004	Rating Area 8	No Preference	31	159.7
49316MN1100004	Rating Area 8	No Preference	32	159.7
49316MN1100004	Rating Area 8	No Preference	33	159.7
49316MN1100004	Rating Area 8	No Preference	34	159.7
49316MN1100004	Rating Area 8	No Preference	35	168.11
49316MN1100004	Rating Area 8	No Preference	36	168.11
49316MN1100004	Rating Area 8	No Preference	37	168.11
49316MN1100004	Rating Area 8	No Preference	38	168.11
49316MN1100004	Rating Area 8	No Preference	39	168.11
49316MN1100004	Rating Area 8	No Preference	40	180.58
49316MN1100004	Rating Area 8	No Preference	41	180.58
49316MN1100004	Rating Area 8	No Preference	42	180.58
49316MN1100004	Rating Area 8	No Preference	43	180.58
49316MN1100004	Rating Area 8	No Preference	44	180.58
49316MN1100004	Rating Area 8	No Preference	45	212.84
49316MN1100004	Rating Area 8	No Preference	46	212.84
49316MN1100004	Rating Area 8	No Preference	47	212.84
49316MN1100004	Rating Area 8	No Preference	48	212.84
49316MN1100004	Rating Area 8	No Preference	49	212.84
49316MN1100004	Rating Area 8	No Preference	50	265.17
49316MN1100004	Rating Area 8	No Preference	51	265.17
49316MN1100004	Rating Area 8	No Preference	52	265.17
49316MN1100004	Rating Area 8	No Preference	53	265.17
49316MN1100004	Rating Area 8	No Preference	54	265.17
49316MN1100004	Rating Area 8	No Preference	55	329.43
49316MN1100004	Rating Area 8	No Preference	56	329.43
49316MN1100004	Rating Area 8	No Preference	57	329.43
49316MN1100004	Rating Area 8	No Preference	58	329.43
49316MN1100004	Rating Area 8	No Preference	59	329.43

49316MN1100004	Rating Area 8	No Preference	60	389.08
49316MN1100004	Rating Area 8	No Preference	61	389.08
49316MN1100004	Rating Area 8	No Preference	62	389.08
49316MN1100004	Rating Area 8	No Preference	63	389.08
49316MN1100004	Rating Area 8	No Preference	64	406.71
49316MN1100004	Rating Area 8	No Preference	65 and over	406.71
49316MN1100004	Rating Area 9	No Preference	0-20	120.66
49316MN1100004	Rating Area 9	No Preference	21	139.77
49316MN1100004	Rating Area 9	No Preference	22	139.77
49316MN1100004	Rating Area 9	No Preference	23	139.77
49316MN1100004	Rating Area 9	No Preference	24	139.77
49316MN1100004	Rating Area 9	No Preference	25	139.77
49316MN1100004	Rating Area 9	No Preference	26	139.77
49316MN1100004	Rating Area 9	No Preference	27	139.77
49316MN1100004	Rating Area 9	No Preference	28	139.77
49316MN1100004	Rating Area 9	No Preference	29	139.77
49316MN1100004	Rating Area 9	No Preference	30	159.7
49316MN1100004	Rating Area 9	No Preference	31	159.7
49316MN1100004	Rating Area 9	No Preference	32	159.7
49316MN1100004	Rating Area 9	No Preference	33	159.7
49316MN1100004	Rating Area 9	No Preference	34	159.7
49316MN1100004	Rating Area 9	No Preference	35	168.11
49316MN1100004	Rating Area 9	No Preference	36	168.11
49316MN1100004	Rating Area 9	No Preference	37	168.11
49316MN1100004	Rating Area 9	No Preference	38	168.11
49316MN1100004	Rating Area 9	No Preference	39	168.11
49316MN1100004	Rating Area 9	No Preference	40	180.58
49316MN1100004	Rating Area 9	No Preference	41	180.58
49316MN1100004	Rating Area 9	No Preference	42	180.58
49316MN1100004	Rating Area 9	No Preference	43	180.58
49316MN1100004	Rating Area 9	No Preference	44	180.58
49316MN1100004	Rating Area 9	No Preference	45	212.84
49316MN1100004	Rating Area 9	No Preference	46	212.84
49316MN1100004	Rating Area 9	No Preference	47	212.84
49316MN1100004	Rating Area 9	No Preference	48	212.84
49316MN1100004	Rating Area 9	No Preference	49	212.84
49316MN1100004	Rating Area 9	No Preference	50	265.17
49316MN1100004	Rating Area 9	No Preference	51	265.17
49316MN1100004	Rating Area 9	No Preference	52	265.17
49316MN1100004	Rating Area 9	No Preference	53	265.17
49316MN1100004	Rating Area 9	No Preference	54	265.17
49316MN1100004	Rating Area 9	No Preference	55	329.43
49316MN1100004	Rating Area 9	No Preference	56	329.43
49316MN1100004	Rating Area 9	No Preference	57	329.43
49316MN1100004	Rating Area 9	No Preference	58	329.43
49316MN1100004	Rating Area 9	No Preference	59	329.43
49316MN1100004	Rating Area 9	No Preference	60	389.08

49316MN1100004	Rating Area 9	No Preference	61	389.08
49316MN1100004	Rating Area 9	No Preference	62	389.08
49316MN1100004	Rating Area 9	No Preference	63	389.08
49316MN1100004	Rating Area 9	No Preference	64	406.71
49316MN1100004	Rating Area 9	No Preference	65 and over	406.71
49316MN1110001	Rating Area 1	No Preference	0-20	208.98
49316MN1110001	Rating Area 1	No Preference	21	242.09
49316MN1110001	Rating Area 1	No Preference	22	242.09
49316MN1110001	Rating Area 1	No Preference	23	242.09
49316MN1110001	Rating Area 1	No Preference	24	242.09
49316MN1110001	Rating Area 1	No Preference	25	242.09
49316MN1110001	Rating Area 1	No Preference	26	242.09
49316MN1110001	Rating Area 1	No Preference	27	242.09
49316MN1110001	Rating Area 1	No Preference	28	242.09
49316MN1110001	Rating Area 1	No Preference	29	242.09
49316MN1110001	Rating Area 1	No Preference	30	276.61
49316MN1110001	Rating Area 1	No Preference	31	276.61
49316MN1110001	Rating Area 1	No Preference	32	276.61
49316MN1110001	Rating Area 1	No Preference	33	276.61
49316MN1110001	Rating Area 1	No Preference	34	276.61
49316MN1110001	Rating Area 1	No Preference	35	291.16
49316MN1110001	Rating Area 1	No Preference	36	291.16
49316MN1110001	Rating Area 1	No Preference	37	291.16
49316MN1110001	Rating Area 1	No Preference	38	291.16
49316MN1110001	Rating Area 1	No Preference	39	291.16
49316MN1110001	Rating Area 1	No Preference	40	312.77
49316MN1110001	Rating Area 1	No Preference	41	312.77
49316MN1110001	Rating Area 1	No Preference	42	312.77
49316MN1110001	Rating Area 1	No Preference	43	312.77
49316MN1110001	Rating Area 1	No Preference	44	312.77
49316MN1110001	Rating Area 1	No Preference	45	368.65
49316MN1110001	Rating Area 1	No Preference	46	368.65
49316MN1110001	Rating Area 1	No Preference	47	368.65
49316MN1110001	Rating Area 1	No Preference	48	368.65
49316MN1110001	Rating Area 1	No Preference	49	368.65
49316MN1110001	Rating Area 1	No Preference	50	459.29
49316MN1110001	Rating Area 1	No Preference	51	459.29
49316MN1110001	Rating Area 1	No Preference	52	459.29
49316MN1110001	Rating Area 1	No Preference	53	459.29
49316MN1110001	Rating Area 1	No Preference	54	459.29
49316MN1110001	Rating Area 1	No Preference	55	570.59
49316MN1110001	Rating Area 1	No Preference	56	570.59
49316MN1110001	Rating Area 1	No Preference	57	570.59
49316MN1110001	Rating Area 1	No Preference	58	570.59
49316MN1110001	Rating Area 1	No Preference	59	570.59
49316MN1110001	Rating Area 1	No Preference	60	673.9
49316MN1110001	Rating Area 1	No Preference	61	673.9

49316MN1110001	Rating Area 1	No Preference	62	673.9
49316MN1110001	Rating Area 1	No Preference	63	673.9
49316MN1110001	Rating Area 1	No Preference	64	704.43
49316MN1110001	Rating Area 1	No Preference	65 and over	704.43
49316MN1110001	Rating Area 2	No Preference	0-20	159.6
49316MN1110001	Rating Area 2	No Preference	21	184.88
49316MN1110001	Rating Area 2	No Preference	22	184.88
49316MN1110001	Rating Area 2	No Preference	23	184.88
49316MN1110001	Rating Area 2	No Preference	24	184.88
49316MN1110001	Rating Area 2	No Preference	25	184.88
49316MN1110001	Rating Area 2	No Preference	26	184.88
49316MN1110001	Rating Area 2	No Preference	27	184.88
49316MN1110001	Rating Area 2	No Preference	28	184.88
49316MN1110001	Rating Area 2	No Preference	29	184.88
49316MN1110001	Rating Area 2	No Preference	30	211.25
49316MN1110001	Rating Area 2	No Preference	31	211.25
49316MN1110001	Rating Area 2	No Preference	32	211.25
49316MN1110001	Rating Area 2	No Preference	33	211.25
49316MN1110001	Rating Area 2	No Preference	34	211.25
49316MN1110001	Rating Area 2	No Preference	35	222.36
49316MN1110001	Rating Area 2	No Preference	36	222.36
49316MN1110001	Rating Area 2	No Preference	37	222.36
49316MN1110001	Rating Area 2	No Preference	38	222.36
49316MN1110001	Rating Area 2	No Preference	39	222.36
49316MN1110001	Rating Area 2	No Preference	40	238.86
49316MN1110001	Rating Area 2	No Preference	41	238.86
49316MN1110001	Rating Area 2	No Preference	42	238.86
49316MN1110001	Rating Area 2	No Preference	43	238.86
49316MN1110001	Rating Area 2	No Preference	44	238.86
49316MN1110001	Rating Area 2	No Preference	45	281.54
49316MN1110001	Rating Area 2	No Preference	46	281.54
49316MN1110001	Rating Area 2	No Preference	47	281.54
49316MN1110001	Rating Area 2	No Preference	48	281.54
49316MN1110001	Rating Area 2	No Preference	49	281.54
49316MN1110001	Rating Area 2	No Preference	50	350.76
49316MN1110001	Rating Area 2	No Preference	51	350.76
49316MN1110001	Rating Area 2	No Preference	52	350.76
49316MN1110001	Rating Area 2	No Preference	53	350.76
49316MN1110001	Rating Area 2	No Preference	54	350.76
49316MN1110001	Rating Area 2	No Preference	55	435.76
49316MN1110001	Rating Area 2	No Preference	56	435.76
49316MN1110001	Rating Area 2	No Preference	57	435.76
49316MN1110001	Rating Area 2	No Preference	58	435.76
49316MN1110001	Rating Area 2	No Preference	59	435.76
49316MN1110001	Rating Area 2	No Preference	60	514.66
49316MN1110001	Rating Area 2	No Preference	61	514.66
49316MN1110001	Rating Area 2	No Preference	62	514.66

49316MN1110001	Rating Area 2	No Preference	63	514.66
49316MN1110001	Rating Area 2	No Preference	64	537.98
49316MN1110001	Rating Area 2	No Preference	65 and over	537.98
49316MN1110001	Rating Area 3	No Preference	0-20	162.85
49316MN1110001	Rating Area 3	No Preference	21	188.65
49316MN1110001	Rating Area 3	No Preference	22	188.65
49316MN1110001	Rating Area 3	No Preference	23	188.65
49316MN1110001	Rating Area 3	No Preference	24	188.65
49316MN1110001	Rating Area 3	No Preference	25	188.65
49316MN1110001	Rating Area 3	No Preference	26	188.65
49316MN1110001	Rating Area 3	No Preference	27	188.65
49316MN1110001	Rating Area 3	No Preference	28	188.65
49316MN1110001	Rating Area 3	No Preference	29	188.65
49316MN1110001	Rating Area 3	No Preference	30	215.55
49316MN1110001	Rating Area 3	No Preference	31	215.55
49316MN1110001	Rating Area 3	No Preference	32	215.55
49316MN1110001	Rating Area 3	No Preference	33	215.55
49316MN1110001	Rating Area 3	No Preference	34	215.55
49316MN1110001	Rating Area 3	No Preference	35	226.89
49316MN1110001	Rating Area 3	No Preference	36	226.89
49316MN1110001	Rating Area 3	No Preference	37	226.89
49316MN1110001	Rating Area 3	No Preference	38	226.89
49316MN1110001	Rating Area 3	No Preference	39	226.89
49316MN1110001	Rating Area 3	No Preference	40	243.73
49316MN1110001	Rating Area 3	No Preference	41	243.73
49316MN1110001	Rating Area 3	No Preference	42	243.73
49316MN1110001	Rating Area 3	No Preference	43	243.73
49316MN1110001	Rating Area 3	No Preference	44	243.73
49316MN1110001	Rating Area 3	No Preference	45	287.28
49316MN1110001	Rating Area 3	No Preference	46	287.28
49316MN1110001	Rating Area 3	No Preference	47	287.28
49316MN1110001	Rating Area 3	No Preference	48	287.28
49316MN1110001	Rating Area 3	No Preference	49	287.28
49316MN1110001	Rating Area 3	No Preference	50	357.9
49316MN1110001	Rating Area 3	No Preference	51	357.9
49316MN1110001	Rating Area 3	No Preference	52	357.9
49316MN1110001	Rating Area 3	No Preference	53	357.9
49316MN1110001	Rating Area 3	No Preference	54	357.9
49316MN1110001	Rating Area 3	No Preference	55	444.64
49316MN1110001	Rating Area 3	No Preference	56	444.64
49316MN1110001	Rating Area 3	No Preference	57	444.64
49316MN1110001	Rating Area 3	No Preference	58	444.64
49316MN1110001	Rating Area 3	No Preference	59	444.64
49316MN1110001	Rating Area 3	No Preference	60	525.15
49316MN1110001	Rating Area 3	No Preference	61	525.15
49316MN1110001	Rating Area 3	No Preference	62	525.15
49316MN1110001	Rating Area 3	No Preference	63	525.15

49316MN1110001	Rating Area 3	No Preference	64	548.93
49316MN1110001	Rating Area 3	No Preference	65 and over	548.93
49316MN1110001	Rating Area 4	No Preference	0-20	162.85
49316MN1110001	Rating Area 4	No Preference	21	188.65
49316MN1110001	Rating Area 4	No Preference	22	188.65
49316MN1110001	Rating Area 4	No Preference	23	188.65
49316MN1110001	Rating Area 4	No Preference	24	188.65
49316MN1110001	Rating Area 4	No Preference	25	188.65
49316MN1110001	Rating Area 4	No Preference	26	188.65
49316MN1110001	Rating Area 4	No Preference	27	188.65
49316MN1110001	Rating Area 4	No Preference	28	188.65
49316MN1110001	Rating Area 4	No Preference	29	188.65
49316MN1110001	Rating Area 4	No Preference	30	215.55
49316MN1110001	Rating Area 4	No Preference	31	215.55
49316MN1110001	Rating Area 4	No Preference	32	215.55
49316MN1110001	Rating Area 4	No Preference	33	215.55
49316MN1110001	Rating Area 4	No Preference	34	215.55
49316MN1110001	Rating Area 4	No Preference	35	226.89
49316MN1110001	Rating Area 4	No Preference	36	226.89
49316MN1110001	Rating Area 4	No Preference	37	226.89
49316MN1110001	Rating Area 4	No Preference	38	226.89
49316MN1110001	Rating Area 4	No Preference	39	226.89
49316MN1110001	Rating Area 4	No Preference	40	243.73
49316MN1110001	Rating Area 4	No Preference	41	243.73
49316MN1110001	Rating Area 4	No Preference	42	243.73
49316MN1110001	Rating Area 4	No Preference	43	243.73
49316MN1110001	Rating Area 4	No Preference	44	243.73
49316MN1110001	Rating Area 4	No Preference	45	287.28
49316MN1110001	Rating Area 4	No Preference	46	287.28
49316MN1110001	Rating Area 4	No Preference	47	287.28
49316MN1110001	Rating Area 4	No Preference	48	287.28
49316MN1110001	Rating Area 4	No Preference	49	287.28
49316MN1110001	Rating Area 4	No Preference	50	357.9
49316MN1110001	Rating Area 4	No Preference	51	357.9
49316MN1110001	Rating Area 4	No Preference	52	357.9
49316MN1110001	Rating Area 4	No Preference	53	357.9
49316MN1110001	Rating Area 4	No Preference	54	357.9
49316MN1110001	Rating Area 4	No Preference	55	444.64
49316MN1110001	Rating Area 4	No Preference	56	444.64
49316MN1110001	Rating Area 4	No Preference	57	444.64
49316MN1110001	Rating Area 4	No Preference	58	444.64
49316MN1110001	Rating Area 4	No Preference	59	444.64
49316MN1110001	Rating Area 4	No Preference	60	525.15
49316MN1110001	Rating Area 4	No Preference	61	525.15
49316MN1110001	Rating Area 4	No Preference	62	525.15
49316MN1110001	Rating Area 4	No Preference	63	525.15
49316MN1110001	Rating Area 4	No Preference	64	548.93

49316MN1110001	Rating Area 4	No Preference	65 and over	548.93
49316MN1110001	Rating Area 5	No Preference	0-20	162.85
49316MN1110001	Rating Area 5	No Preference	21	188.65
49316MN1110001	Rating Area 5	No Preference	22	188.65
49316MN1110001	Rating Area 5	No Preference	23	188.65
49316MN1110001	Rating Area 5	No Preference	24	188.65
49316MN1110001	Rating Area 5	No Preference	25	188.65
49316MN1110001	Rating Area 5	No Preference	26	188.65
49316MN1110001	Rating Area 5	No Preference	27	188.65
49316MN1110001	Rating Area 5	No Preference	28	188.65
49316MN1110001	Rating Area 5	No Preference	29	188.65
49316MN1110001	Rating Area 5	No Preference	30	215.55
49316MN1110001	Rating Area 5	No Preference	31	215.55
49316MN1110001	Rating Area 5	No Preference	32	215.55
49316MN1110001	Rating Area 5	No Preference	33	215.55
49316MN1110001	Rating Area 5	No Preference	34	215.55
49316MN1110001	Rating Area 5	No Preference	35	226.89
49316MN1110001	Rating Area 5	No Preference	36	226.89
49316MN1110001	Rating Area 5	No Preference	37	226.89
49316MN1110001	Rating Area 5	No Preference	38	226.89
49316MN1110001	Rating Area 5	No Preference	39	226.89
49316MN1110001	Rating Area 5	No Preference	40	243.73
49316MN1110001	Rating Area 5	No Preference	41	243.73
49316MN1110001	Rating Area 5	No Preference	42	243.73
49316MN1110001	Rating Area 5	No Preference	43	243.73
49316MN1110001	Rating Area 5	No Preference	44	243.73
49316MN1110001	Rating Area 5	No Preference	45	287.28
49316MN1110001	Rating Area 5	No Preference	46	287.28
49316MN1110001	Rating Area 5	No Preference	47	287.28
49316MN1110001	Rating Area 5	No Preference	48	287.28
49316MN1110001	Rating Area 5	No Preference	49	287.28
49316MN1110001	Rating Area 5	No Preference	50	357.9
49316MN1110001	Rating Area 5	No Preference	51	357.9
49316MN1110001	Rating Area 5	No Preference	52	357.9
49316MN1110001	Rating Area 5	No Preference	53	357.9
49316MN1110001	Rating Area 5	No Preference	54	357.9
49316MN1110001	Rating Area 5	No Preference	55	444.64
49316MN1110001	Rating Area 5	No Preference	56	444.64
49316MN1110001	Rating Area 5	No Preference	57	444.64
49316MN1110001	Rating Area 5	No Preference	58	444.64
49316MN1110001	Rating Area 5	No Preference	59	444.64
49316MN1110001	Rating Area 5	No Preference	60	525.15
49316MN1110001	Rating Area 5	No Preference	61	525.15
49316MN1110001	Rating Area 5	No Preference	62	525.15
49316MN1110001	Rating Area 5	No Preference	63	525.15
49316MN1110001	Rating Area 5	No Preference	64	548.93
49316MN1110001	Rating Area 5	No Preference	65 and over	548.93

49316MN1110001	Rating Area 6	No Preference	0-20	145.67
49316MN1110001	Rating Area 6	No Preference	21	168.74
49316MN1110001	Rating Area 6	No Preference	22	168.74
49316MN1110001	Rating Area 6	No Preference	23	168.74
49316MN1110001	Rating Area 6	No Preference	24	168.74
49316MN1110001	Rating Area 6	No Preference	25	168.74
49316MN1110001	Rating Area 6	No Preference	26	168.74
49316MN1110001	Rating Area 6	No Preference	27	168.74
49316MN1110001	Rating Area 6	No Preference	28	168.74
49316MN1110001	Rating Area 6	No Preference	29	168.74
49316MN1110001	Rating Area 6	No Preference	30	192.8
49316MN1110001	Rating Area 6	No Preference	31	192.8
49316MN1110001	Rating Area 6	No Preference	32	192.8
49316MN1110001	Rating Area 6	No Preference	33	192.8
49316MN1110001	Rating Area 6	No Preference	34	192.8
49316MN1110001	Rating Area 6	No Preference	35	202.95
49316MN1110001	Rating Area 6	No Preference	36	202.95
49316MN1110001	Rating Area 6	No Preference	37	202.95
49316MN1110001	Rating Area 6	No Preference	38	202.95
49316MN1110001	Rating Area 6	No Preference	39	202.95
49316MN1110001	Rating Area 6	No Preference	40	218.01
49316MN1110001	Rating Area 6	No Preference	41	218.01
49316MN1110001	Rating Area 6	No Preference	42	218.01
49316MN1110001	Rating Area 6	No Preference	43	218.01
49316MN1110001	Rating Area 6	No Preference	44	218.01
49316MN1110001	Rating Area 6	No Preference	45	256.96
49316MN1110001	Rating Area 6	No Preference	46	256.96
49316MN1110001	Rating Area 6	No Preference	47	256.96
49316MN1110001	Rating Area 6	No Preference	48	256.96
49316MN1110001	Rating Area 6	No Preference	49	256.96
49316MN1110001	Rating Area 6	No Preference	50	320.14
49316MN1110001	Rating Area 6	No Preference	51	320.14
49316MN1110001	Rating Area 6	No Preference	52	320.14
49316MN1110001	Rating Area 6	No Preference	53	320.14
49316MN1110001	Rating Area 6	No Preference	54	320.14
49316MN1110001	Rating Area 6	No Preference	55	397.72
49316MN1110001	Rating Area 6	No Preference	56	397.72
49316MN1110001	Rating Area 6	No Preference	57	397.72
49316MN1110001	Rating Area 6	No Preference	58	397.72
49316MN1110001	Rating Area 6	No Preference	59	397.72
49316MN1110001	Rating Area 6	No Preference	60	469.74
49316MN1110001	Rating Area 6	No Preference	61	469.74
49316MN1110001	Rating Area 6	No Preference	62	469.74
49316MN1110001	Rating Area 6	No Preference	63	469.74
49316MN1110001	Rating Area 6	No Preference	64	491.01
49316MN1110001	Rating Area 6	No Preference	65 and over	491.01
49316MN1110001	Rating Area 7	No Preference	0-20	159.6

49316MN1110001	Rating Area 7	No Preference	21	184.88
49316MN1110001	Rating Area 7	No Preference	22	184.88
49316MN1110001	Rating Area 7	No Preference	23	184.88
49316MN1110001	Rating Area 7	No Preference	24	184.88
49316MN1110001	Rating Area 7	No Preference	25	184.88
49316MN1110001	Rating Area 7	No Preference	26	184.88
49316MN1110001	Rating Area 7	No Preference	27	184.88
49316MN1110001	Rating Area 7	No Preference	28	184.88
49316MN1110001	Rating Area 7	No Preference	29	184.88
49316MN1110001	Rating Area 7	No Preference	30	211.25
49316MN1110001	Rating Area 7	No Preference	31	211.25
49316MN1110001	Rating Area 7	No Preference	32	211.25
49316MN1110001	Rating Area 7	No Preference	33	211.25
49316MN1110001	Rating Area 7	No Preference	34	211.25
49316MN1110001	Rating Area 7	No Preference	35	222.36
49316MN1110001	Rating Area 7	No Preference	36	222.36
49316MN1110001	Rating Area 7	No Preference	37	222.36
49316MN1110001	Rating Area 7	No Preference	38	222.36
49316MN1110001	Rating Area 7	No Preference	39	222.36
49316MN1110001	Rating Area 7	No Preference	40	238.86
49316MN1110001	Rating Area 7	No Preference	41	238.86
49316MN1110001	Rating Area 7	No Preference	42	238.86
49316MN1110001	Rating Area 7	No Preference	43	238.86
49316MN1110001	Rating Area 7	No Preference	44	238.86
49316MN1110001	Rating Area 7	No Preference	45	281.54
49316MN1110001	Rating Area 7	No Preference	46	281.54
49316MN1110001	Rating Area 7	No Preference	47	281.54
49316MN1110001	Rating Area 7	No Preference	48	281.54
49316MN1110001	Rating Area 7	No Preference	49	281.54
49316MN1110001	Rating Area 7	No Preference	50	350.76
49316MN1110001	Rating Area 7	No Preference	51	350.76
49316MN1110001	Rating Area 7	No Preference	52	350.76
49316MN1110001	Rating Area 7	No Preference	53	350.76
49316MN1110001	Rating Area 7	No Preference	54	350.76
49316MN1110001	Rating Area 7	No Preference	55	435.76
49316MN1110001	Rating Area 7	No Preference	56	435.76
49316MN1110001	Rating Area 7	No Preference	57	435.76
49316MN1110001	Rating Area 7	No Preference	58	435.76
49316MN1110001	Rating Area 7	No Preference	59	435.76
49316MN1110001	Rating Area 7	No Preference	60	514.66
49316MN1110001	Rating Area 7	No Preference	61	514.66
49316MN1110001	Rating Area 7	No Preference	62	514.66
49316MN1110001	Rating Area 7	No Preference	63	514.66
49316MN1110001	Rating Area 7	No Preference	64	537.98
49316MN1110001	Rating Area 7	No Preference	65 and over	537.98
49316MN1110001	Rating Area 8	No Preference	0-20	136.22
49316MN1110001	Rating Area 8	No Preference	21	157.81

49316MN1110001	Rating Area 8	No Preference	22	157.81
49316MN1110001	Rating Area 8	No Preference	23	157.81
49316MN1110001	Rating Area 8	No Preference	24	157.81
49316MN1110001	Rating Area 8	No Preference	25	157.81
49316MN1110001	Rating Area 8	No Preference	26	157.81
49316MN1110001	Rating Area 8	No Preference	27	157.81
49316MN1110001	Rating Area 8	No Preference	28	157.81
49316MN1110001	Rating Area 8	No Preference	29	157.81
49316MN1110001	Rating Area 8	No Preference	30	180.31
49316MN1110001	Rating Area 8	No Preference	31	180.31
49316MN1110001	Rating Area 8	No Preference	32	180.31
49316MN1110001	Rating Area 8	No Preference	33	180.31
49316MN1110001	Rating Area 8	No Preference	34	180.31
49316MN1110001	Rating Area 8	No Preference	35	189.8
49316MN1110001	Rating Area 8	No Preference	36	189.8
49316MN1110001	Rating Area 8	No Preference	37	189.8
49316MN1110001	Rating Area 8	No Preference	38	189.8
49316MN1110001	Rating Area 8	No Preference	39	189.8
49316MN1110001	Rating Area 8	No Preference	40	203.88
49316MN1110001	Rating Area 8	No Preference	41	203.88
49316MN1110001	Rating Area 8	No Preference	42	203.88
49316MN1110001	Rating Area 8	No Preference	43	203.88
49316MN1110001	Rating Area 8	No Preference	44	203.88
49316MN1110001	Rating Area 8	No Preference	45	240.31
49316MN1110001	Rating Area 8	No Preference	46	240.31
49316MN1110001	Rating Area 8	No Preference	47	240.31
49316MN1110001	Rating Area 8	No Preference	48	240.31
49316MN1110001	Rating Area 8	No Preference	49	240.31
49316MN1110001	Rating Area 8	No Preference	50	299.39
49316MN1110001	Rating Area 8	No Preference	51	299.39
49316MN1110001	Rating Area 8	No Preference	52	299.39
49316MN1110001	Rating Area 8	No Preference	53	299.39
49316MN1110001	Rating Area 8	No Preference	54	299.39
49316MN1110001	Rating Area 8	No Preference	55	371.94
49316MN1110001	Rating Area 8	No Preference	56	371.94
49316MN1110001	Rating Area 8	No Preference	57	371.94
49316MN1110001	Rating Area 8	No Preference	58	371.94
49316MN1110001	Rating Area 8	No Preference	59	371.94
49316MN1110001	Rating Area 8	No Preference	60	439.29
49316MN1110001	Rating Area 8	No Preference	61	439.29
49316MN1110001	Rating Area 8	No Preference	62	439.29
49316MN1110001	Rating Area 8	No Preference	63	439.29
49316MN1110001	Rating Area 8	No Preference	64	459.18
49316MN1110001	Rating Area 8	No Preference	65 and over	459.18
49316MN1110001	Rating Area 9	No Preference	0-20	136.22
49316MN1110001	Rating Area 9	No Preference	21	157.81
49316MN1110001	Rating Area 9	No Preference	22	157.81

49316MN1110001	Rating Area 9	No Preference	23	157.81
49316MN1110001	Rating Area 9	No Preference	24	157.81
49316MN1110001	Rating Area 9	No Preference	25	157.81
49316MN1110001	Rating Area 9	No Preference	26	157.81
49316MN1110001	Rating Area 9	No Preference	27	157.81
49316MN1110001	Rating Area 9	No Preference	28	157.81
49316MN1110001	Rating Area 9	No Preference	29	157.81
49316MN1110001	Rating Area 9	No Preference	30	180.31
49316MN1110001	Rating Area 9	No Preference	31	180.31
49316MN1110001	Rating Area 9	No Preference	32	180.31
49316MN1110001	Rating Area 9	No Preference	33	180.31
49316MN1110001	Rating Area 9	No Preference	34	180.31
49316MN1110001	Rating Area 9	No Preference	35	189.8
49316MN1110001	Rating Area 9	No Preference	36	189.8
49316MN1110001	Rating Area 9	No Preference	37	189.8
49316MN1110001	Rating Area 9	No Preference	38	189.8
49316MN1110001	Rating Area 9	No Preference	39	189.8
49316MN1110001	Rating Area 9	No Preference	40	203.88
49316MN1110001	Rating Area 9	No Preference	41	203.88
49316MN1110001	Rating Area 9	No Preference	42	203.88
49316MN1110001	Rating Area 9	No Preference	43	203.88
49316MN1110001	Rating Area 9	No Preference	44	203.88
49316MN1110001	Rating Area 9	No Preference	45	240.31
49316MN1110001	Rating Area 9	No Preference	46	240.31
49316MN1110001	Rating Area 9	No Preference	47	240.31
49316MN1110001	Rating Area 9	No Preference	48	240.31
49316MN1110001	Rating Area 9	No Preference	49	240.31
49316MN1110001	Rating Area 9	No Preference	50	299.39
49316MN1110001	Rating Area 9	No Preference	51	299.39
49316MN1110001	Rating Area 9	No Preference	52	299.39
49316MN1110001	Rating Area 9	No Preference	53	299.39
49316MN1110001	Rating Area 9	No Preference	54	299.39
49316MN1110001	Rating Area 9	No Preference	55	371.94
49316MN1110001	Rating Area 9	No Preference	56	371.94
49316MN1110001	Rating Area 9	No Preference	57	371.94
49316MN1110001	Rating Area 9	No Preference	58	371.94
49316MN1110001	Rating Area 9	No Preference	59	371.94
49316MN1110001	Rating Area 9	No Preference	60	439.29
49316MN1110001	Rating Area 9	No Preference	61	439.29
49316MN1110001	Rating Area 9	No Preference	62	439.29
49316MN1110001	Rating Area 9	No Preference	63	439.29
49316MN1110001	Rating Area 9	No Preference	64	459.18
49316MN1110001	Rating Area 9	No Preference	65 and over	459.18
49316MN1110002	Rating Area 1	No Preference	0-20	240.01
49316MN1110002	Rating Area 1	No Preference	21	278.03
49316MN1110002	Rating Area 1	No Preference	22	278.03
49316MN1110002	Rating Area 1	No Preference	23	278.03

49316MN1110002	Rating Area 1	No Preference	24	278.03
49316MN1110002	Rating Area 1	No Preference	25	278.03
49316MN1110002	Rating Area 1	No Preference	26	278.03
49316MN1110002	Rating Area 1	No Preference	27	278.03
49316MN1110002	Rating Area 1	No Preference	28	278.03
49316MN1110002	Rating Area 1	No Preference	29	278.03
49316MN1110002	Rating Area 1	No Preference	30	317.67
49316MN1110002	Rating Area 1	No Preference	31	317.67
49316MN1110002	Rating Area 1	No Preference	32	317.67
49316MN1110002	Rating Area 1	No Preference	33	317.67
49316MN1110002	Rating Area 1	No Preference	34	317.67
49316MN1110002	Rating Area 1	No Preference	35	334.39
49316MN1110002	Rating Area 1	No Preference	36	334.39
49316MN1110002	Rating Area 1	No Preference	37	334.39
49316MN1110002	Rating Area 1	No Preference	38	334.39
49316MN1110002	Rating Area 1	No Preference	39	334.39
49316MN1110002	Rating Area 1	No Preference	40	359.2
49316MN1110002	Rating Area 1	No Preference	41	359.2
49316MN1110002	Rating Area 1	No Preference	42	359.2
49316MN1110002	Rating Area 1	No Preference	43	359.2
49316MN1110002	Rating Area 1	No Preference	44	359.2
49316MN1110002	Rating Area 1	No Preference	45	423.38
49316MN1110002	Rating Area 1	No Preference	46	423.38
49316MN1110002	Rating Area 1	No Preference	47	423.38
49316MN1110002	Rating Area 1	No Preference	48	423.38
49316MN1110002	Rating Area 1	No Preference	49	423.38
49316MN1110002	Rating Area 1	No Preference	50	527.47
49316MN1110002	Rating Area 1	No Preference	51	527.47
49316MN1110002	Rating Area 1	No Preference	52	527.47
49316MN1110002	Rating Area 1	No Preference	53	527.47
49316MN1110002	Rating Area 1	No Preference	54	527.47
49316MN1110002	Rating Area 1	No Preference	55	655.29
49316MN1110002	Rating Area 1	No Preference	56	655.29
49316MN1110002	Rating Area 1	No Preference	57	655.29
49316MN1110002	Rating Area 1	No Preference	58	655.29
49316MN1110002	Rating Area 1	No Preference	59	655.29
49316MN1110002	Rating Area 1	No Preference	60	773.95
49316MN1110002	Rating Area 1	No Preference	61	773.95
49316MN1110002	Rating Area 1	No Preference	62	773.95
49316MN1110002	Rating Area 1	No Preference	63	773.95
49316MN1110002	Rating Area 1	No Preference	64	809.01
49316MN1110002	Rating Area 1	No Preference	65 and over	809.01
49316MN1110002	Rating Area 2	No Preference	0-20	183.29
49316MN1110002	Rating Area 2	No Preference	21	212.33
49316MN1110002	Rating Area 2	No Preference	22	212.33
49316MN1110002	Rating Area 2	No Preference	23	212.33
49316MN1110002	Rating Area 2	No Preference	24	212.33

49316MN1110002	Rating Area 2	No Preference	25	212.33
49316MN1110002	Rating Area 2	No Preference	26	212.33
49316MN1110002	Rating Area 2	No Preference	27	212.33
49316MN1110002	Rating Area 2	No Preference	28	212.33
49316MN1110002	Rating Area 2	No Preference	29	212.33
49316MN1110002	Rating Area 2	No Preference	30	242.61
49316MN1110002	Rating Area 2	No Preference	31	242.61
49316MN1110002	Rating Area 2	No Preference	32	242.61
49316MN1110002	Rating Area 2	No Preference	33	242.61
49316MN1110002	Rating Area 2	No Preference	34	242.61
49316MN1110002	Rating Area 2	No Preference	35	255.37
49316MN1110002	Rating Area 2	No Preference	36	255.37
49316MN1110002	Rating Area 2	No Preference	37	255.37
49316MN1110002	Rating Area 2	No Preference	38	255.37
49316MN1110002	Rating Area 2	No Preference	39	255.37
49316MN1110002	Rating Area 2	No Preference	40	274.32
49316MN1110002	Rating Area 2	No Preference	41	274.32
49316MN1110002	Rating Area 2	No Preference	42	274.32
49316MN1110002	Rating Area 2	No Preference	43	274.32
49316MN1110002	Rating Area 2	No Preference	44	274.32
49316MN1110002	Rating Area 2	No Preference	45	323.34
49316MN1110002	Rating Area 2	No Preference	46	323.34
49316MN1110002	Rating Area 2	No Preference	47	323.34
49316MN1110002	Rating Area 2	No Preference	48	323.34
49316MN1110002	Rating Area 2	No Preference	49	323.34
49316MN1110002	Rating Area 2	No Preference	50	402.83
49316MN1110002	Rating Area 2	No Preference	51	402.83
49316MN1110002	Rating Area 2	No Preference	52	402.83
49316MN1110002	Rating Area 2	No Preference	53	402.83
49316MN1110002	Rating Area 2	No Preference	54	402.83
49316MN1110002	Rating Area 2	No Preference	55	500.45
49316MN1110002	Rating Area 2	No Preference	56	500.45
49316MN1110002	Rating Area 2	No Preference	57	500.45
49316MN1110002	Rating Area 2	No Preference	58	500.45
49316MN1110002	Rating Area 2	No Preference	59	500.45
49316MN1110002	Rating Area 2	No Preference	60	591.07
49316MN1110002	Rating Area 2	No Preference	61	591.07
49316MN1110002	Rating Area 2	No Preference	62	591.07
49316MN1110002	Rating Area 2	No Preference	63	591.07
49316MN1110002	Rating Area 2	No Preference	64	617.84
49316MN1110002	Rating Area 2	No Preference	65 and over	617.84
49316MN1110002	Rating Area 3	No Preference	0-20	187.03
49316MN1110002	Rating Area 3	No Preference	21	216.66
49316MN1110002	Rating Area 3	No Preference	22	216.66
49316MN1110002	Rating Area 3	No Preference	23	216.66
49316MN1110002	Rating Area 3	No Preference	24	216.66
49316MN1110002	Rating Area 3	No Preference	25	216.66

49316MN1110002	Rating Area 3	No Preference	26	216.66
49316MN1110002	Rating Area 3	No Preference	27	216.66
49316MN1110002	Rating Area 3	No Preference	28	216.66
49316MN1110002	Rating Area 3	No Preference	29	216.66
49316MN1110002	Rating Area 3	No Preference	30	247.55
49316MN1110002	Rating Area 3	No Preference	31	247.55
49316MN1110002	Rating Area 3	No Preference	32	247.55
49316MN1110002	Rating Area 3	No Preference	33	247.55
49316MN1110002	Rating Area 3	No Preference	34	247.55
49316MN1110002	Rating Area 3	No Preference	35	260.58
49316MN1110002	Rating Area 3	No Preference	36	260.58
49316MN1110002	Rating Area 3	No Preference	37	260.58
49316MN1110002	Rating Area 3	No Preference	38	260.58
49316MN1110002	Rating Area 3	No Preference	39	260.58
49316MN1110002	Rating Area 3	No Preference	40	279.91
49316MN1110002	Rating Area 3	No Preference	41	279.91
49316MN1110002	Rating Area 3	No Preference	42	279.91
49316MN1110002	Rating Area 3	No Preference	43	279.91
49316MN1110002	Rating Area 3	No Preference	44	279.91
49316MN1110002	Rating Area 3	No Preference	45	329.92
49316MN1110002	Rating Area 3	No Preference	46	329.92
49316MN1110002	Rating Area 3	No Preference	47	329.92
49316MN1110002	Rating Area 3	No Preference	48	329.92
49316MN1110002	Rating Area 3	No Preference	49	329.92
49316MN1110002	Rating Area 3	No Preference	50	411.04
49316MN1110002	Rating Area 3	No Preference	51	411.04
49316MN1110002	Rating Area 3	No Preference	52	411.04
49316MN1110002	Rating Area 3	No Preference	53	411.04
49316MN1110002	Rating Area 3	No Preference	54	411.04
49316MN1110002	Rating Area 3	No Preference	55	510.64
49316MN1110002	Rating Area 3	No Preference	56	510.64
49316MN1110002	Rating Area 3	No Preference	57	510.64
49316MN1110002	Rating Area 3	No Preference	58	510.64
49316MN1110002	Rating Area 3	No Preference	59	510.64
49316MN1110002	Rating Area 3	No Preference	60	603.11
49316MN1110002	Rating Area 3	No Preference	61	603.11
49316MN1110002	Rating Area 3	No Preference	62	603.11
49316MN1110002	Rating Area 3	No Preference	63	603.11
49316MN1110002	Rating Area 3	No Preference	64	630.43
49316MN1110002	Rating Area 3	No Preference	65 and over	630.43
49316MN1110002	Rating Area 4	No Preference	0-20	187.03
49316MN1110002	Rating Area 4	No Preference	21	216.66
49316MN1110002	Rating Area 4	No Preference	22	216.66
49316MN1110002	Rating Area 4	No Preference	23	216.66
49316MN1110002	Rating Area 4	No Preference	24	216.66
49316MN1110002	Rating Area 4	No Preference	25	216.66
49316MN1110002	Rating Area 4	No Preference	26	216.66

49316MN1110002	Rating Area 4	No Preference	27	216.66
49316MN1110002	Rating Area 4	No Preference	28	216.66
49316MN1110002	Rating Area 4	No Preference	29	216.66
49316MN1110002	Rating Area 4	No Preference	30	247.55
49316MN1110002	Rating Area 4	No Preference	31	247.55
49316MN1110002	Rating Area 4	No Preference	32	247.55
49316MN1110002	Rating Area 4	No Preference	33	247.55
49316MN1110002	Rating Area 4	No Preference	34	247.55
49316MN1110002	Rating Area 4	No Preference	35	260.58
49316MN1110002	Rating Area 4	No Preference	36	260.58
49316MN1110002	Rating Area 4	No Preference	37	260.58
49316MN1110002	Rating Area 4	No Preference	38	260.58
49316MN1110002	Rating Area 4	No Preference	39	260.58
49316MN1110002	Rating Area 4	No Preference	40	279.91
49316MN1110002	Rating Area 4	No Preference	41	279.91
49316MN1110002	Rating Area 4	No Preference	42	279.91
49316MN1110002	Rating Area 4	No Preference	43	279.91
49316MN1110002	Rating Area 4	No Preference	44	279.91
49316MN1110002	Rating Area 4	No Preference	45	329.92
49316MN1110002	Rating Area 4	No Preference	46	329.92
49316MN1110002	Rating Area 4	No Preference	47	329.92
49316MN1110002	Rating Area 4	No Preference	48	329.92
49316MN1110002	Rating Area 4	No Preference	49	329.92
49316MN1110002	Rating Area 4	No Preference	50	411.04
49316MN1110002	Rating Area 4	No Preference	51	411.04
49316MN1110002	Rating Area 4	No Preference	52	411.04
49316MN1110002	Rating Area 4	No Preference	53	411.04
49316MN1110002	Rating Area 4	No Preference	54	411.04
49316MN1110002	Rating Area 4	No Preference	55	510.64
49316MN1110002	Rating Area 4	No Preference	56	510.64
49316MN1110002	Rating Area 4	No Preference	57	510.64
49316MN1110002	Rating Area 4	No Preference	58	510.64
49316MN1110002	Rating Area 4	No Preference	59	510.64
49316MN1110002	Rating Area 4	No Preference	60	603.11
49316MN1110002	Rating Area 4	No Preference	61	603.11
49316MN1110002	Rating Area 4	No Preference	62	603.11
49316MN1110002	Rating Area 4	No Preference	63	603.11
49316MN1110002	Rating Area 4	No Preference	64	630.43
49316MN1110002	Rating Area 4	No Preference	65 and over	630.43
49316MN1110002	Rating Area 5	No Preference	0-20	187.03
49316MN1110002	Rating Area 5	No Preference	21	216.66
49316MN1110002	Rating Area 5	No Preference	22	216.66
49316MN1110002	Rating Area 5	No Preference	23	216.66
49316MN1110002	Rating Area 5	No Preference	24	216.66
49316MN1110002	Rating Area 5	No Preference	25	216.66
49316MN1110002	Rating Area 5	No Preference	26	216.66
49316MN1110002	Rating Area 5	No Preference	27	216.66

49316MN1110002	Rating Area 5	No Preference	28	216.66
49316MN1110002	Rating Area 5	No Preference	29	216.66
49316MN1110002	Rating Area 5	No Preference	30	247.55
49316MN1110002	Rating Area 5	No Preference	31	247.55
49316MN1110002	Rating Area 5	No Preference	32	247.55
49316MN1110002	Rating Area 5	No Preference	33	247.55
49316MN1110002	Rating Area 5	No Preference	34	247.55
49316MN1110002	Rating Area 5	No Preference	35	260.58
49316MN1110002	Rating Area 5	No Preference	36	260.58
49316MN1110002	Rating Area 5	No Preference	37	260.58
49316MN1110002	Rating Area 5	No Preference	38	260.58
49316MN1110002	Rating Area 5	No Preference	39	260.58
49316MN1110002	Rating Area 5	No Preference	40	279.91
49316MN1110002	Rating Area 5	No Preference	41	279.91
49316MN1110002	Rating Area 5	No Preference	42	279.91
49316MN1110002	Rating Area 5	No Preference	43	279.91
49316MN1110002	Rating Area 5	No Preference	44	279.91
49316MN1110002	Rating Area 5	No Preference	45	329.92
49316MN1110002	Rating Area 5	No Preference	46	329.92
49316MN1110002	Rating Area 5	No Preference	47	329.92
49316MN1110002	Rating Area 5	No Preference	48	329.92
49316MN1110002	Rating Area 5	No Preference	49	329.92
49316MN1110002	Rating Area 5	No Preference	50	411.04
49316MN1110002	Rating Area 5	No Preference	51	411.04
49316MN1110002	Rating Area 5	No Preference	52	411.04
49316MN1110002	Rating Area 5	No Preference	53	411.04
49316MN1110002	Rating Area 5	No Preference	54	411.04
49316MN1110002	Rating Area 5	No Preference	55	510.64
49316MN1110002	Rating Area 5	No Preference	56	510.64
49316MN1110002	Rating Area 5	No Preference	57	510.64
49316MN1110002	Rating Area 5	No Preference	58	510.64
49316MN1110002	Rating Area 5	No Preference	59	510.64
49316MN1110002	Rating Area 5	No Preference	60	603.11
49316MN1110002	Rating Area 5	No Preference	61	603.11
49316MN1110002	Rating Area 5	No Preference	62	603.11
49316MN1110002	Rating Area 5	No Preference	63	603.11
49316MN1110002	Rating Area 5	No Preference	64	630.43
49316MN1110002	Rating Area 5	No Preference	65 and over	630.43
49316MN1110002	Rating Area 6	No Preference	0-20	167.29
49316MN1110002	Rating Area 6	No Preference	21	193.8
49316MN1110002	Rating Area 6	No Preference	22	193.8
49316MN1110002	Rating Area 6	No Preference	23	193.8
49316MN1110002	Rating Area 6	No Preference	24	193.8
49316MN1110002	Rating Area 6	No Preference	25	193.8
49316MN1110002	Rating Area 6	No Preference	26	193.8
49316MN1110002	Rating Area 6	No Preference	27	193.8
49316MN1110002	Rating Area 6	No Preference	28	193.8

49316MN1110002	Rating Area 6	No Preference	29	193.8
49316MN1110002	Rating Area 6	No Preference	30	221.43
49316MN1110002	Rating Area 6	No Preference	31	221.43
49316MN1110002	Rating Area 6	No Preference	32	221.43
49316MN1110002	Rating Area 6	No Preference	33	221.43
49316MN1110002	Rating Area 6	No Preference	34	221.43
49316MN1110002	Rating Area 6	No Preference	35	233.08
49316MN1110002	Rating Area 6	No Preference	36	233.08
49316MN1110002	Rating Area 6	No Preference	37	233.08
49316MN1110002	Rating Area 6	No Preference	38	233.08
49316MN1110002	Rating Area 6	No Preference	39	233.08
49316MN1110002	Rating Area 6	No Preference	40	250.37
49316MN1110002	Rating Area 6	No Preference	41	250.37
49316MN1110002	Rating Area 6	No Preference	42	250.37
49316MN1110002	Rating Area 6	No Preference	43	250.37
49316MN1110002	Rating Area 6	No Preference	44	250.37
49316MN1110002	Rating Area 6	No Preference	45	295.11
49316MN1110002	Rating Area 6	No Preference	46	295.11
49316MN1110002	Rating Area 6	No Preference	47	295.11
49316MN1110002	Rating Area 6	No Preference	48	295.11
49316MN1110002	Rating Area 6	No Preference	49	295.11
49316MN1110002	Rating Area 6	No Preference	50	367.67
49316MN1110002	Rating Area 6	No Preference	51	367.67
49316MN1110002	Rating Area 6	No Preference	52	367.67
49316MN1110002	Rating Area 6	No Preference	53	367.67
49316MN1110002	Rating Area 6	No Preference	54	367.67
49316MN1110002	Rating Area 6	No Preference	55	456.76
49316MN1110002	Rating Area 6	No Preference	56	456.76
49316MN1110002	Rating Area 6	No Preference	57	456.76
49316MN1110002	Rating Area 6	No Preference	58	456.76
49316MN1110002	Rating Area 6	No Preference	59	456.76
49316MN1110002	Rating Area 6	No Preference	60	539.47
49316MN1110002	Rating Area 6	No Preference	61	539.47
49316MN1110002	Rating Area 6	No Preference	62	539.47
49316MN1110002	Rating Area 6	No Preference	63	539.47
49316MN1110002	Rating Area 6	No Preference	64	563.91
49316MN1110002	Rating Area 6	No Preference	65 and over	563.91
49316MN1110002	Rating Area 7	No Preference	0-20	183.29
49316MN1110002	Rating Area 7	No Preference	21	212.33
49316MN1110002	Rating Area 7	No Preference	22	212.33
49316MN1110002	Rating Area 7	No Preference	23	212.33
49316MN1110002	Rating Area 7	No Preference	24	212.33
49316MN1110002	Rating Area 7	No Preference	25	212.33
49316MN1110002	Rating Area 7	No Preference	26	212.33
49316MN1110002	Rating Area 7	No Preference	27	212.33
49316MN1110002	Rating Area 7	No Preference	28	212.33
49316MN1110002	Rating Area 7	No Preference	29	212.33

49316MN1110002	Rating Area 7	No Preference	30	242.61
49316MN1110002	Rating Area 7	No Preference	31	242.61
49316MN1110002	Rating Area 7	No Preference	32	242.61
49316MN1110002	Rating Area 7	No Preference	33	242.61
49316MN1110002	Rating Area 7	No Preference	34	242.61
49316MN1110002	Rating Area 7	No Preference	35	255.37
49316MN1110002	Rating Area 7	No Preference	36	255.37
49316MN1110002	Rating Area 7	No Preference	37	255.37
49316MN1110002	Rating Area 7	No Preference	38	255.37
49316MN1110002	Rating Area 7	No Preference	39	255.37
49316MN1110002	Rating Area 7	No Preference	40	274.32
49316MN1110002	Rating Area 7	No Preference	41	274.32
49316MN1110002	Rating Area 7	No Preference	42	274.32
49316MN1110002	Rating Area 7	No Preference	43	274.32
49316MN1110002	Rating Area 7	No Preference	44	274.32
49316MN1110002	Rating Area 7	No Preference	45	323.34
49316MN1110002	Rating Area 7	No Preference	46	323.34
49316MN1110002	Rating Area 7	No Preference	47	323.34
49316MN1110002	Rating Area 7	No Preference	48	323.34
49316MN1110002	Rating Area 7	No Preference	49	323.34
49316MN1110002	Rating Area 7	No Preference	50	402.83
49316MN1110002	Rating Area 7	No Preference	51	402.83
49316MN1110002	Rating Area 7	No Preference	52	402.83
49316MN1110002	Rating Area 7	No Preference	53	402.83
49316MN1110002	Rating Area 7	No Preference	54	402.83
49316MN1110002	Rating Area 7	No Preference	55	500.45
49316MN1110002	Rating Area 7	No Preference	56	500.45
49316MN1110002	Rating Area 7	No Preference	57	500.45
49316MN1110002	Rating Area 7	No Preference	58	500.45
49316MN1110002	Rating Area 7	No Preference	59	500.45
49316MN1110002	Rating Area 7	No Preference	60	591.07
49316MN1110002	Rating Area 7	No Preference	61	591.07
49316MN1110002	Rating Area 7	No Preference	62	591.07
49316MN1110002	Rating Area 7	No Preference	63	591.07
49316MN1110002	Rating Area 7	No Preference	64	617.84
49316MN1110002	Rating Area 7	No Preference	65 and over	617.84
49316MN1110002	Rating Area 8	No Preference	0-20	156.45
49316MN1110002	Rating Area 8	No Preference	21	181.23
49316MN1110002	Rating Area 8	No Preference	22	181.23
49316MN1110002	Rating Area 8	No Preference	23	181.23
49316MN1110002	Rating Area 8	No Preference	24	181.23
49316MN1110002	Rating Area 8	No Preference	25	181.23
49316MN1110002	Rating Area 8	No Preference	26	181.23
49316MN1110002	Rating Area 8	No Preference	27	181.23
49316MN1110002	Rating Area 8	No Preference	28	181.23
49316MN1110002	Rating Area 8	No Preference	29	181.23
49316MN1110002	Rating Area 8	No Preference	30	207.07

49316MN1110002	Rating Area 8	No Preference	31	207.07
49316MN1110002	Rating Area 8	No Preference	32	207.07
49316MN1110002	Rating Area 8	No Preference	33	207.07
49316MN1110002	Rating Area 8	No Preference	34	207.07
49316MN1110002	Rating Area 8	No Preference	35	217.97
49316MN1110002	Rating Area 8	No Preference	36	217.97
49316MN1110002	Rating Area 8	No Preference	37	217.97
49316MN1110002	Rating Area 8	No Preference	38	217.97
49316MN1110002	Rating Area 8	No Preference	39	217.97
49316MN1110002	Rating Area 8	No Preference	40	234.14
49316MN1110002	Rating Area 8	No Preference	41	234.14
49316MN1110002	Rating Area 8	No Preference	42	234.14
49316MN1110002	Rating Area 8	No Preference	43	234.14
49316MN1110002	Rating Area 8	No Preference	44	234.14
49316MN1110002	Rating Area 8	No Preference	45	275.98
49316MN1110002	Rating Area 8	No Preference	46	275.98
49316MN1110002	Rating Area 8	No Preference	47	275.98
49316MN1110002	Rating Area 8	No Preference	48	275.98
49316MN1110002	Rating Area 8	No Preference	49	275.98
49316MN1110002	Rating Area 8	No Preference	50	343.83
49316MN1110002	Rating Area 8	No Preference	51	343.83
49316MN1110002	Rating Area 8	No Preference	52	343.83
49316MN1110002	Rating Area 8	No Preference	53	343.83
49316MN1110002	Rating Area 8	No Preference	54	343.83
49316MN1110002	Rating Area 8	No Preference	55	427.16
49316MN1110002	Rating Area 8	No Preference	56	427.16
49316MN1110002	Rating Area 8	No Preference	57	427.16
49316MN1110002	Rating Area 8	No Preference	58	427.16
49316MN1110002	Rating Area 8	No Preference	59	427.16
49316MN1110002	Rating Area 8	No Preference	60	504.5
49316MN1110002	Rating Area 8	No Preference	61	504.5
49316MN1110002	Rating Area 8	No Preference	62	504.5
49316MN1110002	Rating Area 8	No Preference	63	504.5
49316MN1110002	Rating Area 8	No Preference	64	527.35
49316MN1110002	Rating Area 8	No Preference	65 and over	527.35
49316MN1110002	Rating Area 9	No Preference	0-20	156.45
49316MN1110002	Rating Area 9	No Preference	21	181.23
49316MN1110002	Rating Area 9	No Preference	22	181.23
49316MN1110002	Rating Area 9	No Preference	23	181.23
49316MN1110002	Rating Area 9	No Preference	24	181.23
49316MN1110002	Rating Area 9	No Preference	25	181.23
49316MN1110002	Rating Area 9	No Preference	26	181.23
49316MN1110002	Rating Area 9	No Preference	27	181.23
49316MN1110002	Rating Area 9	No Preference	28	181.23
49316MN1110002	Rating Area 9	No Preference	29	181.23
49316MN1110002	Rating Area 9	No Preference	30	207.07
49316MN1110002	Rating Area 9	No Preference	31	207.07

49316MN1110002	Rating Area 9	No Preference	32	207.07
49316MN1110002	Rating Area 9	No Preference	33	207.07
49316MN1110002	Rating Area 9	No Preference	34	207.07
49316MN1110002	Rating Area 9	No Preference	35	217.97
49316MN1110002	Rating Area 9	No Preference	36	217.97
49316MN1110002	Rating Area 9	No Preference	37	217.97
49316MN1110002	Rating Area 9	No Preference	38	217.97
49316MN1110002	Rating Area 9	No Preference	39	217.97
49316MN1110002	Rating Area 9	No Preference	40	234.14
49316MN1110002	Rating Area 9	No Preference	41	234.14
49316MN1110002	Rating Area 9	No Preference	42	234.14
49316MN1110002	Rating Area 9	No Preference	43	234.14
49316MN1110002	Rating Area 9	No Preference	44	234.14
49316MN1110002	Rating Area 9	No Preference	45	275.98
49316MN1110002	Rating Area 9	No Preference	46	275.98
49316MN1110002	Rating Area 9	No Preference	47	275.98
49316MN1110002	Rating Area 9	No Preference	48	275.98
49316MN1110002	Rating Area 9	No Preference	49	275.98
49316MN1110002	Rating Area 9	No Preference	50	343.83
49316MN1110002	Rating Area 9	No Preference	51	343.83
49316MN1110002	Rating Area 9	No Preference	52	343.83
49316MN1110002	Rating Area 9	No Preference	53	343.83
49316MN1110002	Rating Area 9	No Preference	54	343.83
49316MN1110002	Rating Area 9	No Preference	55	427.16
49316MN1110002	Rating Area 9	No Preference	56	427.16
49316MN1110002	Rating Area 9	No Preference	57	427.16
49316MN1110002	Rating Area 9	No Preference	58	427.16
49316MN1110002	Rating Area 9	No Preference	59	427.16
49316MN1110002	Rating Area 9	No Preference	60	504.5
49316MN1110002	Rating Area 9	No Preference	61	504.5
49316MN1110002	Rating Area 9	No Preference	62	504.5
49316MN1110002	Rating Area 9	No Preference	63	504.5
49316MN1110002	Rating Area 9	No Preference	64	527.35
49316MN1110002	Rating Area 9	No Preference	65 and over	527.35
49316MN1110003	Rating Area 1	No Preference	0-20	171.53
49316MN1110003	Rating Area 1	No Preference	21	198.71
49316MN1110003	Rating Area 1	No Preference	22	198.71
49316MN1110003	Rating Area 1	No Preference	23	198.71
49316MN1110003	Rating Area 1	No Preference	24	198.71
49316MN1110003	Rating Area 1	No Preference	25	198.71
49316MN1110003	Rating Area 1	No Preference	26	198.71
49316MN1110003	Rating Area 1	No Preference	27	198.71
49316MN1110003	Rating Area 1	No Preference	28	198.71
49316MN1110003	Rating Area 1	No Preference	29	198.71
49316MN1110003	Rating Area 1	No Preference	30	227.04
49316MN1110003	Rating Area 1	No Preference	31	227.04
49316MN1110003	Rating Area 1	No Preference	32	227.04

49316MN1110003	Rating Area 1	No Preference	33	227.04
49316MN1110003	Rating Area 1	No Preference	34	227.04
49316MN1110003	Rating Area 1	No Preference	35	238.99
49316MN1110003	Rating Area 1	No Preference	36	238.99
49316MN1110003	Rating Area 1	No Preference	37	238.99
49316MN1110003	Rating Area 1	No Preference	38	238.99
49316MN1110003	Rating Area 1	No Preference	39	238.99
49316MN1110003	Rating Area 1	No Preference	40	256.72
49316MN1110003	Rating Area 1	No Preference	41	256.72
49316MN1110003	Rating Area 1	No Preference	42	256.72
49316MN1110003	Rating Area 1	No Preference	43	256.72
49316MN1110003	Rating Area 1	No Preference	44	256.72
49316MN1110003	Rating Area 1	No Preference	45	302.59
49316MN1110003	Rating Area 1	No Preference	46	302.59
49316MN1110003	Rating Area 1	No Preference	47	302.59
49316MN1110003	Rating Area 1	No Preference	48	302.59
49316MN1110003	Rating Area 1	No Preference	49	302.59
49316MN1110003	Rating Area 1	No Preference	50	376.99
49316MN1110003	Rating Area 1	No Preference	51	376.99
49316MN1110003	Rating Area 1	No Preference	52	376.99
49316MN1110003	Rating Area 1	No Preference	53	376.99
49316MN1110003	Rating Area 1	No Preference	54	376.99
49316MN1110003	Rating Area 1	No Preference	55	468.35
49316MN1110003	Rating Area 1	No Preference	56	468.35
49316MN1110003	Rating Area 1	No Preference	57	468.35
49316MN1110003	Rating Area 1	No Preference	58	468.35
49316MN1110003	Rating Area 1	No Preference	59	468.35
49316MN1110003	Rating Area 1	No Preference	60	553.15
49316MN1110003	Rating Area 1	No Preference	61	553.15
49316MN1110003	Rating Area 1	No Preference	62	553.15
49316MN1110003	Rating Area 1	No Preference	63	553.15
49316MN1110003	Rating Area 1	No Preference	64	578.2
49316MN1110003	Rating Area 1	No Preference	65 and over	578.2
49316MN1110003	Rating Area 2	No Preference	0-20	131
49316MN1110003	Rating Area 2	No Preference	21	151.76
49316MN1110003	Rating Area 2	No Preference	22	151.76
49316MN1110003	Rating Area 2	No Preference	23	151.76
49316MN1110003	Rating Area 2	No Preference	24	151.76
49316MN1110003	Rating Area 2	No Preference	25	151.76
49316MN1110003	Rating Area 2	No Preference	26	151.76
49316MN1110003	Rating Area 2	No Preference	27	151.76
49316MN1110003	Rating Area 2	No Preference	28	151.76
49316MN1110003	Rating Area 2	No Preference	29	151.76
49316MN1110003	Rating Area 2	No Preference	30	173.39
49316MN1110003	Rating Area 2	No Preference	31	173.39
49316MN1110003	Rating Area 2	No Preference	32	173.39
49316MN1110003	Rating Area 2	No Preference	33	173.39

49316MN1110003	Rating Area 2	No Preference	34	173.39
49316MN1110003	Rating Area 2	No Preference	35	182.52
49316MN1110003	Rating Area 2	No Preference	36	182.52
49316MN1110003	Rating Area 2	No Preference	37	182.52
49316MN1110003	Rating Area 2	No Preference	38	182.52
49316MN1110003	Rating Area 2	No Preference	39	182.52
49316MN1110003	Rating Area 2	No Preference	40	196.06
49316MN1110003	Rating Area 2	No Preference	41	196.06
49316MN1110003	Rating Area 2	No Preference	42	196.06
49316MN1110003	Rating Area 2	No Preference	43	196.06
49316MN1110003	Rating Area 2	No Preference	44	196.06
49316MN1110003	Rating Area 2	No Preference	45	231.09
49316MN1110003	Rating Area 2	No Preference	46	231.09
49316MN1110003	Rating Area 2	No Preference	47	231.09
49316MN1110003	Rating Area 2	No Preference	48	231.09
49316MN1110003	Rating Area 2	No Preference	49	231.09
49316MN1110003	Rating Area 2	No Preference	50	287.91
49316MN1110003	Rating Area 2	No Preference	51	287.91
49316MN1110003	Rating Area 2	No Preference	52	287.91
49316MN1110003	Rating Area 2	No Preference	53	287.91
49316MN1110003	Rating Area 2	No Preference	54	287.91
49316MN1110003	Rating Area 2	No Preference	55	357.68
49316MN1110003	Rating Area 2	No Preference	56	357.68
49316MN1110003	Rating Area 2	No Preference	57	357.68
49316MN1110003	Rating Area 2	No Preference	58	357.68
49316MN1110003	Rating Area 2	No Preference	59	357.68
49316MN1110003	Rating Area 2	No Preference	60	422.44
49316MN1110003	Rating Area 2	No Preference	61	422.44
49316MN1110003	Rating Area 2	No Preference	62	422.44
49316MN1110003	Rating Area 2	No Preference	63	422.44
49316MN1110003	Rating Area 2	No Preference	64	441.58
49316MN1110003	Rating Area 2	No Preference	65 and over	441.58
49316MN1110003	Rating Area 3	No Preference	0-20	133.67
49316MN1110003	Rating Area 3	No Preference	21	154.85
49316MN1110003	Rating Area 3	No Preference	22	154.85
49316MN1110003	Rating Area 3	No Preference	23	154.85
49316MN1110003	Rating Area 3	No Preference	24	154.85
49316MN1110003	Rating Area 3	No Preference	25	154.85
49316MN1110003	Rating Area 3	No Preference	26	154.85
49316MN1110003	Rating Area 3	No Preference	27	154.85
49316MN1110003	Rating Area 3	No Preference	28	154.85
49316MN1110003	Rating Area 3	No Preference	29	154.85
49316MN1110003	Rating Area 3	No Preference	30	176.92
49316MN1110003	Rating Area 3	No Preference	31	176.92
49316MN1110003	Rating Area 3	No Preference	32	176.92
49316MN1110003	Rating Area 3	No Preference	33	176.92
49316MN1110003	Rating Area 3	No Preference	34	176.92

49316MN1110003	Rating Area 3	No Preference	35	186.24
49316MN1110003	Rating Area 3	No Preference	36	186.24
49316MN1110003	Rating Area 3	No Preference	37	186.24
49316MN1110003	Rating Area 3	No Preference	38	186.24
49316MN1110003	Rating Area 3	No Preference	39	186.24
49316MN1110003	Rating Area 3	No Preference	40	200.05
49316MN1110003	Rating Area 3	No Preference	41	200.05
49316MN1110003	Rating Area 3	No Preference	42	200.05
49316MN1110003	Rating Area 3	No Preference	43	200.05
49316MN1110003	Rating Area 3	No Preference	44	200.05
49316MN1110003	Rating Area 3	No Preference	45	235.8
49316MN1110003	Rating Area 3	No Preference	46	235.8
49316MN1110003	Rating Area 3	No Preference	47	235.8
49316MN1110003	Rating Area 3	No Preference	48	235.8
49316MN1110003	Rating Area 3	No Preference	49	235.8
49316MN1110003	Rating Area 3	No Preference	50	293.77
49316MN1110003	Rating Area 3	No Preference	51	293.77
49316MN1110003	Rating Area 3	No Preference	52	293.77
49316MN1110003	Rating Area 3	No Preference	53	293.77
49316MN1110003	Rating Area 3	No Preference	54	293.77
49316MN1110003	Rating Area 3	No Preference	55	364.96
49316MN1110003	Rating Area 3	No Preference	56	364.96
49316MN1110003	Rating Area 3	No Preference	57	364.96
49316MN1110003	Rating Area 3	No Preference	58	364.96
49316MN1110003	Rating Area 3	No Preference	59	364.96
49316MN1110003	Rating Area 3	No Preference	60	431.05
49316MN1110003	Rating Area 3	No Preference	61	431.05
49316MN1110003	Rating Area 3	No Preference	62	431.05
49316MN1110003	Rating Area 3	No Preference	63	431.05
49316MN1110003	Rating Area 3	No Preference	64	450.57
49316MN1110003	Rating Area 3	No Preference	65 and over	450.57
49316MN1110003	Rating Area 4	No Preference	0-20	133.67
49316MN1110003	Rating Area 4	No Preference	21	154.85
49316MN1110003	Rating Area 4	No Preference	22	154.85
49316MN1110003	Rating Area 4	No Preference	23	154.85
49316MN1110003	Rating Area 4	No Preference	24	154.85
49316MN1110003	Rating Area 4	No Preference	25	154.85
49316MN1110003	Rating Area 4	No Preference	26	154.85
49316MN1110003	Rating Area 4	No Preference	27	154.85
49316MN1110003	Rating Area 4	No Preference	28	154.85
49316MN1110003	Rating Area 4	No Preference	29	154.85
49316MN1110003	Rating Area 4	No Preference	30	176.92
49316MN1110003	Rating Area 4	No Preference	31	176.92
49316MN1110003	Rating Area 4	No Preference	32	176.92
49316MN1110003	Rating Area 4	No Preference	33	176.92
49316MN1110003	Rating Area 4	No Preference	34	176.92
49316MN1110003	Rating Area 4	No Preference	35	186.24

49316MN1110003	Rating Area 4	No Preference	36	186.24
49316MN1110003	Rating Area 4	No Preference	37	186.24
49316MN1110003	Rating Area 4	No Preference	38	186.24
49316MN1110003	Rating Area 4	No Preference	39	186.24
49316MN1110003	Rating Area 4	No Preference	40	200.05
49316MN1110003	Rating Area 4	No Preference	41	200.05
49316MN1110003	Rating Area 4	No Preference	42	200.05
49316MN1110003	Rating Area 4	No Preference	43	200.05
49316MN1110003	Rating Area 4	No Preference	44	200.05
49316MN1110003	Rating Area 4	No Preference	45	235.8
49316MN1110003	Rating Area 4	No Preference	46	235.8
49316MN1110003	Rating Area 4	No Preference	47	235.8
49316MN1110003	Rating Area 4	No Preference	48	235.8
49316MN1110003	Rating Area 4	No Preference	49	235.8
49316MN1110003	Rating Area 4	No Preference	50	293.77
49316MN1110003	Rating Area 4	No Preference	51	293.77
49316MN1110003	Rating Area 4	No Preference	52	293.77
49316MN1110003	Rating Area 4	No Preference	53	293.77
49316MN1110003	Rating Area 4	No Preference	54	293.77
49316MN1110003	Rating Area 4	No Preference	55	364.96
49316MN1110003	Rating Area 4	No Preference	56	364.96
49316MN1110003	Rating Area 4	No Preference	57	364.96
49316MN1110003	Rating Area 4	No Preference	58	364.96
49316MN1110003	Rating Area 4	No Preference	59	364.96
49316MN1110003	Rating Area 4	No Preference	60	431.05
49316MN1110003	Rating Area 4	No Preference	61	431.05
49316MN1110003	Rating Area 4	No Preference	62	431.05
49316MN1110003	Rating Area 4	No Preference	63	431.05
49316MN1110003	Rating Area 4	No Preference	64	450.57
49316MN1110003	Rating Area 4	No Preference	65 and over	450.57
49316MN1110003	Rating Area 5	No Preference	0-20	133.67
49316MN1110003	Rating Area 5	No Preference	21	154.85
49316MN1110003	Rating Area 5	No Preference	22	154.85
49316MN1110003	Rating Area 5	No Preference	23	154.85
49316MN1110003	Rating Area 5	No Preference	24	154.85
49316MN1110003	Rating Area 5	No Preference	25	154.85
49316MN1110003	Rating Area 5	No Preference	26	154.85
49316MN1110003	Rating Area 5	No Preference	27	154.85
49316MN1110003	Rating Area 5	No Preference	28	154.85
49316MN1110003	Rating Area 5	No Preference	29	154.85
49316MN1110003	Rating Area 5	No Preference	30	176.92
49316MN1110003	Rating Area 5	No Preference	31	176.92
49316MN1110003	Rating Area 5	No Preference	32	176.92
49316MN1110003	Rating Area 5	No Preference	33	176.92
49316MN1110003	Rating Area 5	No Preference	34	176.92
49316MN1110003	Rating Area 5	No Preference	35	186.24
49316MN1110003	Rating Area 5	No Preference	36	186.24

49316MN1110003	Rating Area 5	No Preference	37	186.24
49316MN1110003	Rating Area 5	No Preference	38	186.24
49316MN1110003	Rating Area 5	No Preference	39	186.24
49316MN1110003	Rating Area 5	No Preference	40	200.05
49316MN1110003	Rating Area 5	No Preference	41	200.05
49316MN1110003	Rating Area 5	No Preference	42	200.05
49316MN1110003	Rating Area 5	No Preference	43	200.05
49316MN1110003	Rating Area 5	No Preference	44	200.05
49316MN1110003	Rating Area 5	No Preference	45	235.8
49316MN1110003	Rating Area 5	No Preference	46	235.8
49316MN1110003	Rating Area 5	No Preference	47	235.8
49316MN1110003	Rating Area 5	No Preference	48	235.8
49316MN1110003	Rating Area 5	No Preference	49	235.8
49316MN1110003	Rating Area 5	No Preference	50	293.77
49316MN1110003	Rating Area 5	No Preference	51	293.77
49316MN1110003	Rating Area 5	No Preference	52	293.77
49316MN1110003	Rating Area 5	No Preference	53	293.77
49316MN1110003	Rating Area 5	No Preference	54	293.77
49316MN1110003	Rating Area 5	No Preference	55	364.96
49316MN1110003	Rating Area 5	No Preference	56	364.96
49316MN1110003	Rating Area 5	No Preference	57	364.96
49316MN1110003	Rating Area 5	No Preference	58	364.96
49316MN1110003	Rating Area 5	No Preference	59	364.96
49316MN1110003	Rating Area 5	No Preference	60	431.05
49316MN1110003	Rating Area 5	No Preference	61	431.05
49316MN1110003	Rating Area 5	No Preference	62	431.05
49316MN1110003	Rating Area 5	No Preference	63	431.05
49316MN1110003	Rating Area 5	No Preference	64	450.57
49316MN1110003	Rating Area 5	No Preference	65 and over	450.57
49316MN1110003	Rating Area 6	No Preference	0-20	119.57
49316MN1110003	Rating Area 6	No Preference	21	138.51
49316MN1110003	Rating Area 6	No Preference	22	138.51
49316MN1110003	Rating Area 6	No Preference	23	138.51
49316MN1110003	Rating Area 6	No Preference	24	138.51
49316MN1110003	Rating Area 6	No Preference	25	138.51
49316MN1110003	Rating Area 6	No Preference	26	138.51
49316MN1110003	Rating Area 6	No Preference	27	138.51
49316MN1110003	Rating Area 6	No Preference	28	138.51
49316MN1110003	Rating Area 6	No Preference	29	138.51
49316MN1110003	Rating Area 6	No Preference	30	158.26
49316MN1110003	Rating Area 6	No Preference	31	158.26
49316MN1110003	Rating Area 6	No Preference	32	158.26
49316MN1110003	Rating Area 6	No Preference	33	158.26
49316MN1110003	Rating Area 6	No Preference	34	158.26
49316MN1110003	Rating Area 6	No Preference	35	166.59
49316MN1110003	Rating Area 6	No Preference	36	166.59
49316MN1110003	Rating Area 6	No Preference	37	166.59

49316MN1110003	Rating Area 6	No Preference	38	166.59
49316MN1110003	Rating Area 6	No Preference	39	166.59
49316MN1110003	Rating Area 6	No Preference	40	178.95
49316MN1110003	Rating Area 6	No Preference	41	178.95
49316MN1110003	Rating Area 6	No Preference	42	178.95
49316MN1110003	Rating Area 6	No Preference	43	178.95
49316MN1110003	Rating Area 6	No Preference	44	178.95
49316MN1110003	Rating Area 6	No Preference	45	210.92
49316MN1110003	Rating Area 6	No Preference	46	210.92
49316MN1110003	Rating Area 6	No Preference	47	210.92
49316MN1110003	Rating Area 6	No Preference	48	210.92
49316MN1110003	Rating Area 6	No Preference	49	210.92
49316MN1110003	Rating Area 6	No Preference	50	262.78
49316MN1110003	Rating Area 6	No Preference	51	262.78
49316MN1110003	Rating Area 6	No Preference	52	262.78
49316MN1110003	Rating Area 6	No Preference	53	262.78
49316MN1110003	Rating Area 6	No Preference	54	262.78
49316MN1110003	Rating Area 6	No Preference	55	326.45
49316MN1110003	Rating Area 6	No Preference	56	326.45
49316MN1110003	Rating Area 6	No Preference	57	326.45
49316MN1110003	Rating Area 6	No Preference	58	326.45
49316MN1110003	Rating Area 6	No Preference	59	326.45
49316MN1110003	Rating Area 6	No Preference	60	385.57
49316MN1110003	Rating Area 6	No Preference	61	385.57
49316MN1110003	Rating Area 6	No Preference	62	385.57
49316MN1110003	Rating Area 6	No Preference	63	385.57
49316MN1110003	Rating Area 6	No Preference	64	403.03
49316MN1110003	Rating Area 6	No Preference	65 and over	403.03
49316MN1110003	Rating Area 7	No Preference	0-20	131
49316MN1110003	Rating Area 7	No Preference	21	151.76
49316MN1110003	Rating Area 7	No Preference	22	151.76
49316MN1110003	Rating Area 7	No Preference	23	151.76
49316MN1110003	Rating Area 7	No Preference	24	151.76
49316MN1110003	Rating Area 7	No Preference	25	151.76
49316MN1110003	Rating Area 7	No Preference	26	151.76
49316MN1110003	Rating Area 7	No Preference	27	151.76
49316MN1110003	Rating Area 7	No Preference	28	151.76
49316MN1110003	Rating Area 7	No Preference	29	151.76
49316MN1110003	Rating Area 7	No Preference	30	173.39
49316MN1110003	Rating Area 7	No Preference	31	173.39
49316MN1110003	Rating Area 7	No Preference	32	173.39
49316MN1110003	Rating Area 7	No Preference	33	173.39
49316MN1110003	Rating Area 7	No Preference	34	173.39
49316MN1110003	Rating Area 7	No Preference	35	182.52
49316MN1110003	Rating Area 7	No Preference	36	182.52
49316MN1110003	Rating Area 7	No Preference	37	182.52
49316MN1110003	Rating Area 7	No Preference	38	182.52

49316MN1110003	Rating Area 7	No Preference	39	182.52
49316MN1110003	Rating Area 7	No Preference	40	196.06
49316MN1110003	Rating Area 7	No Preference	41	196.06
49316MN1110003	Rating Area 7	No Preference	42	196.06
49316MN1110003	Rating Area 7	No Preference	43	196.06
49316MN1110003	Rating Area 7	No Preference	44	196.06
49316MN1110003	Rating Area 7	No Preference	45	231.09
49316MN1110003	Rating Area 7	No Preference	46	231.09
49316MN1110003	Rating Area 7	No Preference	47	231.09
49316MN1110003	Rating Area 7	No Preference	48	231.09
49316MN1110003	Rating Area 7	No Preference	49	231.09
49316MN1110003	Rating Area 7	No Preference	50	287.91
49316MN1110003	Rating Area 7	No Preference	51	287.91
49316MN1110003	Rating Area 7	No Preference	52	287.91
49316MN1110003	Rating Area 7	No Preference	53	287.91
49316MN1110003	Rating Area 7	No Preference	54	287.91
49316MN1110003	Rating Area 7	No Preference	55	357.68
49316MN1110003	Rating Area 7	No Preference	56	357.68
49316MN1110003	Rating Area 7	No Preference	57	357.68
49316MN1110003	Rating Area 7	No Preference	58	357.68
49316MN1110003	Rating Area 7	No Preference	59	357.68
49316MN1110003	Rating Area 7	No Preference	60	422.44
49316MN1110003	Rating Area 7	No Preference	61	422.44
49316MN1110003	Rating Area 7	No Preference	62	422.44
49316MN1110003	Rating Area 7	No Preference	63	422.44
49316MN1110003	Rating Area 7	No Preference	64	441.58
49316MN1110003	Rating Area 7	No Preference	65 and over	441.58
49316MN1110003	Rating Area 8	No Preference	0-20	111.81
49316MN1110003	Rating Area 8	No Preference	21	129.53
49316MN1110003	Rating Area 8	No Preference	22	129.53
49316MN1110003	Rating Area 8	No Preference	23	129.53
49316MN1110003	Rating Area 8	No Preference	24	129.53
49316MN1110003	Rating Area 8	No Preference	25	129.53
49316MN1110003	Rating Area 8	No Preference	26	129.53
49316MN1110003	Rating Area 8	No Preference	27	129.53
49316MN1110003	Rating Area 8	No Preference	28	129.53
49316MN1110003	Rating Area 8	No Preference	29	129.53
49316MN1110003	Rating Area 8	No Preference	30	148
49316MN1110003	Rating Area 8	No Preference	31	148
49316MN1110003	Rating Area 8	No Preference	32	148
49316MN1110003	Rating Area 8	No Preference	33	148
49316MN1110003	Rating Area 8	No Preference	34	148
49316MN1110003	Rating Area 8	No Preference	35	155.79
49316MN1110003	Rating Area 8	No Preference	36	155.79
49316MN1110003	Rating Area 8	No Preference	37	155.79
49316MN1110003	Rating Area 8	No Preference	38	155.79
49316MN1110003	Rating Area 8	No Preference	39	155.79

49316MN1110003	Rating Area 8	No Preference	40	167.35
49316MN1110003	Rating Area 8	No Preference	41	167.35
49316MN1110003	Rating Area 8	No Preference	42	167.35
49316MN1110003	Rating Area 8	No Preference	43	167.35
49316MN1110003	Rating Area 8	No Preference	44	167.35
49316MN1110003	Rating Area 8	No Preference	45	197.25
49316MN1110003	Rating Area 8	No Preference	46	197.25
49316MN1110003	Rating Area 8	No Preference	47	197.25
49316MN1110003	Rating Area 8	No Preference	48	197.25
49316MN1110003	Rating Area 8	No Preference	49	197.25
49316MN1110003	Rating Area 8	No Preference	50	245.74
49316MN1110003	Rating Area 8	No Preference	51	245.74
49316MN1110003	Rating Area 8	No Preference	52	245.74
49316MN1110003	Rating Area 8	No Preference	53	245.74
49316MN1110003	Rating Area 8	No Preference	54	245.74
49316MN1110003	Rating Area 8	No Preference	55	305.29
49316MN1110003	Rating Area 8	No Preference	56	305.29
49316MN1110003	Rating Area 8	No Preference	57	305.29
49316MN1110003	Rating Area 8	No Preference	58	305.29
49316MN1110003	Rating Area 8	No Preference	59	305.29
49316MN1110003	Rating Area 8	No Preference	60	360.57
49316MN1110003	Rating Area 8	No Preference	61	360.57
49316MN1110003	Rating Area 8	No Preference	62	360.57
49316MN1110003	Rating Area 8	No Preference	63	360.57
49316MN1110003	Rating Area 8	No Preference	64	376.9
49316MN1110003	Rating Area 8	No Preference	65 and over	376.9
49316MN1110003	Rating Area 9	No Preference	0-20	111.81
49316MN1110003	Rating Area 9	No Preference	21	129.53
49316MN1110003	Rating Area 9	No Preference	22	129.53
49316MN1110003	Rating Area 9	No Preference	23	129.53
49316MN1110003	Rating Area 9	No Preference	24	129.53
49316MN1110003	Rating Area 9	No Preference	25	129.53
49316MN1110003	Rating Area 9	No Preference	26	129.53
49316MN1110003	Rating Area 9	No Preference	27	129.53
49316MN1110003	Rating Area 9	No Preference	28	129.53
49316MN1110003	Rating Area 9	No Preference	29	129.53
49316MN1110003	Rating Area 9	No Preference	30	148
49316MN1110003	Rating Area 9	No Preference	31	148
49316MN1110003	Rating Area 9	No Preference	32	148
49316MN1110003	Rating Area 9	No Preference	33	148
49316MN1110003	Rating Area 9	No Preference	34	148
49316MN1110003	Rating Area 9	No Preference	35	155.79
49316MN1110003	Rating Area 9	No Preference	36	155.79
49316MN1110003	Rating Area 9	No Preference	37	155.79
49316MN1110003	Rating Area 9	No Preference	38	155.79
49316MN1110003	Rating Area 9	No Preference	39	155.79
49316MN1110003	Rating Area 9	No Preference	40	167.35

49316MN1110003	Rating Area 9	No Preference	41	167.35
49316MN1110003	Rating Area 9	No Preference	42	167.35
49316MN1110003	Rating Area 9	No Preference	43	167.35
49316MN1110003	Rating Area 9	No Preference	44	167.35
49316MN1110003	Rating Area 9	No Preference	45	197.25
49316MN1110003	Rating Area 9	No Preference	46	197.25
49316MN1110003	Rating Area 9	No Preference	47	197.25
49316MN1110003	Rating Area 9	No Preference	48	197.25
49316MN1110003	Rating Area 9	No Preference	49	197.25
49316MN1110003	Rating Area 9	No Preference	50	245.74
49316MN1110003	Rating Area 9	No Preference	51	245.74
49316MN1110003	Rating Area 9	No Preference	52	245.74
49316MN1110003	Rating Area 9	No Preference	53	245.74
49316MN1110003	Rating Area 9	No Preference	54	245.74
49316MN1110003	Rating Area 9	No Preference	55	305.29
49316MN1110003	Rating Area 9	No Preference	56	305.29
49316MN1110003	Rating Area 9	No Preference	57	305.29
49316MN1110003	Rating Area 9	No Preference	58	305.29
49316MN1110003	Rating Area 9	No Preference	59	305.29
49316MN1110003	Rating Area 9	No Preference	60	360.57
49316MN1110003	Rating Area 9	No Preference	61	360.57
49316MN1110003	Rating Area 9	No Preference	62	360.57
49316MN1110003	Rating Area 9	No Preference	63	360.57
49316MN1110003	Rating Area 9	No Preference	64	376.9
49316MN1110003	Rating Area 9	No Preference	65 and over	376.9
49316MN1110004	Rating Area 1	No Preference	0-20	256.67
49316MN1110004	Rating Area 1	No Preference	21	297.33
49316MN1110004	Rating Area 1	No Preference	22	297.33
49316MN1110004	Rating Area 1	No Preference	23	297.33
49316MN1110004	Rating Area 1	No Preference	24	297.33
49316MN1110004	Rating Area 1	No Preference	25	297.33
49316MN1110004	Rating Area 1	No Preference	26	297.33
49316MN1110004	Rating Area 1	No Preference	27	297.33
49316MN1110004	Rating Area 1	No Preference	28	297.33
49316MN1110004	Rating Area 1	No Preference	29	297.33
49316MN1110004	Rating Area 1	No Preference	30	339.72
49316MN1110004	Rating Area 1	No Preference	31	339.72
49316MN1110004	Rating Area 1	No Preference	32	339.72
49316MN1110004	Rating Area 1	No Preference	33	339.72
49316MN1110004	Rating Area 1	No Preference	34	339.72
49316MN1110004	Rating Area 1	No Preference	35	357.6
49316MN1110004	Rating Area 1	No Preference	36	357.6
49316MN1110004	Rating Area 1	No Preference	37	357.6
49316MN1110004	Rating Area 1	No Preference	38	357.6
49316MN1110004	Rating Area 1	No Preference	39	357.6
49316MN1110004	Rating Area 1	No Preference	40	384.14
49316MN1110004	Rating Area 1	No Preference	41	384.14

49316MN1110004	Rating Area 1	No Preference	42	384.14
49316MN1110004	Rating Area 1	No Preference	43	384.14
49316MN1110004	Rating Area 1	No Preference	44	384.14
49316MN1110004	Rating Area 1	No Preference	45	452.77
49316MN1110004	Rating Area 1	No Preference	46	452.77
49316MN1110004	Rating Area 1	No Preference	47	452.77
49316MN1110004	Rating Area 1	No Preference	48	452.77
49316MN1110004	Rating Area 1	No Preference	49	452.77
49316MN1110004	Rating Area 1	No Preference	50	564.09
49316MN1110004	Rating Area 1	No Preference	51	564.09
49316MN1110004	Rating Area 1	No Preference	52	564.09
49316MN1110004	Rating Area 1	No Preference	53	564.09
49316MN1110004	Rating Area 1	No Preference	54	564.09
49316MN1110004	Rating Area 1	No Preference	55	700.79
49316MN1110004	Rating Area 1	No Preference	56	700.79
49316MN1110004	Rating Area 1	No Preference	57	700.79
49316MN1110004	Rating Area 1	No Preference	58	700.79
49316MN1110004	Rating Area 1	No Preference	59	700.79
49316MN1110004	Rating Area 1	No Preference	60	827.68
49316MN1110004	Rating Area 1	No Preference	61	827.68
49316MN1110004	Rating Area 1	No Preference	62	827.68
49316MN1110004	Rating Area 1	No Preference	63	827.68
49316MN1110004	Rating Area 1	No Preference	64	865.17
49316MN1110004	Rating Area 1	No Preference	65 and over	865.17
49316MN1110004	Rating Area 2	No Preference	0-20	196.02
49316MN1110004	Rating Area 2	No Preference	21	227.07
49316MN1110004	Rating Area 2	No Preference	22	227.07
49316MN1110004	Rating Area 2	No Preference	23	227.07
49316MN1110004	Rating Area 2	No Preference	24	227.07
49316MN1110004	Rating Area 2	No Preference	25	227.07
49316MN1110004	Rating Area 2	No Preference	26	227.07
49316MN1110004	Rating Area 2	No Preference	27	227.07
49316MN1110004	Rating Area 2	No Preference	28	227.07
49316MN1110004	Rating Area 2	No Preference	29	227.07
49316MN1110004	Rating Area 2	No Preference	30	259.45
49316MN1110004	Rating Area 2	No Preference	31	259.45
49316MN1110004	Rating Area 2	No Preference	32	259.45
49316MN1110004	Rating Area 2	No Preference	33	259.45
49316MN1110004	Rating Area 2	No Preference	34	259.45
49316MN1110004	Rating Area 2	No Preference	35	273.1
49316MN1110004	Rating Area 2	No Preference	36	273.1
49316MN1110004	Rating Area 2	No Preference	37	273.1
49316MN1110004	Rating Area 2	No Preference	38	273.1
49316MN1110004	Rating Area 2	No Preference	39	273.1
49316MN1110004	Rating Area 2	No Preference	40	293.37
49316MN1110004	Rating Area 2	No Preference	41	293.37
49316MN1110004	Rating Area 2	No Preference	42	293.37

49316MN1110004	Rating Area 2	No Preference	43	293.37
49316MN1110004	Rating Area 2	No Preference	44	293.37
49316MN1110004	Rating Area 2	No Preference	45	345.78
49316MN1110004	Rating Area 2	No Preference	46	345.78
49316MN1110004	Rating Area 2	No Preference	47	345.78
49316MN1110004	Rating Area 2	No Preference	48	345.78
49316MN1110004	Rating Area 2	No Preference	49	345.78
49316MN1110004	Rating Area 2	No Preference	50	430.8
49316MN1110004	Rating Area 2	No Preference	51	430.8
49316MN1110004	Rating Area 2	No Preference	52	430.8
49316MN1110004	Rating Area 2	No Preference	53	430.8
49316MN1110004	Rating Area 2	No Preference	54	430.8
49316MN1110004	Rating Area 2	No Preference	55	535.19
49316MN1110004	Rating Area 2	No Preference	56	535.19
49316MN1110004	Rating Area 2	No Preference	57	535.19
49316MN1110004	Rating Area 2	No Preference	58	535.19
49316MN1110004	Rating Area 2	No Preference	59	535.19
49316MN1110004	Rating Area 2	No Preference	60	632.1
49316MN1110004	Rating Area 2	No Preference	61	632.1
49316MN1110004	Rating Area 2	No Preference	62	632.1
49316MN1110004	Rating Area 2	No Preference	63	632.1
49316MN1110004	Rating Area 2	No Preference	64	660.73
49316MN1110004	Rating Area 2	No Preference	65 and over	660.73
49316MN1110004	Rating Area 3	No Preference	0-20	200.01
49316MN1110004	Rating Area 3	No Preference	21	231.7
49316MN1110004	Rating Area 3	No Preference	22	231.7
49316MN1110004	Rating Area 3	No Preference	23	231.7
49316MN1110004	Rating Area 3	No Preference	24	231.7
49316MN1110004	Rating Area 3	No Preference	25	231.7
49316MN1110004	Rating Area 3	No Preference	26	231.7
49316MN1110004	Rating Area 3	No Preference	27	231.7
49316MN1110004	Rating Area 3	No Preference	28	231.7
49316MN1110004	Rating Area 3	No Preference	29	231.7
49316MN1110004	Rating Area 3	No Preference	30	264.73
49316MN1110004	Rating Area 3	No Preference	31	264.73
49316MN1110004	Rating Area 3	No Preference	32	264.73
49316MN1110004	Rating Area 3	No Preference	33	264.73
49316MN1110004	Rating Area 3	No Preference	34	264.73
49316MN1110004	Rating Area 3	No Preference	35	278.67
49316MN1110004	Rating Area 3	No Preference	36	278.67
49316MN1110004	Rating Area 3	No Preference	37	278.67
49316MN1110004	Rating Area 3	No Preference	38	278.67
49316MN1110004	Rating Area 3	No Preference	39	278.67
49316MN1110004	Rating Area 3	No Preference	40	299.34
49316MN1110004	Rating Area 3	No Preference	41	299.34
49316MN1110004	Rating Area 3	No Preference	42	299.34
49316MN1110004	Rating Area 3	No Preference	43	299.34

49316MN1110004	Rating Area 3	No Preference	44	299.34
49316MN1110004	Rating Area 3	No Preference	45	352.83
49316MN1110004	Rating Area 3	No Preference	46	352.83
49316MN1110004	Rating Area 3	No Preference	47	352.83
49316MN1110004	Rating Area 3	No Preference	48	352.83
49316MN1110004	Rating Area 3	No Preference	49	352.83
49316MN1110004	Rating Area 3	No Preference	50	439.57
49316MN1110004	Rating Area 3	No Preference	51	439.57
49316MN1110004	Rating Area 3	No Preference	52	439.57
49316MN1110004	Rating Area 3	No Preference	53	439.57
49316MN1110004	Rating Area 3	No Preference	54	439.57
49316MN1110004	Rating Area 3	No Preference	55	546.1
49316MN1110004	Rating Area 3	No Preference	56	546.1
49316MN1110004	Rating Area 3	No Preference	57	546.1
49316MN1110004	Rating Area 3	No Preference	58	546.1
49316MN1110004	Rating Area 3	No Preference	59	546.1
49316MN1110004	Rating Area 3	No Preference	60	644.98
49316MN1110004	Rating Area 3	No Preference	61	644.98
49316MN1110004	Rating Area 3	No Preference	62	644.98
49316MN1110004	Rating Area 3	No Preference	63	644.98
49316MN1110004	Rating Area 3	No Preference	64	674.19
49316MN1110004	Rating Area 3	No Preference	65 and over	674.19
49316MN1110004	Rating Area 4	No Preference	0-20	200.01
49316MN1110004	Rating Area 4	No Preference	21	231.7
49316MN1110004	Rating Area 4	No Preference	22	231.7
49316MN1110004	Rating Area 4	No Preference	23	231.7
49316MN1110004	Rating Area 4	No Preference	24	231.7
49316MN1110004	Rating Area 4	No Preference	25	231.7
49316MN1110004	Rating Area 4	No Preference	26	231.7
49316MN1110004	Rating Area 4	No Preference	27	231.7
49316MN1110004	Rating Area 4	No Preference	28	231.7
49316MN1110004	Rating Area 4	No Preference	29	231.7
49316MN1110004	Rating Area 4	No Preference	30	264.73
49316MN1110004	Rating Area 4	No Preference	31	264.73
49316MN1110004	Rating Area 4	No Preference	32	264.73
49316MN1110004	Rating Area 4	No Preference	33	264.73
49316MN1110004	Rating Area 4	No Preference	34	264.73
49316MN1110004	Rating Area 4	No Preference	35	278.67
49316MN1110004	Rating Area 4	No Preference	36	278.67
49316MN1110004	Rating Area 4	No Preference	37	278.67
49316MN1110004	Rating Area 4	No Preference	38	278.67
49316MN1110004	Rating Area 4	No Preference	39	278.67
49316MN1110004	Rating Area 4	No Preference	40	299.34
49316MN1110004	Rating Area 4	No Preference	41	299.34
49316MN1110004	Rating Area 4	No Preference	42	299.34
49316MN1110004	Rating Area 4	No Preference	43	299.34
49316MN1110004	Rating Area 4	No Preference	44	299.34

49316MN1110004	Rating Area 4	No Preference	45	352.83
49316MN1110004	Rating Area 4	No Preference	46	352.83
49316MN1110004	Rating Area 4	No Preference	47	352.83
49316MN1110004	Rating Area 4	No Preference	48	352.83
49316MN1110004	Rating Area 4	No Preference	49	352.83
49316MN1110004	Rating Area 4	No Preference	50	439.57
49316MN1110004	Rating Area 4	No Preference	51	439.57
49316MN1110004	Rating Area 4	No Preference	52	439.57
49316MN1110004	Rating Area 4	No Preference	53	439.57
49316MN1110004	Rating Area 4	No Preference	54	439.57
49316MN1110004	Rating Area 4	No Preference	55	546.1
49316MN1110004	Rating Area 4	No Preference	56	546.1
49316MN1110004	Rating Area 4	No Preference	57	546.1
49316MN1110004	Rating Area 4	No Preference	58	546.1
49316MN1110004	Rating Area 4	No Preference	59	546.1
49316MN1110004	Rating Area 4	No Preference	60	644.98
49316MN1110004	Rating Area 4	No Preference	61	644.98
49316MN1110004	Rating Area 4	No Preference	62	644.98
49316MN1110004	Rating Area 4	No Preference	63	644.98
49316MN1110004	Rating Area 4	No Preference	64	674.19
49316MN1110004	Rating Area 4	No Preference	65 and over	674.19
49316MN1110004	Rating Area 5	No Preference	0-20	200.01
49316MN1110004	Rating Area 5	No Preference	21	231.7
49316MN1110004	Rating Area 5	No Preference	22	231.7
49316MN1110004	Rating Area 5	No Preference	23	231.7
49316MN1110004	Rating Area 5	No Preference	24	231.7
49316MN1110004	Rating Area 5	No Preference	25	231.7
49316MN1110004	Rating Area 5	No Preference	26	231.7
49316MN1110004	Rating Area 5	No Preference	27	231.7
49316MN1110004	Rating Area 5	No Preference	28	231.7
49316MN1110004	Rating Area 5	No Preference	29	231.7
49316MN1110004	Rating Area 5	No Preference	30	264.73
49316MN1110004	Rating Area 5	No Preference	31	264.73
49316MN1110004	Rating Area 5	No Preference	32	264.73
49316MN1110004	Rating Area 5	No Preference	33	264.73
49316MN1110004	Rating Area 5	No Preference	34	264.73
49316MN1110004	Rating Area 5	No Preference	35	278.67
49316MN1110004	Rating Area 5	No Preference	36	278.67
49316MN1110004	Rating Area 5	No Preference	37	278.67
49316MN1110004	Rating Area 5	No Preference	38	278.67
49316MN1110004	Rating Area 5	No Preference	39	278.67
49316MN1110004	Rating Area 5	No Preference	40	299.34
49316MN1110004	Rating Area 5	No Preference	41	299.34
49316MN1110004	Rating Area 5	No Preference	42	299.34
49316MN1110004	Rating Area 5	No Preference	43	299.34
49316MN1110004	Rating Area 5	No Preference	44	299.34
49316MN1110004	Rating Area 5	No Preference	45	352.83

49316MN1110004	Rating Area 5	No Preference	46	352.83
49316MN1110004	Rating Area 5	No Preference	47	352.83
49316MN1110004	Rating Area 5	No Preference	48	352.83
49316MN1110004	Rating Area 5	No Preference	49	352.83
49316MN1110004	Rating Area 5	No Preference	50	439.57
49316MN1110004	Rating Area 5	No Preference	51	439.57
49316MN1110004	Rating Area 5	No Preference	52	439.57
49316MN1110004	Rating Area 5	No Preference	53	439.57
49316MN1110004	Rating Area 5	No Preference	54	439.57
49316MN1110004	Rating Area 5	No Preference	55	546.1
49316MN1110004	Rating Area 5	No Preference	56	546.1
49316MN1110004	Rating Area 5	No Preference	57	546.1
49316MN1110004	Rating Area 5	No Preference	58	546.1
49316MN1110004	Rating Area 5	No Preference	59	546.1
49316MN1110004	Rating Area 5	No Preference	60	644.98
49316MN1110004	Rating Area 5	No Preference	61	644.98
49316MN1110004	Rating Area 5	No Preference	62	644.98
49316MN1110004	Rating Area 5	No Preference	63	644.98
49316MN1110004	Rating Area 5	No Preference	64	674.19
49316MN1110004	Rating Area 5	No Preference	65 and over	674.19
49316MN1110004	Rating Area 6	No Preference	0-20	178.91
49316MN1110004	Rating Area 6	No Preference	21	207.25
49316MN1110004	Rating Area 6	No Preference	22	207.25
49316MN1110004	Rating Area 6	No Preference	23	207.25
49316MN1110004	Rating Area 6	No Preference	24	207.25
49316MN1110004	Rating Area 6	No Preference	25	207.25
49316MN1110004	Rating Area 6	No Preference	26	207.25
49316MN1110004	Rating Area 6	No Preference	27	207.25
49316MN1110004	Rating Area 6	No Preference	28	207.25
49316MN1110004	Rating Area 6	No Preference	29	207.25
49316MN1110004	Rating Area 6	No Preference	30	236.8
49316MN1110004	Rating Area 6	No Preference	31	236.8
49316MN1110004	Rating Area 6	No Preference	32	236.8
49316MN1110004	Rating Area 6	No Preference	33	236.8
49316MN1110004	Rating Area 6	No Preference	34	236.8
49316MN1110004	Rating Area 6	No Preference	35	249.26
49316MN1110004	Rating Area 6	No Preference	36	249.26
49316MN1110004	Rating Area 6	No Preference	37	249.26
49316MN1110004	Rating Area 6	No Preference	38	249.26
49316MN1110004	Rating Area 6	No Preference	39	249.26
49316MN1110004	Rating Area 6	No Preference	40	267.76
49316MN1110004	Rating Area 6	No Preference	41	267.76
49316MN1110004	Rating Area 6	No Preference	42	267.76
49316MN1110004	Rating Area 6	No Preference	43	267.76
49316MN1110004	Rating Area 6	No Preference	44	267.76
49316MN1110004	Rating Area 6	No Preference	45	315.6
49316MN1110004	Rating Area 6	No Preference	46	315.6

49316MN1110004	Rating Area 6	No Preference	47	315.6
49316MN1110004	Rating Area 6	No Preference	48	315.6
49316MN1110004	Rating Area 6	No Preference	49	315.6
49316MN1110004	Rating Area 6	No Preference	50	393.19
49316MN1110004	Rating Area 6	No Preference	51	393.19
49316MN1110004	Rating Area 6	No Preference	52	393.19
49316MN1110004	Rating Area 6	No Preference	53	393.19
49316MN1110004	Rating Area 6	No Preference	54	393.19
49316MN1110004	Rating Area 6	No Preference	55	488.48
49316MN1110004	Rating Area 6	No Preference	56	488.48
49316MN1110004	Rating Area 6	No Preference	57	488.48
49316MN1110004	Rating Area 6	No Preference	58	488.48
49316MN1110004	Rating Area 6	No Preference	59	488.48
49316MN1110004	Rating Area 6	No Preference	60	576.92
49316MN1110004	Rating Area 6	No Preference	61	576.92
49316MN1110004	Rating Area 6	No Preference	62	576.92
49316MN1110004	Rating Area 6	No Preference	63	576.92
49316MN1110004	Rating Area 6	No Preference	64	603.06
49316MN1110004	Rating Area 6	No Preference	65 and over	603.06
49316MN1110004	Rating Area 7	No Preference	0-20	196.02
49316MN1110004	Rating Area 7	No Preference	21	227.07
49316MN1110004	Rating Area 7	No Preference	22	227.07
49316MN1110004	Rating Area 7	No Preference	23	227.07
49316MN1110004	Rating Area 7	No Preference	24	227.07
49316MN1110004	Rating Area 7	No Preference	25	227.07
49316MN1110004	Rating Area 7	No Preference	26	227.07
49316MN1110004	Rating Area 7	No Preference	27	227.07
49316MN1110004	Rating Area 7	No Preference	28	227.07
49316MN1110004	Rating Area 7	No Preference	29	227.07
49316MN1110004	Rating Area 7	No Preference	30	259.45
49316MN1110004	Rating Area 7	No Preference	31	259.45
49316MN1110004	Rating Area 7	No Preference	32	259.45
49316MN1110004	Rating Area 7	No Preference	33	259.45
49316MN1110004	Rating Area 7	No Preference	34	259.45
49316MN1110004	Rating Area 7	No Preference	35	273.1
49316MN1110004	Rating Area 7	No Preference	36	273.1
49316MN1110004	Rating Area 7	No Preference	37	273.1
49316MN1110004	Rating Area 7	No Preference	38	273.1
49316MN1110004	Rating Area 7	No Preference	39	273.1
49316MN1110004	Rating Area 7	No Preference	40	293.37
49316MN1110004	Rating Area 7	No Preference	41	293.37
49316MN1110004	Rating Area 7	No Preference	42	293.37
49316MN1110004	Rating Area 7	No Preference	43	293.37
49316MN1110004	Rating Area 7	No Preference	44	293.37
49316MN1110004	Rating Area 7	No Preference	45	345.78
49316MN1110004	Rating Area 7	No Preference	46	345.78
49316MN1110004	Rating Area 7	No Preference	47	345.78

49316MN1110004	Rating Area 7	No Preference	48	345.78
49316MN1110004	Rating Area 7	No Preference	49	345.78
49316MN1110004	Rating Area 7	No Preference	50	430.8
49316MN1110004	Rating Area 7	No Preference	51	430.8
49316MN1110004	Rating Area 7	No Preference	52	430.8
49316MN1110004	Rating Area 7	No Preference	53	430.8
49316MN1110004	Rating Area 7	No Preference	54	430.8
49316MN1110004	Rating Area 7	No Preference	55	535.19
49316MN1110004	Rating Area 7	No Preference	56	535.19
49316MN1110004	Rating Area 7	No Preference	57	535.19
49316MN1110004	Rating Area 7	No Preference	58	535.19
49316MN1110004	Rating Area 7	No Preference	59	535.19
49316MN1110004	Rating Area 7	No Preference	60	632.1
49316MN1110004	Rating Area 7	No Preference	61	632.1
49316MN1110004	Rating Area 7	No Preference	62	632.1
49316MN1110004	Rating Area 7	No Preference	63	632.1
49316MN1110004	Rating Area 7	No Preference	64	660.73
49316MN1110004	Rating Area 7	No Preference	65 and over	660.73
49316MN1110004	Rating Area 8	No Preference	0-20	167.31
49316MN1110004	Rating Area 8	No Preference	21	193.82
49316MN1110004	Rating Area 8	No Preference	22	193.82
49316MN1110004	Rating Area 8	No Preference	23	193.82
49316MN1110004	Rating Area 8	No Preference	24	193.82
49316MN1110004	Rating Area 8	No Preference	25	193.82
49316MN1110004	Rating Area 8	No Preference	26	193.82
49316MN1110004	Rating Area 8	No Preference	27	193.82
49316MN1110004	Rating Area 8	No Preference	28	193.82
49316MN1110004	Rating Area 8	No Preference	29	193.82
49316MN1110004	Rating Area 8	No Preference	30	221.45
49316MN1110004	Rating Area 8	No Preference	31	221.45
49316MN1110004	Rating Area 8	No Preference	32	221.45
49316MN1110004	Rating Area 8	No Preference	33	221.45
49316MN1110004	Rating Area 8	No Preference	34	221.45
49316MN1110004	Rating Area 8	No Preference	35	233.1
49316MN1110004	Rating Area 8	No Preference	36	233.1
49316MN1110004	Rating Area 8	No Preference	37	233.1
49316MN1110004	Rating Area 8	No Preference	38	233.1
49316MN1110004	Rating Area 8	No Preference	39	233.1
49316MN1110004	Rating Area 8	No Preference	40	250.4
49316MN1110004	Rating Area 8	No Preference	41	250.4
49316MN1110004	Rating Area 8	No Preference	42	250.4
49316MN1110004	Rating Area 8	No Preference	43	250.4
49316MN1110004	Rating Area 8	No Preference	44	250.4
49316MN1110004	Rating Area 8	No Preference	45	295.14
49316MN1110004	Rating Area 8	No Preference	46	295.14
49316MN1110004	Rating Area 8	No Preference	47	295.14
49316MN1110004	Rating Area 8	No Preference	48	295.14

49316MN1110004	Rating Area 8	No Preference	49	295.14
49316MN1110004	Rating Area 8	No Preference	50	367.7
49316MN1110004	Rating Area 8	No Preference	51	367.7
49316MN1110004	Rating Area 8	No Preference	52	367.7
49316MN1110004	Rating Area 8	No Preference	53	367.7
49316MN1110004	Rating Area 8	No Preference	54	367.7
49316MN1110004	Rating Area 8	No Preference	55	456.81
49316MN1110004	Rating Area 8	No Preference	56	456.81
49316MN1110004	Rating Area 8	No Preference	57	456.81
49316MN1110004	Rating Area 8	No Preference	58	456.81
49316MN1110004	Rating Area 8	No Preference	59	456.81
49316MN1110004	Rating Area 8	No Preference	60	539.52
49316MN1110004	Rating Area 8	No Preference	61	539.52
49316MN1110004	Rating Area 8	No Preference	62	539.52
49316MN1110004	Rating Area 8	No Preference	63	539.52
49316MN1110004	Rating Area 8	No Preference	64	563.96
49316MN1110004	Rating Area 8	No Preference	65 and over	563.96
49316MN1110004	Rating Area 9	No Preference	0-20	167.31
49316MN1110004	Rating Area 9	No Preference	21	193.82
49316MN1110004	Rating Area 9	No Preference	22	193.82
49316MN1110004	Rating Area 9	No Preference	23	193.82
49316MN1110004	Rating Area 9	No Preference	24	193.82
49316MN1110004	Rating Area 9	No Preference	25	193.82
49316MN1110004	Rating Area 9	No Preference	26	193.82
49316MN1110004	Rating Area 9	No Preference	27	193.82
49316MN1110004	Rating Area 9	No Preference	28	193.82
49316MN1110004	Rating Area 9	No Preference	29	193.82
49316MN1110004	Rating Area 9	No Preference	30	221.45
49316MN1110004	Rating Area 9	No Preference	31	221.45
49316MN1110004	Rating Area 9	No Preference	32	221.45
49316MN1110004	Rating Area 9	No Preference	33	221.45
49316MN1110004	Rating Area 9	No Preference	34	221.45
49316MN1110004	Rating Area 9	No Preference	35	233.1
49316MN1110004	Rating Area 9	No Preference	36	233.1
49316MN1110004	Rating Area 9	No Preference	37	233.1
49316MN1110004	Rating Area 9	No Preference	38	233.1
49316MN1110004	Rating Area 9	No Preference	39	233.1
49316MN1110004	Rating Area 9	No Preference	40	250.4
49316MN1110004	Rating Area 9	No Preference	41	250.4
49316MN1110004	Rating Area 9	No Preference	42	250.4
49316MN1110004	Rating Area 9	No Preference	43	250.4
49316MN1110004	Rating Area 9	No Preference	44	250.4
49316MN1110004	Rating Area 9	No Preference	45	295.14
49316MN1110004	Rating Area 9	No Preference	46	295.14
49316MN1110004	Rating Area 9	No Preference	47	295.14
49316MN1110004	Rating Area 9	No Preference	48	295.14
49316MN1110004	Rating Area 9	No Preference	49	295.14

49316MN1110004	Rating Area 9	No Preference	50	367.7
49316MN1110004	Rating Area 9	No Preference	51	367.7
49316MN1110004	Rating Area 9	No Preference	52	367.7
49316MN1110004	Rating Area 9	No Preference	53	367.7
49316MN1110004	Rating Area 9	No Preference	54	367.7
49316MN1110004	Rating Area 9	No Preference	55	456.81
49316MN1110004	Rating Area 9	No Preference	56	456.81
49316MN1110004	Rating Area 9	No Preference	57	456.81
49316MN1110004	Rating Area 9	No Preference	58	456.81
49316MN1110004	Rating Area 9	No Preference	59	456.81
49316MN1110004	Rating Area 9	No Preference	60	539.52
49316MN1110004	Rating Area 9	No Preference	61	539.52
49316MN1110004	Rating Area 9	No Preference	62	539.52
49316MN1110004	Rating Area 9	No Preference	63	539.52
49316MN1110004	Rating Area 9	No Preference	64	563.96
49316MN1110004	Rating Area 9	No Preference	65 and over	563.96
49316MN1110005	Rating Area 1	No Preference	0-20	288.53
49316MN1110005	Rating Area 1	No Preference	21	334.24
49316MN1110005	Rating Area 1	No Preference	22	334.24
49316MN1110005	Rating Area 1	No Preference	23	334.24
49316MN1110005	Rating Area 1	No Preference	24	334.24
49316MN1110005	Rating Area 1	No Preference	25	334.24
49316MN1110005	Rating Area 1	No Preference	26	334.24
49316MN1110005	Rating Area 1	No Preference	27	334.24
49316MN1110005	Rating Area 1	No Preference	28	334.24
49316MN1110005	Rating Area 1	No Preference	29	334.24
49316MN1110005	Rating Area 1	No Preference	30	381.9
49316MN1110005	Rating Area 1	No Preference	31	381.9
49316MN1110005	Rating Area 1	No Preference	32	381.9
49316MN1110005	Rating Area 1	No Preference	33	381.9
49316MN1110005	Rating Area 1	No Preference	34	381.9
49316MN1110005	Rating Area 1	No Preference	35	402
49316MN1110005	Rating Area 1	No Preference	36	402
49316MN1110005	Rating Area 1	No Preference	37	402
49316MN1110005	Rating Area 1	No Preference	38	402
49316MN1110005	Rating Area 1	No Preference	39	402
49316MN1110005	Rating Area 1	No Preference	40	431.83
49316MN1110005	Rating Area 1	No Preference	41	431.83
49316MN1110005	Rating Area 1	No Preference	42	431.83
49316MN1110005	Rating Area 1	No Preference	43	431.83
49316MN1110005	Rating Area 1	No Preference	44	431.83
49316MN1110005	Rating Area 1	No Preference	45	508.98
49316MN1110005	Rating Area 1	No Preference	46	508.98
49316MN1110005	Rating Area 1	No Preference	47	508.98
49316MN1110005	Rating Area 1	No Preference	48	508.98
49316MN1110005	Rating Area 1	No Preference	49	508.98
49316MN1110005	Rating Area 1	No Preference	50	634.12

49316MN1110005	Rating Area 1	No Preference	51	634.12
49316MN1110005	Rating Area 1	No Preference	52	634.12
49316MN1110005	Rating Area 1	No Preference	53	634.12
49316MN1110005	Rating Area 1	No Preference	54	634.12
49316MN1110005	Rating Area 1	No Preference	55	787.79
49316MN1110005	Rating Area 1	No Preference	56	787.79
49316MN1110005	Rating Area 1	No Preference	57	787.79
49316MN1110005	Rating Area 1	No Preference	58	787.79
49316MN1110005	Rating Area 1	No Preference	59	787.79
49316MN1110005	Rating Area 1	No Preference	60	930.44
49316MN1110005	Rating Area 1	No Preference	61	930.44
49316MN1110005	Rating Area 1	No Preference	62	930.44
49316MN1110005	Rating Area 1	No Preference	63	930.44
49316MN1110005	Rating Area 1	No Preference	64	972.58
49316MN1110005	Rating Area 1	No Preference	65 and over	972.58
49316MN1110005	Rating Area 2	No Preference	0-20	220.35
49316MN1110005	Rating Area 2	No Preference	21	255.26
49316MN1110005	Rating Area 2	No Preference	22	255.26
49316MN1110005	Rating Area 2	No Preference	23	255.26
49316MN1110005	Rating Area 2	No Preference	24	255.26
49316MN1110005	Rating Area 2	No Preference	25	255.26
49316MN1110005	Rating Area 2	No Preference	26	255.26
49316MN1110005	Rating Area 2	No Preference	27	255.26
49316MN1110005	Rating Area 2	No Preference	28	255.26
49316MN1110005	Rating Area 2	No Preference	29	255.26
49316MN1110005	Rating Area 2	No Preference	30	291.66
49316MN1110005	Rating Area 2	No Preference	31	291.66
49316MN1110005	Rating Area 2	No Preference	32	291.66
49316MN1110005	Rating Area 2	No Preference	33	291.66
49316MN1110005	Rating Area 2	No Preference	34	291.66
49316MN1110005	Rating Area 2	No Preference	35	307.01
49316MN1110005	Rating Area 2	No Preference	36	307.01
49316MN1110005	Rating Area 2	No Preference	37	307.01
49316MN1110005	Rating Area 2	No Preference	38	307.01
49316MN1110005	Rating Area 2	No Preference	39	307.01
49316MN1110005	Rating Area 2	No Preference	40	329.79
49316MN1110005	Rating Area 2	No Preference	41	329.79
49316MN1110005	Rating Area 2	No Preference	42	329.79
49316MN1110005	Rating Area 2	No Preference	43	329.79
49316MN1110005	Rating Area 2	No Preference	44	329.79
49316MN1110005	Rating Area 2	No Preference	45	388.71
49316MN1110005	Rating Area 2	No Preference	46	388.71
49316MN1110005	Rating Area 2	No Preference	47	388.71
49316MN1110005	Rating Area 2	No Preference	48	388.71
49316MN1110005	Rating Area 2	No Preference	49	388.71
49316MN1110005	Rating Area 2	No Preference	50	484.28
49316MN1110005	Rating Area 2	No Preference	51	484.28

49316MN1110005	Rating Area 2	No Preference	52	484.28
49316MN1110005	Rating Area 2	No Preference	53	484.28
49316MN1110005	Rating Area 2	No Preference	54	484.28
49316MN1110005	Rating Area 2	No Preference	55	601.64
49316MN1110005	Rating Area 2	No Preference	56	601.64
49316MN1110005	Rating Area 2	No Preference	57	601.64
49316MN1110005	Rating Area 2	No Preference	58	601.64
49316MN1110005	Rating Area 2	No Preference	59	601.64
49316MN1110005	Rating Area 2	No Preference	60	710.58
49316MN1110005	Rating Area 2	No Preference	61	710.58
49316MN1110005	Rating Area 2	No Preference	62	710.58
49316MN1110005	Rating Area 2	No Preference	63	710.58
49316MN1110005	Rating Area 2	No Preference	64	742.76
49316MN1110005	Rating Area 2	No Preference	65 and over	742.76
49316MN1110005	Rating Area 3	No Preference	0-20	224.84
49316MN1110005	Rating Area 3	No Preference	21	260.46
49316MN1110005	Rating Area 3	No Preference	22	260.46
49316MN1110005	Rating Area 3	No Preference	23	260.46
49316MN1110005	Rating Area 3	No Preference	24	260.46
49316MN1110005	Rating Area 3	No Preference	25	260.46
49316MN1110005	Rating Area 3	No Preference	26	260.46
49316MN1110005	Rating Area 3	No Preference	27	260.46
49316MN1110005	Rating Area 3	No Preference	28	260.46
49316MN1110005	Rating Area 3	No Preference	29	260.46
49316MN1110005	Rating Area 3	No Preference	30	297.6
49316MN1110005	Rating Area 3	No Preference	31	297.6
49316MN1110005	Rating Area 3	No Preference	32	297.6
49316MN1110005	Rating Area 3	No Preference	33	297.6
49316MN1110005	Rating Area 3	No Preference	34	297.6
49316MN1110005	Rating Area 3	No Preference	35	313.26
49316MN1110005	Rating Area 3	No Preference	36	313.26
49316MN1110005	Rating Area 3	No Preference	37	313.26
49316MN1110005	Rating Area 3	No Preference	38	313.26
49316MN1110005	Rating Area 3	No Preference	39	313.26
49316MN1110005	Rating Area 3	No Preference	40	336.5
49316MN1110005	Rating Area 3	No Preference	41	336.5
49316MN1110005	Rating Area 3	No Preference	42	336.5
49316MN1110005	Rating Area 3	No Preference	43	336.5
49316MN1110005	Rating Area 3	No Preference	44	336.5
49316MN1110005	Rating Area 3	No Preference	45	396.63
49316MN1110005	Rating Area 3	No Preference	46	396.63
49316MN1110005	Rating Area 3	No Preference	47	396.63
49316MN1110005	Rating Area 3	No Preference	48	396.63
49316MN1110005	Rating Area 3	No Preference	49	396.63
49316MN1110005	Rating Area 3	No Preference	50	494.15
49316MN1110005	Rating Area 3	No Preference	51	494.15
49316MN1110005	Rating Area 3	No Preference	52	494.15

49316MN1110005	Rating Area 3	No Preference	53	494.15
49316MN1110005	Rating Area 3	No Preference	54	494.15
49316MN1110005	Rating Area 3	No Preference	55	613.89
49316MN1110005	Rating Area 3	No Preference	56	613.89
49316MN1110005	Rating Area 3	No Preference	57	613.89
49316MN1110005	Rating Area 3	No Preference	58	613.89
49316MN1110005	Rating Area 3	No Preference	59	613.89
49316MN1110005	Rating Area 3	No Preference	60	725.05
49316MN1110005	Rating Area 3	No Preference	61	725.05
49316MN1110005	Rating Area 3	No Preference	62	725.05
49316MN1110005	Rating Area 3	No Preference	63	725.05
49316MN1110005	Rating Area 3	No Preference	64	757.89
49316MN1110005	Rating Area 3	No Preference	65 and over	757.89
49316MN1110005	Rating Area 4	No Preference	0-20	224.84
49316MN1110005	Rating Area 4	No Preference	21	260.46
49316MN1110005	Rating Area 4	No Preference	22	260.46
49316MN1110005	Rating Area 4	No Preference	23	260.46
49316MN1110005	Rating Area 4	No Preference	24	260.46
49316MN1110005	Rating Area 4	No Preference	25	260.46
49316MN1110005	Rating Area 4	No Preference	26	260.46
49316MN1110005	Rating Area 4	No Preference	27	260.46
49316MN1110005	Rating Area 4	No Preference	28	260.46
49316MN1110005	Rating Area 4	No Preference	29	260.46
49316MN1110005	Rating Area 4	No Preference	30	297.6
49316MN1110005	Rating Area 4	No Preference	31	297.6
49316MN1110005	Rating Area 4	No Preference	32	297.6
49316MN1110005	Rating Area 4	No Preference	33	297.6
49316MN1110005	Rating Area 4	No Preference	34	297.6
49316MN1110005	Rating Area 4	No Preference	35	313.26
49316MN1110005	Rating Area 4	No Preference	36	313.26
49316MN1110005	Rating Area 4	No Preference	37	313.26
49316MN1110005	Rating Area 4	No Preference	38	313.26
49316MN1110005	Rating Area 4	No Preference	39	313.26
49316MN1110005	Rating Area 4	No Preference	40	336.5
49316MN1110005	Rating Area 4	No Preference	41	336.5
49316MN1110005	Rating Area 4	No Preference	42	336.5
49316MN1110005	Rating Area 4	No Preference	43	336.5
49316MN1110005	Rating Area 4	No Preference	44	336.5
49316MN1110005	Rating Area 4	No Preference	45	396.63
49316MN1110005	Rating Area 4	No Preference	46	396.63
49316MN1110005	Rating Area 4	No Preference	47	396.63
49316MN1110005	Rating Area 4	No Preference	48	396.63
49316MN1110005	Rating Area 4	No Preference	49	396.63
49316MN1110005	Rating Area 4	No Preference	50	494.15
49316MN1110005	Rating Area 4	No Preference	51	494.15
49316MN1110005	Rating Area 4	No Preference	52	494.15
49316MN1110005	Rating Area 4	No Preference	53	494.15

49316MN1110005	Rating Area 4	No Preference	54	494.15
49316MN1110005	Rating Area 4	No Preference	55	613.89
49316MN1110005	Rating Area 4	No Preference	56	613.89
49316MN1110005	Rating Area 4	No Preference	57	613.89
49316MN1110005	Rating Area 4	No Preference	58	613.89
49316MN1110005	Rating Area 4	No Preference	59	613.89
49316MN1110005	Rating Area 4	No Preference	60	725.05
49316MN1110005	Rating Area 4	No Preference	61	725.05
49316MN1110005	Rating Area 4	No Preference	62	725.05
49316MN1110005	Rating Area 4	No Preference	63	725.05
49316MN1110005	Rating Area 4	No Preference	64	757.89
49316MN1110005	Rating Area 4	No Preference	65 and over	757.89
49316MN1110005	Rating Area 5	No Preference	0-20	224.84
49316MN1110005	Rating Area 5	No Preference	21	260.46
49316MN1110005	Rating Area 5	No Preference	22	260.46
49316MN1110005	Rating Area 5	No Preference	23	260.46
49316MN1110005	Rating Area 5	No Preference	24	260.46
49316MN1110005	Rating Area 5	No Preference	25	260.46
49316MN1110005	Rating Area 5	No Preference	26	260.46
49316MN1110005	Rating Area 5	No Preference	27	260.46
49316MN1110005	Rating Area 5	No Preference	28	260.46
49316MN1110005	Rating Area 5	No Preference	29	260.46
49316MN1110005	Rating Area 5	No Preference	30	297.6
49316MN1110005	Rating Area 5	No Preference	31	297.6
49316MN1110005	Rating Area 5	No Preference	32	297.6
49316MN1110005	Rating Area 5	No Preference	33	297.6
49316MN1110005	Rating Area 5	No Preference	34	297.6
49316MN1110005	Rating Area 5	No Preference	35	313.26
49316MN1110005	Rating Area 5	No Preference	36	313.26
49316MN1110005	Rating Area 5	No Preference	37	313.26
49316MN1110005	Rating Area 5	No Preference	38	313.26
49316MN1110005	Rating Area 5	No Preference	39	313.26
49316MN1110005	Rating Area 5	No Preference	40	336.5
49316MN1110005	Rating Area 5	No Preference	41	336.5
49316MN1110005	Rating Area 5	No Preference	42	336.5
49316MN1110005	Rating Area 5	No Preference	43	336.5
49316MN1110005	Rating Area 5	No Preference	44	336.5
49316MN1110005	Rating Area 5	No Preference	45	396.63
49316MN1110005	Rating Area 5	No Preference	46	396.63
49316MN1110005	Rating Area 5	No Preference	47	396.63
49316MN1110005	Rating Area 5	No Preference	48	396.63
49316MN1110005	Rating Area 5	No Preference	49	396.63
49316MN1110005	Rating Area 5	No Preference	50	494.15
49316MN1110005	Rating Area 5	No Preference	51	494.15
49316MN1110005	Rating Area 5	No Preference	52	494.15
49316MN1110005	Rating Area 5	No Preference	53	494.15
49316MN1110005	Rating Area 5	No Preference	54	494.15

49316MN1110005	Rating Area 5	No Preference	55	613.89
49316MN1110005	Rating Area 5	No Preference	56	613.89
49316MN1110005	Rating Area 5	No Preference	57	613.89
49316MN1110005	Rating Area 5	No Preference	58	613.89
49316MN1110005	Rating Area 5	No Preference	59	613.89
49316MN1110005	Rating Area 5	No Preference	60	725.05
49316MN1110005	Rating Area 5	No Preference	61	725.05
49316MN1110005	Rating Area 5	No Preference	62	725.05
49316MN1110005	Rating Area 5	No Preference	63	725.05
49316MN1110005	Rating Area 5	No Preference	64	757.89
49316MN1110005	Rating Area 5	No Preference	65 and over	757.89
49316MN1110005	Rating Area 6	No Preference	0-20	201.12
49316MN1110005	Rating Area 6	No Preference	21	232.98
49316MN1110005	Rating Area 6	No Preference	22	232.98
49316MN1110005	Rating Area 6	No Preference	23	232.98
49316MN1110005	Rating Area 6	No Preference	24	232.98
49316MN1110005	Rating Area 6	No Preference	25	232.98
49316MN1110005	Rating Area 6	No Preference	26	232.98
49316MN1110005	Rating Area 6	No Preference	27	232.98
49316MN1110005	Rating Area 6	No Preference	28	232.98
49316MN1110005	Rating Area 6	No Preference	29	232.98
49316MN1110005	Rating Area 6	No Preference	30	266.2
49316MN1110005	Rating Area 6	No Preference	31	266.2
49316MN1110005	Rating Area 6	No Preference	32	266.2
49316MN1110005	Rating Area 6	No Preference	33	266.2
49316MN1110005	Rating Area 6	No Preference	34	266.2
49316MN1110005	Rating Area 6	No Preference	35	280.21
49316MN1110005	Rating Area 6	No Preference	36	280.21
49316MN1110005	Rating Area 6	No Preference	37	280.21
49316MN1110005	Rating Area 6	No Preference	38	280.21
49316MN1110005	Rating Area 6	No Preference	39	280.21
49316MN1110005	Rating Area 6	No Preference	40	301
49316MN1110005	Rating Area 6	No Preference	41	301
49316MN1110005	Rating Area 6	No Preference	42	301
49316MN1110005	Rating Area 6	No Preference	43	301
49316MN1110005	Rating Area 6	No Preference	44	301
49316MN1110005	Rating Area 6	No Preference	45	354.78
49316MN1110005	Rating Area 6	No Preference	46	354.78
49316MN1110005	Rating Area 6	No Preference	47	354.78
49316MN1110005	Rating Area 6	No Preference	48	354.78
49316MN1110005	Rating Area 6	No Preference	49	354.78
49316MN1110005	Rating Area 6	No Preference	50	442.01
49316MN1110005	Rating Area 6	No Preference	51	442.01
49316MN1110005	Rating Area 6	No Preference	52	442.01
49316MN1110005	Rating Area 6	No Preference	53	442.01
49316MN1110005	Rating Area 6	No Preference	54	442.01
49316MN1110005	Rating Area 6	No Preference	55	549.12

49316MN1110005	Rating Area 6	No Preference	56	549.12
49316MN1110005	Rating Area 6	No Preference	57	549.12
49316MN1110005	Rating Area 6	No Preference	58	549.12
49316MN1110005	Rating Area 6	No Preference	59	549.12
49316MN1110005	Rating Area 6	No Preference	60	648.55
49316MN1110005	Rating Area 6	No Preference	61	648.55
49316MN1110005	Rating Area 6	No Preference	62	648.55
49316MN1110005	Rating Area 6	No Preference	63	648.55
49316MN1110005	Rating Area 6	No Preference	64	677.93
49316MN1110005	Rating Area 6	No Preference	65 and over	677.93
49316MN1110005	Rating Area 7	No Preference	0-20	220.35
49316MN1110005	Rating Area 7	No Preference	21	255.26
49316MN1110005	Rating Area 7	No Preference	22	255.26
49316MN1110005	Rating Area 7	No Preference	23	255.26
49316MN1110005	Rating Area 7	No Preference	24	255.26
49316MN1110005	Rating Area 7	No Preference	25	255.26
49316MN1110005	Rating Area 7	No Preference	26	255.26
49316MN1110005	Rating Area 7	No Preference	27	255.26
49316MN1110005	Rating Area 7	No Preference	28	255.26
49316MN1110005	Rating Area 7	No Preference	29	255.26
49316MN1110005	Rating Area 7	No Preference	30	291.66
49316MN1110005	Rating Area 7	No Preference	31	291.66
49316MN1110005	Rating Area 7	No Preference	32	291.66
49316MN1110005	Rating Area 7	No Preference	33	291.66
49316MN1110005	Rating Area 7	No Preference	34	291.66
49316MN1110005	Rating Area 7	No Preference	35	307.01
49316MN1110005	Rating Area 7	No Preference	36	307.01
49316MN1110005	Rating Area 7	No Preference	37	307.01
49316MN1110005	Rating Area 7	No Preference	38	307.01
49316MN1110005	Rating Area 7	No Preference	39	307.01
49316MN1110005	Rating Area 7	No Preference	40	329.79
49316MN1110005	Rating Area 7	No Preference	41	329.79
49316MN1110005	Rating Area 7	No Preference	42	329.79
49316MN1110005	Rating Area 7	No Preference	43	329.79
49316MN1110005	Rating Area 7	No Preference	44	329.79
49316MN1110005	Rating Area 7	No Preference	45	388.71
49316MN1110005	Rating Area 7	No Preference	46	388.71
49316MN1110005	Rating Area 7	No Preference	47	388.71
49316MN1110005	Rating Area 7	No Preference	48	388.71
49316MN1110005	Rating Area 7	No Preference	49	388.71
49316MN1110005	Rating Area 7	No Preference	50	484.28
49316MN1110005	Rating Area 7	No Preference	51	484.28
49316MN1110005	Rating Area 7	No Preference	52	484.28
49316MN1110005	Rating Area 7	No Preference	53	484.28
49316MN1110005	Rating Area 7	No Preference	54	484.28
49316MN1110005	Rating Area 7	No Preference	55	601.64
49316MN1110005	Rating Area 7	No Preference	56	601.64

49316MN1110005	Rating Area 7	No Preference	57	601.64
49316MN1110005	Rating Area 7	No Preference	58	601.64
49316MN1110005	Rating Area 7	No Preference	59	601.64
49316MN1110005	Rating Area 7	No Preference	60	710.58
49316MN1110005	Rating Area 7	No Preference	61	710.58
49316MN1110005	Rating Area 7	No Preference	62	710.58
49316MN1110005	Rating Area 7	No Preference	63	710.58
49316MN1110005	Rating Area 7	No Preference	64	742.76
49316MN1110005	Rating Area 7	No Preference	65 and over	742.76
49316MN1110005	Rating Area 8	No Preference	0-20	188.08
49316MN1110005	Rating Area 8	No Preference	21	217.88
49316MN1110005	Rating Area 8	No Preference	22	217.88
49316MN1110005	Rating Area 8	No Preference	23	217.88
49316MN1110005	Rating Area 8	No Preference	24	217.88
49316MN1110005	Rating Area 8	No Preference	25	217.88
49316MN1110005	Rating Area 8	No Preference	26	217.88
49316MN1110005	Rating Area 8	No Preference	27	217.88
49316MN1110005	Rating Area 8	No Preference	28	217.88
49316MN1110005	Rating Area 8	No Preference	29	217.88
49316MN1110005	Rating Area 8	No Preference	30	248.94
49316MN1110005	Rating Area 8	No Preference	31	248.94
49316MN1110005	Rating Area 8	No Preference	32	248.94
49316MN1110005	Rating Area 8	No Preference	33	248.94
49316MN1110005	Rating Area 8	No Preference	34	248.94
49316MN1110005	Rating Area 8	No Preference	35	262.04
49316MN1110005	Rating Area 8	No Preference	36	262.04
49316MN1110005	Rating Area 8	No Preference	37	262.04
49316MN1110005	Rating Area 8	No Preference	38	262.04
49316MN1110005	Rating Area 8	No Preference	39	262.04
49316MN1110005	Rating Area 8	No Preference	40	281.49
49316MN1110005	Rating Area 8	No Preference	41	281.49
49316MN1110005	Rating Area 8	No Preference	42	281.49
49316MN1110005	Rating Area 8	No Preference	43	281.49
49316MN1110005	Rating Area 8	No Preference	44	281.49
49316MN1110005	Rating Area 8	No Preference	45	331.78
49316MN1110005	Rating Area 8	No Preference	46	331.78
49316MN1110005	Rating Area 8	No Preference	47	331.78
49316MN1110005	Rating Area 8	No Preference	48	331.78
49316MN1110005	Rating Area 8	No Preference	49	331.78
49316MN1110005	Rating Area 8	No Preference	50	413.35
49316MN1110005	Rating Area 8	No Preference	51	413.35
49316MN1110005	Rating Area 8	No Preference	52	413.35
49316MN1110005	Rating Area 8	No Preference	53	413.35
49316MN1110005	Rating Area 8	No Preference	54	413.35
49316MN1110005	Rating Area 8	No Preference	55	513.52
49316MN1110005	Rating Area 8	No Preference	56	513.52
49316MN1110005	Rating Area 8	No Preference	57	513.52

49316MN1110005	Rating Area 8	No Preference	58	513.52
49316MN1110005	Rating Area 8	No Preference	59	513.52
49316MN1110005	Rating Area 8	No Preference	60	606.51
49316MN1110005	Rating Area 8	No Preference	61	606.51
49316MN1110005	Rating Area 8	No Preference	62	606.51
49316MN1110005	Rating Area 8	No Preference	63	606.51
49316MN1110005	Rating Area 8	No Preference	64	633.98
49316MN1110005	Rating Area 8	No Preference	65 and over	633.98
49316MN1110005	Rating Area 9	No Preference	0-20	188.08
49316MN1110005	Rating Area 9	No Preference	21	217.88
49316MN1110005	Rating Area 9	No Preference	22	217.88
49316MN1110005	Rating Area 9	No Preference	23	217.88
49316MN1110005	Rating Area 9	No Preference	24	217.88
49316MN1110005	Rating Area 9	No Preference	25	217.88
49316MN1110005	Rating Area 9	No Preference	26	217.88
49316MN1110005	Rating Area 9	No Preference	27	217.88
49316MN1110005	Rating Area 9	No Preference	28	217.88
49316MN1110005	Rating Area 9	No Preference	29	217.88
49316MN1110005	Rating Area 9	No Preference	30	248.94
49316MN1110005	Rating Area 9	No Preference	31	248.94
49316MN1110005	Rating Area 9	No Preference	32	248.94
49316MN1110005	Rating Area 9	No Preference	33	248.94
49316MN1110005	Rating Area 9	No Preference	34	248.94
49316MN1110005	Rating Area 9	No Preference	35	262.04
49316MN1110005	Rating Area 9	No Preference	36	262.04
49316MN1110005	Rating Area 9	No Preference	37	262.04
49316MN1110005	Rating Area 9	No Preference	38	262.04
49316MN1110005	Rating Area 9	No Preference	39	262.04
49316MN1110005	Rating Area 9	No Preference	40	281.49
49316MN1110005	Rating Area 9	No Preference	41	281.49
49316MN1110005	Rating Area 9	No Preference	42	281.49
49316MN1110005	Rating Area 9	No Preference	43	281.49
49316MN1110005	Rating Area 9	No Preference	44	281.49
49316MN1110005	Rating Area 9	No Preference	45	331.78
49316MN1110005	Rating Area 9	No Preference	46	331.78
49316MN1110005	Rating Area 9	No Preference	47	331.78
49316MN1110005	Rating Area 9	No Preference	48	331.78
49316MN1110005	Rating Area 9	No Preference	49	331.78
49316MN1110005	Rating Area 9	No Preference	50	413.35
49316MN1110005	Rating Area 9	No Preference	51	413.35
49316MN1110005	Rating Area 9	No Preference	52	413.35
49316MN1110005	Rating Area 9	No Preference	53	413.35
49316MN1110005	Rating Area 9	No Preference	54	413.35
49316MN1110005	Rating Area 9	No Preference	55	513.52
49316MN1110005	Rating Area 9	No Preference	56	513.52
49316MN1110005	Rating Area 9	No Preference	57	513.52
49316MN1110005	Rating Area 9	No Preference	58	513.52

49316MN1110005	Rating Area 9	No Preference	59	513.52
49316MN1110005	Rating Area 9	No Preference	60	606.51
49316MN1110005	Rating Area 9	No Preference	61	606.51
49316MN1110005	Rating Area 9	No Preference	62	606.51
49316MN1110005	Rating Area 9	No Preference	63	606.51
49316MN1110005	Rating Area 9	No Preference	64	633.98
49316MN1110005	Rating Area 9	No Preference	65 and over	633.98
49316MN1120001	Rating Area 1	No Preference	0-20	203.99
49316MN1120001	Rating Area 1	No Preference	21	236.31
49316MN1120001	Rating Area 1	No Preference	22	236.31
49316MN1120001	Rating Area 1	No Preference	23	236.31
49316MN1120001	Rating Area 1	No Preference	24	236.31
49316MN1120001	Rating Area 1	No Preference	25	236.31
49316MN1120001	Rating Area 1	No Preference	26	236.31
49316MN1120001	Rating Area 1	No Preference	27	236.31
49316MN1120001	Rating Area 1	No Preference	28	236.31
49316MN1120001	Rating Area 1	No Preference	29	236.31
49316MN1120001	Rating Area 1	No Preference	30	270.01
49316MN1120001	Rating Area 1	No Preference	31	270.01
49316MN1120001	Rating Area 1	No Preference	32	270.01
49316MN1120001	Rating Area 1	No Preference	33	270.01
49316MN1120001	Rating Area 1	No Preference	34	270.01
49316MN1120001	Rating Area 1	No Preference	35	284.22
49316MN1120001	Rating Area 1	No Preference	36	284.22
49316MN1120001	Rating Area 1	No Preference	37	284.22
49316MN1120001	Rating Area 1	No Preference	38	284.22
49316MN1120001	Rating Area 1	No Preference	39	284.22
49316MN1120001	Rating Area 1	No Preference	40	305.3
49316MN1120001	Rating Area 1	No Preference	41	305.3
49316MN1120001	Rating Area 1	No Preference	42	305.3
49316MN1120001	Rating Area 1	No Preference	43	305.3
49316MN1120001	Rating Area 1	No Preference	44	305.3
49316MN1120001	Rating Area 1	No Preference	45	359.86
49316MN1120001	Rating Area 1	No Preference	46	359.86
49316MN1120001	Rating Area 1	No Preference	47	359.86
49316MN1120001	Rating Area 1	No Preference	48	359.86
49316MN1120001	Rating Area 1	No Preference	49	359.86
49316MN1120001	Rating Area 1	No Preference	50	448.33
49316MN1120001	Rating Area 1	No Preference	51	448.33
49316MN1120001	Rating Area 1	No Preference	52	448.33
49316MN1120001	Rating Area 1	No Preference	53	448.33
49316MN1120001	Rating Area 1	No Preference	54	448.33
49316MN1120001	Rating Area 1	No Preference	55	556.97
49316MN1120001	Rating Area 1	No Preference	56	556.97
49316MN1120001	Rating Area 1	No Preference	57	556.97
49316MN1120001	Rating Area 1	No Preference	58	556.97
49316MN1120001	Rating Area 1	No Preference	59	556.97

49316MN1120001	Rating Area 1	No Preference	60	657.82
49316MN1120001	Rating Area 1	No Preference	61	657.82
49316MN1120001	Rating Area 1	No Preference	62	657.82
49316MN1120001	Rating Area 1	No Preference	63	657.82
49316MN1120001	Rating Area 1	No Preference	64	687.62
49316MN1120001	Rating Area 1	No Preference	65 and over	687.62
49316MN1120001	Rating Area 2	No Preference	0-20	155.79
49316MN1120001	Rating Area 2	No Preference	21	180.47
49316MN1120001	Rating Area 2	No Preference	22	180.47
49316MN1120001	Rating Area 2	No Preference	23	180.47
49316MN1120001	Rating Area 2	No Preference	24	180.47
49316MN1120001	Rating Area 2	No Preference	25	180.47
49316MN1120001	Rating Area 2	No Preference	26	180.47
49316MN1120001	Rating Area 2	No Preference	27	180.47
49316MN1120001	Rating Area 2	No Preference	28	180.47
49316MN1120001	Rating Area 2	No Preference	29	180.47
49316MN1120001	Rating Area 2	No Preference	30	206.2
49316MN1120001	Rating Area 2	No Preference	31	206.2
49316MN1120001	Rating Area 2	No Preference	32	206.2
49316MN1120001	Rating Area 2	No Preference	33	206.2
49316MN1120001	Rating Area 2	No Preference	34	206.2
49316MN1120001	Rating Area 2	No Preference	35	217.06
49316MN1120001	Rating Area 2	No Preference	36	217.06
49316MN1120001	Rating Area 2	No Preference	37	217.06
49316MN1120001	Rating Area 2	No Preference	38	217.06
49316MN1120001	Rating Area 2	No Preference	39	217.06
49316MN1120001	Rating Area 2	No Preference	40	233.16
49316MN1120001	Rating Area 2	No Preference	41	233.16
49316MN1120001	Rating Area 2	No Preference	42	233.16
49316MN1120001	Rating Area 2	No Preference	43	233.16
49316MN1120001	Rating Area 2	No Preference	44	233.16
49316MN1120001	Rating Area 2	No Preference	45	274.82
49316MN1120001	Rating Area 2	No Preference	46	274.82
49316MN1120001	Rating Area 2	No Preference	47	274.82
49316MN1120001	Rating Area 2	No Preference	48	274.82
49316MN1120001	Rating Area 2	No Preference	49	274.82
49316MN1120001	Rating Area 2	No Preference	50	342.39
49316MN1120001	Rating Area 2	No Preference	51	342.39
49316MN1120001	Rating Area 2	No Preference	52	342.39
49316MN1120001	Rating Area 2	No Preference	53	342.39
49316MN1120001	Rating Area 2	No Preference	54	342.39
49316MN1120001	Rating Area 2	No Preference	55	425.36
49316MN1120001	Rating Area 2	No Preference	56	425.36
49316MN1120001	Rating Area 2	No Preference	57	425.36
49316MN1120001	Rating Area 2	No Preference	58	425.36
49316MN1120001	Rating Area 2	No Preference	59	425.36
49316MN1120001	Rating Area 2	No Preference	60	502.38

49316MN1120001	Rating Area 2	No Preference	61	502.38
49316MN1120001	Rating Area 2	No Preference	62	502.38
49316MN1120001	Rating Area 2	No Preference	63	502.38
49316MN1120001	Rating Area 2	No Preference	64	525.14
49316MN1120001	Rating Area 2	No Preference	65 and over	525.14
49316MN1120001	Rating Area 3	No Preference	0-20	158.96
49316MN1120001	Rating Area 3	No Preference	21	184.15
49316MN1120001	Rating Area 3	No Preference	22	184.15
49316MN1120001	Rating Area 3	No Preference	23	184.15
49316MN1120001	Rating Area 3	No Preference	24	184.15
49316MN1120001	Rating Area 3	No Preference	25	184.15
49316MN1120001	Rating Area 3	No Preference	26	184.15
49316MN1120001	Rating Area 3	No Preference	27	184.15
49316MN1120001	Rating Area 3	No Preference	28	184.15
49316MN1120001	Rating Area 3	No Preference	29	184.15
49316MN1120001	Rating Area 3	No Preference	30	210.4
49316MN1120001	Rating Area 3	No Preference	31	210.4
49316MN1120001	Rating Area 3	No Preference	32	210.4
49316MN1120001	Rating Area 3	No Preference	33	210.4
49316MN1120001	Rating Area 3	No Preference	34	210.4
49316MN1120001	Rating Area 3	No Preference	35	221.48
49316MN1120001	Rating Area 3	No Preference	36	221.48
49316MN1120001	Rating Area 3	No Preference	37	221.48
49316MN1120001	Rating Area 3	No Preference	38	221.48
49316MN1120001	Rating Area 3	No Preference	39	221.48
49316MN1120001	Rating Area 3	No Preference	40	237.91
49316MN1120001	Rating Area 3	No Preference	41	237.91
49316MN1120001	Rating Area 3	No Preference	42	237.91
49316MN1120001	Rating Area 3	No Preference	43	237.91
49316MN1120001	Rating Area 3	No Preference	44	237.91
49316MN1120001	Rating Area 3	No Preference	45	280.42
49316MN1120001	Rating Area 3	No Preference	46	280.42
49316MN1120001	Rating Area 3	No Preference	47	280.42
49316MN1120001	Rating Area 3	No Preference	48	280.42
49316MN1120001	Rating Area 3	No Preference	49	280.42
49316MN1120001	Rating Area 3	No Preference	50	349.36
49316MN1120001	Rating Area 3	No Preference	51	349.36
49316MN1120001	Rating Area 3	No Preference	52	349.36
49316MN1120001	Rating Area 3	No Preference	53	349.36
49316MN1120001	Rating Area 3	No Preference	54	349.36
49316MN1120001	Rating Area 3	No Preference	55	434.03
49316MN1120001	Rating Area 3	No Preference	56	434.03
49316MN1120001	Rating Area 3	No Preference	57	434.03
49316MN1120001	Rating Area 3	No Preference	58	434.03
49316MN1120001	Rating Area 3	No Preference	59	434.03
49316MN1120001	Rating Area 3	No Preference	60	512.62
49316MN1120001	Rating Area 3	No Preference	61	512.62

49316MN1120001	Rating Area 3	No Preference	62	512.62
49316MN1120001	Rating Area 3	No Preference	63	512.62
49316MN1120001	Rating Area 3	No Preference	64	535.84
49316MN1120001	Rating Area 3	No Preference	65 and over	535.84
49316MN1120001	Rating Area 4	No Preference	0-20	158.96
49316MN1120001	Rating Area 4	No Preference	21	184.15
49316MN1120001	Rating Area 4	No Preference	22	184.15
49316MN1120001	Rating Area 4	No Preference	23	184.15
49316MN1120001	Rating Area 4	No Preference	24	184.15
49316MN1120001	Rating Area 4	No Preference	25	184.15
49316MN1120001	Rating Area 4	No Preference	26	184.15
49316MN1120001	Rating Area 4	No Preference	27	184.15
49316MN1120001	Rating Area 4	No Preference	28	184.15
49316MN1120001	Rating Area 4	No Preference	29	184.15
49316MN1120001	Rating Area 4	No Preference	30	210.4
49316MN1120001	Rating Area 4	No Preference	31	210.4
49316MN1120001	Rating Area 4	No Preference	32	210.4
49316MN1120001	Rating Area 4	No Preference	33	210.4
49316MN1120001	Rating Area 4	No Preference	34	210.4
49316MN1120001	Rating Area 4	No Preference	35	221.48
49316MN1120001	Rating Area 4	No Preference	36	221.48
49316MN1120001	Rating Area 4	No Preference	37	221.48
49316MN1120001	Rating Area 4	No Preference	38	221.48
49316MN1120001	Rating Area 4	No Preference	39	221.48
49316MN1120001	Rating Area 4	No Preference	40	237.91
49316MN1120001	Rating Area 4	No Preference	41	237.91
49316MN1120001	Rating Area 4	No Preference	42	237.91
49316MN1120001	Rating Area 4	No Preference	43	237.91
49316MN1120001	Rating Area 4	No Preference	44	237.91
49316MN1120001	Rating Area 4	No Preference	45	280.42
49316MN1120001	Rating Area 4	No Preference	46	280.42
49316MN1120001	Rating Area 4	No Preference	47	280.42
49316MN1120001	Rating Area 4	No Preference	48	280.42
49316MN1120001	Rating Area 4	No Preference	49	280.42
49316MN1120001	Rating Area 4	No Preference	50	349.36
49316MN1120001	Rating Area 4	No Preference	51	349.36
49316MN1120001	Rating Area 4	No Preference	52	349.36
49316MN1120001	Rating Area 4	No Preference	53	349.36
49316MN1120001	Rating Area 4	No Preference	54	349.36
49316MN1120001	Rating Area 4	No Preference	55	434.03
49316MN1120001	Rating Area 4	No Preference	56	434.03
49316MN1120001	Rating Area 4	No Preference	57	434.03
49316MN1120001	Rating Area 4	No Preference	58	434.03
49316MN1120001	Rating Area 4	No Preference	59	434.03
49316MN1120001	Rating Area 4	No Preference	60	512.62
49316MN1120001	Rating Area 4	No Preference	61	512.62
49316MN1120001	Rating Area 4	No Preference	62	512.62

49316MN1120001	Rating Area 4	No Preference	63	512.62
49316MN1120001	Rating Area 4	No Preference	64	535.84
49316MN1120001	Rating Area 4	No Preference	65 and over	535.84
49316MN1120001	Rating Area 5	No Preference	0-20	158.96
49316MN1120001	Rating Area 5	No Preference	21	184.15
49316MN1120001	Rating Area 5	No Preference	22	184.15
49316MN1120001	Rating Area 5	No Preference	23	184.15
49316MN1120001	Rating Area 5	No Preference	24	184.15
49316MN1120001	Rating Area 5	No Preference	25	184.15
49316MN1120001	Rating Area 5	No Preference	26	184.15
49316MN1120001	Rating Area 5	No Preference	27	184.15
49316MN1120001	Rating Area 5	No Preference	28	184.15
49316MN1120001	Rating Area 5	No Preference	29	184.15
49316MN1120001	Rating Area 5	No Preference	30	210.4
49316MN1120001	Rating Area 5	No Preference	31	210.4
49316MN1120001	Rating Area 5	No Preference	32	210.4
49316MN1120001	Rating Area 5	No Preference	33	210.4
49316MN1120001	Rating Area 5	No Preference	34	210.4
49316MN1120001	Rating Area 5	No Preference	35	221.48
49316MN1120001	Rating Area 5	No Preference	36	221.48
49316MN1120001	Rating Area 5	No Preference	37	221.48
49316MN1120001	Rating Area 5	No Preference	38	221.48
49316MN1120001	Rating Area 5	No Preference	39	221.48
49316MN1120001	Rating Area 5	No Preference	40	237.91
49316MN1120001	Rating Area 5	No Preference	41	237.91
49316MN1120001	Rating Area 5	No Preference	42	237.91
49316MN1120001	Rating Area 5	No Preference	43	237.91
49316MN1120001	Rating Area 5	No Preference	44	237.91
49316MN1120001	Rating Area 5	No Preference	45	280.42
49316MN1120001	Rating Area 5	No Preference	46	280.42
49316MN1120001	Rating Area 5	No Preference	47	280.42
49316MN1120001	Rating Area 5	No Preference	48	280.42
49316MN1120001	Rating Area 5	No Preference	49	280.42
49316MN1120001	Rating Area 5	No Preference	50	349.36
49316MN1120001	Rating Area 5	No Preference	51	349.36
49316MN1120001	Rating Area 5	No Preference	52	349.36
49316MN1120001	Rating Area 5	No Preference	53	349.36
49316MN1120001	Rating Area 5	No Preference	54	349.36
49316MN1120001	Rating Area 5	No Preference	55	434.03
49316MN1120001	Rating Area 5	No Preference	56	434.03
49316MN1120001	Rating Area 5	No Preference	57	434.03
49316MN1120001	Rating Area 5	No Preference	58	434.03
49316MN1120001	Rating Area 5	No Preference	59	434.03
49316MN1120001	Rating Area 5	No Preference	60	512.62
49316MN1120001	Rating Area 5	No Preference	61	512.62
49316MN1120001	Rating Area 5	No Preference	62	512.62
49316MN1120001	Rating Area 5	No Preference	63	512.62

49316MN1120001	Rating Area 5	No Preference	64	535.84
49316MN1120001	Rating Area 5	No Preference	65 and over	535.84
49316MN1120001	Rating Area 6	No Preference	0-20	142.19
49316MN1120001	Rating Area 6	No Preference	21	164.72
49316MN1120001	Rating Area 6	No Preference	22	164.72
49316MN1120001	Rating Area 6	No Preference	23	164.72
49316MN1120001	Rating Area 6	No Preference	24	164.72
49316MN1120001	Rating Area 6	No Preference	25	164.72
49316MN1120001	Rating Area 6	No Preference	26	164.72
49316MN1120001	Rating Area 6	No Preference	27	164.72
49316MN1120001	Rating Area 6	No Preference	28	164.72
49316MN1120001	Rating Area 6	No Preference	29	164.72
49316MN1120001	Rating Area 6	No Preference	30	188.2
49316MN1120001	Rating Area 6	No Preference	31	188.2
49316MN1120001	Rating Area 6	No Preference	32	188.2
49316MN1120001	Rating Area 6	No Preference	33	188.2
49316MN1120001	Rating Area 6	No Preference	34	188.2
49316MN1120001	Rating Area 6	No Preference	35	198.11
49316MN1120001	Rating Area 6	No Preference	36	198.11
49316MN1120001	Rating Area 6	No Preference	37	198.11
49316MN1120001	Rating Area 6	No Preference	38	198.11
49316MN1120001	Rating Area 6	No Preference	39	198.11
49316MN1120001	Rating Area 6	No Preference	40	212.81
49316MN1120001	Rating Area 6	No Preference	41	212.81
49316MN1120001	Rating Area 6	No Preference	42	212.81
49316MN1120001	Rating Area 6	No Preference	43	212.81
49316MN1120001	Rating Area 6	No Preference	44	212.81
49316MN1120001	Rating Area 6	No Preference	45	250.83
49316MN1120001	Rating Area 6	No Preference	46	250.83
49316MN1120001	Rating Area 6	No Preference	47	250.83
49316MN1120001	Rating Area 6	No Preference	48	250.83
49316MN1120001	Rating Area 6	No Preference	49	250.83
49316MN1120001	Rating Area 6	No Preference	50	312.5
49316MN1120001	Rating Area 6	No Preference	51	312.5
49316MN1120001	Rating Area 6	No Preference	52	312.5
49316MN1120001	Rating Area 6	No Preference	53	312.5
49316MN1120001	Rating Area 6	No Preference	54	312.5
49316MN1120001	Rating Area 6	No Preference	55	388.23
49316MN1120001	Rating Area 6	No Preference	56	388.23
49316MN1120001	Rating Area 6	No Preference	57	388.23
49316MN1120001	Rating Area 6	No Preference	58	388.23
49316MN1120001	Rating Area 6	No Preference	59	388.23
49316MN1120001	Rating Area 6	No Preference	60	458.53
49316MN1120001	Rating Area 6	No Preference	61	458.53
49316MN1120001	Rating Area 6	No Preference	62	458.53
49316MN1120001	Rating Area 6	No Preference	63	458.53
49316MN1120001	Rating Area 6	No Preference	64	479.3

49316MN1120001	Rating Area 6	No Preference	65 and over	479.3
49316MN1120001	Rating Area 7	No Preference	0-20	155.79
49316MN1120001	Rating Area 7	No Preference	21	180.47
49316MN1120001	Rating Area 7	No Preference	22	180.47
49316MN1120001	Rating Area 7	No Preference	23	180.47
49316MN1120001	Rating Area 7	No Preference	24	180.47
49316MN1120001	Rating Area 7	No Preference	25	180.47
49316MN1120001	Rating Area 7	No Preference	26	180.47
49316MN1120001	Rating Area 7	No Preference	27	180.47
49316MN1120001	Rating Area 7	No Preference	28	180.47
49316MN1120001	Rating Area 7	No Preference	29	180.47
49316MN1120001	Rating Area 7	No Preference	30	206.2
49316MN1120001	Rating Area 7	No Preference	31	206.2
49316MN1120001	Rating Area 7	No Preference	32	206.2
49316MN1120001	Rating Area 7	No Preference	33	206.2
49316MN1120001	Rating Area 7	No Preference	34	206.2
49316MN1120001	Rating Area 7	No Preference	35	217.06
49316MN1120001	Rating Area 7	No Preference	36	217.06
49316MN1120001	Rating Area 7	No Preference	37	217.06
49316MN1120001	Rating Area 7	No Preference	38	217.06
49316MN1120001	Rating Area 7	No Preference	39	217.06
49316MN1120001	Rating Area 7	No Preference	40	233.16
49316MN1120001	Rating Area 7	No Preference	41	233.16
49316MN1120001	Rating Area 7	No Preference	42	233.16
49316MN1120001	Rating Area 7	No Preference	43	233.16
49316MN1120001	Rating Area 7	No Preference	44	233.16
49316MN1120001	Rating Area 7	No Preference	45	274.82
49316MN1120001	Rating Area 7	No Preference	46	274.82
49316MN1120001	Rating Area 7	No Preference	47	274.82
49316MN1120001	Rating Area 7	No Preference	48	274.82
49316MN1120001	Rating Area 7	No Preference	49	274.82
49316MN1120001	Rating Area 7	No Preference	50	342.39
49316MN1120001	Rating Area 7	No Preference	51	342.39
49316MN1120001	Rating Area 7	No Preference	52	342.39
49316MN1120001	Rating Area 7	No Preference	53	342.39
49316MN1120001	Rating Area 7	No Preference	54	342.39
49316MN1120001	Rating Area 7	No Preference	55	425.36
49316MN1120001	Rating Area 7	No Preference	56	425.36
49316MN1120001	Rating Area 7	No Preference	57	425.36
49316MN1120001	Rating Area 7	No Preference	58	425.36
49316MN1120001	Rating Area 7	No Preference	59	425.36
49316MN1120001	Rating Area 7	No Preference	60	502.38
49316MN1120001	Rating Area 7	No Preference	61	502.38
49316MN1120001	Rating Area 7	No Preference	62	502.38
49316MN1120001	Rating Area 7	No Preference	63	502.38
49316MN1120001	Rating Area 7	No Preference	64	525.14
49316MN1120001	Rating Area 7	No Preference	65 and over	525.14

49316MN1120001	Rating Area 8	No Preference	0-20	132.97
49316MN1120001	Rating Area 8	No Preference	21	154.04
49316MN1120001	Rating Area 8	No Preference	22	154.04
49316MN1120001	Rating Area 8	No Preference	23	154.04
49316MN1120001	Rating Area 8	No Preference	24	154.04
49316MN1120001	Rating Area 8	No Preference	25	154.04
49316MN1120001	Rating Area 8	No Preference	26	154.04
49316MN1120001	Rating Area 8	No Preference	27	154.04
49316MN1120001	Rating Area 8	No Preference	28	154.04
49316MN1120001	Rating Area 8	No Preference	29	154.04
49316MN1120001	Rating Area 8	No Preference	30	176
49316MN1120001	Rating Area 8	No Preference	31	176
49316MN1120001	Rating Area 8	No Preference	32	176
49316MN1120001	Rating Area 8	No Preference	33	176
49316MN1120001	Rating Area 8	No Preference	34	176
49316MN1120001	Rating Area 8	No Preference	35	185.27
49316MN1120001	Rating Area 8	No Preference	36	185.27
49316MN1120001	Rating Area 8	No Preference	37	185.27
49316MN1120001	Rating Area 8	No Preference	38	185.27
49316MN1120001	Rating Area 8	No Preference	39	185.27
49316MN1120001	Rating Area 8	No Preference	40	199.01
49316MN1120001	Rating Area 8	No Preference	41	199.01
49316MN1120001	Rating Area 8	No Preference	42	199.01
49316MN1120001	Rating Area 8	No Preference	43	199.01
49316MN1120001	Rating Area 8	No Preference	44	199.01
49316MN1120001	Rating Area 8	No Preference	45	234.57
49316MN1120001	Rating Area 8	No Preference	46	234.57
49316MN1120001	Rating Area 8	No Preference	47	234.57
49316MN1120001	Rating Area 8	No Preference	48	234.57
49316MN1120001	Rating Area 8	No Preference	49	234.57
49316MN1120001	Rating Area 8	No Preference	50	292.24
49316MN1120001	Rating Area 8	No Preference	51	292.24
49316MN1120001	Rating Area 8	No Preference	52	292.24
49316MN1120001	Rating Area 8	No Preference	53	292.24
49316MN1120001	Rating Area 8	No Preference	54	292.24
49316MN1120001	Rating Area 8	No Preference	55	363.06
49316MN1120001	Rating Area 8	No Preference	56	363.06
49316MN1120001	Rating Area 8	No Preference	57	363.06
49316MN1120001	Rating Area 8	No Preference	58	363.06
49316MN1120001	Rating Area 8	No Preference	59	363.06
49316MN1120001	Rating Area 8	No Preference	60	428.8
49316MN1120001	Rating Area 8	No Preference	61	428.8
49316MN1120001	Rating Area 8	No Preference	62	428.8
49316MN1120001	Rating Area 8	No Preference	63	428.8
49316MN1120001	Rating Area 8	No Preference	64	448.23
49316MN1120001	Rating Area 8	No Preference	65 and over	448.23
49316MN1120001	Rating Area 9	No Preference	0-20	132.97

49316MN1120001	Rating Area 9	No Preference	21	154.04
49316MN1120001	Rating Area 9	No Preference	22	154.04
49316MN1120001	Rating Area 9	No Preference	23	154.04
49316MN1120001	Rating Area 9	No Preference	24	154.04
49316MN1120001	Rating Area 9	No Preference	25	154.04
49316MN1120001	Rating Area 9	No Preference	26	154.04
49316MN1120001	Rating Area 9	No Preference	27	154.04
49316MN1120001	Rating Area 9	No Preference	28	154.04
49316MN1120001	Rating Area 9	No Preference	29	154.04
49316MN1120001	Rating Area 9	No Preference	30	176
49316MN1120001	Rating Area 9	No Preference	31	176
49316MN1120001	Rating Area 9	No Preference	32	176
49316MN1120001	Rating Area 9	No Preference	33	176
49316MN1120001	Rating Area 9	No Preference	34	176
49316MN1120001	Rating Area 9	No Preference	35	185.27
49316MN1120001	Rating Area 9	No Preference	36	185.27
49316MN1120001	Rating Area 9	No Preference	37	185.27
49316MN1120001	Rating Area 9	No Preference	38	185.27
49316MN1120001	Rating Area 9	No Preference	39	185.27
49316MN1120001	Rating Area 9	No Preference	40	199.01
49316MN1120001	Rating Area 9	No Preference	41	199.01
49316MN1120001	Rating Area 9	No Preference	42	199.01
49316MN1120001	Rating Area 9	No Preference	43	199.01
49316MN1120001	Rating Area 9	No Preference	44	199.01
49316MN1120001	Rating Area 9	No Preference	45	234.57
49316MN1120001	Rating Area 9	No Preference	46	234.57
49316MN1120001	Rating Area 9	No Preference	47	234.57
49316MN1120001	Rating Area 9	No Preference	48	234.57
49316MN1120001	Rating Area 9	No Preference	49	234.57
49316MN1120001	Rating Area 9	No Preference	50	292.24
49316MN1120001	Rating Area 9	No Preference	51	292.24
49316MN1120001	Rating Area 9	No Preference	52	292.24
49316MN1120001	Rating Area 9	No Preference	53	292.24
49316MN1120001	Rating Area 9	No Preference	54	292.24
49316MN1120001	Rating Area 9	No Preference	55	363.06
49316MN1120001	Rating Area 9	No Preference	56	363.06
49316MN1120001	Rating Area 9	No Preference	57	363.06
49316MN1120001	Rating Area 9	No Preference	58	363.06
49316MN1120001	Rating Area 9	No Preference	59	363.06
49316MN1120001	Rating Area 9	No Preference	60	428.8
49316MN1120001	Rating Area 9	No Preference	61	428.8
49316MN1120001	Rating Area 9	No Preference	62	428.8
49316MN1120001	Rating Area 9	No Preference	63	428.8
49316MN1120001	Rating Area 9	No Preference	64	448.23
49316MN1120001	Rating Area 9	No Preference	65 and over	448.23
49316MN1140001	Rating Area 1	No Preference	0-20	119.61
49316MN1140001	Rating Area 1	No Preference	21	138.56

49316MN1140001	Rating Area 1	No Preference	22	138.56
49316MN1140001	Rating Area 1	No Preference	23	138.56
49316MN1140001	Rating Area 1	No Preference	24	138.56
49316MN1140001	Rating Area 1	No Preference	25	138.56
49316MN1140001	Rating Area 1	No Preference	26	138.56
49316MN1140001	Rating Area 1	No Preference	27	138.56
49316MN1140001	Rating Area 1	No Preference	28	138.56
49316MN1140001	Rating Area 1	No Preference	29	138.56
49316MN1140001	Rating Area 1	No Preference	30	158.32
49316MN1140001	Rating Area 1	No Preference	31	158.32
49316MN1140001	Rating Area 1	No Preference	32	158.32
49316MN1140001	Rating Area 1	No Preference	33	158.32
49316MN1140001	Rating Area 1	No Preference	34	158.32
49316MN1140001	Rating Area 1	No Preference	35	166.65
49316MN1140001	Rating Area 1	No Preference	36	166.65
49316MN1140001	Rating Area 1	No Preference	37	166.65
49316MN1140001	Rating Area 1	No Preference	38	166.65
49316MN1140001	Rating Area 1	No Preference	39	166.65
49316MN1140001	Rating Area 1	No Preference	40	179.02
49316MN1140001	Rating Area 1	No Preference	41	179.02
49316MN1140001	Rating Area 1	No Preference	42	179.02
49316MN1140001	Rating Area 1	No Preference	43	179.02
49316MN1140001	Rating Area 1	No Preference	44	179.02
49316MN1140001	Rating Area 1	No Preference	45	211
49316MN1140001	Rating Area 1	No Preference	46	211
49316MN1140001	Rating Area 1	No Preference	47	211
49316MN1140001	Rating Area 1	No Preference	48	211
49316MN1140001	Rating Area 1	No Preference	49	211
49316MN1140001	Rating Area 1	No Preference	50	262.88
49316MN1140001	Rating Area 1	No Preference	51	262.88
49316MN1140001	Rating Area 1	No Preference	52	262.88
49316MN1140001	Rating Area 1	No Preference	53	262.88
49316MN1140001	Rating Area 1	No Preference	54	262.88
49316MN1140001	Rating Area 1	No Preference	55	326.58
49316MN1140001	Rating Area 1	No Preference	56	326.58
49316MN1140001	Rating Area 1	No Preference	57	326.58
49316MN1140001	Rating Area 1	No Preference	58	326.58
49316MN1140001	Rating Area 1	No Preference	59	326.58
49316MN1140001	Rating Area 1	No Preference	60	385.72
49316MN1140001	Rating Area 1	No Preference	61	385.72
49316MN1140001	Rating Area 1	No Preference	62	385.72
49316MN1140001	Rating Area 1	No Preference	63	385.72
49316MN1140001	Rating Area 1	No Preference	64	403.19
49316MN1140001	Rating Area 1	No Preference	65 and over	403.19
49316MN1140001	Rating Area 2	No Preference	0-20	91.35
49316MN1140001	Rating Area 2	No Preference	21	105.82
49316MN1140001	Rating Area 2	No Preference	22	105.82

49316MN1140001	Rating Area 2	No Preference	23	105.82
49316MN1140001	Rating Area 2	No Preference	24	105.82
49316MN1140001	Rating Area 2	No Preference	25	105.82
49316MN1140001	Rating Area 2	No Preference	26	105.82
49316MN1140001	Rating Area 2	No Preference	27	105.82
49316MN1140001	Rating Area 2	No Preference	28	105.82
49316MN1140001	Rating Area 2	No Preference	29	105.82
49316MN1140001	Rating Area 2	No Preference	30	120.91
49316MN1140001	Rating Area 2	No Preference	31	120.91
49316MN1140001	Rating Area 2	No Preference	32	120.91
49316MN1140001	Rating Area 2	No Preference	33	120.91
49316MN1140001	Rating Area 2	No Preference	34	120.91
49316MN1140001	Rating Area 2	No Preference	35	127.27
49316MN1140001	Rating Area 2	No Preference	36	127.27
49316MN1140001	Rating Area 2	No Preference	37	127.27
49316MN1140001	Rating Area 2	No Preference	38	127.27
49316MN1140001	Rating Area 2	No Preference	39	127.27
49316MN1140001	Rating Area 2	No Preference	40	136.71
49316MN1140001	Rating Area 2	No Preference	41	136.71
49316MN1140001	Rating Area 2	No Preference	42	136.71
49316MN1140001	Rating Area 2	No Preference	43	136.71
49316MN1140001	Rating Area 2	No Preference	44	136.71
49316MN1140001	Rating Area 2	No Preference	45	161.14
49316MN1140001	Rating Area 2	No Preference	46	161.14
49316MN1140001	Rating Area 2	No Preference	47	161.14
49316MN1140001	Rating Area 2	No Preference	48	161.14
49316MN1140001	Rating Area 2	No Preference	49	161.14
49316MN1140001	Rating Area 2	No Preference	50	200.76
49316MN1140001	Rating Area 2	No Preference	51	200.76
49316MN1140001	Rating Area 2	No Preference	52	200.76
49316MN1140001	Rating Area 2	No Preference	53	200.76
49316MN1140001	Rating Area 2	No Preference	54	200.76
49316MN1140001	Rating Area 2	No Preference	55	249.41
49316MN1140001	Rating Area 2	No Preference	56	249.41
49316MN1140001	Rating Area 2	No Preference	57	249.41
49316MN1140001	Rating Area 2	No Preference	58	249.41
49316MN1140001	Rating Area 2	No Preference	59	249.41
49316MN1140001	Rating Area 2	No Preference	60	294.57
49316MN1140001	Rating Area 2	No Preference	61	294.57
49316MN1140001	Rating Area 2	No Preference	62	294.57
49316MN1140001	Rating Area 2	No Preference	63	294.57
49316MN1140001	Rating Area 2	No Preference	64	307.92
49316MN1140001	Rating Area 2	No Preference	65 and over	307.92
49316MN1140001	Rating Area 3	No Preference	0-20	93.21
49316MN1140001	Rating Area 3	No Preference	21	107.98
49316MN1140001	Rating Area 3	No Preference	22	107.98
49316MN1140001	Rating Area 3	No Preference	23	107.98

49316MN1140001	Rating Area 3	No Preference	24	107.98
49316MN1140001	Rating Area 3	No Preference	25	107.98
49316MN1140001	Rating Area 3	No Preference	26	107.98
49316MN1140001	Rating Area 3	No Preference	27	107.98
49316MN1140001	Rating Area 3	No Preference	28	107.98
49316MN1140001	Rating Area 3	No Preference	29	107.98
49316MN1140001	Rating Area 3	No Preference	30	123.37
49316MN1140001	Rating Area 3	No Preference	31	123.37
49316MN1140001	Rating Area 3	No Preference	32	123.37
49316MN1140001	Rating Area 3	No Preference	33	123.37
49316MN1140001	Rating Area 3	No Preference	34	123.37
49316MN1140001	Rating Area 3	No Preference	35	129.86
49316MN1140001	Rating Area 3	No Preference	36	129.86
49316MN1140001	Rating Area 3	No Preference	37	129.86
49316MN1140001	Rating Area 3	No Preference	38	129.86
49316MN1140001	Rating Area 3	No Preference	39	129.86
49316MN1140001	Rating Area 3	No Preference	40	139.5
49316MN1140001	Rating Area 3	No Preference	41	139.5
49316MN1140001	Rating Area 3	No Preference	42	139.5
49316MN1140001	Rating Area 3	No Preference	43	139.5
49316MN1140001	Rating Area 3	No Preference	44	139.5
49316MN1140001	Rating Area 3	No Preference	45	164.42
49316MN1140001	Rating Area 3	No Preference	46	164.42
49316MN1140001	Rating Area 3	No Preference	47	164.42
49316MN1140001	Rating Area 3	No Preference	48	164.42
49316MN1140001	Rating Area 3	No Preference	49	164.42
49316MN1140001	Rating Area 3	No Preference	50	204.85
49316MN1140001	Rating Area 3	No Preference	51	204.85
49316MN1140001	Rating Area 3	No Preference	52	204.85
49316MN1140001	Rating Area 3	No Preference	53	204.85
49316MN1140001	Rating Area 3	No Preference	54	204.85
49316MN1140001	Rating Area 3	No Preference	55	254.49
49316MN1140001	Rating Area 3	No Preference	56	254.49
49316MN1140001	Rating Area 3	No Preference	57	254.49
49316MN1140001	Rating Area 3	No Preference	58	254.49
49316MN1140001	Rating Area 3	No Preference	59	254.49
49316MN1140001	Rating Area 3	No Preference	60	300.57
49316MN1140001	Rating Area 3	No Preference	61	300.57
49316MN1140001	Rating Area 3	No Preference	62	300.57
49316MN1140001	Rating Area 3	No Preference	63	300.57
49316MN1140001	Rating Area 3	No Preference	64	314.19
49316MN1140001	Rating Area 3	No Preference	65 and over	314.19
49316MN1140001	Rating Area 4	No Preference	0-20	93.21
49316MN1140001	Rating Area 4	No Preference	21	107.98
49316MN1140001	Rating Area 4	No Preference	22	107.98
49316MN1140001	Rating Area 4	No Preference	23	107.98
49316MN1140001	Rating Area 4	No Preference	24	107.98

49316MN1140001	Rating Area 4	No Preference	25	107.98
49316MN1140001	Rating Area 4	No Preference	26	107.98
49316MN1140001	Rating Area 4	No Preference	27	107.98
49316MN1140001	Rating Area 4	No Preference	28	107.98
49316MN1140001	Rating Area 4	No Preference	29	107.98
49316MN1140001	Rating Area 4	No Preference	30	123.37
49316MN1140001	Rating Area 4	No Preference	31	123.37
49316MN1140001	Rating Area 4	No Preference	32	123.37
49316MN1140001	Rating Area 4	No Preference	33	123.37
49316MN1140001	Rating Area 4	No Preference	34	123.37
49316MN1140001	Rating Area 4	No Preference	35	129.86
49316MN1140001	Rating Area 4	No Preference	36	129.86
49316MN1140001	Rating Area 4	No Preference	37	129.86
49316MN1140001	Rating Area 4	No Preference	38	129.86
49316MN1140001	Rating Area 4	No Preference	39	129.86
49316MN1140001	Rating Area 4	No Preference	40	139.5
49316MN1140001	Rating Area 4	No Preference	41	139.5
49316MN1140001	Rating Area 4	No Preference	42	139.5
49316MN1140001	Rating Area 4	No Preference	43	139.5
49316MN1140001	Rating Area 4	No Preference	44	139.5
49316MN1140001	Rating Area 4	No Preference	45	164.42
49316MN1140001	Rating Area 4	No Preference	46	164.42
49316MN1140001	Rating Area 4	No Preference	47	164.42
49316MN1140001	Rating Area 4	No Preference	48	164.42
49316MN1140001	Rating Area 4	No Preference	49	164.42
49316MN1140001	Rating Area 4	No Preference	50	204.85
49316MN1140001	Rating Area 4	No Preference	51	204.85
49316MN1140001	Rating Area 4	No Preference	52	204.85
49316MN1140001	Rating Area 4	No Preference	53	204.85
49316MN1140001	Rating Area 4	No Preference	54	204.85
49316MN1140001	Rating Area 4	No Preference	55	254.49
49316MN1140001	Rating Area 4	No Preference	56	254.49
49316MN1140001	Rating Area 4	No Preference	57	254.49
49316MN1140001	Rating Area 4	No Preference	58	254.49
49316MN1140001	Rating Area 4	No Preference	59	254.49
49316MN1140001	Rating Area 4	No Preference	60	300.57
49316MN1140001	Rating Area 4	No Preference	61	300.57
49316MN1140001	Rating Area 4	No Preference	62	300.57
49316MN1140001	Rating Area 4	No Preference	63	300.57
49316MN1140001	Rating Area 4	No Preference	64	314.19
49316MN1140001	Rating Area 4	No Preference	65 and over	314.19
49316MN1140001	Rating Area 5	No Preference	0-20	93.21
49316MN1140001	Rating Area 5	No Preference	21	107.98
49316MN1140001	Rating Area 5	No Preference	22	107.98
49316MN1140001	Rating Area 5	No Preference	23	107.98
49316MN1140001	Rating Area 5	No Preference	24	107.98
49316MN1140001	Rating Area 5	No Preference	25	107.98

49316MN1140001	Rating Area 5	No Preference	26	107.98
49316MN1140001	Rating Area 5	No Preference	27	107.98
49316MN1140001	Rating Area 5	No Preference	28	107.98
49316MN1140001	Rating Area 5	No Preference	29	107.98
49316MN1140001	Rating Area 5	No Preference	30	123.37
49316MN1140001	Rating Area 5	No Preference	31	123.37
49316MN1140001	Rating Area 5	No Preference	32	123.37
49316MN1140001	Rating Area 5	No Preference	33	123.37
49316MN1140001	Rating Area 5	No Preference	34	123.37
49316MN1140001	Rating Area 5	No Preference	35	129.86
49316MN1140001	Rating Area 5	No Preference	36	129.86
49316MN1140001	Rating Area 5	No Preference	37	129.86
49316MN1140001	Rating Area 5	No Preference	38	129.86
49316MN1140001	Rating Area 5	No Preference	39	129.86
49316MN1140001	Rating Area 5	No Preference	40	139.5
49316MN1140001	Rating Area 5	No Preference	41	139.5
49316MN1140001	Rating Area 5	No Preference	42	139.5
49316MN1140001	Rating Area 5	No Preference	43	139.5
49316MN1140001	Rating Area 5	No Preference	44	139.5
49316MN1140001	Rating Area 5	No Preference	45	164.42
49316MN1140001	Rating Area 5	No Preference	46	164.42
49316MN1140001	Rating Area 5	No Preference	47	164.42
49316MN1140001	Rating Area 5	No Preference	48	164.42
49316MN1140001	Rating Area 5	No Preference	49	164.42
49316MN1140001	Rating Area 5	No Preference	50	204.85
49316MN1140001	Rating Area 5	No Preference	51	204.85
49316MN1140001	Rating Area 5	No Preference	52	204.85
49316MN1140001	Rating Area 5	No Preference	53	204.85
49316MN1140001	Rating Area 5	No Preference	54	204.85
49316MN1140001	Rating Area 5	No Preference	55	254.49
49316MN1140001	Rating Area 5	No Preference	56	254.49
49316MN1140001	Rating Area 5	No Preference	57	254.49
49316MN1140001	Rating Area 5	No Preference	58	254.49
49316MN1140001	Rating Area 5	No Preference	59	254.49
49316MN1140001	Rating Area 5	No Preference	60	300.57
49316MN1140001	Rating Area 5	No Preference	61	300.57
49316MN1140001	Rating Area 5	No Preference	62	300.57
49316MN1140001	Rating Area 5	No Preference	63	300.57
49316MN1140001	Rating Area 5	No Preference	64	314.19
49316MN1140001	Rating Area 5	No Preference	65 and over	314.19
49316MN1140001	Rating Area 6	No Preference	0-20	83.37
49316MN1140001	Rating Area 6	No Preference	21	96.58
49316MN1140001	Rating Area 6	No Preference	22	96.58
49316MN1140001	Rating Area 6	No Preference	23	96.58
49316MN1140001	Rating Area 6	No Preference	24	96.58
49316MN1140001	Rating Area 6	No Preference	25	96.58
49316MN1140001	Rating Area 6	No Preference	26	96.58

49316MN1140001	Rating Area 6	No Preference	27	96.58
49316MN1140001	Rating Area 6	No Preference	28	96.58
49316MN1140001	Rating Area 6	No Preference	29	96.58
49316MN1140001	Rating Area 6	No Preference	30	110.35
49316MN1140001	Rating Area 6	No Preference	31	110.35
49316MN1140001	Rating Area 6	No Preference	32	110.35
49316MN1140001	Rating Area 6	No Preference	33	110.35
49316MN1140001	Rating Area 6	No Preference	34	110.35
49316MN1140001	Rating Area 6	No Preference	35	116.16
49316MN1140001	Rating Area 6	No Preference	36	116.16
49316MN1140001	Rating Area 6	No Preference	37	116.16
49316MN1140001	Rating Area 6	No Preference	38	116.16
49316MN1140001	Rating Area 6	No Preference	39	116.16
49316MN1140001	Rating Area 6	No Preference	40	124.78
49316MN1140001	Rating Area 6	No Preference	41	124.78
49316MN1140001	Rating Area 6	No Preference	42	124.78
49316MN1140001	Rating Area 6	No Preference	43	124.78
49316MN1140001	Rating Area 6	No Preference	44	124.78
49316MN1140001	Rating Area 6	No Preference	45	147.08
49316MN1140001	Rating Area 6	No Preference	46	147.08
49316MN1140001	Rating Area 6	No Preference	47	147.08
49316MN1140001	Rating Area 6	No Preference	48	147.08
49316MN1140001	Rating Area 6	No Preference	49	147.08
49316MN1140001	Rating Area 6	No Preference	50	183.24
49316MN1140001	Rating Area 6	No Preference	51	183.24
49316MN1140001	Rating Area 6	No Preference	52	183.24
49316MN1140001	Rating Area 6	No Preference	53	183.24
49316MN1140001	Rating Area 6	No Preference	54	183.24
49316MN1140001	Rating Area 6	No Preference	55	227.64
49316MN1140001	Rating Area 6	No Preference	56	227.64
49316MN1140001	Rating Area 6	No Preference	57	227.64
49316MN1140001	Rating Area 6	No Preference	58	227.64
49316MN1140001	Rating Area 6	No Preference	59	227.64
49316MN1140001	Rating Area 6	No Preference	60	268.86
49316MN1140001	Rating Area 6	No Preference	61	268.86
49316MN1140001	Rating Area 6	No Preference	62	268.86
49316MN1140001	Rating Area 6	No Preference	63	268.86
49316MN1140001	Rating Area 6	No Preference	64	281.04
49316MN1140001	Rating Area 6	No Preference	65 and over	281.04
49316MN1140001	Rating Area 7	No Preference	0-20	91.35
49316MN1140001	Rating Area 7	No Preference	21	105.82
49316MN1140001	Rating Area 7	No Preference	22	105.82
49316MN1140001	Rating Area 7	No Preference	23	105.82
49316MN1140001	Rating Area 7	No Preference	24	105.82
49316MN1140001	Rating Area 7	No Preference	25	105.82
49316MN1140001	Rating Area 7	No Preference	26	105.82
49316MN1140001	Rating Area 7	No Preference	27	105.82

49316MN1140001	Rating Area 7	No Preference	28	105.82
49316MN1140001	Rating Area 7	No Preference	29	105.82
49316MN1140001	Rating Area 7	No Preference	30	120.91
49316MN1140001	Rating Area 7	No Preference	31	120.91
49316MN1140001	Rating Area 7	No Preference	32	120.91
49316MN1140001	Rating Area 7	No Preference	33	120.91
49316MN1140001	Rating Area 7	No Preference	34	120.91
49316MN1140001	Rating Area 7	No Preference	35	127.27
49316MN1140001	Rating Area 7	No Preference	36	127.27
49316MN1140001	Rating Area 7	No Preference	37	127.27
49316MN1140001	Rating Area 7	No Preference	38	127.27
49316MN1140001	Rating Area 7	No Preference	39	127.27
49316MN1140001	Rating Area 7	No Preference	40	136.71
49316MN1140001	Rating Area 7	No Preference	41	136.71
49316MN1140001	Rating Area 7	No Preference	42	136.71
49316MN1140001	Rating Area 7	No Preference	43	136.71
49316MN1140001	Rating Area 7	No Preference	44	136.71
49316MN1140001	Rating Area 7	No Preference	45	161.14
49316MN1140001	Rating Area 7	No Preference	46	161.14
49316MN1140001	Rating Area 7	No Preference	47	161.14
49316MN1140001	Rating Area 7	No Preference	48	161.14
49316MN1140001	Rating Area 7	No Preference	49	161.14
49316MN1140001	Rating Area 7	No Preference	50	200.76
49316MN1140001	Rating Area 7	No Preference	51	200.76
49316MN1140001	Rating Area 7	No Preference	52	200.76
49316MN1140001	Rating Area 7	No Preference	53	200.76
49316MN1140001	Rating Area 7	No Preference	54	200.76
49316MN1140001	Rating Area 7	No Preference	55	249.41
49316MN1140001	Rating Area 7	No Preference	56	249.41
49316MN1140001	Rating Area 7	No Preference	57	249.41
49316MN1140001	Rating Area 7	No Preference	58	249.41
49316MN1140001	Rating Area 7	No Preference	59	249.41
49316MN1140001	Rating Area 7	No Preference	60	294.57
49316MN1140001	Rating Area 7	No Preference	61	294.57
49316MN1140001	Rating Area 7	No Preference	62	294.57
49316MN1140001	Rating Area 7	No Preference	63	294.57
49316MN1140001	Rating Area 7	No Preference	64	307.92
49316MN1140001	Rating Area 7	No Preference	65 and over	307.92
49316MN1140001	Rating Area 8	No Preference	0-20	77.97
49316MN1140001	Rating Area 8	No Preference	21	90.32
49316MN1140001	Rating Area 8	No Preference	22	90.32
49316MN1140001	Rating Area 8	No Preference	23	90.32
49316MN1140001	Rating Area 8	No Preference	24	90.32
49316MN1140001	Rating Area 8	No Preference	25	90.32
49316MN1140001	Rating Area 8	No Preference	26	90.32
49316MN1140001	Rating Area 8	No Preference	27	90.32
49316MN1140001	Rating Area 8	No Preference	28	90.32

49316MN1140001	Rating Area 8	No Preference	29	90.32
49316MN1140001	Rating Area 8	No Preference	30	103.2
49316MN1140001	Rating Area 8	No Preference	31	103.2
49316MN1140001	Rating Area 8	No Preference	32	103.2
49316MN1140001	Rating Area 8	No Preference	33	103.2
49316MN1140001	Rating Area 8	No Preference	34	103.2
49316MN1140001	Rating Area 8	No Preference	35	108.63
49316MN1140001	Rating Area 8	No Preference	36	108.63
49316MN1140001	Rating Area 8	No Preference	37	108.63
49316MN1140001	Rating Area 8	No Preference	38	108.63
49316MN1140001	Rating Area 8	No Preference	39	108.63
49316MN1140001	Rating Area 8	No Preference	40	116.69
49316MN1140001	Rating Area 8	No Preference	41	116.69
49316MN1140001	Rating Area 8	No Preference	42	116.69
49316MN1140001	Rating Area 8	No Preference	43	116.69
49316MN1140001	Rating Area 8	No Preference	44	116.69
49316MN1140001	Rating Area 8	No Preference	45	137.54
49316MN1140001	Rating Area 8	No Preference	46	137.54
49316MN1140001	Rating Area 8	No Preference	47	137.54
49316MN1140001	Rating Area 8	No Preference	48	137.54
49316MN1140001	Rating Area 8	No Preference	49	137.54
49316MN1140001	Rating Area 8	No Preference	50	171.36
49316MN1140001	Rating Area 8	No Preference	51	171.36
49316MN1140001	Rating Area 8	No Preference	52	171.36
49316MN1140001	Rating Area 8	No Preference	53	171.36
49316MN1140001	Rating Area 8	No Preference	54	171.36
49316MN1140001	Rating Area 8	No Preference	55	212.88
49316MN1140001	Rating Area 8	No Preference	56	212.88
49316MN1140001	Rating Area 8	No Preference	57	212.88
49316MN1140001	Rating Area 8	No Preference	58	212.88
49316MN1140001	Rating Area 8	No Preference	59	212.88
49316MN1140001	Rating Area 8	No Preference	60	251.43
49316MN1140001	Rating Area 8	No Preference	61	251.43
49316MN1140001	Rating Area 8	No Preference	62	251.43
49316MN1140001	Rating Area 8	No Preference	63	251.43
49316MN1140001	Rating Area 8	No Preference	64	262.82
49316MN1140001	Rating Area 8	No Preference	65 and over	262.82
49316MN1140001	Rating Area 9	No Preference	0-20	77.97
49316MN1140001	Rating Area 9	No Preference	21	90.32
49316MN1140001	Rating Area 9	No Preference	22	90.32
49316MN1140001	Rating Area 9	No Preference	23	90.32
49316MN1140001	Rating Area 9	No Preference	24	90.32
49316MN1140001	Rating Area 9	No Preference	25	90.32
49316MN1140001	Rating Area 9	No Preference	26	90.32
49316MN1140001	Rating Area 9	No Preference	27	90.32
49316MN1140001	Rating Area 9	No Preference	28	90.32
49316MN1140001	Rating Area 9	No Preference	29	90.32

49316MN1140001	Rating Area 9	No Preference	30	103.2
49316MN1140001	Rating Area 9	No Preference	31	103.2
49316MN1140001	Rating Area 9	No Preference	32	103.2
49316MN1140001	Rating Area 9	No Preference	33	103.2
49316MN1140001	Rating Area 9	No Preference	34	103.2
49316MN1140001	Rating Area 9	No Preference	35	108.63
49316MN1140001	Rating Area 9	No Preference	36	108.63
49316MN1140001	Rating Area 9	No Preference	37	108.63
49316MN1140001	Rating Area 9	No Preference	38	108.63
49316MN1140001	Rating Area 9	No Preference	39	108.63
49316MN1140001	Rating Area 9	No Preference	40	116.69
49316MN1140001	Rating Area 9	No Preference	41	116.69
49316MN1140001	Rating Area 9	No Preference	42	116.69
49316MN1140001	Rating Area 9	No Preference	43	116.69
49316MN1140001	Rating Area 9	No Preference	44	116.69
49316MN1140001	Rating Area 9	No Preference	45	137.54
49316MN1140001	Rating Area 9	No Preference	46	137.54
49316MN1140001	Rating Area 9	No Preference	47	137.54
49316MN1140001	Rating Area 9	No Preference	48	137.54
49316MN1140001	Rating Area 9	No Preference	49	137.54
49316MN1140001	Rating Area 9	No Preference	50	171.36
49316MN1140001	Rating Area 9	No Preference	51	171.36
49316MN1140001	Rating Area 9	No Preference	52	171.36
49316MN1140001	Rating Area 9	No Preference	53	171.36
49316MN1140001	Rating Area 9	No Preference	54	171.36
49316MN1140001	Rating Area 9	No Preference	55	212.88
49316MN1140001	Rating Area 9	No Preference	56	212.88
49316MN1140001	Rating Area 9	No Preference	57	212.88
49316MN1140001	Rating Area 9	No Preference	58	212.88
49316MN1140001	Rating Area 9	No Preference	59	212.88
49316MN1140001	Rating Area 9	No Preference	60	251.43
49316MN1140001	Rating Area 9	No Preference	61	251.43
49316MN1140001	Rating Area 9	No Preference	62	251.43
49316MN1140001	Rating Area 9	No Preference	63	251.43
49316MN1140001	Rating Area 9	No Preference	64	262.82
49316MN1140001	Rating Area 9	No Preference	65 and over	262.82
49316MN1160001	Rating Area 1	No Preference	0-20	195.51
49316MN1160001	Rating Area 1	No Preference	21	226.48
49316MN1160001	Rating Area 1	No Preference	22	226.48
49316MN1160001	Rating Area 1	No Preference	23	226.48
49316MN1160001	Rating Area 1	No Preference	24	226.48
49316MN1160001	Rating Area 1	No Preference	25	226.48
49316MN1160001	Rating Area 1	No Preference	26	226.48
49316MN1160001	Rating Area 1	No Preference	27	226.48
49316MN1160001	Rating Area 1	No Preference	28	226.48
49316MN1160001	Rating Area 1	No Preference	29	226.48
49316MN1160001	Rating Area 1	No Preference	30	258.78

49316MN1160001	Rating Area 1	No Preference	31	258.78
49316MN1160001	Rating Area 1	No Preference	32	258.78
49316MN1160001	Rating Area 1	No Preference	33	258.78
49316MN1160001	Rating Area 1	No Preference	34	258.78
49316MN1160001	Rating Area 1	No Preference	35	272.4
49316MN1160001	Rating Area 1	No Preference	36	272.4
49316MN1160001	Rating Area 1	No Preference	37	272.4
49316MN1160001	Rating Area 1	No Preference	38	272.4
49316MN1160001	Rating Area 1	No Preference	39	272.4
49316MN1160001	Rating Area 1	No Preference	40	292.61
49316MN1160001	Rating Area 1	No Preference	41	292.61
49316MN1160001	Rating Area 1	No Preference	42	292.61
49316MN1160001	Rating Area 1	No Preference	43	292.61
49316MN1160001	Rating Area 1	No Preference	44	292.61
49316MN1160001	Rating Area 1	No Preference	45	344.89
49316MN1160001	Rating Area 1	No Preference	46	344.89
49316MN1160001	Rating Area 1	No Preference	47	344.89
49316MN1160001	Rating Area 1	No Preference	48	344.89
49316MN1160001	Rating Area 1	No Preference	49	344.89
49316MN1160001	Rating Area 1	No Preference	50	429.68
49316MN1160001	Rating Area 1	No Preference	51	429.68
49316MN1160001	Rating Area 1	No Preference	52	429.68
49316MN1160001	Rating Area 1	No Preference	53	429.68
49316MN1160001	Rating Area 1	No Preference	54	429.68
49316MN1160001	Rating Area 1	No Preference	55	533.81
49316MN1160001	Rating Area 1	No Preference	56	533.81
49316MN1160001	Rating Area 1	No Preference	57	533.81
49316MN1160001	Rating Area 1	No Preference	58	533.81
49316MN1160001	Rating Area 1	No Preference	59	533.81
49316MN1160001	Rating Area 1	No Preference	60	630.46
49316MN1160001	Rating Area 1	No Preference	61	630.46
49316MN1160001	Rating Area 1	No Preference	62	630.46
49316MN1160001	Rating Area 1	No Preference	63	630.46
49316MN1160001	Rating Area 1	No Preference	64	659.02
49316MN1160001	Rating Area 1	No Preference	65 and over	659.02
49316MN1160001	Rating Area 2	No Preference	0-20	149.31
49316MN1160001	Rating Area 2	No Preference	21	172.97
49316MN1160001	Rating Area 2	No Preference	22	172.97
49316MN1160001	Rating Area 2	No Preference	23	172.97
49316MN1160001	Rating Area 2	No Preference	24	172.97
49316MN1160001	Rating Area 2	No Preference	25	172.97
49316MN1160001	Rating Area 2	No Preference	26	172.97
49316MN1160001	Rating Area 2	No Preference	27	172.97
49316MN1160001	Rating Area 2	No Preference	28	172.97
49316MN1160001	Rating Area 2	No Preference	29	172.97
49316MN1160001	Rating Area 2	No Preference	30	197.63
49316MN1160001	Rating Area 2	No Preference	31	197.63

49316MN1160001	Rating Area 2	No Preference	32	197.63
49316MN1160001	Rating Area 2	No Preference	33	197.63
49316MN1160001	Rating Area 2	No Preference	34	197.63
49316MN1160001	Rating Area 2	No Preference	35	208.03
49316MN1160001	Rating Area 2	No Preference	36	208.03
49316MN1160001	Rating Area 2	No Preference	37	208.03
49316MN1160001	Rating Area 2	No Preference	38	208.03
49316MN1160001	Rating Area 2	No Preference	39	208.03
49316MN1160001	Rating Area 2	No Preference	40	223.46
49316MN1160001	Rating Area 2	No Preference	41	223.46
49316MN1160001	Rating Area 2	No Preference	42	223.46
49316MN1160001	Rating Area 2	No Preference	43	223.46
49316MN1160001	Rating Area 2	No Preference	44	223.46
49316MN1160001	Rating Area 2	No Preference	45	263.39
49316MN1160001	Rating Area 2	No Preference	46	263.39
49316MN1160001	Rating Area 2	No Preference	47	263.39
49316MN1160001	Rating Area 2	No Preference	48	263.39
49316MN1160001	Rating Area 2	No Preference	49	263.39
49316MN1160001	Rating Area 2	No Preference	50	328.15
49316MN1160001	Rating Area 2	No Preference	51	328.15
49316MN1160001	Rating Area 2	No Preference	52	328.15
49316MN1160001	Rating Area 2	No Preference	53	328.15
49316MN1160001	Rating Area 2	No Preference	54	328.15
49316MN1160001	Rating Area 2	No Preference	55	407.67
49316MN1160001	Rating Area 2	No Preference	56	407.67
49316MN1160001	Rating Area 2	No Preference	57	407.67
49316MN1160001	Rating Area 2	No Preference	58	407.67
49316MN1160001	Rating Area 2	No Preference	59	407.67
49316MN1160001	Rating Area 2	No Preference	60	481.49
49316MN1160001	Rating Area 2	No Preference	61	481.49
49316MN1160001	Rating Area 2	No Preference	62	481.49
49316MN1160001	Rating Area 2	No Preference	63	481.49
49316MN1160001	Rating Area 2	No Preference	64	503.3
49316MN1160001	Rating Area 2	No Preference	65 and over	503.3
49316MN1160001	Rating Area 3	No Preference	0-20	152.35
49316MN1160001	Rating Area 3	No Preference	21	176.49
49316MN1160001	Rating Area 3	No Preference	22	176.49
49316MN1160001	Rating Area 3	No Preference	23	176.49
49316MN1160001	Rating Area 3	No Preference	24	176.49
49316MN1160001	Rating Area 3	No Preference	25	176.49
49316MN1160001	Rating Area 3	No Preference	26	176.49
49316MN1160001	Rating Area 3	No Preference	27	176.49
49316MN1160001	Rating Area 3	No Preference	28	176.49
49316MN1160001	Rating Area 3	No Preference	29	176.49
49316MN1160001	Rating Area 3	No Preference	30	201.65
49316MN1160001	Rating Area 3	No Preference	31	201.65
49316MN1160001	Rating Area 3	No Preference	32	201.65

49316MN1160001	Rating Area 3	No Preference	33	201.65
49316MN1160001	Rating Area 3	No Preference	34	201.65
49316MN1160001	Rating Area 3	No Preference	35	212.27
49316MN1160001	Rating Area 3	No Preference	36	212.27
49316MN1160001	Rating Area 3	No Preference	37	212.27
49316MN1160001	Rating Area 3	No Preference	38	212.27
49316MN1160001	Rating Area 3	No Preference	39	212.27
49316MN1160001	Rating Area 3	No Preference	40	228.02
49316MN1160001	Rating Area 3	No Preference	41	228.02
49316MN1160001	Rating Area 3	No Preference	42	228.02
49316MN1160001	Rating Area 3	No Preference	43	228.02
49316MN1160001	Rating Area 3	No Preference	44	228.02
49316MN1160001	Rating Area 3	No Preference	45	268.76
49316MN1160001	Rating Area 3	No Preference	46	268.76
49316MN1160001	Rating Area 3	No Preference	47	268.76
49316MN1160001	Rating Area 3	No Preference	48	268.76
49316MN1160001	Rating Area 3	No Preference	49	268.76
49316MN1160001	Rating Area 3	No Preference	50	334.83
49316MN1160001	Rating Area 3	No Preference	51	334.83
49316MN1160001	Rating Area 3	No Preference	52	334.83
49316MN1160001	Rating Area 3	No Preference	53	334.83
49316MN1160001	Rating Area 3	No Preference	54	334.83
49316MN1160001	Rating Area 3	No Preference	55	415.97
49316MN1160001	Rating Area 3	No Preference	56	415.97
49316MN1160001	Rating Area 3	No Preference	57	415.97
49316MN1160001	Rating Area 3	No Preference	58	415.97
49316MN1160001	Rating Area 3	No Preference	59	415.97
49316MN1160001	Rating Area 3	No Preference	60	491.29
49316MN1160001	Rating Area 3	No Preference	61	491.29
49316MN1160001	Rating Area 3	No Preference	62	491.29
49316MN1160001	Rating Area 3	No Preference	63	491.29
49316MN1160001	Rating Area 3	No Preference	64	513.55
49316MN1160001	Rating Area 3	No Preference	65 and over	513.55
49316MN1160001	Rating Area 4	No Preference	0-20	152.35
49316MN1160001	Rating Area 4	No Preference	21	176.49
49316MN1160001	Rating Area 4	No Preference	22	176.49
49316MN1160001	Rating Area 4	No Preference	23	176.49
49316MN1160001	Rating Area 4	No Preference	24	176.49
49316MN1160001	Rating Area 4	No Preference	25	176.49
49316MN1160001	Rating Area 4	No Preference	26	176.49
49316MN1160001	Rating Area 4	No Preference	27	176.49
49316MN1160001	Rating Area 4	No Preference	28	176.49
49316MN1160001	Rating Area 4	No Preference	29	176.49
49316MN1160001	Rating Area 4	No Preference	30	201.65
49316MN1160001	Rating Area 4	No Preference	31	201.65
49316MN1160001	Rating Area 4	No Preference	32	201.65
49316MN1160001	Rating Area 4	No Preference	33	201.65

49316MN1160001	Rating Area 4	No Preference	34	201.65
49316MN1160001	Rating Area 4	No Preference	35	212.27
49316MN1160001	Rating Area 4	No Preference	36	212.27
49316MN1160001	Rating Area 4	No Preference	37	212.27
49316MN1160001	Rating Area 4	No Preference	38	212.27
49316MN1160001	Rating Area 4	No Preference	39	212.27
49316MN1160001	Rating Area 4	No Preference	40	228.02
49316MN1160001	Rating Area 4	No Preference	41	228.02
49316MN1160001	Rating Area 4	No Preference	42	228.02
49316MN1160001	Rating Area 4	No Preference	43	228.02
49316MN1160001	Rating Area 4	No Preference	44	228.02
49316MN1160001	Rating Area 4	No Preference	45	268.76
49316MN1160001	Rating Area 4	No Preference	46	268.76
49316MN1160001	Rating Area 4	No Preference	47	268.76
49316MN1160001	Rating Area 4	No Preference	48	268.76
49316MN1160001	Rating Area 4	No Preference	49	268.76
49316MN1160001	Rating Area 4	No Preference	50	334.83
49316MN1160001	Rating Area 4	No Preference	51	334.83
49316MN1160001	Rating Area 4	No Preference	52	334.83
49316MN1160001	Rating Area 4	No Preference	53	334.83
49316MN1160001	Rating Area 4	No Preference	54	334.83
49316MN1160001	Rating Area 4	No Preference	55	415.97
49316MN1160001	Rating Area 4	No Preference	56	415.97
49316MN1160001	Rating Area 4	No Preference	57	415.97
49316MN1160001	Rating Area 4	No Preference	58	415.97
49316MN1160001	Rating Area 4	No Preference	59	415.97
49316MN1160001	Rating Area 4	No Preference	60	491.29
49316MN1160001	Rating Area 4	No Preference	61	491.29
49316MN1160001	Rating Area 4	No Preference	62	491.29
49316MN1160001	Rating Area 4	No Preference	63	491.29
49316MN1160001	Rating Area 4	No Preference	64	513.55
49316MN1160001	Rating Area 4	No Preference	65 and over	513.55
49316MN1160001	Rating Area 5	No Preference	0-20	152.35
49316MN1160001	Rating Area 5	No Preference	21	176.49
49316MN1160001	Rating Area 5	No Preference	22	176.49
49316MN1160001	Rating Area 5	No Preference	23	176.49
49316MN1160001	Rating Area 5	No Preference	24	176.49
49316MN1160001	Rating Area 5	No Preference	25	176.49
49316MN1160001	Rating Area 5	No Preference	26	176.49
49316MN1160001	Rating Area 5	No Preference	27	176.49
49316MN1160001	Rating Area 5	No Preference	28	176.49
49316MN1160001	Rating Area 5	No Preference	29	176.49
49316MN1160001	Rating Area 5	No Preference	30	201.65
49316MN1160001	Rating Area 5	No Preference	31	201.65
49316MN1160001	Rating Area 5	No Preference	32	201.65
49316MN1160001	Rating Area 5	No Preference	33	201.65
49316MN1160001	Rating Area 5	No Preference	34	201.65

49316MN1160001	Rating Area 5	No Preference	35	212.27
49316MN1160001	Rating Area 5	No Preference	36	212.27
49316MN1160001	Rating Area 5	No Preference	37	212.27
49316MN1160001	Rating Area 5	No Preference	38	212.27
49316MN1160001	Rating Area 5	No Preference	39	212.27
49316MN1160001	Rating Area 5	No Preference	40	228.02
49316MN1160001	Rating Area 5	No Preference	41	228.02
49316MN1160001	Rating Area 5	No Preference	42	228.02
49316MN1160001	Rating Area 5	No Preference	43	228.02
49316MN1160001	Rating Area 5	No Preference	44	228.02
49316MN1160001	Rating Area 5	No Preference	45	268.76
49316MN1160001	Rating Area 5	No Preference	46	268.76
49316MN1160001	Rating Area 5	No Preference	47	268.76
49316MN1160001	Rating Area 5	No Preference	48	268.76
49316MN1160001	Rating Area 5	No Preference	49	268.76
49316MN1160001	Rating Area 5	No Preference	50	334.83
49316MN1160001	Rating Area 5	No Preference	51	334.83
49316MN1160001	Rating Area 5	No Preference	52	334.83
49316MN1160001	Rating Area 5	No Preference	53	334.83
49316MN1160001	Rating Area 5	No Preference	54	334.83
49316MN1160001	Rating Area 5	No Preference	55	415.97
49316MN1160001	Rating Area 5	No Preference	56	415.97
49316MN1160001	Rating Area 5	No Preference	57	415.97
49316MN1160001	Rating Area 5	No Preference	58	415.97
49316MN1160001	Rating Area 5	No Preference	59	415.97
49316MN1160001	Rating Area 5	No Preference	60	491.29
49316MN1160001	Rating Area 5	No Preference	61	491.29
49316MN1160001	Rating Area 5	No Preference	62	491.29
49316MN1160001	Rating Area 5	No Preference	63	491.29
49316MN1160001	Rating Area 5	No Preference	64	513.55
49316MN1160001	Rating Area 5	No Preference	65 and over	513.55
49316MN1160001	Rating Area 6	No Preference	0-20	136.28
49316MN1160001	Rating Area 6	No Preference	21	157.87
49316MN1160001	Rating Area 6	No Preference	22	157.87
49316MN1160001	Rating Area 6	No Preference	23	157.87
49316MN1160001	Rating Area 6	No Preference	24	157.87
49316MN1160001	Rating Area 6	No Preference	25	157.87
49316MN1160001	Rating Area 6	No Preference	26	157.87
49316MN1160001	Rating Area 6	No Preference	27	157.87
49316MN1160001	Rating Area 6	No Preference	28	157.87
49316MN1160001	Rating Area 6	No Preference	29	157.87
49316MN1160001	Rating Area 6	No Preference	30	180.38
49316MN1160001	Rating Area 6	No Preference	31	180.38
49316MN1160001	Rating Area 6	No Preference	32	180.38
49316MN1160001	Rating Area 6	No Preference	33	180.38
49316MN1160001	Rating Area 6	No Preference	34	180.38
49316MN1160001	Rating Area 6	No Preference	35	189.87

49316MN1160001	Rating Area 6	No Preference	36	189.87
49316MN1160001	Rating Area 6	No Preference	37	189.87
49316MN1160001	Rating Area 6	No Preference	38	189.87
49316MN1160001	Rating Area 6	No Preference	39	189.87
49316MN1160001	Rating Area 6	No Preference	40	203.96
49316MN1160001	Rating Area 6	No Preference	41	203.96
49316MN1160001	Rating Area 6	No Preference	42	203.96
49316MN1160001	Rating Area 6	No Preference	43	203.96
49316MN1160001	Rating Area 6	No Preference	44	203.96
49316MN1160001	Rating Area 6	No Preference	45	240.4
49316MN1160001	Rating Area 6	No Preference	46	240.4
49316MN1160001	Rating Area 6	No Preference	47	240.4
49316MN1160001	Rating Area 6	No Preference	48	240.4
49316MN1160001	Rating Area 6	No Preference	49	240.4
49316MN1160001	Rating Area 6	No Preference	50	299.5
49316MN1160001	Rating Area 6	No Preference	51	299.5
49316MN1160001	Rating Area 6	No Preference	52	299.5
49316MN1160001	Rating Area 6	No Preference	53	299.5
49316MN1160001	Rating Area 6	No Preference	54	299.5
49316MN1160001	Rating Area 6	No Preference	55	372.08
49316MN1160001	Rating Area 6	No Preference	56	372.08
49316MN1160001	Rating Area 6	No Preference	57	372.08
49316MN1160001	Rating Area 6	No Preference	58	372.08
49316MN1160001	Rating Area 6	No Preference	59	372.08
49316MN1160001	Rating Area 6	No Preference	60	439.46
49316MN1160001	Rating Area 6	No Preference	61	439.46
49316MN1160001	Rating Area 6	No Preference	62	439.46
49316MN1160001	Rating Area 6	No Preference	63	439.46
49316MN1160001	Rating Area 6	No Preference	64	459.36
49316MN1160001	Rating Area 6	No Preference	65 and over	459.36
49316MN1160001	Rating Area 7	No Preference	0-20	149.31
49316MN1160001	Rating Area 7	No Preference	21	172.97
49316MN1160001	Rating Area 7	No Preference	22	172.97
49316MN1160001	Rating Area 7	No Preference	23	172.97
49316MN1160001	Rating Area 7	No Preference	24	172.97
49316MN1160001	Rating Area 7	No Preference	25	172.97
49316MN1160001	Rating Area 7	No Preference	26	172.97
49316MN1160001	Rating Area 7	No Preference	27	172.97
49316MN1160001	Rating Area 7	No Preference	28	172.97
49316MN1160001	Rating Area 7	No Preference	29	172.97
49316MN1160001	Rating Area 7	No Preference	30	197.63
49316MN1160001	Rating Area 7	No Preference	31	197.63
49316MN1160001	Rating Area 7	No Preference	32	197.63
49316MN1160001	Rating Area 7	No Preference	33	197.63
49316MN1160001	Rating Area 7	No Preference	34	197.63
49316MN1160001	Rating Area 7	No Preference	35	208.03
49316MN1160001	Rating Area 7	No Preference	36	208.03

49316MN1160001	Rating Area 7	No Preference	37	208.03
49316MN1160001	Rating Area 7	No Preference	38	208.03
49316MN1160001	Rating Area 7	No Preference	39	208.03
49316MN1160001	Rating Area 7	No Preference	40	223.46
49316MN1160001	Rating Area 7	No Preference	41	223.46
49316MN1160001	Rating Area 7	No Preference	42	223.46
49316MN1160001	Rating Area 7	No Preference	43	223.46
49316MN1160001	Rating Area 7	No Preference	44	223.46
49316MN1160001	Rating Area 7	No Preference	45	263.39
49316MN1160001	Rating Area 7	No Preference	46	263.39
49316MN1160001	Rating Area 7	No Preference	47	263.39
49316MN1160001	Rating Area 7	No Preference	48	263.39
49316MN1160001	Rating Area 7	No Preference	49	263.39
49316MN1160001	Rating Area 7	No Preference	50	328.15
49316MN1160001	Rating Area 7	No Preference	51	328.15
49316MN1160001	Rating Area 7	No Preference	52	328.15
49316MN1160001	Rating Area 7	No Preference	53	328.15
49316MN1160001	Rating Area 7	No Preference	54	328.15
49316MN1160001	Rating Area 7	No Preference	55	407.67
49316MN1160001	Rating Area 7	No Preference	56	407.67
49316MN1160001	Rating Area 7	No Preference	57	407.67
49316MN1160001	Rating Area 7	No Preference	58	407.67
49316MN1160001	Rating Area 7	No Preference	59	407.67
49316MN1160001	Rating Area 7	No Preference	60	481.49
49316MN1160001	Rating Area 7	No Preference	61	481.49
49316MN1160001	Rating Area 7	No Preference	62	481.49
49316MN1160001	Rating Area 7	No Preference	63	481.49
49316MN1160001	Rating Area 7	No Preference	64	503.3
49316MN1160001	Rating Area 7	No Preference	65 and over	503.3
49316MN1160001	Rating Area 8	No Preference	0-20	127.44
49316MN1160001	Rating Area 8	No Preference	21	147.63
49316MN1160001	Rating Area 8	No Preference	22	147.63
49316MN1160001	Rating Area 8	No Preference	23	147.63
49316MN1160001	Rating Area 8	No Preference	24	147.63
49316MN1160001	Rating Area 8	No Preference	25	147.63
49316MN1160001	Rating Area 8	No Preference	26	147.63
49316MN1160001	Rating Area 8	No Preference	27	147.63
49316MN1160001	Rating Area 8	No Preference	28	147.63
49316MN1160001	Rating Area 8	No Preference	29	147.63
49316MN1160001	Rating Area 8	No Preference	30	168.68
49316MN1160001	Rating Area 8	No Preference	31	168.68
49316MN1160001	Rating Area 8	No Preference	32	168.68
49316MN1160001	Rating Area 8	No Preference	33	168.68
49316MN1160001	Rating Area 8	No Preference	34	168.68
49316MN1160001	Rating Area 8	No Preference	35	177.56
49316MN1160001	Rating Area 8	No Preference	36	177.56
49316MN1160001	Rating Area 8	No Preference	37	177.56

49316MN1160001	Rating Area 8	No Preference	38	177.56
49316MN1160001	Rating Area 8	No Preference	39	177.56
49316MN1160001	Rating Area 8	No Preference	40	190.74
49316MN1160001	Rating Area 8	No Preference	41	190.74
49316MN1160001	Rating Area 8	No Preference	42	190.74
49316MN1160001	Rating Area 8	No Preference	43	190.74
49316MN1160001	Rating Area 8	No Preference	44	190.74
49316MN1160001	Rating Area 8	No Preference	45	224.82
49316MN1160001	Rating Area 8	No Preference	46	224.82
49316MN1160001	Rating Area 8	No Preference	47	224.82
49316MN1160001	Rating Area 8	No Preference	48	224.82
49316MN1160001	Rating Area 8	No Preference	49	224.82
49316MN1160001	Rating Area 8	No Preference	50	280.09
49316MN1160001	Rating Area 8	No Preference	51	280.09
49316MN1160001	Rating Area 8	No Preference	52	280.09
49316MN1160001	Rating Area 8	No Preference	53	280.09
49316MN1160001	Rating Area 8	No Preference	54	280.09
49316MN1160001	Rating Area 8	No Preference	55	347.96
49316MN1160001	Rating Area 8	No Preference	56	347.96
49316MN1160001	Rating Area 8	No Preference	57	347.96
49316MN1160001	Rating Area 8	No Preference	58	347.96
49316MN1160001	Rating Area 8	No Preference	59	347.96
49316MN1160001	Rating Area 8	No Preference	60	410.97
49316MN1160001	Rating Area 8	No Preference	61	410.97
49316MN1160001	Rating Area 8	No Preference	62	410.97
49316MN1160001	Rating Area 8	No Preference	63	410.97
49316MN1160001	Rating Area 8	No Preference	64	429.58
49316MN1160001	Rating Area 8	No Preference	65 and over	429.58
49316MN1160001	Rating Area 9	No Preference	0-20	127.44
49316MN1160001	Rating Area 9	No Preference	21	147.63
49316MN1160001	Rating Area 9	No Preference	22	147.63
49316MN1160001	Rating Area 9	No Preference	23	147.63
49316MN1160001	Rating Area 9	No Preference	24	147.63
49316MN1160001	Rating Area 9	No Preference	25	147.63
49316MN1160001	Rating Area 9	No Preference	26	147.63
49316MN1160001	Rating Area 9	No Preference	27	147.63
49316MN1160001	Rating Area 9	No Preference	28	147.63
49316MN1160001	Rating Area 9	No Preference	29	147.63
49316MN1160001	Rating Area 9	No Preference	30	168.68
49316MN1160001	Rating Area 9	No Preference	31	168.68
49316MN1160001	Rating Area 9	No Preference	32	168.68
49316MN1160001	Rating Area 9	No Preference	33	168.68
49316MN1160001	Rating Area 9	No Preference	34	168.68
49316MN1160001	Rating Area 9	No Preference	35	177.56
49316MN1160001	Rating Area 9	No Preference	36	177.56
49316MN1160001	Rating Area 9	No Preference	37	177.56
49316MN1160001	Rating Area 9	No Preference	38	177.56

49316MN1160001	Rating Area 9	No Preference	39	177.56
49316MN1160001	Rating Area 9	No Preference	40	190.74
49316MN1160001	Rating Area 9	No Preference	41	190.74
49316MN1160001	Rating Area 9	No Preference	42	190.74
49316MN1160001	Rating Area 9	No Preference	43	190.74
49316MN1160001	Rating Area 9	No Preference	44	190.74
49316MN1160001	Rating Area 9	No Preference	45	224.82
49316MN1160001	Rating Area 9	No Preference	46	224.82
49316MN1160001	Rating Area 9	No Preference	47	224.82
49316MN1160001	Rating Area 9	No Preference	48	224.82
49316MN1160001	Rating Area 9	No Preference	49	224.82
49316MN1160001	Rating Area 9	No Preference	50	280.09
49316MN1160001	Rating Area 9	No Preference	51	280.09
49316MN1160001	Rating Area 9	No Preference	52	280.09
49316MN1160001	Rating Area 9	No Preference	53	280.09
49316MN1160001	Rating Area 9	No Preference	54	280.09
49316MN1160001	Rating Area 9	No Preference	55	347.96
49316MN1160001	Rating Area 9	No Preference	56	347.96
49316MN1160001	Rating Area 9	No Preference	57	347.96
49316MN1160001	Rating Area 9	No Preference	58	347.96
49316MN1160001	Rating Area 9	No Preference	59	347.96
49316MN1160001	Rating Area 9	No Preference	60	410.97
49316MN1160001	Rating Area 9	No Preference	61	410.97
49316MN1160001	Rating Area 9	No Preference	62	410.97
49316MN1160001	Rating Area 9	No Preference	63	410.97
49316MN1160001	Rating Area 9	No Preference	64	429.58
49316MN1160001	Rating Area 9	No Preference	65 and over	429.58
49316MN1160002	Rating Area 1	No Preference	0-20	220.95
49316MN1160002	Rating Area 1	No Preference	21	255.96
49316MN1160002	Rating Area 1	No Preference	22	255.96
49316MN1160002	Rating Area 1	No Preference	23	255.96
49316MN1160002	Rating Area 1	No Preference	24	255.96
49316MN1160002	Rating Area 1	No Preference	25	255.96
49316MN1160002	Rating Area 1	No Preference	26	255.96
49316MN1160002	Rating Area 1	No Preference	27	255.96
49316MN1160002	Rating Area 1	No Preference	28	255.96
49316MN1160002	Rating Area 1	No Preference	29	255.96
49316MN1160002	Rating Area 1	No Preference	30	292.45
49316MN1160002	Rating Area 1	No Preference	31	292.45
49316MN1160002	Rating Area 1	No Preference	32	292.45
49316MN1160002	Rating Area 1	No Preference	33	292.45
49316MN1160002	Rating Area 1	No Preference	34	292.45
49316MN1160002	Rating Area 1	No Preference	35	307.84
49316MN1160002	Rating Area 1	No Preference	36	307.84
49316MN1160002	Rating Area 1	No Preference	37	307.84
49316MN1160002	Rating Area 1	No Preference	38	307.84
49316MN1160002	Rating Area 1	No Preference	39	307.84

49316MN1160002	Rating Area 1	No Preference	40	330.68
49316MN1160002	Rating Area 1	No Preference	41	330.68
49316MN1160002	Rating Area 1	No Preference	42	330.68
49316MN1160002	Rating Area 1	No Preference	43	330.68
49316MN1160002	Rating Area 1	No Preference	44	330.68
49316MN1160002	Rating Area 1	No Preference	45	389.77
49316MN1160002	Rating Area 1	No Preference	46	389.77
49316MN1160002	Rating Area 1	No Preference	47	389.77
49316MN1160002	Rating Area 1	No Preference	48	389.77
49316MN1160002	Rating Area 1	No Preference	49	389.77
49316MN1160002	Rating Area 1	No Preference	50	485.6
49316MN1160002	Rating Area 1	No Preference	51	485.6
49316MN1160002	Rating Area 1	No Preference	52	485.6
49316MN1160002	Rating Area 1	No Preference	53	485.6
49316MN1160002	Rating Area 1	No Preference	54	485.6
49316MN1160002	Rating Area 1	No Preference	55	603.27
49316MN1160002	Rating Area 1	No Preference	56	603.27
49316MN1160002	Rating Area 1	No Preference	57	603.27
49316MN1160002	Rating Area 1	No Preference	58	603.27
49316MN1160002	Rating Area 1	No Preference	59	603.27
49316MN1160002	Rating Area 1	No Preference	60	712.51
49316MN1160002	Rating Area 1	No Preference	61	712.51
49316MN1160002	Rating Area 1	No Preference	62	712.51
49316MN1160002	Rating Area 1	No Preference	63	712.51
49316MN1160002	Rating Area 1	No Preference	64	744.78
49316MN1160002	Rating Area 1	No Preference	65 and over	744.78
49316MN1160002	Rating Area 2	No Preference	0-20	168.74
49316MN1160002	Rating Area 2	No Preference	21	195.48
49316MN1160002	Rating Area 2	No Preference	22	195.48
49316MN1160002	Rating Area 2	No Preference	23	195.48
49316MN1160002	Rating Area 2	No Preference	24	195.48
49316MN1160002	Rating Area 2	No Preference	25	195.48
49316MN1160002	Rating Area 2	No Preference	26	195.48
49316MN1160002	Rating Area 2	No Preference	27	195.48
49316MN1160002	Rating Area 2	No Preference	28	195.48
49316MN1160002	Rating Area 2	No Preference	29	195.48
49316MN1160002	Rating Area 2	No Preference	30	223.35
49316MN1160002	Rating Area 2	No Preference	31	223.35
49316MN1160002	Rating Area 2	No Preference	32	223.35
49316MN1160002	Rating Area 2	No Preference	33	223.35
49316MN1160002	Rating Area 2	No Preference	34	223.35
49316MN1160002	Rating Area 2	No Preference	35	235.1
49316MN1160002	Rating Area 2	No Preference	36	235.1
49316MN1160002	Rating Area 2	No Preference	37	235.1
49316MN1160002	Rating Area 2	No Preference	38	235.1
49316MN1160002	Rating Area 2	No Preference	39	235.1
49316MN1160002	Rating Area 2	No Preference	40	252.54

49316MN1160002	Rating Area 2	No Preference	41	252.54
49316MN1160002	Rating Area 2	No Preference	42	252.54
49316MN1160002	Rating Area 2	No Preference	43	252.54
49316MN1160002	Rating Area 2	No Preference	44	252.54
49316MN1160002	Rating Area 2	No Preference	45	297.67
49316MN1160002	Rating Area 2	No Preference	46	297.67
49316MN1160002	Rating Area 2	No Preference	47	297.67
49316MN1160002	Rating Area 2	No Preference	48	297.67
49316MN1160002	Rating Area 2	No Preference	49	297.67
49316MN1160002	Rating Area 2	No Preference	50	370.85
49316MN1160002	Rating Area 2	No Preference	51	370.85
49316MN1160002	Rating Area 2	No Preference	52	370.85
49316MN1160002	Rating Area 2	No Preference	53	370.85
49316MN1160002	Rating Area 2	No Preference	54	370.85
49316MN1160002	Rating Area 2	No Preference	55	460.72
49316MN1160002	Rating Area 2	No Preference	56	460.72
49316MN1160002	Rating Area 2	No Preference	57	460.72
49316MN1160002	Rating Area 2	No Preference	58	460.72
49316MN1160002	Rating Area 2	No Preference	59	460.72
49316MN1160002	Rating Area 2	No Preference	60	544.15
49316MN1160002	Rating Area 2	No Preference	61	544.15
49316MN1160002	Rating Area 2	No Preference	62	544.15
49316MN1160002	Rating Area 2	No Preference	63	544.15
49316MN1160002	Rating Area 2	No Preference	64	568.79
49316MN1160002	Rating Area 2	No Preference	65 and over	568.79
49316MN1160002	Rating Area 3	No Preference	0-20	172.18
49316MN1160002	Rating Area 3	No Preference	21	199.46
49316MN1160002	Rating Area 3	No Preference	22	199.46
49316MN1160002	Rating Area 3	No Preference	23	199.46
49316MN1160002	Rating Area 3	No Preference	24	199.46
49316MN1160002	Rating Area 3	No Preference	25	199.46
49316MN1160002	Rating Area 3	No Preference	26	199.46
49316MN1160002	Rating Area 3	No Preference	27	199.46
49316MN1160002	Rating Area 3	No Preference	28	199.46
49316MN1160002	Rating Area 3	No Preference	29	199.46
49316MN1160002	Rating Area 3	No Preference	30	227.9
49316MN1160002	Rating Area 3	No Preference	31	227.9
49316MN1160002	Rating Area 3	No Preference	32	227.9
49316MN1160002	Rating Area 3	No Preference	33	227.9
49316MN1160002	Rating Area 3	No Preference	34	227.9
49316MN1160002	Rating Area 3	No Preference	35	239.89
49316MN1160002	Rating Area 3	No Preference	36	239.89
49316MN1160002	Rating Area 3	No Preference	37	239.89
49316MN1160002	Rating Area 3	No Preference	38	239.89
49316MN1160002	Rating Area 3	No Preference	39	239.89
49316MN1160002	Rating Area 3	No Preference	40	257.69
49316MN1160002	Rating Area 3	No Preference	41	257.69

49316MN1160002	Rating Area 3	No Preference	42	257.69
49316MN1160002	Rating Area 3	No Preference	43	257.69
49316MN1160002	Rating Area 3	No Preference	44	257.69
49316MN1160002	Rating Area 3	No Preference	45	303.73
49316MN1160002	Rating Area 3	No Preference	46	303.73
49316MN1160002	Rating Area 3	No Preference	47	303.73
49316MN1160002	Rating Area 3	No Preference	48	303.73
49316MN1160002	Rating Area 3	No Preference	49	303.73
49316MN1160002	Rating Area 3	No Preference	50	378.41
49316MN1160002	Rating Area 3	No Preference	51	378.41
49316MN1160002	Rating Area 3	No Preference	52	378.41
49316MN1160002	Rating Area 3	No Preference	53	378.41
49316MN1160002	Rating Area 3	No Preference	54	378.41
49316MN1160002	Rating Area 3	No Preference	55	470.11
49316MN1160002	Rating Area 3	No Preference	56	470.11
49316MN1160002	Rating Area 3	No Preference	57	470.11
49316MN1160002	Rating Area 3	No Preference	58	470.11
49316MN1160002	Rating Area 3	No Preference	59	470.11
49316MN1160002	Rating Area 3	No Preference	60	555.23
49316MN1160002	Rating Area 3	No Preference	61	555.23
49316MN1160002	Rating Area 3	No Preference	62	555.23
49316MN1160002	Rating Area 3	No Preference	63	555.23
49316MN1160002	Rating Area 3	No Preference	64	580.38
49316MN1160002	Rating Area 3	No Preference	65 and over	580.38
49316MN1160002	Rating Area 4	No Preference	0-20	172.18
49316MN1160002	Rating Area 4	No Preference	21	199.46
49316MN1160002	Rating Area 4	No Preference	22	199.46
49316MN1160002	Rating Area 4	No Preference	23	199.46
49316MN1160002	Rating Area 4	No Preference	24	199.46
49316MN1160002	Rating Area 4	No Preference	25	199.46
49316MN1160002	Rating Area 4	No Preference	26	199.46
49316MN1160002	Rating Area 4	No Preference	27	199.46
49316MN1160002	Rating Area 4	No Preference	28	199.46
49316MN1160002	Rating Area 4	No Preference	29	199.46
49316MN1160002	Rating Area 4	No Preference	30	227.9
49316MN1160002	Rating Area 4	No Preference	31	227.9
49316MN1160002	Rating Area 4	No Preference	32	227.9
49316MN1160002	Rating Area 4	No Preference	33	227.9
49316MN1160002	Rating Area 4	No Preference	34	227.9
49316MN1160002	Rating Area 4	No Preference	35	239.89
49316MN1160002	Rating Area 4	No Preference	36	239.89
49316MN1160002	Rating Area 4	No Preference	37	239.89
49316MN1160002	Rating Area 4	No Preference	38	239.89
49316MN1160002	Rating Area 4	No Preference	39	239.89
49316MN1160002	Rating Area 4	No Preference	40	257.69
49316MN1160002	Rating Area 4	No Preference	41	257.69
49316MN1160002	Rating Area 4	No Preference	42	257.69

49316MN1160002	Rating Area 4	No Preference	43	257.69
49316MN1160002	Rating Area 4	No Preference	44	257.69
49316MN1160002	Rating Area 4	No Preference	45	303.73
49316MN1160002	Rating Area 4	No Preference	46	303.73
49316MN1160002	Rating Area 4	No Preference	47	303.73
49316MN1160002	Rating Area 4	No Preference	48	303.73
49316MN1160002	Rating Area 4	No Preference	49	303.73
49316MN1160002	Rating Area 4	No Preference	50	378.41
49316MN1160002	Rating Area 4	No Preference	51	378.41
49316MN1160002	Rating Area 4	No Preference	52	378.41
49316MN1160002	Rating Area 4	No Preference	53	378.41
49316MN1160002	Rating Area 4	No Preference	54	378.41
49316MN1160002	Rating Area 4	No Preference	55	470.11
49316MN1160002	Rating Area 4	No Preference	56	470.11
49316MN1160002	Rating Area 4	No Preference	57	470.11
49316MN1160002	Rating Area 4	No Preference	58	470.11
49316MN1160002	Rating Area 4	No Preference	59	470.11
49316MN1160002	Rating Area 4	No Preference	60	555.23
49316MN1160002	Rating Area 4	No Preference	61	555.23
49316MN1160002	Rating Area 4	No Preference	62	555.23
49316MN1160002	Rating Area 4	No Preference	63	555.23
49316MN1160002	Rating Area 4	No Preference	64	580.38
49316MN1160002	Rating Area 4	No Preference	65 and over	580.38
49316MN1160002	Rating Area 5	No Preference	0-20	172.18
49316MN1160002	Rating Area 5	No Preference	21	199.46
49316MN1160002	Rating Area 5	No Preference	22	199.46
49316MN1160002	Rating Area 5	No Preference	23	199.46
49316MN1160002	Rating Area 5	No Preference	24	199.46
49316MN1160002	Rating Area 5	No Preference	25	199.46
49316MN1160002	Rating Area 5	No Preference	26	199.46
49316MN1160002	Rating Area 5	No Preference	27	199.46
49316MN1160002	Rating Area 5	No Preference	28	199.46
49316MN1160002	Rating Area 5	No Preference	29	199.46
49316MN1160002	Rating Area 5	No Preference	30	227.9
49316MN1160002	Rating Area 5	No Preference	31	227.9
49316MN1160002	Rating Area 5	No Preference	32	227.9
49316MN1160002	Rating Area 5	No Preference	33	227.9
49316MN1160002	Rating Area 5	No Preference	34	227.9
49316MN1160002	Rating Area 5	No Preference	35	239.89
49316MN1160002	Rating Area 5	No Preference	36	239.89
49316MN1160002	Rating Area 5	No Preference	37	239.89
49316MN1160002	Rating Area 5	No Preference	38	239.89
49316MN1160002	Rating Area 5	No Preference	39	239.89
49316MN1160002	Rating Area 5	No Preference	40	257.69
49316MN1160002	Rating Area 5	No Preference	41	257.69
49316MN1160002	Rating Area 5	No Preference	42	257.69
49316MN1160002	Rating Area 5	No Preference	43	257.69

49316MN1160002	Rating Area 5	No Preference	44	257.69
49316MN1160002	Rating Area 5	No Preference	45	303.73
49316MN1160002	Rating Area 5	No Preference	46	303.73
49316MN1160002	Rating Area 5	No Preference	47	303.73
49316MN1160002	Rating Area 5	No Preference	48	303.73
49316MN1160002	Rating Area 5	No Preference	49	303.73
49316MN1160002	Rating Area 5	No Preference	50	378.41
49316MN1160002	Rating Area 5	No Preference	51	378.41
49316MN1160002	Rating Area 5	No Preference	52	378.41
49316MN1160002	Rating Area 5	No Preference	53	378.41
49316MN1160002	Rating Area 5	No Preference	54	378.41
49316MN1160002	Rating Area 5	No Preference	55	470.11
49316MN1160002	Rating Area 5	No Preference	56	470.11
49316MN1160002	Rating Area 5	No Preference	57	470.11
49316MN1160002	Rating Area 5	No Preference	58	470.11
49316MN1160002	Rating Area 5	No Preference	59	470.11
49316MN1160002	Rating Area 5	No Preference	60	555.23
49316MN1160002	Rating Area 5	No Preference	61	555.23
49316MN1160002	Rating Area 5	No Preference	62	555.23
49316MN1160002	Rating Area 5	No Preference	63	555.23
49316MN1160002	Rating Area 5	No Preference	64	580.38
49316MN1160002	Rating Area 5	No Preference	65 and over	580.38
49316MN1160002	Rating Area 6	No Preference	0-20	154.01
49316MN1160002	Rating Area 6	No Preference	21	178.41
49316MN1160002	Rating Area 6	No Preference	22	178.41
49316MN1160002	Rating Area 6	No Preference	23	178.41
49316MN1160002	Rating Area 6	No Preference	24	178.41
49316MN1160002	Rating Area 6	No Preference	25	178.41
49316MN1160002	Rating Area 6	No Preference	26	178.41
49316MN1160002	Rating Area 6	No Preference	27	178.41
49316MN1160002	Rating Area 6	No Preference	28	178.41
49316MN1160002	Rating Area 6	No Preference	29	178.41
49316MN1160002	Rating Area 6	No Preference	30	203.85
49316MN1160002	Rating Area 6	No Preference	31	203.85
49316MN1160002	Rating Area 6	No Preference	32	203.85
49316MN1160002	Rating Area 6	No Preference	33	203.85
49316MN1160002	Rating Area 6	No Preference	34	203.85
49316MN1160002	Rating Area 6	No Preference	35	214.58
49316MN1160002	Rating Area 6	No Preference	36	214.58
49316MN1160002	Rating Area 6	No Preference	37	214.58
49316MN1160002	Rating Area 6	No Preference	38	214.58
49316MN1160002	Rating Area 6	No Preference	39	214.58
49316MN1160002	Rating Area 6	No Preference	40	230.5
49316MN1160002	Rating Area 6	No Preference	41	230.5
49316MN1160002	Rating Area 6	No Preference	42	230.5
49316MN1160002	Rating Area 6	No Preference	43	230.5
49316MN1160002	Rating Area 6	No Preference	44	230.5

49316MN1160002	Rating Area 6	No Preference	45	271.68
49316MN1160002	Rating Area 6	No Preference	46	271.68
49316MN1160002	Rating Area 6	No Preference	47	271.68
49316MN1160002	Rating Area 6	No Preference	48	271.68
49316MN1160002	Rating Area 6	No Preference	49	271.68
49316MN1160002	Rating Area 6	No Preference	50	338.48
49316MN1160002	Rating Area 6	No Preference	51	338.48
49316MN1160002	Rating Area 6	No Preference	52	338.48
49316MN1160002	Rating Area 6	No Preference	53	338.48
49316MN1160002	Rating Area 6	No Preference	54	338.48
49316MN1160002	Rating Area 6	No Preference	55	420.5
49316MN1160002	Rating Area 6	No Preference	56	420.5
49316MN1160002	Rating Area 6	No Preference	57	420.5
49316MN1160002	Rating Area 6	No Preference	58	420.5
49316MN1160002	Rating Area 6	No Preference	59	420.5
49316MN1160002	Rating Area 6	No Preference	60	496.65
49316MN1160002	Rating Area 6	No Preference	61	496.65
49316MN1160002	Rating Area 6	No Preference	62	496.65
49316MN1160002	Rating Area 6	No Preference	63	496.65
49316MN1160002	Rating Area 6	No Preference	64	519.14
49316MN1160002	Rating Area 6	No Preference	65 and over	519.14
49316MN1160002	Rating Area 7	No Preference	0-20	168.74
49316MN1160002	Rating Area 7	No Preference	21	195.48
49316MN1160002	Rating Area 7	No Preference	22	195.48
49316MN1160002	Rating Area 7	No Preference	23	195.48
49316MN1160002	Rating Area 7	No Preference	24	195.48
49316MN1160002	Rating Area 7	No Preference	25	195.48
49316MN1160002	Rating Area 7	No Preference	26	195.48
49316MN1160002	Rating Area 7	No Preference	27	195.48
49316MN1160002	Rating Area 7	No Preference	28	195.48
49316MN1160002	Rating Area 7	No Preference	29	195.48
49316MN1160002	Rating Area 7	No Preference	30	223.35
49316MN1160002	Rating Area 7	No Preference	31	223.35
49316MN1160002	Rating Area 7	No Preference	32	223.35
49316MN1160002	Rating Area 7	No Preference	33	223.35
49316MN1160002	Rating Area 7	No Preference	34	223.35
49316MN1160002	Rating Area 7	No Preference	35	235.1
49316MN1160002	Rating Area 7	No Preference	36	235.1
49316MN1160002	Rating Area 7	No Preference	37	235.1
49316MN1160002	Rating Area 7	No Preference	38	235.1
49316MN1160002	Rating Area 7	No Preference	39	235.1
49316MN1160002	Rating Area 7	No Preference	40	252.54
49316MN1160002	Rating Area 7	No Preference	41	252.54
49316MN1160002	Rating Area 7	No Preference	42	252.54
49316MN1160002	Rating Area 7	No Preference	43	252.54
49316MN1160002	Rating Area 7	No Preference	44	252.54
49316MN1160002	Rating Area 7	No Preference	45	297.67

49316MN1160002	Rating Area 7	No Preference	46	297.67
49316MN1160002	Rating Area 7	No Preference	47	297.67
49316MN1160002	Rating Area 7	No Preference	48	297.67
49316MN1160002	Rating Area 7	No Preference	49	297.67
49316MN1160002	Rating Area 7	No Preference	50	370.85
49316MN1160002	Rating Area 7	No Preference	51	370.85
49316MN1160002	Rating Area 7	No Preference	52	370.85
49316MN1160002	Rating Area 7	No Preference	53	370.85
49316MN1160002	Rating Area 7	No Preference	54	370.85
49316MN1160002	Rating Area 7	No Preference	55	460.72
49316MN1160002	Rating Area 7	No Preference	56	460.72
49316MN1160002	Rating Area 7	No Preference	57	460.72
49316MN1160002	Rating Area 7	No Preference	58	460.72
49316MN1160002	Rating Area 7	No Preference	59	460.72
49316MN1160002	Rating Area 7	No Preference	60	544.15
49316MN1160002	Rating Area 7	No Preference	61	544.15
49316MN1160002	Rating Area 7	No Preference	62	544.15
49316MN1160002	Rating Area 7	No Preference	63	544.15
49316MN1160002	Rating Area 7	No Preference	64	568.79
49316MN1160002	Rating Area 7	No Preference	65 and over	568.79
49316MN1160002	Rating Area 8	No Preference	0-20	144.03
49316MN1160002	Rating Area 8	No Preference	21	166.85
49316MN1160002	Rating Area 8	No Preference	22	166.85
49316MN1160002	Rating Area 8	No Preference	23	166.85
49316MN1160002	Rating Area 8	No Preference	24	166.85
49316MN1160002	Rating Area 8	No Preference	25	166.85
49316MN1160002	Rating Area 8	No Preference	26	166.85
49316MN1160002	Rating Area 8	No Preference	27	166.85
49316MN1160002	Rating Area 8	No Preference	28	166.85
49316MN1160002	Rating Area 8	No Preference	29	166.85
49316MN1160002	Rating Area 8	No Preference	30	190.64
49316MN1160002	Rating Area 8	No Preference	31	190.64
49316MN1160002	Rating Area 8	No Preference	32	190.64
49316MN1160002	Rating Area 8	No Preference	33	190.64
49316MN1160002	Rating Area 8	No Preference	34	190.64
49316MN1160002	Rating Area 8	No Preference	35	200.67
49316MN1160002	Rating Area 8	No Preference	36	200.67
49316MN1160002	Rating Area 8	No Preference	37	200.67
49316MN1160002	Rating Area 8	No Preference	38	200.67
49316MN1160002	Rating Area 8	No Preference	39	200.67
49316MN1160002	Rating Area 8	No Preference	40	215.56
49316MN1160002	Rating Area 8	No Preference	41	215.56
49316MN1160002	Rating Area 8	No Preference	42	215.56
49316MN1160002	Rating Area 8	No Preference	43	215.56
49316MN1160002	Rating Area 8	No Preference	44	215.56
49316MN1160002	Rating Area 8	No Preference	45	254.07
49316MN1160002	Rating Area 8	No Preference	46	254.07

49316MN1160002	Rating Area 8	No Preference	47	254.07
49316MN1160002	Rating Area 8	No Preference	48	254.07
49316MN1160002	Rating Area 8	No Preference	49	254.07
49316MN1160002	Rating Area 8	No Preference	50	316.54
49316MN1160002	Rating Area 8	No Preference	51	316.54
49316MN1160002	Rating Area 8	No Preference	52	316.54
49316MN1160002	Rating Area 8	No Preference	53	316.54
49316MN1160002	Rating Area 8	No Preference	54	316.54
49316MN1160002	Rating Area 8	No Preference	55	393.25
49316MN1160002	Rating Area 8	No Preference	56	393.25
49316MN1160002	Rating Area 8	No Preference	57	393.25
49316MN1160002	Rating Area 8	No Preference	58	393.25
49316MN1160002	Rating Area 8	No Preference	59	393.25
49316MN1160002	Rating Area 8	No Preference	60	464.45
49316MN1160002	Rating Area 8	No Preference	61	464.45
49316MN1160002	Rating Area 8	No Preference	62	464.45
49316MN1160002	Rating Area 8	No Preference	63	464.45
49316MN1160002	Rating Area 8	No Preference	64	485.49
49316MN1160002	Rating Area 8	No Preference	65 and over	485.49
49316MN1160002	Rating Area 9	No Preference	0-20	144.03
49316MN1160002	Rating Area 9	No Preference	21	166.85
49316MN1160002	Rating Area 9	No Preference	22	166.85
49316MN1160002	Rating Area 9	No Preference	23	166.85
49316MN1160002	Rating Area 9	No Preference	24	166.85
49316MN1160002	Rating Area 9	No Preference	25	166.85
49316MN1160002	Rating Area 9	No Preference	26	166.85
49316MN1160002	Rating Area 9	No Preference	27	166.85
49316MN1160002	Rating Area 9	No Preference	28	166.85
49316MN1160002	Rating Area 9	No Preference	29	166.85
49316MN1160002	Rating Area 9	No Preference	30	190.64
49316MN1160002	Rating Area 9	No Preference	31	190.64
49316MN1160002	Rating Area 9	No Preference	32	190.64
49316MN1160002	Rating Area 9	No Preference	33	190.64
49316MN1160002	Rating Area 9	No Preference	34	190.64
49316MN1160002	Rating Area 9	No Preference	35	200.67
49316MN1160002	Rating Area 9	No Preference	36	200.67
49316MN1160002	Rating Area 9	No Preference	37	200.67
49316MN1160002	Rating Area 9	No Preference	38	200.67
49316MN1160002	Rating Area 9	No Preference	39	200.67
49316MN1160002	Rating Area 9	No Preference	40	215.56
49316MN1160002	Rating Area 9	No Preference	41	215.56
49316MN1160002	Rating Area 9	No Preference	42	215.56
49316MN1160002	Rating Area 9	No Preference	43	215.56
49316MN1160002	Rating Area 9	No Preference	44	215.56
49316MN1160002	Rating Area 9	No Preference	45	254.07
49316MN1160002	Rating Area 9	No Preference	46	254.07
49316MN1160002	Rating Area 9	No Preference	47	254.07

49316MN1160002	Rating Area 9	No Preference	48	254.07
49316MN1160002	Rating Area 9	No Preference	49	254.07
49316MN1160002	Rating Area 9	No Preference	50	316.54
49316MN1160002	Rating Area 9	No Preference	51	316.54
49316MN1160002	Rating Area 9	No Preference	52	316.54
49316MN1160002	Rating Area 9	No Preference	53	316.54
49316MN1160002	Rating Area 9	No Preference	54	316.54
49316MN1160002	Rating Area 9	No Preference	55	393.25
49316MN1160002	Rating Area 9	No Preference	56	393.25
49316MN1160002	Rating Area 9	No Preference	57	393.25
49316MN1160002	Rating Area 9	No Preference	58	393.25
49316MN1160002	Rating Area 9	No Preference	59	393.25
49316MN1160002	Rating Area 9	No Preference	60	464.45
49316MN1160002	Rating Area 9	No Preference	61	464.45
49316MN1160002	Rating Area 9	No Preference	62	464.45
49316MN1160002	Rating Area 9	No Preference	63	464.45
49316MN1160002	Rating Area 9	No Preference	64	485.49
49316MN1160002	Rating Area 9	No Preference	65 and over	485.49
49316MN1160003	Rating Area 1	No Preference	0-20	252.13
49316MN1160003	Rating Area 1	No Preference	21	292.07
49316MN1160003	Rating Area 1	No Preference	22	292.07
49316MN1160003	Rating Area 1	No Preference	23	292.07
49316MN1160003	Rating Area 1	No Preference	24	292.07
49316MN1160003	Rating Area 1	No Preference	25	292.07
49316MN1160003	Rating Area 1	No Preference	26	292.07
49316MN1160003	Rating Area 1	No Preference	27	292.07
49316MN1160003	Rating Area 1	No Preference	28	292.07
49316MN1160003	Rating Area 1	No Preference	29	292.07
49316MN1160003	Rating Area 1	No Preference	30	333.72
49316MN1160003	Rating Area 1	No Preference	31	333.72
49316MN1160003	Rating Area 1	No Preference	32	333.72
49316MN1160003	Rating Area 1	No Preference	33	333.72
49316MN1160003	Rating Area 1	No Preference	34	333.72
49316MN1160003	Rating Area 1	No Preference	35	351.28
49316MN1160003	Rating Area 1	No Preference	36	351.28
49316MN1160003	Rating Area 1	No Preference	37	351.28
49316MN1160003	Rating Area 1	No Preference	38	351.28
49316MN1160003	Rating Area 1	No Preference	39	351.28
49316MN1160003	Rating Area 1	No Preference	40	377.35
49316MN1160003	Rating Area 1	No Preference	41	377.35
49316MN1160003	Rating Area 1	No Preference	42	377.35
49316MN1160003	Rating Area 1	No Preference	43	377.35
49316MN1160003	Rating Area 1	No Preference	44	377.35
49316MN1160003	Rating Area 1	No Preference	45	444.77
49316MN1160003	Rating Area 1	No Preference	46	444.77
49316MN1160003	Rating Area 1	No Preference	47	444.77
49316MN1160003	Rating Area 1	No Preference	48	444.77

49316MN1160003	Rating Area 1	No Preference	49	444.77
49316MN1160003	Rating Area 1	No Preference	50	554.12
49316MN1160003	Rating Area 1	No Preference	51	554.12
49316MN1160003	Rating Area 1	No Preference	52	554.12
49316MN1160003	Rating Area 1	No Preference	53	554.12
49316MN1160003	Rating Area 1	No Preference	54	554.12
49316MN1160003	Rating Area 1	No Preference	55	688.4
49316MN1160003	Rating Area 1	No Preference	56	688.4
49316MN1160003	Rating Area 1	No Preference	57	688.4
49316MN1160003	Rating Area 1	No Preference	58	688.4
49316MN1160003	Rating Area 1	No Preference	59	688.4
49316MN1160003	Rating Area 1	No Preference	60	813.05
49316MN1160003	Rating Area 1	No Preference	61	813.05
49316MN1160003	Rating Area 1	No Preference	62	813.05
49316MN1160003	Rating Area 1	No Preference	63	813.05
49316MN1160003	Rating Area 1	No Preference	64	849.88
49316MN1160003	Rating Area 1	No Preference	65 and over	849.88
49316MN1160003	Rating Area 2	No Preference	0-20	192.55
49316MN1160003	Rating Area 2	No Preference	21	223.06
49316MN1160003	Rating Area 2	No Preference	22	223.06
49316MN1160003	Rating Area 2	No Preference	23	223.06
49316MN1160003	Rating Area 2	No Preference	24	223.06
49316MN1160003	Rating Area 2	No Preference	25	223.06
49316MN1160003	Rating Area 2	No Preference	26	223.06
49316MN1160003	Rating Area 2	No Preference	27	223.06
49316MN1160003	Rating Area 2	No Preference	28	223.06
49316MN1160003	Rating Area 2	No Preference	29	223.06
49316MN1160003	Rating Area 2	No Preference	30	254.86
49316MN1160003	Rating Area 2	No Preference	31	254.86
49316MN1160003	Rating Area 2	No Preference	32	254.86
49316MN1160003	Rating Area 2	No Preference	33	254.86
49316MN1160003	Rating Area 2	No Preference	34	254.86
49316MN1160003	Rating Area 2	No Preference	35	268.28
49316MN1160003	Rating Area 2	No Preference	36	268.28
49316MN1160003	Rating Area 2	No Preference	37	268.28
49316MN1160003	Rating Area 2	No Preference	38	268.28
49316MN1160003	Rating Area 2	No Preference	39	268.28
49316MN1160003	Rating Area 2	No Preference	40	288.18
49316MN1160003	Rating Area 2	No Preference	41	288.18
49316MN1160003	Rating Area 2	No Preference	42	288.18
49316MN1160003	Rating Area 2	No Preference	43	288.18
49316MN1160003	Rating Area 2	No Preference	44	288.18
49316MN1160003	Rating Area 2	No Preference	45	339.67
49316MN1160003	Rating Area 2	No Preference	46	339.67
49316MN1160003	Rating Area 2	No Preference	47	339.67
49316MN1160003	Rating Area 2	No Preference	48	339.67
49316MN1160003	Rating Area 2	No Preference	49	339.67

49316MN1160003	Rating Area 2	No Preference	50	423.18
49316MN1160003	Rating Area 2	No Preference	51	423.18
49316MN1160003	Rating Area 2	No Preference	52	423.18
49316MN1160003	Rating Area 2	No Preference	53	423.18
49316MN1160003	Rating Area 2	No Preference	54	423.18
49316MN1160003	Rating Area 2	No Preference	55	525.73
49316MN1160003	Rating Area 2	No Preference	56	525.73
49316MN1160003	Rating Area 2	No Preference	57	525.73
49316MN1160003	Rating Area 2	No Preference	58	525.73
49316MN1160003	Rating Area 2	No Preference	59	525.73
49316MN1160003	Rating Area 2	No Preference	60	620.93
49316MN1160003	Rating Area 2	No Preference	61	620.93
49316MN1160003	Rating Area 2	No Preference	62	620.93
49316MN1160003	Rating Area 2	No Preference	63	620.93
49316MN1160003	Rating Area 2	No Preference	64	649.05
49316MN1160003	Rating Area 2	No Preference	65 and over	649.05
49316MN1160003	Rating Area 3	No Preference	0-20	196.48
49316MN1160003	Rating Area 3	No Preference	21	227.6
49316MN1160003	Rating Area 3	No Preference	22	227.6
49316MN1160003	Rating Area 3	No Preference	23	227.6
49316MN1160003	Rating Area 3	No Preference	24	227.6
49316MN1160003	Rating Area 3	No Preference	25	227.6
49316MN1160003	Rating Area 3	No Preference	26	227.6
49316MN1160003	Rating Area 3	No Preference	27	227.6
49316MN1160003	Rating Area 3	No Preference	28	227.6
49316MN1160003	Rating Area 3	No Preference	29	227.6
49316MN1160003	Rating Area 3	No Preference	30	260.05
49316MN1160003	Rating Area 3	No Preference	31	260.05
49316MN1160003	Rating Area 3	No Preference	32	260.05
49316MN1160003	Rating Area 3	No Preference	33	260.05
49316MN1160003	Rating Area 3	No Preference	34	260.05
49316MN1160003	Rating Area 3	No Preference	35	273.74
49316MN1160003	Rating Area 3	No Preference	36	273.74
49316MN1160003	Rating Area 3	No Preference	37	273.74
49316MN1160003	Rating Area 3	No Preference	38	273.74
49316MN1160003	Rating Area 3	No Preference	39	273.74
49316MN1160003	Rating Area 3	No Preference	40	294.05
49316MN1160003	Rating Area 3	No Preference	41	294.05
49316MN1160003	Rating Area 3	No Preference	42	294.05
49316MN1160003	Rating Area 3	No Preference	43	294.05
49316MN1160003	Rating Area 3	No Preference	44	294.05
49316MN1160003	Rating Area 3	No Preference	45	346.59
49316MN1160003	Rating Area 3	No Preference	46	346.59
49316MN1160003	Rating Area 3	No Preference	47	346.59
49316MN1160003	Rating Area 3	No Preference	48	346.59
49316MN1160003	Rating Area 3	No Preference	49	346.59
49316MN1160003	Rating Area 3	No Preference	50	431.8

49316MN1160003	Rating Area 3	No Preference	51	431.8
49316MN1160003	Rating Area 3	No Preference	52	431.8
49316MN1160003	Rating Area 3	No Preference	53	431.8
49316MN1160003	Rating Area 3	No Preference	54	431.8
49316MN1160003	Rating Area 3	No Preference	55	536.44
49316MN1160003	Rating Area 3	No Preference	56	536.44
49316MN1160003	Rating Area 3	No Preference	57	536.44
49316MN1160003	Rating Area 3	No Preference	58	536.44
49316MN1160003	Rating Area 3	No Preference	59	536.44
49316MN1160003	Rating Area 3	No Preference	60	633.58
49316MN1160003	Rating Area 3	No Preference	61	633.58
49316MN1160003	Rating Area 3	No Preference	62	633.58
49316MN1160003	Rating Area 3	No Preference	63	633.58
49316MN1160003	Rating Area 3	No Preference	64	662.28
49316MN1160003	Rating Area 3	No Preference	65 and over	662.28
49316MN1160003	Rating Area 4	No Preference	0-20	196.48
49316MN1160003	Rating Area 4	No Preference	21	227.6
49316MN1160003	Rating Area 4	No Preference	22	227.6
49316MN1160003	Rating Area 4	No Preference	23	227.6
49316MN1160003	Rating Area 4	No Preference	24	227.6
49316MN1160003	Rating Area 4	No Preference	25	227.6
49316MN1160003	Rating Area 4	No Preference	26	227.6
49316MN1160003	Rating Area 4	No Preference	27	227.6
49316MN1160003	Rating Area 4	No Preference	28	227.6
49316MN1160003	Rating Area 4	No Preference	29	227.6
49316MN1160003	Rating Area 4	No Preference	30	260.05
49316MN1160003	Rating Area 4	No Preference	31	260.05
49316MN1160003	Rating Area 4	No Preference	32	260.05
49316MN1160003	Rating Area 4	No Preference	33	260.05
49316MN1160003	Rating Area 4	No Preference	34	260.05
49316MN1160003	Rating Area 4	No Preference	35	273.74
49316MN1160003	Rating Area 4	No Preference	36	273.74
49316MN1160003	Rating Area 4	No Preference	37	273.74
49316MN1160003	Rating Area 4	No Preference	38	273.74
49316MN1160003	Rating Area 4	No Preference	39	273.74
49316MN1160003	Rating Area 4	No Preference	40	294.05
49316MN1160003	Rating Area 4	No Preference	41	294.05
49316MN1160003	Rating Area 4	No Preference	42	294.05
49316MN1160003	Rating Area 4	No Preference	43	294.05
49316MN1160003	Rating Area 4	No Preference	44	294.05
49316MN1160003	Rating Area 4	No Preference	45	346.59
49316MN1160003	Rating Area 4	No Preference	46	346.59
49316MN1160003	Rating Area 4	No Preference	47	346.59
49316MN1160003	Rating Area 4	No Preference	48	346.59
49316MN1160003	Rating Area 4	No Preference	49	346.59
49316MN1160003	Rating Area 4	No Preference	50	431.8
49316MN1160003	Rating Area 4	No Preference	51	431.8

49316MN1160003	Rating Area 4	No Preference	52	431.8
49316MN1160003	Rating Area 4	No Preference	53	431.8
49316MN1160003	Rating Area 4	No Preference	54	431.8
49316MN1160003	Rating Area 4	No Preference	55	536.44
49316MN1160003	Rating Area 4	No Preference	56	536.44
49316MN1160003	Rating Area 4	No Preference	57	536.44
49316MN1160003	Rating Area 4	No Preference	58	536.44
49316MN1160003	Rating Area 4	No Preference	59	536.44
49316MN1160003	Rating Area 4	No Preference	60	633.58
49316MN1160003	Rating Area 4	No Preference	61	633.58
49316MN1160003	Rating Area 4	No Preference	62	633.58
49316MN1160003	Rating Area 4	No Preference	63	633.58
49316MN1160003	Rating Area 4	No Preference	64	662.28
49316MN1160003	Rating Area 4	No Preference	65 and over	662.28
49316MN1160003	Rating Area 5	No Preference	0-20	196.48
49316MN1160003	Rating Area 5	No Preference	21	227.6
49316MN1160003	Rating Area 5	No Preference	22	227.6
49316MN1160003	Rating Area 5	No Preference	23	227.6
49316MN1160003	Rating Area 5	No Preference	24	227.6
49316MN1160003	Rating Area 5	No Preference	25	227.6
49316MN1160003	Rating Area 5	No Preference	26	227.6
49316MN1160003	Rating Area 5	No Preference	27	227.6
49316MN1160003	Rating Area 5	No Preference	28	227.6
49316MN1160003	Rating Area 5	No Preference	29	227.6
49316MN1160003	Rating Area 5	No Preference	30	260.05
49316MN1160003	Rating Area 5	No Preference	31	260.05
49316MN1160003	Rating Area 5	No Preference	32	260.05
49316MN1160003	Rating Area 5	No Preference	33	260.05
49316MN1160003	Rating Area 5	No Preference	34	260.05
49316MN1160003	Rating Area 5	No Preference	35	273.74
49316MN1160003	Rating Area 5	No Preference	36	273.74
49316MN1160003	Rating Area 5	No Preference	37	273.74
49316MN1160003	Rating Area 5	No Preference	38	273.74
49316MN1160003	Rating Area 5	No Preference	39	273.74
49316MN1160003	Rating Area 5	No Preference	40	294.05
49316MN1160003	Rating Area 5	No Preference	41	294.05
49316MN1160003	Rating Area 5	No Preference	42	294.05
49316MN1160003	Rating Area 5	No Preference	43	294.05
49316MN1160003	Rating Area 5	No Preference	44	294.05
49316MN1160003	Rating Area 5	No Preference	45	346.59
49316MN1160003	Rating Area 5	No Preference	46	346.59
49316MN1160003	Rating Area 5	No Preference	47	346.59
49316MN1160003	Rating Area 5	No Preference	48	346.59
49316MN1160003	Rating Area 5	No Preference	49	346.59
49316MN1160003	Rating Area 5	No Preference	50	431.8
49316MN1160003	Rating Area 5	No Preference	51	431.8
49316MN1160003	Rating Area 5	No Preference	52	431.8

49316MN1160003	Rating Area 5	No Preference	53	431.8
49316MN1160003	Rating Area 5	No Preference	54	431.8
49316MN1160003	Rating Area 5	No Preference	55	536.44
49316MN1160003	Rating Area 5	No Preference	56	536.44
49316MN1160003	Rating Area 5	No Preference	57	536.44
49316MN1160003	Rating Area 5	No Preference	58	536.44
49316MN1160003	Rating Area 5	No Preference	59	536.44
49316MN1160003	Rating Area 5	No Preference	60	633.58
49316MN1160003	Rating Area 5	No Preference	61	633.58
49316MN1160003	Rating Area 5	No Preference	62	633.58
49316MN1160003	Rating Area 5	No Preference	63	633.58
49316MN1160003	Rating Area 5	No Preference	64	662.28
49316MN1160003	Rating Area 5	No Preference	65 and over	662.28
49316MN1160003	Rating Area 6	No Preference	0-20	175.74
49316MN1160003	Rating Area 6	No Preference	21	203.59
49316MN1160003	Rating Area 6	No Preference	22	203.59
49316MN1160003	Rating Area 6	No Preference	23	203.59
49316MN1160003	Rating Area 6	No Preference	24	203.59
49316MN1160003	Rating Area 6	No Preference	25	203.59
49316MN1160003	Rating Area 6	No Preference	26	203.59
49316MN1160003	Rating Area 6	No Preference	27	203.59
49316MN1160003	Rating Area 6	No Preference	28	203.59
49316MN1160003	Rating Area 6	No Preference	29	203.59
49316MN1160003	Rating Area 6	No Preference	30	232.61
49316MN1160003	Rating Area 6	No Preference	31	232.61
49316MN1160003	Rating Area 6	No Preference	32	232.61
49316MN1160003	Rating Area 6	No Preference	33	232.61
49316MN1160003	Rating Area 6	No Preference	34	232.61
49316MN1160003	Rating Area 6	No Preference	35	244.86
49316MN1160003	Rating Area 6	No Preference	36	244.86
49316MN1160003	Rating Area 6	No Preference	37	244.86
49316MN1160003	Rating Area 6	No Preference	38	244.86
49316MN1160003	Rating Area 6	No Preference	39	244.86
49316MN1160003	Rating Area 6	No Preference	40	263.02
49316MN1160003	Rating Area 6	No Preference	41	263.02
49316MN1160003	Rating Area 6	No Preference	42	263.02
49316MN1160003	Rating Area 6	No Preference	43	263.02
49316MN1160003	Rating Area 6	No Preference	44	263.02
49316MN1160003	Rating Area 6	No Preference	45	310.02
49316MN1160003	Rating Area 6	No Preference	46	310.02
49316MN1160003	Rating Area 6	No Preference	47	310.02
49316MN1160003	Rating Area 6	No Preference	48	310.02
49316MN1160003	Rating Area 6	No Preference	49	310.02
49316MN1160003	Rating Area 6	No Preference	50	386.24
49316MN1160003	Rating Area 6	No Preference	51	386.24
49316MN1160003	Rating Area 6	No Preference	52	386.24
49316MN1160003	Rating Area 6	No Preference	53	386.24

49316MN1160003	Rating Area 6	No Preference	54	386.24
49316MN1160003	Rating Area 6	No Preference	55	479.84
49316MN1160003	Rating Area 6	No Preference	56	479.84
49316MN1160003	Rating Area 6	No Preference	57	479.84
49316MN1160003	Rating Area 6	No Preference	58	479.84
49316MN1160003	Rating Area 6	No Preference	59	479.84
49316MN1160003	Rating Area 6	No Preference	60	566.73
49316MN1160003	Rating Area 6	No Preference	61	566.73
49316MN1160003	Rating Area 6	No Preference	62	566.73
49316MN1160003	Rating Area 6	No Preference	63	566.73
49316MN1160003	Rating Area 6	No Preference	64	592.4
49316MN1160003	Rating Area 6	No Preference	65 and over	592.4
49316MN1160003	Rating Area 7	No Preference	0-20	192.55
49316MN1160003	Rating Area 7	No Preference	21	223.06
49316MN1160003	Rating Area 7	No Preference	22	223.06
49316MN1160003	Rating Area 7	No Preference	23	223.06
49316MN1160003	Rating Area 7	No Preference	24	223.06
49316MN1160003	Rating Area 7	No Preference	25	223.06
49316MN1160003	Rating Area 7	No Preference	26	223.06
49316MN1160003	Rating Area 7	No Preference	27	223.06
49316MN1160003	Rating Area 7	No Preference	28	223.06
49316MN1160003	Rating Area 7	No Preference	29	223.06
49316MN1160003	Rating Area 7	No Preference	30	254.86
49316MN1160003	Rating Area 7	No Preference	31	254.86
49316MN1160003	Rating Area 7	No Preference	32	254.86
49316MN1160003	Rating Area 7	No Preference	33	254.86
49316MN1160003	Rating Area 7	No Preference	34	254.86
49316MN1160003	Rating Area 7	No Preference	35	268.28
49316MN1160003	Rating Area 7	No Preference	36	268.28
49316MN1160003	Rating Area 7	No Preference	37	268.28
49316MN1160003	Rating Area 7	No Preference	38	268.28
49316MN1160003	Rating Area 7	No Preference	39	268.28
49316MN1160003	Rating Area 7	No Preference	40	288.18
49316MN1160003	Rating Area 7	No Preference	41	288.18
49316MN1160003	Rating Area 7	No Preference	42	288.18
49316MN1160003	Rating Area 7	No Preference	43	288.18
49316MN1160003	Rating Area 7	No Preference	44	288.18
49316MN1160003	Rating Area 7	No Preference	45	339.67
49316MN1160003	Rating Area 7	No Preference	46	339.67
49316MN1160003	Rating Area 7	No Preference	47	339.67
49316MN1160003	Rating Area 7	No Preference	48	339.67
49316MN1160003	Rating Area 7	No Preference	49	339.67
49316MN1160003	Rating Area 7	No Preference	50	423.18
49316MN1160003	Rating Area 7	No Preference	51	423.18
49316MN1160003	Rating Area 7	No Preference	52	423.18
49316MN1160003	Rating Area 7	No Preference	53	423.18
49316MN1160003	Rating Area 7	No Preference	54	423.18

49316MN1160003	Rating Area 7	No Preference	55	525.73
49316MN1160003	Rating Area 7	No Preference	56	525.73
49316MN1160003	Rating Area 7	No Preference	57	525.73
49316MN1160003	Rating Area 7	No Preference	58	525.73
49316MN1160003	Rating Area 7	No Preference	59	525.73
49316MN1160003	Rating Area 7	No Preference	60	620.93
49316MN1160003	Rating Area 7	No Preference	61	620.93
49316MN1160003	Rating Area 7	No Preference	62	620.93
49316MN1160003	Rating Area 7	No Preference	63	620.93
49316MN1160003	Rating Area 7	No Preference	64	649.05
49316MN1160003	Rating Area 7	No Preference	65 and over	649.05
49316MN1160003	Rating Area 8	No Preference	0-20	164.35
49316MN1160003	Rating Area 8	No Preference	21	190.39
49316MN1160003	Rating Area 8	No Preference	22	190.39
49316MN1160003	Rating Area 8	No Preference	23	190.39
49316MN1160003	Rating Area 8	No Preference	24	190.39
49316MN1160003	Rating Area 8	No Preference	25	190.39
49316MN1160003	Rating Area 8	No Preference	26	190.39
49316MN1160003	Rating Area 8	No Preference	27	190.39
49316MN1160003	Rating Area 8	No Preference	28	190.39
49316MN1160003	Rating Area 8	No Preference	29	190.39
49316MN1160003	Rating Area 8	No Preference	30	217.54
49316MN1160003	Rating Area 8	No Preference	31	217.54
49316MN1160003	Rating Area 8	No Preference	32	217.54
49316MN1160003	Rating Area 8	No Preference	33	217.54
49316MN1160003	Rating Area 8	No Preference	34	217.54
49316MN1160003	Rating Area 8	No Preference	35	228.98
49316MN1160003	Rating Area 8	No Preference	36	228.98
49316MN1160003	Rating Area 8	No Preference	37	228.98
49316MN1160003	Rating Area 8	No Preference	38	228.98
49316MN1160003	Rating Area 8	No Preference	39	228.98
49316MN1160003	Rating Area 8	No Preference	40	245.97
49316MN1160003	Rating Area 8	No Preference	41	245.97
49316MN1160003	Rating Area 8	No Preference	42	245.97
49316MN1160003	Rating Area 8	No Preference	43	245.97
49316MN1160003	Rating Area 8	No Preference	44	245.97
49316MN1160003	Rating Area 8	No Preference	45	289.92
49316MN1160003	Rating Area 8	No Preference	46	289.92
49316MN1160003	Rating Area 8	No Preference	47	289.92
49316MN1160003	Rating Area 8	No Preference	48	289.92
49316MN1160003	Rating Area 8	No Preference	49	289.92
49316MN1160003	Rating Area 8	No Preference	50	361.2
49316MN1160003	Rating Area 8	No Preference	51	361.2
49316MN1160003	Rating Area 8	No Preference	52	361.2
49316MN1160003	Rating Area 8	No Preference	53	361.2
49316MN1160003	Rating Area 8	No Preference	54	361.2
49316MN1160003	Rating Area 8	No Preference	55	448.74

49316MN1160003	Rating Area 8	No Preference	56	448.74
49316MN1160003	Rating Area 8	No Preference	57	448.74
49316MN1160003	Rating Area 8	No Preference	58	448.74
49316MN1160003	Rating Area 8	No Preference	59	448.74
49316MN1160003	Rating Area 8	No Preference	60	529.99
49316MN1160003	Rating Area 8	No Preference	61	529.99
49316MN1160003	Rating Area 8	No Preference	62	529.99
49316MN1160003	Rating Area 8	No Preference	63	529.99
49316MN1160003	Rating Area 8	No Preference	64	553.99
49316MN1160003	Rating Area 8	No Preference	65 and over	553.99
49316MN1160003	Rating Area 9	No Preference	0-20	164.35
49316MN1160003	Rating Area 9	No Preference	21	190.39
49316MN1160003	Rating Area 9	No Preference	22	190.39
49316MN1160003	Rating Area 9	No Preference	23	190.39
49316MN1160003	Rating Area 9	No Preference	24	190.39
49316MN1160003	Rating Area 9	No Preference	25	190.39
49316MN1160003	Rating Area 9	No Preference	26	190.39
49316MN1160003	Rating Area 9	No Preference	27	190.39
49316MN1160003	Rating Area 9	No Preference	28	190.39
49316MN1160003	Rating Area 9	No Preference	29	190.39
49316MN1160003	Rating Area 9	No Preference	30	217.54
49316MN1160003	Rating Area 9	No Preference	31	217.54
49316MN1160003	Rating Area 9	No Preference	32	217.54
49316MN1160003	Rating Area 9	No Preference	33	217.54
49316MN1160003	Rating Area 9	No Preference	34	217.54
49316MN1160003	Rating Area 9	No Preference	35	228.98
49316MN1160003	Rating Area 9	No Preference	36	228.98
49316MN1160003	Rating Area 9	No Preference	37	228.98
49316MN1160003	Rating Area 9	No Preference	38	228.98
49316MN1160003	Rating Area 9	No Preference	39	228.98
49316MN1160003	Rating Area 9	No Preference	40	245.97
49316MN1160003	Rating Area 9	No Preference	41	245.97
49316MN1160003	Rating Area 9	No Preference	42	245.97
49316MN1160003	Rating Area 9	No Preference	43	245.97
49316MN1160003	Rating Area 9	No Preference	44	245.97
49316MN1160003	Rating Area 9	No Preference	45	289.92
49316MN1160003	Rating Area 9	No Preference	46	289.92
49316MN1160003	Rating Area 9	No Preference	47	289.92
49316MN1160003	Rating Area 9	No Preference	48	289.92
49316MN1160003	Rating Area 9	No Preference	49	289.92
49316MN1160003	Rating Area 9	No Preference	50	361.2
49316MN1160003	Rating Area 9	No Preference	51	361.2
49316MN1160003	Rating Area 9	No Preference	52	361.2
49316MN1160003	Rating Area 9	No Preference	53	361.2
49316MN1160003	Rating Area 9	No Preference	54	361.2
49316MN1160003	Rating Area 9	No Preference	55	448.74
49316MN1160003	Rating Area 9	No Preference	56	448.74

49316MN1160003	Rating Area 9	No Preference	57	448.74
49316MN1160003	Rating Area 9	No Preference	58	448.74
49316MN1160003	Rating Area 9	No Preference	59	448.74
49316MN1160003	Rating Area 9	No Preference	60	529.99
49316MN1160003	Rating Area 9	No Preference	61	529.99
49316MN1160003	Rating Area 9	No Preference	62	529.99
49316MN1160003	Rating Area 9	No Preference	63	529.99
49316MN1160003	Rating Area 9	No Preference	64	553.99
49316MN1160003	Rating Area 9	No Preference	65 and over	553.99
49316MN1170001	Rating Area 1	No Preference	0-20	195.51
49316MN1170001	Rating Area 1	No Preference	21	226.48
49316MN1170001	Rating Area 1	No Preference	22	226.48
49316MN1170001	Rating Area 1	No Preference	23	226.48
49316MN1170001	Rating Area 1	No Preference	24	226.48
49316MN1170001	Rating Area 1	No Preference	25	226.48
49316MN1170001	Rating Area 1	No Preference	26	226.48
49316MN1170001	Rating Area 1	No Preference	27	226.48
49316MN1170001	Rating Area 1	No Preference	28	226.48
49316MN1170001	Rating Area 1	No Preference	29	226.48
49316MN1170001	Rating Area 1	No Preference	30	258.78
49316MN1170001	Rating Area 1	No Preference	31	258.78
49316MN1170001	Rating Area 1	No Preference	32	258.78
49316MN1170001	Rating Area 1	No Preference	33	258.78
49316MN1170001	Rating Area 1	No Preference	34	258.78
49316MN1170001	Rating Area 1	No Preference	35	272.4
49316MN1170001	Rating Area 1	No Preference	36	272.4
49316MN1170001	Rating Area 1	No Preference	37	272.4
49316MN1170001	Rating Area 1	No Preference	38	272.4
49316MN1170001	Rating Area 1	No Preference	39	272.4
49316MN1170001	Rating Area 1	No Preference	40	292.61
49316MN1170001	Rating Area 1	No Preference	41	292.61
49316MN1170001	Rating Area 1	No Preference	42	292.61
49316MN1170001	Rating Area 1	No Preference	43	292.61
49316MN1170001	Rating Area 1	No Preference	44	292.61
49316MN1170001	Rating Area 1	No Preference	45	344.89
49316MN1170001	Rating Area 1	No Preference	46	344.89
49316MN1170001	Rating Area 1	No Preference	47	344.89
49316MN1170001	Rating Area 1	No Preference	48	344.89
49316MN1170001	Rating Area 1	No Preference	49	344.89
49316MN1170001	Rating Area 1	No Preference	50	429.68
49316MN1170001	Rating Area 1	No Preference	51	429.68
49316MN1170001	Rating Area 1	No Preference	52	429.68
49316MN1170001	Rating Area 1	No Preference	53	429.68
49316MN1170001	Rating Area 1	No Preference	54	429.68
49316MN1170001	Rating Area 1	No Preference	55	533.81
49316MN1170001	Rating Area 1	No Preference	56	533.81
49316MN1170001	Rating Area 1	No Preference	57	533.81

49316MN1170001	Rating Area 1	No Preference	58	533.81
49316MN1170001	Rating Area 1	No Preference	59	533.81
49316MN1170001	Rating Area 1	No Preference	60	630.46
49316MN1170001	Rating Area 1	No Preference	61	630.46
49316MN1170001	Rating Area 1	No Preference	62	630.46
49316MN1170001	Rating Area 1	No Preference	63	630.46
49316MN1170001	Rating Area 1	No Preference	64	659.02
49316MN1170001	Rating Area 1	No Preference	65 and over	659.02
49316MN1170001	Rating Area 2	No Preference	0-20	149.31
49316MN1170001	Rating Area 2	No Preference	21	172.97
49316MN1170001	Rating Area 2	No Preference	22	172.97
49316MN1170001	Rating Area 2	No Preference	23	172.97
49316MN1170001	Rating Area 2	No Preference	24	172.97
49316MN1170001	Rating Area 2	No Preference	25	172.97
49316MN1170001	Rating Area 2	No Preference	26	172.97
49316MN1170001	Rating Area 2	No Preference	27	172.97
49316MN1170001	Rating Area 2	No Preference	28	172.97
49316MN1170001	Rating Area 2	No Preference	29	172.97
49316MN1170001	Rating Area 2	No Preference	30	197.63
49316MN1170001	Rating Area 2	No Preference	31	197.63
49316MN1170001	Rating Area 2	No Preference	32	197.63
49316MN1170001	Rating Area 2	No Preference	33	197.63
49316MN1170001	Rating Area 2	No Preference	34	197.63
49316MN1170001	Rating Area 2	No Preference	35	208.03
49316MN1170001	Rating Area 2	No Preference	36	208.03
49316MN1170001	Rating Area 2	No Preference	37	208.03
49316MN1170001	Rating Area 2	No Preference	38	208.03
49316MN1170001	Rating Area 2	No Preference	39	208.03
49316MN1170001	Rating Area 2	No Preference	40	223.46
49316MN1170001	Rating Area 2	No Preference	41	223.46
49316MN1170001	Rating Area 2	No Preference	42	223.46
49316MN1170001	Rating Area 2	No Preference	43	223.46
49316MN1170001	Rating Area 2	No Preference	44	223.46
49316MN1170001	Rating Area 2	No Preference	45	263.39
49316MN1170001	Rating Area 2	No Preference	46	263.39
49316MN1170001	Rating Area 2	No Preference	47	263.39
49316MN1170001	Rating Area 2	No Preference	48	263.39
49316MN1170001	Rating Area 2	No Preference	49	263.39
49316MN1170001	Rating Area 2	No Preference	50	328.15
49316MN1170001	Rating Area 2	No Preference	51	328.15
49316MN1170001	Rating Area 2	No Preference	52	328.15
49316MN1170001	Rating Area 2	No Preference	53	328.15
49316MN1170001	Rating Area 2	No Preference	54	328.15
49316MN1170001	Rating Area 2	No Preference	55	407.67
49316MN1170001	Rating Area 2	No Preference	56	407.67
49316MN1170001	Rating Area 2	No Preference	57	407.67
49316MN1170001	Rating Area 2	No Preference	58	407.67

49316MN1170001	Rating Area 2	No Preference	59	407.67
49316MN1170001	Rating Area 2	No Preference	60	481.49
49316MN1170001	Rating Area 2	No Preference	61	481.49
49316MN1170001	Rating Area 2	No Preference	62	481.49
49316MN1170001	Rating Area 2	No Preference	63	481.49
49316MN1170001	Rating Area 2	No Preference	64	503.3
49316MN1170001	Rating Area 2	No Preference	65 and over	503.3
49316MN1170001	Rating Area 3	No Preference	0-20	152.35
49316MN1170001	Rating Area 3	No Preference	21	176.49
49316MN1170001	Rating Area 3	No Preference	22	176.49
49316MN1170001	Rating Area 3	No Preference	23	176.49
49316MN1170001	Rating Area 3	No Preference	24	176.49
49316MN1170001	Rating Area 3	No Preference	25	176.49
49316MN1170001	Rating Area 3	No Preference	26	176.49
49316MN1170001	Rating Area 3	No Preference	27	176.49
49316MN1170001	Rating Area 3	No Preference	28	176.49
49316MN1170001	Rating Area 3	No Preference	29	176.49
49316MN1170001	Rating Area 3	No Preference	30	201.65
49316MN1170001	Rating Area 3	No Preference	31	201.65
49316MN1170001	Rating Area 3	No Preference	32	201.65
49316MN1170001	Rating Area 3	No Preference	33	201.65
49316MN1170001	Rating Area 3	No Preference	34	201.65
49316MN1170001	Rating Area 3	No Preference	35	212.27
49316MN1170001	Rating Area 3	No Preference	36	212.27
49316MN1170001	Rating Area 3	No Preference	37	212.27
49316MN1170001	Rating Area 3	No Preference	38	212.27
49316MN1170001	Rating Area 3	No Preference	39	212.27
49316MN1170001	Rating Area 3	No Preference	40	228.02
49316MN1170001	Rating Area 3	No Preference	41	228.02
49316MN1170001	Rating Area 3	No Preference	42	228.02
49316MN1170001	Rating Area 3	No Preference	43	228.02
49316MN1170001	Rating Area 3	No Preference	44	228.02
49316MN1170001	Rating Area 3	No Preference	45	268.76
49316MN1170001	Rating Area 3	No Preference	46	268.76
49316MN1170001	Rating Area 3	No Preference	47	268.76
49316MN1170001	Rating Area 3	No Preference	48	268.76
49316MN1170001	Rating Area 3	No Preference	49	268.76
49316MN1170001	Rating Area 3	No Preference	50	334.83
49316MN1170001	Rating Area 3	No Preference	51	334.83
49316MN1170001	Rating Area 3	No Preference	52	334.83
49316MN1170001	Rating Area 3	No Preference	53	334.83
49316MN1170001	Rating Area 3	No Preference	54	334.83
49316MN1170001	Rating Area 3	No Preference	55	415.97
49316MN1170001	Rating Area 3	No Preference	56	415.97
49316MN1170001	Rating Area 3	No Preference	57	415.97
49316MN1170001	Rating Area 3	No Preference	58	415.97
49316MN1170001	Rating Area 3	No Preference	59	415.97

49316MN1170001	Rating Area 3	No Preference	60	491.29
49316MN1170001	Rating Area 3	No Preference	61	491.29
49316MN1170001	Rating Area 3	No Preference	62	491.29
49316MN1170001	Rating Area 3	No Preference	63	491.29
49316MN1170001	Rating Area 3	No Preference	64	513.55
49316MN1170001	Rating Area 3	No Preference	65 and over	513.55
49316MN1170001	Rating Area 4	No Preference	0-20	152.35
49316MN1170001	Rating Area 4	No Preference	21	176.49
49316MN1170001	Rating Area 4	No Preference	22	176.49
49316MN1170001	Rating Area 4	No Preference	23	176.49
49316MN1170001	Rating Area 4	No Preference	24	176.49
49316MN1170001	Rating Area 4	No Preference	25	176.49
49316MN1170001	Rating Area 4	No Preference	26	176.49
49316MN1170001	Rating Area 4	No Preference	27	176.49
49316MN1170001	Rating Area 4	No Preference	28	176.49
49316MN1170001	Rating Area 4	No Preference	29	176.49
49316MN1170001	Rating Area 4	No Preference	30	201.65
49316MN1170001	Rating Area 4	No Preference	31	201.65
49316MN1170001	Rating Area 4	No Preference	32	201.65
49316MN1170001	Rating Area 4	No Preference	33	201.65
49316MN1170001	Rating Area 4	No Preference	34	201.65
49316MN1170001	Rating Area 4	No Preference	35	212.27
49316MN1170001	Rating Area 4	No Preference	36	212.27
49316MN1170001	Rating Area 4	No Preference	37	212.27
49316MN1170001	Rating Area 4	No Preference	38	212.27
49316MN1170001	Rating Area 4	No Preference	39	212.27
49316MN1170001	Rating Area 4	No Preference	40	228.02
49316MN1170001	Rating Area 4	No Preference	41	228.02
49316MN1170001	Rating Area 4	No Preference	42	228.02
49316MN1170001	Rating Area 4	No Preference	43	228.02
49316MN1170001	Rating Area 4	No Preference	44	228.02
49316MN1170001	Rating Area 4	No Preference	45	268.76
49316MN1170001	Rating Area 4	No Preference	46	268.76
49316MN1170001	Rating Area 4	No Preference	47	268.76
49316MN1170001	Rating Area 4	No Preference	48	268.76
49316MN1170001	Rating Area 4	No Preference	49	268.76
49316MN1170001	Rating Area 4	No Preference	50	334.83
49316MN1170001	Rating Area 4	No Preference	51	334.83
49316MN1170001	Rating Area 4	No Preference	52	334.83
49316MN1170001	Rating Area 4	No Preference	53	334.83
49316MN1170001	Rating Area 4	No Preference	54	334.83
49316MN1170001	Rating Area 4	No Preference	55	415.97
49316MN1170001	Rating Area 4	No Preference	56	415.97
49316MN1170001	Rating Area 4	No Preference	57	415.97
49316MN1170001	Rating Area 4	No Preference	58	415.97
49316MN1170001	Rating Area 4	No Preference	59	415.97
49316MN1170001	Rating Area 4	No Preference	60	491.29

49316MN1170001	Rating Area 4	No Preference	61	491.29
49316MN1170001	Rating Area 4	No Preference	62	491.29
49316MN1170001	Rating Area 4	No Preference	63	491.29
49316MN1170001	Rating Area 4	No Preference	64	513.55
49316MN1170001	Rating Area 4	No Preference	65 and over	513.55
49316MN1170001	Rating Area 5	No Preference	0-20	152.35
49316MN1170001	Rating Area 5	No Preference	21	176.49
49316MN1170001	Rating Area 5	No Preference	22	176.49
49316MN1170001	Rating Area 5	No Preference	23	176.49
49316MN1170001	Rating Area 5	No Preference	24	176.49
49316MN1170001	Rating Area 5	No Preference	25	176.49
49316MN1170001	Rating Area 5	No Preference	26	176.49
49316MN1170001	Rating Area 5	No Preference	27	176.49
49316MN1170001	Rating Area 5	No Preference	28	176.49
49316MN1170001	Rating Area 5	No Preference	29	176.49
49316MN1170001	Rating Area 5	No Preference	30	201.65
49316MN1170001	Rating Area 5	No Preference	31	201.65
49316MN1170001	Rating Area 5	No Preference	32	201.65
49316MN1170001	Rating Area 5	No Preference	33	201.65
49316MN1170001	Rating Area 5	No Preference	34	201.65
49316MN1170001	Rating Area 5	No Preference	35	212.27
49316MN1170001	Rating Area 5	No Preference	36	212.27
49316MN1170001	Rating Area 5	No Preference	37	212.27
49316MN1170001	Rating Area 5	No Preference	38	212.27
49316MN1170001	Rating Area 5	No Preference	39	212.27
49316MN1170001	Rating Area 5	No Preference	40	228.02
49316MN1170001	Rating Area 5	No Preference	41	228.02
49316MN1170001	Rating Area 5	No Preference	42	228.02
49316MN1170001	Rating Area 5	No Preference	43	228.02
49316MN1170001	Rating Area 5	No Preference	44	228.02
49316MN1170001	Rating Area 5	No Preference	45	268.76
49316MN1170001	Rating Area 5	No Preference	46	268.76
49316MN1170001	Rating Area 5	No Preference	47	268.76
49316MN1170001	Rating Area 5	No Preference	48	268.76
49316MN1170001	Rating Area 5	No Preference	49	268.76
49316MN1170001	Rating Area 5	No Preference	50	334.83
49316MN1170001	Rating Area 5	No Preference	51	334.83
49316MN1170001	Rating Area 5	No Preference	52	334.83
49316MN1170001	Rating Area 5	No Preference	53	334.83
49316MN1170001	Rating Area 5	No Preference	54	334.83
49316MN1170001	Rating Area 5	No Preference	55	415.97
49316MN1170001	Rating Area 5	No Preference	56	415.97
49316MN1170001	Rating Area 5	No Preference	57	415.97
49316MN1170001	Rating Area 5	No Preference	58	415.97
49316MN1170001	Rating Area 5	No Preference	59	415.97
49316MN1170001	Rating Area 5	No Preference	60	491.29
49316MN1170001	Rating Area 5	No Preference	61	491.29

49316MN1170001	Rating Area 5	No Preference	62	491.29
49316MN1170001	Rating Area 5	No Preference	63	491.29
49316MN1170001	Rating Area 5	No Preference	64	513.55
49316MN1170001	Rating Area 5	No Preference	65 and over	513.55
49316MN1170001	Rating Area 6	No Preference	0-20	136.28
49316MN1170001	Rating Area 6	No Preference	21	157.87
49316MN1170001	Rating Area 6	No Preference	22	157.87
49316MN1170001	Rating Area 6	No Preference	23	157.87
49316MN1170001	Rating Area 6	No Preference	24	157.87
49316MN1170001	Rating Area 6	No Preference	25	157.87
49316MN1170001	Rating Area 6	No Preference	26	157.87
49316MN1170001	Rating Area 6	No Preference	27	157.87
49316MN1170001	Rating Area 6	No Preference	28	157.87
49316MN1170001	Rating Area 6	No Preference	29	157.87
49316MN1170001	Rating Area 6	No Preference	30	180.38
49316MN1170001	Rating Area 6	No Preference	31	180.38
49316MN1170001	Rating Area 6	No Preference	32	180.38
49316MN1170001	Rating Area 6	No Preference	33	180.38
49316MN1170001	Rating Area 6	No Preference	34	180.38
49316MN1170001	Rating Area 6	No Preference	35	189.87
49316MN1170001	Rating Area 6	No Preference	36	189.87
49316MN1170001	Rating Area 6	No Preference	37	189.87
49316MN1170001	Rating Area 6	No Preference	38	189.87
49316MN1170001	Rating Area 6	No Preference	39	189.87
49316MN1170001	Rating Area 6	No Preference	40	203.96
49316MN1170001	Rating Area 6	No Preference	41	203.96
49316MN1170001	Rating Area 6	No Preference	42	203.96
49316MN1170001	Rating Area 6	No Preference	43	203.96
49316MN1170001	Rating Area 6	No Preference	44	203.96
49316MN1170001	Rating Area 6	No Preference	45	240.4
49316MN1170001	Rating Area 6	No Preference	46	240.4
49316MN1170001	Rating Area 6	No Preference	47	240.4
49316MN1170001	Rating Area 6	No Preference	48	240.4
49316MN1170001	Rating Area 6	No Preference	49	240.4
49316MN1170001	Rating Area 6	No Preference	50	299.5
49316MN1170001	Rating Area 6	No Preference	51	299.5
49316MN1170001	Rating Area 6	No Preference	52	299.5
49316MN1170001	Rating Area 6	No Preference	53	299.5
49316MN1170001	Rating Area 6	No Preference	54	299.5
49316MN1170001	Rating Area 6	No Preference	55	372.08
49316MN1170001	Rating Area 6	No Preference	56	372.08
49316MN1170001	Rating Area 6	No Preference	57	372.08
49316MN1170001	Rating Area 6	No Preference	58	372.08
49316MN1170001	Rating Area 6	No Preference	59	372.08
49316MN1170001	Rating Area 6	No Preference	60	439.46
49316MN1170001	Rating Area 6	No Preference	61	439.46
49316MN1170001	Rating Area 6	No Preference	62	439.46

49316MN1170001	Rating Area 6	No Preference	63	439.46
49316MN1170001	Rating Area 6	No Preference	64	459.36
49316MN1170001	Rating Area 6	No Preference	65 and over	459.36
49316MN1170001	Rating Area 7	No Preference	0-20	149.31
49316MN1170001	Rating Area 7	No Preference	21	172.97
49316MN1170001	Rating Area 7	No Preference	22	172.97
49316MN1170001	Rating Area 7	No Preference	23	172.97
49316MN1170001	Rating Area 7	No Preference	24	172.97
49316MN1170001	Rating Area 7	No Preference	25	172.97
49316MN1170001	Rating Area 7	No Preference	26	172.97
49316MN1170001	Rating Area 7	No Preference	27	172.97
49316MN1170001	Rating Area 7	No Preference	28	172.97
49316MN1170001	Rating Area 7	No Preference	29	172.97
49316MN1170001	Rating Area 7	No Preference	30	197.63
49316MN1170001	Rating Area 7	No Preference	31	197.63
49316MN1170001	Rating Area 7	No Preference	32	197.63
49316MN1170001	Rating Area 7	No Preference	33	197.63
49316MN1170001	Rating Area 7	No Preference	34	197.63
49316MN1170001	Rating Area 7	No Preference	35	208.03
49316MN1170001	Rating Area 7	No Preference	36	208.03
49316MN1170001	Rating Area 7	No Preference	37	208.03
49316MN1170001	Rating Area 7	No Preference	38	208.03
49316MN1170001	Rating Area 7	No Preference	39	208.03
49316MN1170001	Rating Area 7	No Preference	40	223.46
49316MN1170001	Rating Area 7	No Preference	41	223.46
49316MN1170001	Rating Area 7	No Preference	42	223.46
49316MN1170001	Rating Area 7	No Preference	43	223.46
49316MN1170001	Rating Area 7	No Preference	44	223.46
49316MN1170001	Rating Area 7	No Preference	45	263.39
49316MN1170001	Rating Area 7	No Preference	46	263.39
49316MN1170001	Rating Area 7	No Preference	47	263.39
49316MN1170001	Rating Area 7	No Preference	48	263.39
49316MN1170001	Rating Area 7	No Preference	49	263.39
49316MN1170001	Rating Area 7	No Preference	50	328.15
49316MN1170001	Rating Area 7	No Preference	51	328.15
49316MN1170001	Rating Area 7	No Preference	52	328.15
49316MN1170001	Rating Area 7	No Preference	53	328.15
49316MN1170001	Rating Area 7	No Preference	54	328.15
49316MN1170001	Rating Area 7	No Preference	55	407.67
49316MN1170001	Rating Area 7	No Preference	56	407.67
49316MN1170001	Rating Area 7	No Preference	57	407.67
49316MN1170001	Rating Area 7	No Preference	58	407.67
49316MN1170001	Rating Area 7	No Preference	59	407.67
49316MN1170001	Rating Area 7	No Preference	60	481.49
49316MN1170001	Rating Area 7	No Preference	61	481.49
49316MN1170001	Rating Area 7	No Preference	62	481.49
49316MN1170001	Rating Area 7	No Preference	63	481.49

49316MN1170001	Rating Area 7	No Preference	64	503.3
49316MN1170001	Rating Area 7	No Preference	65 and over	503.3
49316MN1170001	Rating Area 8	No Preference	0-20	127.44
49316MN1170001	Rating Area 8	No Preference	21	147.63
49316MN1170001	Rating Area 8	No Preference	22	147.63
49316MN1170001	Rating Area 8	No Preference	23	147.63
49316MN1170001	Rating Area 8	No Preference	24	147.63
49316MN1170001	Rating Area 8	No Preference	25	147.63
49316MN1170001	Rating Area 8	No Preference	26	147.63
49316MN1170001	Rating Area 8	No Preference	27	147.63
49316MN1170001	Rating Area 8	No Preference	28	147.63
49316MN1170001	Rating Area 8	No Preference	29	147.63
49316MN1170001	Rating Area 8	No Preference	30	168.68
49316MN1170001	Rating Area 8	No Preference	31	168.68
49316MN1170001	Rating Area 8	No Preference	32	168.68
49316MN1170001	Rating Area 8	No Preference	33	168.68
49316MN1170001	Rating Area 8	No Preference	34	168.68
49316MN1170001	Rating Area 8	No Preference	35	177.56
49316MN1170001	Rating Area 8	No Preference	36	177.56
49316MN1170001	Rating Area 8	No Preference	37	177.56
49316MN1170001	Rating Area 8	No Preference	38	177.56
49316MN1170001	Rating Area 8	No Preference	39	177.56
49316MN1170001	Rating Area 8	No Preference	40	190.74
49316MN1170001	Rating Area 8	No Preference	41	190.74
49316MN1170001	Rating Area 8	No Preference	42	190.74
49316MN1170001	Rating Area 8	No Preference	43	190.74
49316MN1170001	Rating Area 8	No Preference	44	190.74
49316MN1170001	Rating Area 8	No Preference	45	224.82
49316MN1170001	Rating Area 8	No Preference	46	224.82
49316MN1170001	Rating Area 8	No Preference	47	224.82
49316MN1170001	Rating Area 8	No Preference	48	224.82
49316MN1170001	Rating Area 8	No Preference	49	224.82
49316MN1170001	Rating Area 8	No Preference	50	280.09
49316MN1170001	Rating Area 8	No Preference	51	280.09
49316MN1170001	Rating Area 8	No Preference	52	280.09
49316MN1170001	Rating Area 8	No Preference	53	280.09
49316MN1170001	Rating Area 8	No Preference	54	280.09
49316MN1170001	Rating Area 8	No Preference	55	347.96
49316MN1170001	Rating Area 8	No Preference	56	347.96
49316MN1170001	Rating Area 8	No Preference	57	347.96
49316MN1170001	Rating Area 8	No Preference	58	347.96
49316MN1170001	Rating Area 8	No Preference	59	347.96
49316MN1170001	Rating Area 8	No Preference	60	410.97
49316MN1170001	Rating Area 8	No Preference	61	410.97
49316MN1170001	Rating Area 8	No Preference	62	410.97
49316MN1170001	Rating Area 8	No Preference	63	410.97
49316MN1170001	Rating Area 8	No Preference	64	429.58

49316MN1170001	Rating Area 8	No Preference	65 and over	429.58
49316MN1170001	Rating Area 9	No Preference	0-20	127.44
49316MN1170001	Rating Area 9	No Preference	21	147.63
49316MN1170001	Rating Area 9	No Preference	22	147.63
49316MN1170001	Rating Area 9	No Preference	23	147.63
49316MN1170001	Rating Area 9	No Preference	24	147.63
49316MN1170001	Rating Area 9	No Preference	25	147.63
49316MN1170001	Rating Area 9	No Preference	26	147.63
49316MN1170001	Rating Area 9	No Preference	27	147.63
49316MN1170001	Rating Area 9	No Preference	28	147.63
49316MN1170001	Rating Area 9	No Preference	29	147.63
49316MN1170001	Rating Area 9	No Preference	30	168.68
49316MN1170001	Rating Area 9	No Preference	31	168.68
49316MN1170001	Rating Area 9	No Preference	32	168.68
49316MN1170001	Rating Area 9	No Preference	33	168.68
49316MN1170001	Rating Area 9	No Preference	34	168.68
49316MN1170001	Rating Area 9	No Preference	35	177.56
49316MN1170001	Rating Area 9	No Preference	36	177.56
49316MN1170001	Rating Area 9	No Preference	37	177.56
49316MN1170001	Rating Area 9	No Preference	38	177.56
49316MN1170001	Rating Area 9	No Preference	39	177.56
49316MN1170001	Rating Area 9	No Preference	40	190.74
49316MN1170001	Rating Area 9	No Preference	41	190.74
49316MN1170001	Rating Area 9	No Preference	42	190.74
49316MN1170001	Rating Area 9	No Preference	43	190.74
49316MN1170001	Rating Area 9	No Preference	44	190.74
49316MN1170001	Rating Area 9	No Preference	45	224.82
49316MN1170001	Rating Area 9	No Preference	46	224.82
49316MN1170001	Rating Area 9	No Preference	47	224.82
49316MN1170001	Rating Area 9	No Preference	48	224.82
49316MN1170001	Rating Area 9	No Preference	49	224.82
49316MN1170001	Rating Area 9	No Preference	50	280.09
49316MN1170001	Rating Area 9	No Preference	51	280.09
49316MN1170001	Rating Area 9	No Preference	52	280.09
49316MN1170001	Rating Area 9	No Preference	53	280.09
49316MN1170001	Rating Area 9	No Preference	54	280.09
49316MN1170001	Rating Area 9	No Preference	55	347.96
49316MN1170001	Rating Area 9	No Preference	56	347.96
49316MN1170001	Rating Area 9	No Preference	57	347.96
49316MN1170001	Rating Area 9	No Preference	58	347.96
49316MN1170001	Rating Area 9	No Preference	59	347.96
49316MN1170001	Rating Area 9	No Preference	60	410.97
49316MN1170001	Rating Area 9	No Preference	61	410.97
49316MN1170001	Rating Area 9	No Preference	62	410.97
49316MN1170001	Rating Area 9	No Preference	63	410.97
49316MN1170001	Rating Area 9	No Preference	64	429.58
49316MN1170001	Rating Area 9	No Preference	65 and over	429.58

49316MN1170002	Rating Area 1	No Preference	0-20	220.95
49316MN1170002	Rating Area 1	No Preference	21	255.96
49316MN1170002	Rating Area 1	No Preference	22	255.96
49316MN1170002	Rating Area 1	No Preference	23	255.96
49316MN1170002	Rating Area 1	No Preference	24	255.96
49316MN1170002	Rating Area 1	No Preference	25	255.96
49316MN1170002	Rating Area 1	No Preference	26	255.96
49316MN1170002	Rating Area 1	No Preference	27	255.96
49316MN1170002	Rating Area 1	No Preference	28	255.96
49316MN1170002	Rating Area 1	No Preference	29	255.96
49316MN1170002	Rating Area 1	No Preference	30	292.45
49316MN1170002	Rating Area 1	No Preference	31	292.45
49316MN1170002	Rating Area 1	No Preference	32	292.45
49316MN1170002	Rating Area 1	No Preference	33	292.45
49316MN1170002	Rating Area 1	No Preference	34	292.45
49316MN1170002	Rating Area 1	No Preference	35	307.84
49316MN1170002	Rating Area 1	No Preference	36	307.84
49316MN1170002	Rating Area 1	No Preference	37	307.84
49316MN1170002	Rating Area 1	No Preference	38	307.84
49316MN1170002	Rating Area 1	No Preference	39	307.84
49316MN1170002	Rating Area 1	No Preference	40	330.68
49316MN1170002	Rating Area 1	No Preference	41	330.68
49316MN1170002	Rating Area 1	No Preference	42	330.68
49316MN1170002	Rating Area 1	No Preference	43	330.68
49316MN1170002	Rating Area 1	No Preference	44	330.68
49316MN1170002	Rating Area 1	No Preference	45	389.77
49316MN1170002	Rating Area 1	No Preference	46	389.77
49316MN1170002	Rating Area 1	No Preference	47	389.77
49316MN1170002	Rating Area 1	No Preference	48	389.77
49316MN1170002	Rating Area 1	No Preference	49	389.77
49316MN1170002	Rating Area 1	No Preference	50	485.6
49316MN1170002	Rating Area 1	No Preference	51	485.6
49316MN1170002	Rating Area 1	No Preference	52	485.6
49316MN1170002	Rating Area 1	No Preference	53	485.6
49316MN1170002	Rating Area 1	No Preference	54	485.6
49316MN1170002	Rating Area 1	No Preference	55	603.27
49316MN1170002	Rating Area 1	No Preference	56	603.27
49316MN1170002	Rating Area 1	No Preference	57	603.27
49316MN1170002	Rating Area 1	No Preference	58	603.27
49316MN1170002	Rating Area 1	No Preference	59	603.27
49316MN1170002	Rating Area 1	No Preference	60	712.51
49316MN1170002	Rating Area 1	No Preference	61	712.51
49316MN1170002	Rating Area 1	No Preference	62	712.51
49316MN1170002	Rating Area 1	No Preference	63	712.51
49316MN1170002	Rating Area 1	No Preference	64	744.78
49316MN1170002	Rating Area 1	No Preference	65 and over	744.78
49316MN1170002	Rating Area 2	No Preference	0-20	168.74

49316MN1170002	Rating Area 2	No Preference	21	195.48
49316MN1170002	Rating Area 2	No Preference	22	195.48
49316MN1170002	Rating Area 2	No Preference	23	195.48
49316MN1170002	Rating Area 2	No Preference	24	195.48
49316MN1170002	Rating Area 2	No Preference	25	195.48
49316MN1170002	Rating Area 2	No Preference	26	195.48
49316MN1170002	Rating Area 2	No Preference	27	195.48
49316MN1170002	Rating Area 2	No Preference	28	195.48
49316MN1170002	Rating Area 2	No Preference	29	195.48
49316MN1170002	Rating Area 2	No Preference	30	223.35
49316MN1170002	Rating Area 2	No Preference	31	223.35
49316MN1170002	Rating Area 2	No Preference	32	223.35
49316MN1170002	Rating Area 2	No Preference	33	223.35
49316MN1170002	Rating Area 2	No Preference	34	223.35
49316MN1170002	Rating Area 2	No Preference	35	235.1
49316MN1170002	Rating Area 2	No Preference	36	235.1
49316MN1170002	Rating Area 2	No Preference	37	235.1
49316MN1170002	Rating Area 2	No Preference	38	235.1
49316MN1170002	Rating Area 2	No Preference	39	235.1
49316MN1170002	Rating Area 2	No Preference	40	252.54
49316MN1170002	Rating Area 2	No Preference	41	252.54
49316MN1170002	Rating Area 2	No Preference	42	252.54
49316MN1170002	Rating Area 2	No Preference	43	252.54
49316MN1170002	Rating Area 2	No Preference	44	252.54
49316MN1170002	Rating Area 2	No Preference	45	297.67
49316MN1170002	Rating Area 2	No Preference	46	297.67
49316MN1170002	Rating Area 2	No Preference	47	297.67
49316MN1170002	Rating Area 2	No Preference	48	297.67
49316MN1170002	Rating Area 2	No Preference	49	297.67
49316MN1170002	Rating Area 2	No Preference	50	370.85
49316MN1170002	Rating Area 2	No Preference	51	370.85
49316MN1170002	Rating Area 2	No Preference	52	370.85
49316MN1170002	Rating Area 2	No Preference	53	370.85
49316MN1170002	Rating Area 2	No Preference	54	370.85
49316MN1170002	Rating Area 2	No Preference	55	460.72
49316MN1170002	Rating Area 2	No Preference	56	460.72
49316MN1170002	Rating Area 2	No Preference	57	460.72
49316MN1170002	Rating Area 2	No Preference	58	460.72
49316MN1170002	Rating Area 2	No Preference	59	460.72
49316MN1170002	Rating Area 2	No Preference	60	544.15
49316MN1170002	Rating Area 2	No Preference	61	544.15
49316MN1170002	Rating Area 2	No Preference	62	544.15
49316MN1170002	Rating Area 2	No Preference	63	544.15
49316MN1170002	Rating Area 2	No Preference	64	568.79
49316MN1170002	Rating Area 2	No Preference	65 and over	568.79
49316MN1170002	Rating Area 3	No Preference	0-20	172.18
49316MN1170002	Rating Area 3	No Preference	21	199.46

49316MN1170002	Rating Area 3	No Preference	22	199.46
49316MN1170002	Rating Area 3	No Preference	23	199.46
49316MN1170002	Rating Area 3	No Preference	24	199.46
49316MN1170002	Rating Area 3	No Preference	25	199.46
49316MN1170002	Rating Area 3	No Preference	26	199.46
49316MN1170002	Rating Area 3	No Preference	27	199.46
49316MN1170002	Rating Area 3	No Preference	28	199.46
49316MN1170002	Rating Area 3	No Preference	29	199.46
49316MN1170002	Rating Area 3	No Preference	30	227.9
49316MN1170002	Rating Area 3	No Preference	31	227.9
49316MN1170002	Rating Area 3	No Preference	32	227.9
49316MN1170002	Rating Area 3	No Preference	33	227.9
49316MN1170002	Rating Area 3	No Preference	34	227.9
49316MN1170002	Rating Area 3	No Preference	35	239.89
49316MN1170002	Rating Area 3	No Preference	36	239.89
49316MN1170002	Rating Area 3	No Preference	37	239.89
49316MN1170002	Rating Area 3	No Preference	38	239.89
49316MN1170002	Rating Area 3	No Preference	39	239.89
49316MN1170002	Rating Area 3	No Preference	40	257.69
49316MN1170002	Rating Area 3	No Preference	41	257.69
49316MN1170002	Rating Area 3	No Preference	42	257.69
49316MN1170002	Rating Area 3	No Preference	43	257.69
49316MN1170002	Rating Area 3	No Preference	44	257.69
49316MN1170002	Rating Area 3	No Preference	45	303.73
49316MN1170002	Rating Area 3	No Preference	46	303.73
49316MN1170002	Rating Area 3	No Preference	47	303.73
49316MN1170002	Rating Area 3	No Preference	48	303.73
49316MN1170002	Rating Area 3	No Preference	49	303.73
49316MN1170002	Rating Area 3	No Preference	50	378.41
49316MN1170002	Rating Area 3	No Preference	51	378.41
49316MN1170002	Rating Area 3	No Preference	52	378.41
49316MN1170002	Rating Area 3	No Preference	53	378.41
49316MN1170002	Rating Area 3	No Preference	54	378.41
49316MN1170002	Rating Area 3	No Preference	55	470.11
49316MN1170002	Rating Area 3	No Preference	56	470.11
49316MN1170002	Rating Area 3	No Preference	57	470.11
49316MN1170002	Rating Area 3	No Preference	58	470.11
49316MN1170002	Rating Area 3	No Preference	59	470.11
49316MN1170002	Rating Area 3	No Preference	60	555.23
49316MN1170002	Rating Area 3	No Preference	61	555.23
49316MN1170002	Rating Area 3	No Preference	62	555.23
49316MN1170002	Rating Area 3	No Preference	63	555.23
49316MN1170002	Rating Area 3	No Preference	64	580.38
49316MN1170002	Rating Area 3	No Preference	65 and over	580.38
49316MN1170002	Rating Area 4	No Preference	0-20	172.18
49316MN1170002	Rating Area 4	No Preference	21	199.46
49316MN1170002	Rating Area 4	No Preference	22	199.46

49316MN1170002	Rating Area 4	No Preference	23	199.46
49316MN1170002	Rating Area 4	No Preference	24	199.46
49316MN1170002	Rating Area 4	No Preference	25	199.46
49316MN1170002	Rating Area 4	No Preference	26	199.46
49316MN1170002	Rating Area 4	No Preference	27	199.46
49316MN1170002	Rating Area 4	No Preference	28	199.46
49316MN1170002	Rating Area 4	No Preference	29	199.46
49316MN1170002	Rating Area 4	No Preference	30	227.9
49316MN1170002	Rating Area 4	No Preference	31	227.9
49316MN1170002	Rating Area 4	No Preference	32	227.9
49316MN1170002	Rating Area 4	No Preference	33	227.9
49316MN1170002	Rating Area 4	No Preference	34	227.9
49316MN1170002	Rating Area 4	No Preference	35	239.89
49316MN1170002	Rating Area 4	No Preference	36	239.89
49316MN1170002	Rating Area 4	No Preference	37	239.89
49316MN1170002	Rating Area 4	No Preference	38	239.89
49316MN1170002	Rating Area 4	No Preference	39	239.89
49316MN1170002	Rating Area 4	No Preference	40	257.69
49316MN1170002	Rating Area 4	No Preference	41	257.69
49316MN1170002	Rating Area 4	No Preference	42	257.69
49316MN1170002	Rating Area 4	No Preference	43	257.69
49316MN1170002	Rating Area 4	No Preference	44	257.69
49316MN1170002	Rating Area 4	No Preference	45	303.73
49316MN1170002	Rating Area 4	No Preference	46	303.73
49316MN1170002	Rating Area 4	No Preference	47	303.73
49316MN1170002	Rating Area 4	No Preference	48	303.73
49316MN1170002	Rating Area 4	No Preference	49	303.73
49316MN1170002	Rating Area 4	No Preference	50	378.41
49316MN1170002	Rating Area 4	No Preference	51	378.41
49316MN1170002	Rating Area 4	No Preference	52	378.41
49316MN1170002	Rating Area 4	No Preference	53	378.41
49316MN1170002	Rating Area 4	No Preference	54	378.41
49316MN1170002	Rating Area 4	No Preference	55	470.11
49316MN1170002	Rating Area 4	No Preference	56	470.11
49316MN1170002	Rating Area 4	No Preference	57	470.11
49316MN1170002	Rating Area 4	No Preference	58	470.11
49316MN1170002	Rating Area 4	No Preference	59	470.11
49316MN1170002	Rating Area 4	No Preference	60	555.23
49316MN1170002	Rating Area 4	No Preference	61	555.23
49316MN1170002	Rating Area 4	No Preference	62	555.23
49316MN1170002	Rating Area 4	No Preference	63	555.23
49316MN1170002	Rating Area 4	No Preference	64	580.38
49316MN1170002	Rating Area 4	No Preference	65 and over	580.38
49316MN1170002	Rating Area 5	No Preference	0-20	172.18
49316MN1170002	Rating Area 5	No Preference	21	199.46
49316MN1170002	Rating Area 5	No Preference	22	199.46
49316MN1170002	Rating Area 5	No Preference	23	199.46

49316MN1170002	Rating Area 5	No Preference	24	199.46
49316MN1170002	Rating Area 5	No Preference	25	199.46
49316MN1170002	Rating Area 5	No Preference	26	199.46
49316MN1170002	Rating Area 5	No Preference	27	199.46
49316MN1170002	Rating Area 5	No Preference	28	199.46
49316MN1170002	Rating Area 5	No Preference	29	199.46
49316MN1170002	Rating Area 5	No Preference	30	227.9
49316MN1170002	Rating Area 5	No Preference	31	227.9
49316MN1170002	Rating Area 5	No Preference	32	227.9
49316MN1170002	Rating Area 5	No Preference	33	227.9
49316MN1170002	Rating Area 5	No Preference	34	227.9
49316MN1170002	Rating Area 5	No Preference	35	239.89
49316MN1170002	Rating Area 5	No Preference	36	239.89
49316MN1170002	Rating Area 5	No Preference	37	239.89
49316MN1170002	Rating Area 5	No Preference	38	239.89
49316MN1170002	Rating Area 5	No Preference	39	239.89
49316MN1170002	Rating Area 5	No Preference	40	257.69
49316MN1170002	Rating Area 5	No Preference	41	257.69
49316MN1170002	Rating Area 5	No Preference	42	257.69
49316MN1170002	Rating Area 5	No Preference	43	257.69
49316MN1170002	Rating Area 5	No Preference	44	257.69
49316MN1170002	Rating Area 5	No Preference	45	303.73
49316MN1170002	Rating Area 5	No Preference	46	303.73
49316MN1170002	Rating Area 5	No Preference	47	303.73
49316MN1170002	Rating Area 5	No Preference	48	303.73
49316MN1170002	Rating Area 5	No Preference	49	303.73
49316MN1170002	Rating Area 5	No Preference	50	378.41
49316MN1170002	Rating Area 5	No Preference	51	378.41
49316MN1170002	Rating Area 5	No Preference	52	378.41
49316MN1170002	Rating Area 5	No Preference	53	378.41
49316MN1170002	Rating Area 5	No Preference	54	378.41
49316MN1170002	Rating Area 5	No Preference	55	470.11
49316MN1170002	Rating Area 5	No Preference	56	470.11
49316MN1170002	Rating Area 5	No Preference	57	470.11
49316MN1170002	Rating Area 5	No Preference	58	470.11
49316MN1170002	Rating Area 5	No Preference	59	470.11
49316MN1170002	Rating Area 5	No Preference	60	555.23
49316MN1170002	Rating Area 5	No Preference	61	555.23
49316MN1170002	Rating Area 5	No Preference	62	555.23
49316MN1170002	Rating Area 5	No Preference	63	555.23
49316MN1170002	Rating Area 5	No Preference	64	580.38
49316MN1170002	Rating Area 5	No Preference	65 and over	580.38
49316MN1170002	Rating Area 6	No Preference	0-20	154.01
49316MN1170002	Rating Area 6	No Preference	21	178.41
49316MN1170002	Rating Area 6	No Preference	22	178.41
49316MN1170002	Rating Area 6	No Preference	23	178.41
49316MN1170002	Rating Area 6	No Preference	24	178.41

49316MN1170002	Rating Area 6	No Preference	25	178.41
49316MN1170002	Rating Area 6	No Preference	26	178.41
49316MN1170002	Rating Area 6	No Preference	27	178.41
49316MN1170002	Rating Area 6	No Preference	28	178.41
49316MN1170002	Rating Area 6	No Preference	29	178.41
49316MN1170002	Rating Area 6	No Preference	30	203.85
49316MN1170002	Rating Area 6	No Preference	31	203.85
49316MN1170002	Rating Area 6	No Preference	32	203.85
49316MN1170002	Rating Area 6	No Preference	33	203.85
49316MN1170002	Rating Area 6	No Preference	34	203.85
49316MN1170002	Rating Area 6	No Preference	35	214.58
49316MN1170002	Rating Area 6	No Preference	36	214.58
49316MN1170002	Rating Area 6	No Preference	37	214.58
49316MN1170002	Rating Area 6	No Preference	38	214.58
49316MN1170002	Rating Area 6	No Preference	39	214.58
49316MN1170002	Rating Area 6	No Preference	40	230.5
49316MN1170002	Rating Area 6	No Preference	41	230.5
49316MN1170002	Rating Area 6	No Preference	42	230.5
49316MN1170002	Rating Area 6	No Preference	43	230.5
49316MN1170002	Rating Area 6	No Preference	44	230.5
49316MN1170002	Rating Area 6	No Preference	45	271.68
49316MN1170002	Rating Area 6	No Preference	46	271.68
49316MN1170002	Rating Area 6	No Preference	47	271.68
49316MN1170002	Rating Area 6	No Preference	48	271.68
49316MN1170002	Rating Area 6	No Preference	49	271.68
49316MN1170002	Rating Area 6	No Preference	50	338.48
49316MN1170002	Rating Area 6	No Preference	51	338.48
49316MN1170002	Rating Area 6	No Preference	52	338.48
49316MN1170002	Rating Area 6	No Preference	53	338.48
49316MN1170002	Rating Area 6	No Preference	54	338.48
49316MN1170002	Rating Area 6	No Preference	55	420.5
49316MN1170002	Rating Area 6	No Preference	56	420.5
49316MN1170002	Rating Area 6	No Preference	57	420.5
49316MN1170002	Rating Area 6	No Preference	58	420.5
49316MN1170002	Rating Area 6	No Preference	59	420.5
49316MN1170002	Rating Area 6	No Preference	60	496.65
49316MN1170002	Rating Area 6	No Preference	61	496.65
49316MN1170002	Rating Area 6	No Preference	62	496.65
49316MN1170002	Rating Area 6	No Preference	63	496.65
49316MN1170002	Rating Area 6	No Preference	64	519.14
49316MN1170002	Rating Area 6	No Preference	65 and over	519.14
49316MN1170002	Rating Area 7	No Preference	0-20	168.74
49316MN1170002	Rating Area 7	No Preference	21	195.48
49316MN1170002	Rating Area 7	No Preference	22	195.48
49316MN1170002	Rating Area 7	No Preference	23	195.48
49316MN1170002	Rating Area 7	No Preference	24	195.48
49316MN1170002	Rating Area 7	No Preference	25	195.48

49316MN1170002	Rating Area 7	No Preference	26	195.48
49316MN1170002	Rating Area 7	No Preference	27	195.48
49316MN1170002	Rating Area 7	No Preference	28	195.48
49316MN1170002	Rating Area 7	No Preference	29	195.48
49316MN1170002	Rating Area 7	No Preference	30	223.35
49316MN1170002	Rating Area 7	No Preference	31	223.35
49316MN1170002	Rating Area 7	No Preference	32	223.35
49316MN1170002	Rating Area 7	No Preference	33	223.35
49316MN1170002	Rating Area 7	No Preference	34	223.35
49316MN1170002	Rating Area 7	No Preference	35	235.1
49316MN1170002	Rating Area 7	No Preference	36	235.1
49316MN1170002	Rating Area 7	No Preference	37	235.1
49316MN1170002	Rating Area 7	No Preference	38	235.1
49316MN1170002	Rating Area 7	No Preference	39	235.1
49316MN1170002	Rating Area 7	No Preference	40	252.54
49316MN1170002	Rating Area 7	No Preference	41	252.54
49316MN1170002	Rating Area 7	No Preference	42	252.54
49316MN1170002	Rating Area 7	No Preference	43	252.54
49316MN1170002	Rating Area 7	No Preference	44	252.54
49316MN1170002	Rating Area 7	No Preference	45	297.67
49316MN1170002	Rating Area 7	No Preference	46	297.67
49316MN1170002	Rating Area 7	No Preference	47	297.67
49316MN1170002	Rating Area 7	No Preference	48	297.67
49316MN1170002	Rating Area 7	No Preference	49	297.67
49316MN1170002	Rating Area 7	No Preference	50	370.85
49316MN1170002	Rating Area 7	No Preference	51	370.85
49316MN1170002	Rating Area 7	No Preference	52	370.85
49316MN1170002	Rating Area 7	No Preference	53	370.85
49316MN1170002	Rating Area 7	No Preference	54	370.85
49316MN1170002	Rating Area 7	No Preference	55	460.72
49316MN1170002	Rating Area 7	No Preference	56	460.72
49316MN1170002	Rating Area 7	No Preference	57	460.72
49316MN1170002	Rating Area 7	No Preference	58	460.72
49316MN1170002	Rating Area 7	No Preference	59	460.72
49316MN1170002	Rating Area 7	No Preference	60	544.15
49316MN1170002	Rating Area 7	No Preference	61	544.15
49316MN1170002	Rating Area 7	No Preference	62	544.15
49316MN1170002	Rating Area 7	No Preference	63	544.15
49316MN1170002	Rating Area 7	No Preference	64	568.79
49316MN1170002	Rating Area 7	No Preference	65 and over	568.79
49316MN1170002	Rating Area 8	No Preference	0-20	144.03
49316MN1170002	Rating Area 8	No Preference	21	166.85
49316MN1170002	Rating Area 8	No Preference	22	166.85
49316MN1170002	Rating Area 8	No Preference	23	166.85
49316MN1170002	Rating Area 8	No Preference	24	166.85
49316MN1170002	Rating Area 8	No Preference	25	166.85
49316MN1170002	Rating Area 8	No Preference	26	166.85

49316MN1170002	Rating Area 8	No Preference	27	166.85
49316MN1170002	Rating Area 8	No Preference	28	166.85
49316MN1170002	Rating Area 8	No Preference	29	166.85
49316MN1170002	Rating Area 8	No Preference	30	190.64
49316MN1170002	Rating Area 8	No Preference	31	190.64
49316MN1170002	Rating Area 8	No Preference	32	190.64
49316MN1170002	Rating Area 8	No Preference	33	190.64
49316MN1170002	Rating Area 8	No Preference	34	190.64
49316MN1170002	Rating Area 8	No Preference	35	200.67
49316MN1170002	Rating Area 8	No Preference	36	200.67
49316MN1170002	Rating Area 8	No Preference	37	200.67
49316MN1170002	Rating Area 8	No Preference	38	200.67
49316MN1170002	Rating Area 8	No Preference	39	200.67
49316MN1170002	Rating Area 8	No Preference	40	215.56
49316MN1170002	Rating Area 8	No Preference	41	215.56
49316MN1170002	Rating Area 8	No Preference	42	215.56
49316MN1170002	Rating Area 8	No Preference	43	215.56
49316MN1170002	Rating Area 8	No Preference	44	215.56
49316MN1170002	Rating Area 8	No Preference	45	254.07
49316MN1170002	Rating Area 8	No Preference	46	254.07
49316MN1170002	Rating Area 8	No Preference	47	254.07
49316MN1170002	Rating Area 8	No Preference	48	254.07
49316MN1170002	Rating Area 8	No Preference	49	254.07
49316MN1170002	Rating Area 8	No Preference	50	316.54
49316MN1170002	Rating Area 8	No Preference	51	316.54
49316MN1170002	Rating Area 8	No Preference	52	316.54
49316MN1170002	Rating Area 8	No Preference	53	316.54
49316MN1170002	Rating Area 8	No Preference	54	316.54
49316MN1170002	Rating Area 8	No Preference	55	393.25
49316MN1170002	Rating Area 8	No Preference	56	393.25
49316MN1170002	Rating Area 8	No Preference	57	393.25
49316MN1170002	Rating Area 8	No Preference	58	393.25
49316MN1170002	Rating Area 8	No Preference	59	393.25
49316MN1170002	Rating Area 8	No Preference	60	464.45
49316MN1170002	Rating Area 8	No Preference	61	464.45
49316MN1170002	Rating Area 8	No Preference	62	464.45
49316MN1170002	Rating Area 8	No Preference	63	464.45
49316MN1170002	Rating Area 8	No Preference	64	485.49
49316MN1170002	Rating Area 8	No Preference	65 and over	485.49
49316MN1170002	Rating Area 9	No Preference	0-20	144.03
49316MN1170002	Rating Area 9	No Preference	21	166.85
49316MN1170002	Rating Area 9	No Preference	22	166.85
49316MN1170002	Rating Area 9	No Preference	23	166.85
49316MN1170002	Rating Area 9	No Preference	24	166.85
49316MN1170002	Rating Area 9	No Preference	25	166.85
49316MN1170002	Rating Area 9	No Preference	26	166.85
49316MN1170002	Rating Area 9	No Preference	27	166.85

49316MN1170002	Rating Area 9	No Preference	28	166.85
49316MN1170002	Rating Area 9	No Preference	29	166.85
49316MN1170002	Rating Area 9	No Preference	30	190.64
49316MN1170002	Rating Area 9	No Preference	31	190.64
49316MN1170002	Rating Area 9	No Preference	32	190.64
49316MN1170002	Rating Area 9	No Preference	33	190.64
49316MN1170002	Rating Area 9	No Preference	34	190.64
49316MN1170002	Rating Area 9	No Preference	35	200.67
49316MN1170002	Rating Area 9	No Preference	36	200.67
49316MN1170002	Rating Area 9	No Preference	37	200.67
49316MN1170002	Rating Area 9	No Preference	38	200.67
49316MN1170002	Rating Area 9	No Preference	39	200.67
49316MN1170002	Rating Area 9	No Preference	40	215.56
49316MN1170002	Rating Area 9	No Preference	41	215.56
49316MN1170002	Rating Area 9	No Preference	42	215.56
49316MN1170002	Rating Area 9	No Preference	43	215.56
49316MN1170002	Rating Area 9	No Preference	44	215.56
49316MN1170002	Rating Area 9	No Preference	45	254.07
49316MN1170002	Rating Area 9	No Preference	46	254.07
49316MN1170002	Rating Area 9	No Preference	47	254.07
49316MN1170002	Rating Area 9	No Preference	48	254.07
49316MN1170002	Rating Area 9	No Preference	49	254.07
49316MN1170002	Rating Area 9	No Preference	50	316.54
49316MN1170002	Rating Area 9	No Preference	51	316.54
49316MN1170002	Rating Area 9	No Preference	52	316.54
49316MN1170002	Rating Area 9	No Preference	53	316.54
49316MN1170002	Rating Area 9	No Preference	54	316.54
49316MN1170002	Rating Area 9	No Preference	55	393.25
49316MN1170002	Rating Area 9	No Preference	56	393.25
49316MN1170002	Rating Area 9	No Preference	57	393.25
49316MN1170002	Rating Area 9	No Preference	58	393.25
49316MN1170002	Rating Area 9	No Preference	59	393.25
49316MN1170002	Rating Area 9	No Preference	60	464.45
49316MN1170002	Rating Area 9	No Preference	61	464.45
49316MN1170002	Rating Area 9	No Preference	62	464.45
49316MN1170002	Rating Area 9	No Preference	63	464.45
49316MN1170002	Rating Area 9	No Preference	64	485.49
49316MN1170002	Rating Area 9	No Preference	65 and over	485.49
49316MN1170003	Rating Area 1	No Preference	0-20	252.13
49316MN1170003	Rating Area 1	No Preference	21	292.07
49316MN1170003	Rating Area 1	No Preference	22	292.07
49316MN1170003	Rating Area 1	No Preference	23	292.07
49316MN1170003	Rating Area 1	No Preference	24	292.07
49316MN1170003	Rating Area 1	No Preference	25	292.07
49316MN1170003	Rating Area 1	No Preference	26	292.07
49316MN1170003	Rating Area 1	No Preference	27	292.07
49316MN1170003	Rating Area 1	No Preference	28	292.07

49316MN1170003	Rating Area 1	No Preference	29	292.07
49316MN1170003	Rating Area 1	No Preference	30	333.72
49316MN1170003	Rating Area 1	No Preference	31	333.72
49316MN1170003	Rating Area 1	No Preference	32	333.72
49316MN1170003	Rating Area 1	No Preference	33	333.72
49316MN1170003	Rating Area 1	No Preference	34	333.72
49316MN1170003	Rating Area 1	No Preference	35	351.28
49316MN1170003	Rating Area 1	No Preference	36	351.28
49316MN1170003	Rating Area 1	No Preference	37	351.28
49316MN1170003	Rating Area 1	No Preference	38	351.28
49316MN1170003	Rating Area 1	No Preference	39	351.28
49316MN1170003	Rating Area 1	No Preference	40	377.35
49316MN1170003	Rating Area 1	No Preference	41	377.35
49316MN1170003	Rating Area 1	No Preference	42	377.35
49316MN1170003	Rating Area 1	No Preference	43	377.35
49316MN1170003	Rating Area 1	No Preference	44	377.35
49316MN1170003	Rating Area 1	No Preference	45	444.77
49316MN1170003	Rating Area 1	No Preference	46	444.77
49316MN1170003	Rating Area 1	No Preference	47	444.77
49316MN1170003	Rating Area 1	No Preference	48	444.77
49316MN1170003	Rating Area 1	No Preference	49	444.77
49316MN1170003	Rating Area 1	No Preference	50	554.12
49316MN1170003	Rating Area 1	No Preference	51	554.12
49316MN1170003	Rating Area 1	No Preference	52	554.12
49316MN1170003	Rating Area 1	No Preference	53	554.12
49316MN1170003	Rating Area 1	No Preference	54	554.12
49316MN1170003	Rating Area 1	No Preference	55	688.4
49316MN1170003	Rating Area 1	No Preference	56	688.4
49316MN1170003	Rating Area 1	No Preference	57	688.4
49316MN1170003	Rating Area 1	No Preference	58	688.4
49316MN1170003	Rating Area 1	No Preference	59	688.4
49316MN1170003	Rating Area 1	No Preference	60	813.05
49316MN1170003	Rating Area 1	No Preference	61	813.05
49316MN1170003	Rating Area 1	No Preference	62	813.05
49316MN1170003	Rating Area 1	No Preference	63	813.05
49316MN1170003	Rating Area 1	No Preference	64	849.88
49316MN1170003	Rating Area 1	No Preference	65 and over	849.88
49316MN1170003	Rating Area 2	No Preference	0-20	192.55
49316MN1170003	Rating Area 2	No Preference	21	223.06
49316MN1170003	Rating Area 2	No Preference	22	223.06
49316MN1170003	Rating Area 2	No Preference	23	223.06
49316MN1170003	Rating Area 2	No Preference	24	223.06
49316MN1170003	Rating Area 2	No Preference	25	223.06
49316MN1170003	Rating Area 2	No Preference	26	223.06
49316MN1170003	Rating Area 2	No Preference	27	223.06
49316MN1170003	Rating Area 2	No Preference	28	223.06
49316MN1170003	Rating Area 2	No Preference	29	223.06

49316MN1170003	Rating Area 2	No Preference	30	254.86
49316MN1170003	Rating Area 2	No Preference	31	254.86
49316MN1170003	Rating Area 2	No Preference	32	254.86
49316MN1170003	Rating Area 2	No Preference	33	254.86
49316MN1170003	Rating Area 2	No Preference	34	254.86
49316MN1170003	Rating Area 2	No Preference	35	268.28
49316MN1170003	Rating Area 2	No Preference	36	268.28
49316MN1170003	Rating Area 2	No Preference	37	268.28
49316MN1170003	Rating Area 2	No Preference	38	268.28
49316MN1170003	Rating Area 2	No Preference	39	268.28
49316MN1170003	Rating Area 2	No Preference	40	288.18
49316MN1170003	Rating Area 2	No Preference	41	288.18
49316MN1170003	Rating Area 2	No Preference	42	288.18
49316MN1170003	Rating Area 2	No Preference	43	288.18
49316MN1170003	Rating Area 2	No Preference	44	288.18
49316MN1170003	Rating Area 2	No Preference	45	339.67
49316MN1170003	Rating Area 2	No Preference	46	339.67
49316MN1170003	Rating Area 2	No Preference	47	339.67
49316MN1170003	Rating Area 2	No Preference	48	339.67
49316MN1170003	Rating Area 2	No Preference	49	339.67
49316MN1170003	Rating Area 2	No Preference	50	423.18
49316MN1170003	Rating Area 2	No Preference	51	423.18
49316MN1170003	Rating Area 2	No Preference	52	423.18
49316MN1170003	Rating Area 2	No Preference	53	423.18
49316MN1170003	Rating Area 2	No Preference	54	423.18
49316MN1170003	Rating Area 2	No Preference	55	525.73
49316MN1170003	Rating Area 2	No Preference	56	525.73
49316MN1170003	Rating Area 2	No Preference	57	525.73
49316MN1170003	Rating Area 2	No Preference	58	525.73
49316MN1170003	Rating Area 2	No Preference	59	525.73
49316MN1170003	Rating Area 2	No Preference	60	620.93
49316MN1170003	Rating Area 2	No Preference	61	620.93
49316MN1170003	Rating Area 2	No Preference	62	620.93
49316MN1170003	Rating Area 2	No Preference	63	620.93
49316MN1170003	Rating Area 2	No Preference	64	649.05
49316MN1170003	Rating Area 2	No Preference	65 and over	649.05
49316MN1170003	Rating Area 3	No Preference	0-20	196.48
49316MN1170003	Rating Area 3	No Preference	21	227.6
49316MN1170003	Rating Area 3	No Preference	22	227.6
49316MN1170003	Rating Area 3	No Preference	23	227.6
49316MN1170003	Rating Area 3	No Preference	24	227.6
49316MN1170003	Rating Area 3	No Preference	25	227.6
49316MN1170003	Rating Area 3	No Preference	26	227.6
49316MN1170003	Rating Area 3	No Preference	27	227.6
49316MN1170003	Rating Area 3	No Preference	28	227.6
49316MN1170003	Rating Area 3	No Preference	29	227.6
49316MN1170003	Rating Area 3	No Preference	30	260.05

49316MN1170003	Rating Area 3	No Preference	31	260.05
49316MN1170003	Rating Area 3	No Preference	32	260.05
49316MN1170003	Rating Area 3	No Preference	33	260.05
49316MN1170003	Rating Area 3	No Preference	34	260.05
49316MN1170003	Rating Area 3	No Preference	35	273.74
49316MN1170003	Rating Area 3	No Preference	36	273.74
49316MN1170003	Rating Area 3	No Preference	37	273.74
49316MN1170003	Rating Area 3	No Preference	38	273.74
49316MN1170003	Rating Area 3	No Preference	39	273.74
49316MN1170003	Rating Area 3	No Preference	40	294.05
49316MN1170003	Rating Area 3	No Preference	41	294.05
49316MN1170003	Rating Area 3	No Preference	42	294.05
49316MN1170003	Rating Area 3	No Preference	43	294.05
49316MN1170003	Rating Area 3	No Preference	44	294.05
49316MN1170003	Rating Area 3	No Preference	45	346.59
49316MN1170003	Rating Area 3	No Preference	46	346.59
49316MN1170003	Rating Area 3	No Preference	47	346.59
49316MN1170003	Rating Area 3	No Preference	48	346.59
49316MN1170003	Rating Area 3	No Preference	49	346.59
49316MN1170003	Rating Area 3	No Preference	50	431.8
49316MN1170003	Rating Area 3	No Preference	51	431.8
49316MN1170003	Rating Area 3	No Preference	52	431.8
49316MN1170003	Rating Area 3	No Preference	53	431.8
49316MN1170003	Rating Area 3	No Preference	54	431.8
49316MN1170003	Rating Area 3	No Preference	55	536.44
49316MN1170003	Rating Area 3	No Preference	56	536.44
49316MN1170003	Rating Area 3	No Preference	57	536.44
49316MN1170003	Rating Area 3	No Preference	58	536.44
49316MN1170003	Rating Area 3	No Preference	59	536.44
49316MN1170003	Rating Area 3	No Preference	60	633.58
49316MN1170003	Rating Area 3	No Preference	61	633.58
49316MN1170003	Rating Area 3	No Preference	62	633.58
49316MN1170003	Rating Area 3	No Preference	63	633.58
49316MN1170003	Rating Area 3	No Preference	64	662.28
49316MN1170003	Rating Area 3	No Preference	65 and over	662.28
49316MN1170003	Rating Area 4	No Preference	0-20	196.48
49316MN1170003	Rating Area 4	No Preference	21	227.6
49316MN1170003	Rating Area 4	No Preference	22	227.6
49316MN1170003	Rating Area 4	No Preference	23	227.6
49316MN1170003	Rating Area 4	No Preference	24	227.6
49316MN1170003	Rating Area 4	No Preference	25	227.6
49316MN1170003	Rating Area 4	No Preference	26	227.6
49316MN1170003	Rating Area 4	No Preference	27	227.6
49316MN1170003	Rating Area 4	No Preference	28	227.6
49316MN1170003	Rating Area 4	No Preference	29	227.6
49316MN1170003	Rating Area 4	No Preference	30	260.05
49316MN1170003	Rating Area 4	No Preference	31	260.05

49316MN1170003	Rating Area 4	No Preference	32	260.05
49316MN1170003	Rating Area 4	No Preference	33	260.05
49316MN1170003	Rating Area 4	No Preference	34	260.05
49316MN1170003	Rating Area 4	No Preference	35	273.74
49316MN1170003	Rating Area 4	No Preference	36	273.74
49316MN1170003	Rating Area 4	No Preference	37	273.74
49316MN1170003	Rating Area 4	No Preference	38	273.74
49316MN1170003	Rating Area 4	No Preference	39	273.74
49316MN1170003	Rating Area 4	No Preference	40	294.05
49316MN1170003	Rating Area 4	No Preference	41	294.05
49316MN1170003	Rating Area 4	No Preference	42	294.05
49316MN1170003	Rating Area 4	No Preference	43	294.05
49316MN1170003	Rating Area 4	No Preference	44	294.05
49316MN1170003	Rating Area 4	No Preference	45	346.59
49316MN1170003	Rating Area 4	No Preference	46	346.59
49316MN1170003	Rating Area 4	No Preference	47	346.59
49316MN1170003	Rating Area 4	No Preference	48	346.59
49316MN1170003	Rating Area 4	No Preference	49	346.59
49316MN1170003	Rating Area 4	No Preference	50	431.8
49316MN1170003	Rating Area 4	No Preference	51	431.8
49316MN1170003	Rating Area 4	No Preference	52	431.8
49316MN1170003	Rating Area 4	No Preference	53	431.8
49316MN1170003	Rating Area 4	No Preference	54	431.8
49316MN1170003	Rating Area 4	No Preference	55	536.44
49316MN1170003	Rating Area 4	No Preference	56	536.44
49316MN1170003	Rating Area 4	No Preference	57	536.44
49316MN1170003	Rating Area 4	No Preference	58	536.44
49316MN1170003	Rating Area 4	No Preference	59	536.44
49316MN1170003	Rating Area 4	No Preference	60	633.58
49316MN1170003	Rating Area 4	No Preference	61	633.58
49316MN1170003	Rating Area 4	No Preference	62	633.58
49316MN1170003	Rating Area 4	No Preference	63	633.58
49316MN1170003	Rating Area 4	No Preference	64	662.28
49316MN1170003	Rating Area 4	No Preference	65 and over	662.28
49316MN1170003	Rating Area 5	No Preference	0-20	196.48
49316MN1170003	Rating Area 5	No Preference	21	227.6
49316MN1170003	Rating Area 5	No Preference	22	227.6
49316MN1170003	Rating Area 5	No Preference	23	227.6
49316MN1170003	Rating Area 5	No Preference	24	227.6
49316MN1170003	Rating Area 5	No Preference	25	227.6
49316MN1170003	Rating Area 5	No Preference	26	227.6
49316MN1170003	Rating Area 5	No Preference	27	227.6
49316MN1170003	Rating Area 5	No Preference	28	227.6
49316MN1170003	Rating Area 5	No Preference	29	227.6
49316MN1170003	Rating Area 5	No Preference	30	260.05
49316MN1170003	Rating Area 5	No Preference	31	260.05
49316MN1170003	Rating Area 5	No Preference	32	260.05

49316MN1170003	Rating Area 5	No Preference	33	260.05
49316MN1170003	Rating Area 5	No Preference	34	260.05
49316MN1170003	Rating Area 5	No Preference	35	273.74
49316MN1170003	Rating Area 5	No Preference	36	273.74
49316MN1170003	Rating Area 5	No Preference	37	273.74
49316MN1170003	Rating Area 5	No Preference	38	273.74
49316MN1170003	Rating Area 5	No Preference	39	273.74
49316MN1170003	Rating Area 5	No Preference	40	294.05
49316MN1170003	Rating Area 5	No Preference	41	294.05
49316MN1170003	Rating Area 5	No Preference	42	294.05
49316MN1170003	Rating Area 5	No Preference	43	294.05
49316MN1170003	Rating Area 5	No Preference	44	294.05
49316MN1170003	Rating Area 5	No Preference	45	346.59
49316MN1170003	Rating Area 5	No Preference	46	346.59
49316MN1170003	Rating Area 5	No Preference	47	346.59
49316MN1170003	Rating Area 5	No Preference	48	346.59
49316MN1170003	Rating Area 5	No Preference	49	346.59
49316MN1170003	Rating Area 5	No Preference	50	431.8
49316MN1170003	Rating Area 5	No Preference	51	431.8
49316MN1170003	Rating Area 5	No Preference	52	431.8
49316MN1170003	Rating Area 5	No Preference	53	431.8
49316MN1170003	Rating Area 5	No Preference	54	431.8
49316MN1170003	Rating Area 5	No Preference	55	536.44
49316MN1170003	Rating Area 5	No Preference	56	536.44
49316MN1170003	Rating Area 5	No Preference	57	536.44
49316MN1170003	Rating Area 5	No Preference	58	536.44
49316MN1170003	Rating Area 5	No Preference	59	536.44
49316MN1170003	Rating Area 5	No Preference	60	633.58
49316MN1170003	Rating Area 5	No Preference	61	633.58
49316MN1170003	Rating Area 5	No Preference	62	633.58
49316MN1170003	Rating Area 5	No Preference	63	633.58
49316MN1170003	Rating Area 5	No Preference	64	662.28
49316MN1170003	Rating Area 5	No Preference	65 and over	662.28
49316MN1170003	Rating Area 6	No Preference	0-20	175.74
49316MN1170003	Rating Area 6	No Preference	21	203.59
49316MN1170003	Rating Area 6	No Preference	22	203.59
49316MN1170003	Rating Area 6	No Preference	23	203.59
49316MN1170003	Rating Area 6	No Preference	24	203.59
49316MN1170003	Rating Area 6	No Preference	25	203.59
49316MN1170003	Rating Area 6	No Preference	26	203.59
49316MN1170003	Rating Area 6	No Preference	27	203.59
49316MN1170003	Rating Area 6	No Preference	28	203.59
49316MN1170003	Rating Area 6	No Preference	29	203.59
49316MN1170003	Rating Area 6	No Preference	30	232.61
49316MN1170003	Rating Area 6	No Preference	31	232.61
49316MN1170003	Rating Area 6	No Preference	32	232.61
49316MN1170003	Rating Area 6	No Preference	33	232.61

49316MN1170003	Rating Area 6	No Preference	34	232.61
49316MN1170003	Rating Area 6	No Preference	35	244.86
49316MN1170003	Rating Area 6	No Preference	36	244.86
49316MN1170003	Rating Area 6	No Preference	37	244.86
49316MN1170003	Rating Area 6	No Preference	38	244.86
49316MN1170003	Rating Area 6	No Preference	39	244.86
49316MN1170003	Rating Area 6	No Preference	40	263.02
49316MN1170003	Rating Area 6	No Preference	41	263.02
49316MN1170003	Rating Area 6	No Preference	42	263.02
49316MN1170003	Rating Area 6	No Preference	43	263.02
49316MN1170003	Rating Area 6	No Preference	44	263.02
49316MN1170003	Rating Area 6	No Preference	45	310.02
49316MN1170003	Rating Area 6	No Preference	46	310.02
49316MN1170003	Rating Area 6	No Preference	47	310.02
49316MN1170003	Rating Area 6	No Preference	48	310.02
49316MN1170003	Rating Area 6	No Preference	49	310.02
49316MN1170003	Rating Area 6	No Preference	50	386.24
49316MN1170003	Rating Area 6	No Preference	51	386.24
49316MN1170003	Rating Area 6	No Preference	52	386.24
49316MN1170003	Rating Area 6	No Preference	53	386.24
49316MN1170003	Rating Area 6	No Preference	54	386.24
49316MN1170003	Rating Area 6	No Preference	55	479.84
49316MN1170003	Rating Area 6	No Preference	56	479.84
49316MN1170003	Rating Area 6	No Preference	57	479.84
49316MN1170003	Rating Area 6	No Preference	58	479.84
49316MN1170003	Rating Area 6	No Preference	59	479.84
49316MN1170003	Rating Area 6	No Preference	60	566.73
49316MN1170003	Rating Area 6	No Preference	61	566.73
49316MN1170003	Rating Area 6	No Preference	62	566.73
49316MN1170003	Rating Area 6	No Preference	63	566.73
49316MN1170003	Rating Area 6	No Preference	64	592.4
49316MN1170003	Rating Area 6	No Preference	65 and over	592.4
49316MN1170003	Rating Area 7	No Preference	0-20	192.55
49316MN1170003	Rating Area 7	No Preference	21	223.06
49316MN1170003	Rating Area 7	No Preference	22	223.06
49316MN1170003	Rating Area 7	No Preference	23	223.06
49316MN1170003	Rating Area 7	No Preference	24	223.06
49316MN1170003	Rating Area 7	No Preference	25	223.06
49316MN1170003	Rating Area 7	No Preference	26	223.06
49316MN1170003	Rating Area 7	No Preference	27	223.06
49316MN1170003	Rating Area 7	No Preference	28	223.06
49316MN1170003	Rating Area 7	No Preference	29	223.06
49316MN1170003	Rating Area 7	No Preference	30	254.86
49316MN1170003	Rating Area 7	No Preference	31	254.86
49316MN1170003	Rating Area 7	No Preference	32	254.86
49316MN1170003	Rating Area 7	No Preference	33	254.86
49316MN1170003	Rating Area 7	No Preference	34	254.86

49316MN1170003	Rating Area 7	No Preference	35	268.28
49316MN1170003	Rating Area 7	No Preference	36	268.28
49316MN1170003	Rating Area 7	No Preference	37	268.28
49316MN1170003	Rating Area 7	No Preference	38	268.28
49316MN1170003	Rating Area 7	No Preference	39	268.28
49316MN1170003	Rating Area 7	No Preference	40	288.18
49316MN1170003	Rating Area 7	No Preference	41	288.18
49316MN1170003	Rating Area 7	No Preference	42	288.18
49316MN1170003	Rating Area 7	No Preference	43	288.18
49316MN1170003	Rating Area 7	No Preference	44	288.18
49316MN1170003	Rating Area 7	No Preference	45	339.67
49316MN1170003	Rating Area 7	No Preference	46	339.67
49316MN1170003	Rating Area 7	No Preference	47	339.67
49316MN1170003	Rating Area 7	No Preference	48	339.67
49316MN1170003	Rating Area 7	No Preference	49	339.67
49316MN1170003	Rating Area 7	No Preference	50	423.18
49316MN1170003	Rating Area 7	No Preference	51	423.18
49316MN1170003	Rating Area 7	No Preference	52	423.18
49316MN1170003	Rating Area 7	No Preference	53	423.18
49316MN1170003	Rating Area 7	No Preference	54	423.18
49316MN1170003	Rating Area 7	No Preference	55	525.73
49316MN1170003	Rating Area 7	No Preference	56	525.73
49316MN1170003	Rating Area 7	No Preference	57	525.73
49316MN1170003	Rating Area 7	No Preference	58	525.73
49316MN1170003	Rating Area 7	No Preference	59	525.73
49316MN1170003	Rating Area 7	No Preference	60	620.93
49316MN1170003	Rating Area 7	No Preference	61	620.93
49316MN1170003	Rating Area 7	No Preference	62	620.93
49316MN1170003	Rating Area 7	No Preference	63	620.93
49316MN1170003	Rating Area 7	No Preference	64	649.05
49316MN1170003	Rating Area 7	No Preference	65 and over	649.05
49316MN1170003	Rating Area 8	No Preference	0-20	164.35
49316MN1170003	Rating Area 8	No Preference	21	190.39
49316MN1170003	Rating Area 8	No Preference	22	190.39
49316MN1170003	Rating Area 8	No Preference	23	190.39
49316MN1170003	Rating Area 8	No Preference	24	190.39
49316MN1170003	Rating Area 8	No Preference	25	190.39
49316MN1170003	Rating Area 8	No Preference	26	190.39
49316MN1170003	Rating Area 8	No Preference	27	190.39
49316MN1170003	Rating Area 8	No Preference	28	190.39
49316MN1170003	Rating Area 8	No Preference	29	190.39
49316MN1170003	Rating Area 8	No Preference	30	217.54
49316MN1170003	Rating Area 8	No Preference	31	217.54
49316MN1170003	Rating Area 8	No Preference	32	217.54
49316MN1170003	Rating Area 8	No Preference	33	217.54
49316MN1170003	Rating Area 8	No Preference	34	217.54
49316MN1170003	Rating Area 8	No Preference	35	228.98

49316MN1170003	Rating Area 8	No Preference	36	228.98
49316MN1170003	Rating Area 8	No Preference	37	228.98
49316MN1170003	Rating Area 8	No Preference	38	228.98
49316MN1170003	Rating Area 8	No Preference	39	228.98
49316MN1170003	Rating Area 8	No Preference	40	245.97
49316MN1170003	Rating Area 8	No Preference	41	245.97
49316MN1170003	Rating Area 8	No Preference	42	245.97
49316MN1170003	Rating Area 8	No Preference	43	245.97
49316MN1170003	Rating Area 8	No Preference	44	245.97
49316MN1170003	Rating Area 8	No Preference	45	289.92
49316MN1170003	Rating Area 8	No Preference	46	289.92
49316MN1170003	Rating Area 8	No Preference	47	289.92
49316MN1170003	Rating Area 8	No Preference	48	289.92
49316MN1170003	Rating Area 8	No Preference	49	289.92
49316MN1170003	Rating Area 8	No Preference	50	361.2
49316MN1170003	Rating Area 8	No Preference	51	361.2
49316MN1170003	Rating Area 8	No Preference	52	361.2
49316MN1170003	Rating Area 8	No Preference	53	361.2
49316MN1170003	Rating Area 8	No Preference	54	361.2
49316MN1170003	Rating Area 8	No Preference	55	448.74
49316MN1170003	Rating Area 8	No Preference	56	448.74
49316MN1170003	Rating Area 8	No Preference	57	448.74
49316MN1170003	Rating Area 8	No Preference	58	448.74
49316MN1170003	Rating Area 8	No Preference	59	448.74
49316MN1170003	Rating Area 8	No Preference	60	529.99
49316MN1170003	Rating Area 8	No Preference	61	529.99
49316MN1170003	Rating Area 8	No Preference	62	529.99
49316MN1170003	Rating Area 8	No Preference	63	529.99
49316MN1170003	Rating Area 8	No Preference	64	553.99
49316MN1170003	Rating Area 8	No Preference	65 and over	553.99
49316MN1170003	Rating Area 9	No Preference	0-20	164.35
49316MN1170003	Rating Area 9	No Preference	21	190.39
49316MN1170003	Rating Area 9	No Preference	22	190.39
49316MN1170003	Rating Area 9	No Preference	23	190.39
49316MN1170003	Rating Area 9	No Preference	24	190.39
49316MN1170003	Rating Area 9	No Preference	25	190.39
49316MN1170003	Rating Area 9	No Preference	26	190.39
49316MN1170003	Rating Area 9	No Preference	27	190.39
49316MN1170003	Rating Area 9	No Preference	28	190.39
49316MN1170003	Rating Area 9	No Preference	29	190.39
49316MN1170003	Rating Area 9	No Preference	30	217.54
49316MN1170003	Rating Area 9	No Preference	31	217.54
49316MN1170003	Rating Area 9	No Preference	32	217.54
49316MN1170003	Rating Area 9	No Preference	33	217.54
49316MN1170003	Rating Area 9	No Preference	34	217.54
49316MN1170003	Rating Area 9	No Preference	35	228.98
49316MN1170003	Rating Area 9	No Preference	36	228.98

49316MN1170003	Rating Area 9	No Preference	37	228.98
49316MN1170003	Rating Area 9	No Preference	38	228.98
49316MN1170003	Rating Area 9	No Preference	39	228.98
49316MN1170003	Rating Area 9	No Preference	40	245.97
49316MN1170003	Rating Area 9	No Preference	41	245.97
49316MN1170003	Rating Area 9	No Preference	42	245.97
49316MN1170003	Rating Area 9	No Preference	43	245.97
49316MN1170003	Rating Area 9	No Preference	44	245.97
49316MN1170003	Rating Area 9	No Preference	45	289.92
49316MN1170003	Rating Area 9	No Preference	46	289.92
49316MN1170003	Rating Area 9	No Preference	47	289.92
49316MN1170003	Rating Area 9	No Preference	48	289.92
49316MN1170003	Rating Area 9	No Preference	49	289.92
49316MN1170003	Rating Area 9	No Preference	50	361.2
49316MN1170003	Rating Area 9	No Preference	51	361.2
49316MN1170003	Rating Area 9	No Preference	52	361.2
49316MN1170003	Rating Area 9	No Preference	53	361.2
49316MN1170003	Rating Area 9	No Preference	54	361.2
49316MN1170003	Rating Area 9	No Preference	55	448.74
49316MN1170003	Rating Area 9	No Preference	56	448.74
49316MN1170003	Rating Area 9	No Preference	57	448.74
49316MN1170003	Rating Area 9	No Preference	58	448.74
49316MN1170003	Rating Area 9	No Preference	59	448.74
49316MN1170003	Rating Area 9	No Preference	60	529.99
49316MN1170003	Rating Area 9	No Preference	61	529.99
49316MN1170003	Rating Area 9	No Preference	62	529.99
49316MN1170003	Rating Area 9	No Preference	63	529.99
49316MN1170003	Rating Area 9	No Preference	64	553.99
49316MN1170003	Rating Area 9	No Preference	65 and over	553.99