


Minnesota State Register

Published every Monday (Tuesday when Monday is a holiday)



**Proposed, Adopted, Emergency, Expedited, Withdrawn, Vetoed Rules;
Executive Orders; Appointments; Commissioners' Orders; Revenue Notices;
Official Notices; State Grants & Loans; State Contracts;
Non-State Public Bids, Contracts and Grants**

**Monday 25 November 2019
Volume 44, Number 22
Pages 605 - 626**

Minnesota State Register

Judicial Notice Shall Be Taken of Material Published in the *Minnesota State Register*

The *Minnesota State Register* is the official publication of the State of Minnesota's Executive Branch of government, published weekly to fulfill the legislative mandate set forth in *Minnesota Statutes*, Chapter 14, and *Minnesota Rules*, Chapter 1400. It contains:

- Proposed Rules
- Adopted Rules
- Exempt Rules
- Expedited Rules
- Withdrawn Rules
- Executive Orders of the Governor
- Appointments
- Proclamations
- Vetoed Rules
- Commissioners' Orders
- Revenue Notices
- Official Notices
- State Grants and Loans
- Contracts for Professional, Technical and Consulting Services
- Non-State Public Bids, Contracts and Grants

Printing Schedule and Submission Deadlines

Vol. 44 Issue Number	PUBLISH DATE (BOLDFACE shows altered publish date)	Deadline for: all Short Rules, Executive and Commissioner's Orders, Revenue and Official Notices, State Grants, Professional-Technical- Consulting Contracts, Non-State Bids and Public Contracts	Deadline for LONG, Complicated Rules (contact the editor to negotiate a deadline)
# 23	Monday 2 December	Noon Monday 25 November	Noon Thursday 21 November
# 24	Monday 9 December	Noon Tuesday 3 December	Noon Thursday 28 November
# 25	Monday 16 December	Noon Tuesday 10 December	Noon Thursday 5 December
# 26	Monday 23 December	Noon Tuesday 17 December	Noon Thursday 12 December

PUBLISHING NOTICES: We need to receive your submission **ELECTRONICALLY in Microsoft WORD format**. Submit ONE COPY of your notice via e-mail to: sean.plemmons@state.mn.us. State agency submissions must include a "State Register Printing Order" form, and, with contracts, a "Contract Certification" form. Non-State Agencies should submit **ELECTRONICALLY in Microsoft WORD**, with a letter on your letterhead stationery requesting publication and date to be published. Costs are \$13.50 per tenth of a page (columns are seven inches wide). One typewritten, double-spaced page = 6/10s of a page in the State Register, or \$81. About 1.5 pages typed, double-spaced, on 8-1/2"x11" paper = one typeset page in the *State Register*. Contact editor with questions (651) 201-3204, or **e-mail**: sean.plemmons@state.mn.us.

SUBSCRIPTION SERVICES: Copies are available at Minnesota's Bookstore, 660 Olive Street, St. Paul, MN 55155. Order by phone: Metro area: (651) 297-3000 Toll free (800) 657-3757. TTY relay service phone number: 711. **NO REFUNDS.** E-mail subscriptions are available by contacting (651) 201-3202. Send address changes to Minnesota's Bookstore, 660 Olive Street, St. Paul, Minnesota 55155.

SEE THE Minnesota State Register free at website: <http://www.mn.gov/admin/bookstore>

- **Minnesota State Register: On-line subscription** – \$180, includes links, index, special section "CONTRACTS & GRANTS," with Sidebar Table of Contents, Early View after 4:00 pm Friday (instead of waiting for early Monday), and it's sent to you via **E-mail**.
- **Single issues** are available for a limited time: Minnesota State Register \$5.00.
- **"Affidavit of Publication"** includes a notarized "Affidavit" and a copy of the issue: \$15.00.
- **Research Services** - will look up, photocopy, and fax or send copies from past issues at \$1.00 per page.

Governor: Tim Walz (651) 201-3400	Facilities Management Division: Christopher A. Guevin (651) 201-2350	Auditor: Julie Blaha (651) 296-2551	Editor: Sean Plemmons (651) 201-3204 sean.plemmons@state.mn.us
Lieutenant Governor: Peggy Flanagan (651) 201-3400	Attorney General: Keith Ellison (651) 296-3353	Secretary of State: Steve Simon (651) 296-2803	Subscriptions Manager: Loretta J. Diaz (651) 201-3202 loretta.diaz@state.mn.us
Commissioner: Alice Roberts-Davis (651) 201-2601		Minnesota's Bookstore: Justin Patrick (651) 201-3203	

Copyright © 2019 Facilities Management Division, Department of Administration, State of Minnesota.

USPS Publication Number: 326-630 (ISSN: 0146-7751)

THE MINNESOTA STATE REGISTER IS PUBLISHED by Facilities Management Division, Department of Administration, State of Minnesota, pursuant to Minnesota Statutes § 14.46 and is available on-line at: <http://www.mn.gov/admin/bookstore>

Minnesota Legislative Information

Senate Public Information Office

(651) 296-0504
State Capitol, Room 231, St. Paul, MN 55155
<https://www.senate.mn/>

Minnesota State Court System

Court Information Office (651) 296-6043
MN Judicial Center, Rm. 135,
25 Rev. Dr. Martin Luther King Jr Blvd., St. Paul, MN 55155
<http://www.mncourts.gov>

House Public Information Services

(651) 296-2146
State Office Building, Room 175
100 Rev. Dr. Martin Luther King Jr Blvd., St. Paul, MN 55155
<https://www.house.leg.state.mn.us/hinfo/hinfo.asp>

Federal Register

Office of the Federal Register (202) 512-1530; or (888) 293-6498
U.S. Government Printing Office – Fax: (202) 512-1262
<https://www.federalregister.gov/>

Minnesota Rules: Amendments and Additions608	Rochester Community and Technical College Notice of Request for Proposal for RCTC for a Fully Customizable Reporting and Analytics Software Package619
Adopted Rules	Department of Corrections Notice of Availability of Contract for Prison Rape Elimination Act (PREA) Compliance Audits.....619
Board of Animal Health Adopted Permanent Rules Relating to Poultry and Mycoplasma Requirements for Turkeys.....609	Department of Employment and Economic Development (DEED) Notice of Request for Proposals for Agency Lease620
Department of Labor and Industry Adopted Permanent Rules Adopting Changes to the International Building Code.....609 Adopted Permanent Rules Relating to Changes to the Fire Code610	Minnesota Historical Society (MNHS) Request for Bids for Elevator Modernization at James J Hill House620 Request for Bids for Fire & Security System Replacement at James J Hill House.....620 Request for Proposals for Exterior Building Preservation/Rehabilitation at Historic Forestville621
Commissioner’s Orders	Department of Human Services Child Support Division Notice of Request for Proposals for a Qualified Contractor to Complete an Enterprise Systems Modernization Feasibility Study621 Notice of Request for Proposals for a Qualified Contractor to Provide Services to the Minnesota Financial Institution Data Match (FIDM) and Tax Debtor Data Match Programs622
Department of Natural Resources Commissioner’s Order #2 ML 2019: Amend Walleye Season and Walleye Limits to Make Adjustments to Manage Fisheries in the 1837 Ceded Territory (Mille Lacs).....614	Minnesota Sports Facilities Authority (MSFA) Request for Bids for Purchase of Used Equipment622
Official Notices	Minnesota Department of Transportation (MnDOT) Engineering Services Division Notices Regarding Professional/Technical (P/T) Contracting.....623
Department of Employment and Economic Development (DEED) Notice of Public Hearing by the Minnesota Department of Employment and Economic Development with Respect to a Proposed Project and the Provision of Funds from the Minnesota Job Creation Fund Program under Minnesota Statutes 116J.8748615	Minnesota Zoo Wells Fargo Family Farm Exhibit Upgrades623
Executive Council, State Board of Investment and Land Exchange Board Official Meeting Notice.....616	Non-State Public Bids, Contracts & Grants Metropolitan Airports Commission (MAC) Notice of Call for Bids for 2020 EMC Plant Upgrades (P4)624 Notice of Call for Bids for 2020 Concourse G Energy Efficiency Projects P2625 Notice of Call for Bids for 2020 Electrical Infrastructure Program P12625
Minnesota Pollution Control Agency (MPCA) Notice of Intent to Issue an Air Emission Permit – Manufacturing Part 70 General Permit.....616	
State Contracts	
Department of Administration Notice of Availability of Subcontractor Request for Qualifications (RFQ) for The Upgrade Physical Security for Capitol Complex618	
Minnesota State Colleges and Universities (Minnesota State) Non-Construction Related Bid and Contracting Opportunities618	
Bemidji State University Notice of Request for Qualifications (RFQ) for Public Art Design and Commission for Hagg-Sauer Hall.....619	

Get the Earliest Delivery of the State Register

A subscription to the **STATE REGISTER** gets you the **EARLIEST DELIVERY**. Instead of waiting until Monday at 8:00 a.m. when the magazine is posted on our website, we’ll send YOU the magazine on Friday at close of business with the State, 4:30 pm: 2-1/2 days early.

Yes, that’s right – 2-1/2 days ahead of normal publication schedule – to get to know what’s coming in the next week; to prepare your plans for your submissions to grant and loan programs and RFPs, RFIs and other contracts and bids.

Subscriptions for an entire year cost \$180. The magazine is **SENT TO YOU**, as well as one other person that you can designate, in case of vacations, illnesses, or other absences in your office. You won’t have to access our website or search to find the newest issue when we can just email the edition directly to you!

Subscriptions include the most up-to-date information, including a growing index to issues in each volume, issue by issue, including the current volume, which others do not have access to. This includes all rules, executive orders, notices, among other materials that were published in the current volume year. A subscription also gets you our current listing of all bids, contracts, grants, loans, and RFPs that are still open for bid, so you don’t have to hunt through each back issue to find something.

Adopted Rules

A rule becomes effective after the requirements of *Minnesota Statutes* §§ 14.05-14.28 have been met and five working days after the rule is published in the *State Register*, unless a later date is required by statutes or specified in the rule. If an adopted rule is identical to its proposed form as previously published, a notice of adoption and a citation to its previous *State Register* publication will be printed. If an adopted rule differs from its proposed form, language which has been deleted will be printed with strikeouts and new language will be underlined. The rule's previous *State Register* publication will be cited.

KEY: Proposed Rules - Underlining indicates additions to existing rule language. ~~Strikeouts~~ indicate deletions from existing rule language. If a proposed rule is totally new, it is designated "all new material."
Adopted Rules - Underlining indicates additions to proposed rule language. ~~Strikeout~~ indicates deletions from proposed rule language.

Board of Animal Health

Adopted Permanent Rules Relating to Poultry and Mycoplasma Requirements for Turkeys

The rules proposed and published at State Register, Volume 43, Number 52, pages 1455-1457, June 24, 2019 (43 SR 1455); and Volume 44, Number 4, pages 61-63, July 22, 2019 (44 SR 61), are adopted as proposed.

Department of Labor and Industry

Adopted Permanent Rules Adopting Changes to the International Building Code

The rules proposed and published at State Register, Volume 44, Number 7, pages 129-132, August 12, 2019 (44 SR 129), are adopted with the following modifications:

1305.3111 SECTION 3111, SOLAR ENERGY SYSTEMS.

Subpart 1. **IBC section 3111.1.** IBC section 3111.1 and its subsections are amended to read as follows:

3111.1 General. Solar energy systems shall comply with the requirements of this section.

Exception: Buildings regulated by Minnesota Rules, chapter 1309, the Minnesota Residential Code.

3111.1.1 Wind resistance. Rooftop mounted photovoltaic panels and modules and solar thermal collectors shall be designed in accordance with Section 1609.

3111.1.2 Roof live load. Roof structures that provide support for solar energy systems shall be designed in accordance with Section 1607.13.5.

3111.1.3 Roof access points. Roof access points shall meet all the following criteria:

1. Roof access points shall be located where fire departments have ground access.
2. Roof access points shall be located in areas that do not require the placement of fire department ground ladders over openings such as windows or doors.
3. Roof access points shall be located at strong points of building construction capable of supporting emergency responders.
4. Roof access points shall be in locations where the access point does not conflict with overhead obstructions such as tree limbs, wires, or signs.

Adopted Rules

5. Each roof access point shall be provided with a landing on the roof side not less than six feet in each direction. The landing shall be free and clear of obstructions such as vent pipes, conduit, and mechanical and electrical equipment.

6. Roof access point landings on roofs with slopes greater than two units vertical in 12 units horizontal (2:12) shall be positioned with direct access to a pathway to ridge.

7. Each solar array or grouping of arrays shall have not less than two roof access points spaced not closer than 1/3 the diagonal dimension of the array or arrays served.

3111.1.4. When solar photovoltaic panels are installed on any building or site, the licensed design professional shall notify the fire code official.

Department of Labor and Industry Adopted Permanent Rules Relating to Changes to the Fire Code

The rules proposed and published at State Register, Volume 44, Number 8, pages 236-239, August 19, 2019 (44 SR 236), are adopted with the following modifications:

7511.1204 SECTION 1204, SOLAR PHOTOVOLTAIC POWER SYSTEMS.

Subpart 1. **IFC section 1204.1** IFC section 1204.1 is amended and subsections are added to read:

1204.1 General. Solar energy systems shall be installed in accordance with Sections 1204.1 through 1204.6 and the Building Code.

Exception: Buildings regulated by Minnesota Rules, chapter 1309, the Minnesota Residential Code.

1204.1.1 Minnesota Electrical Code. The electrical portion of solar PV systems shall be installed in accordance with the Minnesota Electrical Code.

1204.1.2 Roof access points. Roof access points shall meet all the following criteria.

1. Roof access points shall be located where fire departments have ground access.
2. Roof access points shall be located in areas that do not require the placement of fire department ground ladders over openings such as windows or doors.
3. Roof access points shall be located at strong points of building construction capable of supporting emergency responders.
4. Roof access points shall be in locations where the access point does not conflict with overhead obstructions such as tree limbs, wires, or signs.
5. Each roof access point shall be provided with a landing on the roof side not less than 6 feet in each direction. The landing shall be free and clear of obstructions such as vent pipes, conduit, and mechanical and electrical equipment.
6. Roof access point landings on roofs with slopes greater than 2 units vertical in 12 units horizontal (2:12) shall be positioned with direct access to a pathway to ridge.
7. Each solar array or grouping of arrays shall have not less than two roof access points spaced not closer than 1/3 the diagonal dimension of the array or arrays served.

7511.7900 AMENDMENTS TO APPENDICES OF INTERNATIONAL FIRE CODE.

Subp. 5. **IFC Appendix P.** The IFC is amended by adding an appendix to read as follows:

The provisions contained in this appendix are not mandatory unless specifically referenced in the local adopting ordinance.

APPENDIX P

EMERGENCY RESPONDER RADIO COVERAGE

P101 Emergency responder radio coverage in existing buildings. Existing buildings that do not have approved radio coverage for emergency responders within the building based upon the existing coverage levels of the public safety communication systems of the jurisdiction at the exterior of the building, shall be equipped with such coverage according to one of the following:

1. Whenever an existing wired communication system cannot be repaired or is being replaced, or where not approved.
2. Within a time frame established by the adopting authority.

Exception: Where it is determined by the fire code official that the radio coverage system is not needed.

P102 Emergency responder radio coverage in new buildings. All new buildings shall have approved radio coverage for emergency responders within the building based upon the existing coverage levels of the public safety communication systems of the jurisdiction at the exterior of the building. This section shall not require improvement of the existing public safety communication systems.

Exceptions:

1. Where approved by the building official and the fire code official, a wired communication system in accordance with Section 907.2.12.2 shall be permitted to be installed or maintained in lieu of an approved radio coverage system.
2. Where it is determined by the fire code official that the radio coverage system is not needed.
3. In facilities where emergency responder radio coverage is required and such systems, components, or equipment required could have a negative impact on the normal operations of that facility, the fire code official shall have the authority to accept an automatically activated emergency responder radio coverage system.
4. Where it is determined to be unreasonably burdensome to implement an approved radio coverage system.

P103 Permit required. A construction permit for the installation of or modification to emergency responder radio coverage systems and related equipment is required. Maintenance performed in accordance with this code is not considered a modification and does not require a permit.

P104 Technical requirements. Systems, components, and equipment required to provide emergency responder radio coverage system shall comply with Sections P104.1 through P104.2.6.

P104.1 Radio signal strength. The building shall be considered to have acceptable emergency responder radio coverage when signal strength measurements in 95 percent of all areas on each floor of the building meet the signal strength requirements in Sections P104.1.1 and P104.1.2.

P104.1.1 Minimum signal strength into the building. A minimum signal strength of -95 dBm shall be receivable within the building at a hip-worn device.

P104.1.2 Minimum signal strength out of the building. A minimum signal strength of -95 dBm shall be received by the agency's radio system when transmitted from within the building from a hip-worn device.

P104.2 System design. The emergency responder radio coverage system shall be designed in accordance with

Adopted Rules

Sections P104.2.1 through P104.2.6.

P104.2.1 In-building coverage systems allowed. Buildings and structures which cannot support the required level of radio coverage shall be equipped with a radiating cable system, a distributed antenna system with Federal Communications Commission (FCC) certified repeaters, bi-directional amplifiers, picocells or their equivalents, or other system approved by the fire code official in order to achieve the required adequate radio coverage.

P104.2.2 Technical criteria. The fire code official shall maintain a document providing the specific technical information and requirements for the emergency responder radio coverage system. This document shall contain the various frequencies required, the location of radio sites, effective radiated power of radio sites, and other supporting technical information.

P104.2.3 Standby power. Emergency responder radio coverage systems shall be provided with dedicated standby batteries or provided with 2-hour standby batteries and connected to the facility generator power system accordance with Section 1203. The standby power supply shall be capable of operating the emergency responder radio coverage system at 100 percent system capacity for a duration of not less than 12 hours.

P104.2.4 In-building coverage system requirements. If used, in-building coverage systems shall meet the following requirements:

1. All in-building coverage system components shall be contained in a National Electrical Manufacturer's Association (NEMA) 4-type waterproof cabinet.
2. Battery systems used for the emergency power source shall be contained in a NEMA 4-type waterproof cabinet.
3. The in-building coverage system and battery system shall be electrically supervised and monitored by a supervisory service, or when approved by the fire code official, shall sound an audible signal at a constantly attended location.
4. Equipment shall have FCC certification prior to installation.

P104.2.5 Additional frequencies and change of frequencies. The emergency responder radio coverage system shall be capable of modification or expansion in the event frequency changes are required by the FCC or additional frequencies are made available by the FCC, or public safety entities operating in a given jurisdiction make modifications, changes, or upgrades to their communication system(s) that change the frequencies such systems utilize.

P104.2.6 Availability. The in-building coverage system, in general, shall operate according to its intended specification with "5-9s" availability of 99.999 percent of each year; i.e., no critical component of the system shall be out of normal operation for more than 5.26 minutes of each year.

P105 Installation requirements. The installation of the public safety radio coverage system shall be in accordance with Sections P105.1 through P105.5.

P105.1 Approval prior to installation. Amplification systems capable of operating on frequencies licensed to any public safety agency by the FCC shall not be installed without prior coordination and approval of the fire code official.

P105.2 Minimum qualifications of personnel. The minimum qualifications of the system designer and lead installation personnel shall include at least one of the following:

1. Certification of in-building system training issued by a nationally recognized organization or school.
2. A certificate issued by the manufacturer of the equipment being installed.

These qualifications shall not be required where demonstration of adequate skills and experience satisfactory to the fire code official is provided.

P105.3 Acceptance test procedure. When an emergency responder radio coverage system is required, and upon completion of installation, the building owner shall have the radio system tested to ensure that two-way coverage on each floor of the building is a minimum of 95 percent. The test procedure shall be conducted as follows:

1. Each floor of the building shall be divided into a grid of 20 approximately equal test areas.
2. The test shall be conducted using a calibrated handheld or hip-worn device of the latest brand and model used by the agency talking through the agency's radio communications system.
3. Failure of a maximum of two nonadjacent test areas shall not result in failure of the test.
4. In the event that three of the test areas fail the test, in order to be more statistically accurate, the floor shall be permitted to be divided into 40 equal test areas. Failure of a maximum of four nonadjacent test areas shall not result in failure of the test. If the system fails the 40-area test, the system shall be altered to meet the 95 percent coverage requirement.
5. A test location approximately in the center of each test area shall be selected for the test, with the radio enabled to verify two-way communications to and from the outside of the building through the public agency's radio communications system. Once the test location has been selected, that location shall represent the entire test area. Failure in the selected test location shall be considered failure of that test area. Additional test locations shall not be permitted.
6. The gain values of all amplifiers, if applicable, shall be measured and the test measurement results shall be kept on file with the building owner so that the measurements can be verified during annual tests. In the event that the measurement results become lost, the building owner shall be required to rerun the acceptance test to reestablish the gain values.
7. As part of the installation, a spectrum analyzer or other suitable test equipment shall be utilized to ensure spurious oscillations are not being generated by the subject in-building coverage system. This test shall be conducted at time of installation and subsequent annual inspections.
8. A test shall be considered a "failure" when a transmission from the test device within the building fails to deliver intelligible audio or data to the appropriate public safety dispatch center or equivalent as would be expected during normal operation; and/or when a transmission from a public safety dispatch center or equivalent fails to deliver intelligible audio or data to the test device within the building as would be expected during normal operation.

P105.5 FCC compliance. The emergency responder radio coverage system installation and components shall also comply with all applicable federal regulations including FCC 47 CFR Part 90.219.

P106 Maintenance. The emergency responder radio coverage system shall be maintained operational at all times in accordance with Sections P106.1 through P106.4.

P106.1 Testing and proof of compliance. The emergency responder radio coverage system shall be inspected and tested annually or whenever structural changes occur including additions or remodels that could materially change the original field performance tests. Testing shall consist of the following:

1. In-building coverage test as described in Section P105.3.
2. Signal boosters in-building coverage systems shall be tested to ensure that the gain is the same as it was upon initial installation and acceptance.
3. Backup batteries and power supplies shall be tested under load of a period of one hour to verify that they will properly operate during an actual power outage. If, within the one-hour test period, the battery exhibits symptoms of failure, the test shall be extended for additional one hour periods until the integrity of the battery can be determined.
4. All other active components shall be checked to verify operation within the manufacturer's specifications.
5. At the conclusion of the testing, a report, which shall verify compliance with Section P105.3, shall be

Adopted Rules

submitted to the fire code official.

P106.2 Additional frequencies. The building owner shall modify or expand the emergency responder radio coverage system at their expense in the event frequency changes are required by the FCC or additional frequencies are made available by the FCC, or public safety entities operating in a given jurisdiction make modifications, changes, or upgrades to their communication system(s) that change the frequencies such systems utilize. Prior approval of a public safety radio coverage system on previous frequencies does not exempt this section.

~~106.3~~ P106.3 Field testing. Agency personnel shall have the right to enter onto the property at any reasonable time to conduct field testing to verify the required level of radio coverage.

P106.4 Planned outages. Any planned outages of the in-building coverage system, such as for replacement or upgrade of the system, shall be done with the written approval of an entity legitimately representing public safety agencies operating within the jurisdiction, such as a county sheriff.

Commissioner's Orders

Various agency commissioners are authorized to issue "commissioner's orders" on specified activities governed by their agency's enabling laws. See the *Minnesota Statutes* governing each agency to determine the specific applicable statutes. Commissioners' orders are approved by assistant attorneys general as to form and execution and published in the *State Register*. These commissioners orders are compiled in the year-end subject matter index for each volume of the *State Register*.

Department of Natural Resources

Commissioner's Order #2 ML 2019: Amend Walleye Season and Walleye Limits to Make Adjustments to Manage Fisheries in the 1837 Ceded Territory (Mille Lacs)

Date: December 1, 2019

Statutory authority: *Minnesota Statutes*, section 97C.005, subdivision 3

Supersedes: Expedited Emergency Game and Fish Rule 6264.0400, subd. 4, item B, referring to the angling season for smallmouth bass and largemouth bass, and item F, referring to the catch and release angling season and possession restriction for walleye: Mille Lacs Fishing Regulations as published in the 6 May 2019 State Register (43 SR 1297)

BACKGROUND

Each year a harvestable surplus is set for walleye in Mille Lacs Lake by a joint management process between the state and the eight Chippewa Bands in accordance with the settlement reached in *Minnesota v Mille Lacs Band of Chippewa*. The harvestable surplus is the pounds of fish that can be taken safely from Mille Lacs Lake while ensuring sufficient walleye remaining in the lake for a healthy population. The harvestable surplus for 2020 will not be determined until January 2020. However, the Department of Natural Resources (DNR) is confident that the harvestable surplus will be similar to or higher than that set in 2019; therefore, state anglers may take a limited harvest for the 2019/2020 fishing season. The winter 2019/2020 fishing season will commence December 1, 2019, and extend through February 23, 2020, with the harvest restrictions outlined in the order below. This decision is based on the results of recent fisheries surveys that indicate the Mille Lacs walleye fishery can accommodate an ice fishery and stay within the projected state share of the 2020 harvestable surplus.

For all other species, the Expedited Emergency Game and Fish Rule adopted on May 6, 2019, will remain in effect.

Commissioner's Orders

ORDER

NOW, THEREFORE, IT IS HEREBY ORDERED, pursuant to authority vested in me by law, including *Minnesota Statutes*, section 97C.005, subdivision 3, that:

1. The angling season for walleye begins at 12:02 a.m. on December 1, 2019, and continues to 11:59 p.m. on February 23, 2020. While a person is on or angling in Lake Mille Lacs, the possession limit for walleye is one as follows:
 - a. a walleye in possession must be from 21 inches in length to 23 inches in length, inclusive, or over 28 inches in length; and
 - b. all other walleye must be returned immediately to the water.
2. Fishing for all other species, including largemouth and smallmouth bass, northern pike, perch, and panfish, and the existing regulations for all other species, continue unaffected by this order.

Date: November 19, 2019
Barb Naramore, Deputy Commissioner

Official Notices

Pursuant to *Minnesota Statutes* §§ 14.101, an agency must first solicit comments from the public on the subject matter of a possible rulemaking proposal under active consideration within the agency by publishing a notice in the *State Register* at least 60 days before publication of a notice to adopt or a notice of hearing, and within 60 days of the effective date of any new statutory grant of required rulemaking.

The *State Register* also publishes other official notices of state agencies and non-state agencies, including notices of meetings and matters of public interest.

Department of Employment and Economic Development (DEED) Notice of Public Hearing by the Minnesota Department of Employment and Economic Development with Respect to a Proposed Project and the Provision of Funds from the Minnesota Job Creation Fund Program under Minnesota Statutes 116J.8748

NOTICE IS HEREBY GIVEN that the Minnesota Department of Employment and Economic Development ("DEED") will conduct a public hearing on Friday, December 6, 2019 at 1:00 p.m., or as soon thereafter as reasonably possible at 332 Minnesota Street, Suite E200, in Saint Paul, Minnesota, on a proposal to provide funding through the Minnesota Job Creation Fund Program pursuant to authority granted under *Minnesota Statutes* 116J.8748 and *Minnesota Rules* Chapter 4301. This hearing is conducted in accordance with *Minnesota Statutes* 116J.994, Subd. 5.

Description of Project and Proposed JCF Funding:

Minnetronix Medical Inc. may expand in St. Paul (Ramsey County), Minnesota. The company designs, develops and manufactures medical technology. The company is based in St. Paul, MN. The proposed project would consist of renovation of the company's existing 123,000 sf leased facility in St. Paul, including adding 8,000 sf, as well as the purchase of furniture, fixtures and equipment related to the renovation and expansion. The real estate is owned by a third party. The total project cost is \$8,058,000. The company expects to create 75 jobs within three (3) years at an average cash wage of \$25.94 per hour. All jobs will qualify for a job creation award. For the current project, the company has requested a Minnesota Investment Fund loan in the amount of \$500,000, which may be forgiven if job creation and wage goals are met. The project is eligible for a job creation award of up to \$500,000.

All interested persons may appear and be heard at the time and place set forth above. Persons interested in

Official Notices

participating via teleconference should contact Tom Washa, Minnesota Job Creation Fund Program Manager at (651) 259-7483 or Tom.Washa@state.mn.us prior to the date of the hearing for instructions on how to participate in the conference call.

Interested persons may mail written comments to Tom Washa at the street or e-mail address set forth above prior to the date of the hearing set forth above. All persons who appear at the meeting or participate via teleconference will be given an opportunity to express their views with respect to the proposal to award funds from the Minnesota Job Creation Fund.

Executive Council, State Board of Investment and Land Exchange Board Official Meeting Notice

The Executive Council, State Board of Investment and the Land Exchange Board will meet on **Monday, December 2, 2019 at 2:00 P.M.** in G23 Senate Committee Room, State Capitol, 75 Rev. Dr. Martin Luther King Jr. Boulevard, St. Paul, MN.

Some members of the Executive Council, State Board of Investment and Land Exchange Boards may participate in the meeting electronically. If a Board Member calls in, in accordance with Minnesota Statutes, section 13D.015, subd. 4, the Executive Council, State Board of Investment and Land Exchange Board shall, to the extent practical, allow a person to monitor the meeting electronically from a remote location. The person making a connection may be required to pay for documented marginal costs that the entity incurs as a result of the additional connection.

Minnesota Pollution Control Agency (MPCA) Notice of Intent to Issue an Air Emission Permit – Manufacturing Part 70 General Permit

NOTICE IS HEREBY GIVEN, that the Minnesota Pollution Control Agency (MPCA) proposes to issue a federal general permit governing certain manufacturing sources located in Minnesota. The issuance of this general permit is authorized by Minn. R. 7007.1100, subp. 1, which allows the MPCA to issue a general permit if “numerous and similar stationary sources are subject to substantially similar regulatory requirements.” This general permit is designed for stationary sources that can meet the emission limits and requirements established in the permit. The permit allows operating flexibility by authorizing the installation, replacement, and removal of equipment without significant regulatory burden to the Permittee, as long as the Permittee remains in compliance with the general permit.

The stationary sources eligible for the proposed general permit are major sources as defined in Minn. R. 7007.0200. The general permit covers stationary sources required to obtain permits under Minn. R. 7007.0250. Activities and emission units allowed by this permit action include abrasive blasting, boilers, brazing, casting, catalytic or thermal oxidizers, cleaning (including acid cleaning, degreasers, general cleanup with solvents), dip tanks, fabric filters, fuel storage, furnaces, injection molding, internal combustion engines (generators), lamination, mixing, molding, ovens, resin and gel coating, sanding, screen printing, soldering, space heaters, spraying and coating activities, stenciling, storage tanks, wall/panel filters, paint booths, and welding.

If a stationary source has process operations or emission units that are not listed in this permit and that are not insignificant activities (listed in Minn. R. 7007.1300 or conditionally insignificant activities listed in Minn. R. 7008), the stationary source does not qualify for the general permit. Stationary sources also may not be any of the source categories listed in 40 CFR § 52.21(b)(1)(iii), prevention of significant deterioration (PSD).

A stationary source is not eligible for the proposed general permit, or ceases to be eligible for the proposed general permit, if any of the following are true:

1. The stationary source has an emission unit other than those described above;

2. The stationary source has an emission unit subject to a Standard of Performance for New Stationary Sources other than volatile organic liquid storage vessels (subpart Kb) and stationary compression ignition internal combustion sources (subpart IIII) in 40 CFR pt. 60;
3. The stationary source is affected by a 40 CFR pt. 63 National Emission Standard for Hazardous Air Pollutants (NESHAP) already adopted other than:
 - Halogenated solvent cleaning machines (40 CFR pt. 63, subp. T)
 - Miscellaneous metal parts and products for surface coating operations (40 CFR pt. 63, subp. MMMM)
 - Surface coating of plastic parts and products (40 CFR pt. 63, subp. PPPP)
 - Reinforced plastic composites production (40 CFR pt. 63, subp. WWWW)
 - Stationary reciprocating internal combustion engines (40 CFR pt. 63, subp. ZZZZ)
 - Industrial/commercial/institutional boilers and process heaters at major HAP sources (40 CFR pt. 63, subp. DDDDD)
4. The stationary source emits at any time a 12-month rolling sum of more than the permitted amount for any pollutant.
5. The stationary source emits or uses Trichloroethylene (TCE) six months after the permit issuance date.
6. A stationary source that is subject to a case-by-case maximum achievable control technology standards (MACT) determination under section 112(g) of the Clean Air.
7. A stationary source subject to 40 CFR pt. 61 and Minn. R. 7011.9900 through 7011.9990.
8. A stationary source that does an Air Emission Risk Analysis (AERA) and the analysis results in a need for source specific permit conditions.

As allowed by Minn. R. 7007.1100, subp. 5, the MPCA has developed a source-specific permit application that does not include all the required information given in Minn. R. 7007.0100 to 7007.1850. The application forms will contain the elements discussed in the TSD needed to determine eligibility for the general permit.

The overall general permit contains each applicable requirement that could apply to eligible stationary sources. Based upon the information in the permit application, the Permittee need only comply with those requirements, which are applicable to their facility. The Permittee is also allowed to construct allowable additional emission units at the source under this general permit without a permit amendment.

The Commissioner's determination to issue the general permit is tentative. Interested persons are invited to submit written comments upon the proposed permit action. The public comment period commences November 25, 2019, and terminates at 4:30 p.m. on December 24, 2019. Any comments received no later than 4:30 p.m. on the last day of the comment period will be considered in the formulation of final determination.

Comments should be submitted through the mail, or email to Andrea Walkush, P.E., Air Permit Engineer, Division Industrial, Minnesota Pollution Control Agency, 520 Lafayette Road North, Saint Paul, Minnesota 55155.

A copy of the draft general permit, supporting documents, and application are available for review on the MPCA's Public Notices webpage at <http://www.pca.state.mn.us/publicnotices>

If you have any questions on this draft permit, public notice, or the Commissioner's preliminary determination, please contact Andrea Walkush via telephone at 651-757-2484 or via e-mail at andrea.walkush@state.mn.us

State Contracts

Informal Solicitations: Informal solicitations for professional/technical (consultant) contracts valued at over \$5,000 through \$50,000, may either be published in the *State Register* or posted on the Department of Administration, Materials Management Division's (MMD) Web site. Interested vendors are encouraged to monitor the P/T Contract Section of the MMD Website at www.mmd.admin.state.mn.us for informal solicitation announcements.

Formal Solicitations: Department of Administration procedures require that formal solicitations (announcements for contracts with an estimated value over \$50,000) for professional/technical contracts must be published in the *State Register*. Certain quasi-state agency and Minnesota State College and University institutions are exempt from these requirements.

Requirements: There are no statutes or rules requiring contracts to be advertised for any specific length of time, but the Materials Management Division strongly recommends meeting the following requirements: \$0 - \$5000 does not need to be advertised. Contact the Materials Management Division: (651) 296-2600 \$5,000 - \$25,000 should be advertised in the *State Register* for a period of at least seven calendar days; \$25,000 - \$50,000 should be advertised in the *State Register* for a period of at least 14 calendar days; and anything above \$50,000 should be advertised in the *State Register* for a minimum of at least 21 calendar days.

Department of Administration Notice of Availability of Subcontractor Request for Qualifications (RFQ) for The Upgrade Physical Security for Capitol Complex

J.E. Dunn Construction Company, acting on the behalf of the State of Minnesota, is soliciting subcontractor qualification proposals from interested, qualified subcontractors for the Upgrade Physical Security for Capitol Complex project.

This RFQ is being issued for the following trades: Misc. Steel, Carpentry, Architectural Woodwork, Doors & Hardware, Glass and Glazing, Drywall, Tile, Paint, Security Equipment, Fire Sprinkler, HVA, Electrical, Earthwork, Site Concrete, Security Fencing, Landscaping.

The full Request for Qualifications is available at the following link:
<https://secure.smartinsight.co/#/PublicBidProject/474192> or at the office of J.E. Dunn Construction Company.

Project questions shall be referred to the appropriate person listed in the Request for Qualifications. Qualifications from interested firms must be delivered to Paul Miller, Senior Precon and Estimating Manager, J.E. Dunn Construction Company, 800 Washington Avenue North, Suite 600, Minneapolis, MN 55401, no later than **1:00pm, November 29th, 2019**.

J.E. Dunn Construction Company and State of Minnesota are not obligated to complete the proposed project and reserve the right to cancel the solicitation if it is considered to be in its best interest.

Minnesota State Colleges and Universities (Minnesota State) Non-Construction Related Bid and Contracting Opportunities

Minnesota State is now placing additional public notices for P/T contract opportunities, goods/commodities, and non-construction related services on its Vendor and Supplier Opportunities website (<http://minnstate.edu/vendors/index.html>). New public notices may be added to the website on a daily basis and be available for the time period as indicated within the public notice.

If you have any questions regarding this notice, or are having problems viewing the information on the Vendor and Supplier Opportunities website, please call the Minnesota State Procurement Unit at 651-201-1444, Monday-Friday, 9:00 am – 4:00 pm.

Minnesota State Colleges and Universities (Minnesota State)

Bemidji State University

Notice of Request for Qualifications (RFQ) for Public Art Design and Commission for Hagg-Sauer Hall

The State of Minnesota, acting through its Board of Trustees of the Minnesota State Colleges and Universities (“Minnesota State”), on behalf of Bemidji State University is soliciting qualifications from interested artists for the above referenced project. A full Request for Qualifications (RFQ and attachments) is available at the Minnesota State Colleges website: <http://www.minnstate.edu/vendors/index.html>

An informational meeting is scheduled for Tuesday, November 26, 2019, at 10:00 am (CST) in room 301A of Deputy Hall at Bemidji State University, Bemidji, MN. The meeting will also have a conference call number, so online participation is an option (See RFQ Section 2.2). The meeting will provide an overview of the process and an opportunity to ask questions regarding the project and the contract. Any questions should be directed by email only to the Owner’s Representative, Jeanne Qualley, of AFO Consultants at jqualley@AFOConsultants.com. Questions will be taken by this individual only and must be received by Monday December 2, 2019, at 10:00 am (CST).

Qualifications must be emailed to: **AFO Consultants on behalf of Bemidji State University, Email – jqualley@AFOconsultants.com**. Qualifications must be received NO later than **Friday, December 6, 2019 at 10:00 am (CST)**. Late responses will not be considered. Bemidji State University reserves the right to cancel this solicitation if it is considered to be in its best interest. All expenses incurred in responding to this notice are solely the responsibility of the responder.

Minnesota State Colleges and Universities (Minnesota State)

Rochester Community and Technical College

Notice of Request for Proposal for RCTC for a Fully Customizable Reporting and Analytics Software Package

NOTICE IS HEREBY GIVEN that Rochester Community and Technical College Request for Proposal (RFP) for fully customizable reporting and analytics software package.

To receive a copy of the RFP, send an e-mail to june.meitzner@rctc.edu or fax your request to 507-285-7104.

Proposals are due back by **Monday, December 9th, 2019 4:00 P.M. CT** and are to be addressed to June Meitzner, Rochester Community and Technical College 851 30th Ave SE Rochester, MN 55904.

Faxes are not acceptable. Late responses will not be considered.

Please see the RFP for instructions on how to submit questions.

Minnesota State Colleges and Universities is not obligated to complete the proposed project and reserves the right to cancel this solicitation.

Department of Corrections

Notice of Availability of Contract for Prison Rape Elimination Act (PREA) Compliance Audits

The Minnesota Department of Corrections is requesting proposals from Department of Justice certified auditors for the purpose of completing PREA compliance audits of the department’s correctional facilities.

Work is proposed to start after January 1, 2020.

State Contracts

A Request for Proposals will be available by mail from this office through. **A written request (by email) is required to receive the Request for Proposal.**

The Request for Proposal can be obtained from:

Deb Wienand, PREA Coordinator
Minnesota Department of Corrections
1450 Energy Park Dr. Suite 200
St. Paul, MN 55108
debra.wienand@state.mn.us

Proposals submitted in response to the Request for Proposals in this advertisement must be received at the address above no later than **2:30 p.m., Central Standard Time, December 17, 2019. Late proposals will not be considered.**

This request does not obligate the State to complete the work contemplated in this notice. The State reserves the right to cancel this solicitation. All expenses incurred in responding to this notice are solely the responsibility of the responder.

Department of Employment and Economic Development (DEED) Notice of Request for Proposals for Agency Lease

It is the intent of the State of Minnesota ("State") to enter into a lease for space in an existing or newly constructed building that will best serve the Department of Employment and Economic Development. The State has posted a solicitation at <https://mn.gov/admin/business/vendor-info/real-estate/solicitations-announcements.jsp>

Minnesota Historical Society (MNHS) Request for Bids for Elevator Modernization at James J Hill House

The Minnesota Historical Society (MNHS) is soliciting proposals from qualified contractors (Contractor) to update the existing hydraulic elevator at the James J Hill House, located at 240 Summit Avenue, St Paul, Minnesota 55102. This project is prevailing wage and required jobs reporting.

The Request for Proposal is available by contacting Mary Green Toussaint, Contract Manager, Minnesota Historical Society, by e-mail only: *mary.green-toussaint@mnhs.org*

There will be a **MANDATORY** pre-bid meeting for all interested parties on **1:00 P.M. on Thursday, December 5, 2019** at the Site, which is located at James J Hill House, 240 Summit Avenue, St Paul, MN 55102

Proposals must be received by Mary Green Toussaint, MNHS Contract Manager, or her agent by **2:00 P. M. Local Time, Thursday, December 19, 2019. Late proposals will not be accepted.** Authorized agents for receipt of proposals are staff located at the Information Desk on the 1st floor of the Minnesota History Center, 345 Kellogg Boulevard West, St. Paul, Minnesota 55102.

Minnesota Historical Society (MNHS) Request for Bids for Fire & Security System Replacement at James J Hill House

The Minnesota Historical Society is soliciting proposals from qualified contractors to update the existing fire and security system and complete associated repairs at the James J Hill House, located at 240 Summit Avenue, St Paul, Minnesota 55102. This project is prevailing wage and required jobs reporting.

The Request for Proposal is available by contacting Mary Green Toussaint, Contract Manager, Minnesota Historical Society, by e-mail only: mary.green-toussaint@mnhs.org

There will be a **MANDATORY** pre-bid meeting for all interested parties on **9:00 A.M. on Thursday, December 5, 2019** at the Site, which is located at James J Hill House, 240 Summit Avenue, St Paul, MN 55102

Proposals must be received by Mary Green Toussaint, MNHS Contract Manager, or her agent by **2:00 P. M. Local Time, Thursday, December 19, 2019. Late proposals will not be accepted.** Authorized agents for receipt of proposals are staff located at the Information Desk on the 1st floor of the Minnesota History Center, 345 Kellogg Boulevard West, St. Paul, Minnesota 55102.

Minnesota Historical Society (MNHS) Request for Proposals for Exterior Building Preservation/Rehabilitation at Historic Forestville

The Minnesota Historical Society is soliciting proposals from qualified contractors to provide all labor, materials, equipment, and supplies for the Exterior Building Preservation/Rehabilitation Project at the Meighen Store & Residence, Dairy/Large Barn, Wagon Barn, and Granary at Historic Forestville, located at 21899 County Road 118, Preston, Minnesota 55965. The work consists of, but is not limited to, roofing, carpentry repair, masonry restoration, exterior painting and lead paint abatement, and electrical trenching and extension to the Dairy/Large Barn.

This project is prevailing wage and required jobs reporting. All work must be done in accordance with the Drawings, Technical Specifications, Front End Specifications, the Contract, as well as this Request for Bids.

The Request for Proposal is available by contacting Mary Green Toussaint, Contract Manager, Minnesota Historical Society, by e-mail only: mary.green-toussaint@mnhs.org

There will be a **MANDATORY** pre-bid meeting for all interested parties on **11:00 A.M. on Tuesday, December 3, 2019** at the Site, which is located at Historic Forestville, 21899 County Road 118, Preston, Minnesota 55965

Proposals must be received by Mary Green Toussaint, MNHS Contract Manager, or her agent by **2:00 P. M. Local Time, Wednesday, December 18, 2019. Late proposals will not be accepted.** Authorized agents for receipt of proposals are staff located at the Information Desk on the 1st floor of the Minnesota History Center, 345 Kellogg Boulevard West, St. Paul, Minnesota 55102.

Department of Human Services Child Support Division Notice of Request for Proposals for a Qualified Contractor to Complete an Enterprise Systems Modernization Feasibility Study

NOTICE IS HEREBY GIVEN that the Minnesota Department of Human Services is requesting proposals to complete an Enterprise Systems Modernization Feasibility Study.

Work is proposed to start July 1, 2020. For more information, or to obtain a copy of the Request for Proposal, contact:

Linda Koskela, Contracts Management Analyst
Department of Human Services
Child Support Division
P.O. Box 64946
444 Lafayette Road North, St. Paul, MN 55155-0946
Phone: (651) 431-4526, Fax: (651) 431-7517
Linda.Koskela@state.mn.us

State Contracts

This is the only person designated to answer questions by potential responders regarding this request.

Proposals submitted in response to this Request for Proposals must be received at the address above no later than **4:00 p.m., Central Time, January 27, 2020. Late proposals will not be considered.** Faxed or e-mailed proposals will not be considered.

The RFP can be viewed by visiting the Minnesota Department of Human Services RFP web site:
http://www.dhs.state.mn.us/id_000102.

This request does not obligate the State to complete the work contemplated in this notice. The State reserves the right to cancel this solicitation. All expenses incurred in responding to this notice are solely the responsibility of the responder.

Department of Human Services

Child Support Division

Notice of Request for Proposals for a Qualified Contractor to Provide Services to the Minnesota Financial Institution Data Match (FIDM) and Tax Debtor Data Match Programs

NOTICE IS HEREBY GIVEN that the Minnesota Department of Human Services is requesting proposals to provide services for the on-going operation of the Minnesota Financial Institution Data Match (FIDM) program.

Work is proposed to start on July 1, 2020. For more information, or to obtain a copy of the Request for Proposal, contact:

Linda Koskela, Contracts Management Analyst
Department of Human Services
Child Support Division
P.O. Box 64946
444 Lafayette Road North, St. Paul, MN 55155-0946
Phone: (651) 431-4526, Fax: (651) 431-7517
Linda.Koskela@state.mn.us

This is the only person designated to answer questions by potential responders regarding this request.

Proposals submitted in response to this Request for Proposals must be received at the address above no later than **4:00 p.m., Central Time, January 15, 2020. Late proposals will not be considered.** Faxed or e-mailed proposals will not be considered.

The RFP can be viewed by visiting the Minnesota Department of Human Services RFP web site:
http://www.dhs.state.mn.us/id_000102

This request does not obligate the State to complete the work contemplated in this notice. The State reserves the right to cancel this solicitation. All expenses incurred in responding to this notice are solely the responsibility of the responder.

Minnesota Sports Facilities Authority (MSFA) Request for Bids for Purchase of Used Equipment

1. Bids – Submit sealed bids to Minnesota Sports Facilities Authority (MSFA) for the purchase of used equipment, Minneapolis, MN, to Ed Kroics, U.S. Bank Stadium by **December 4, 2019 by 5:00 p.m.**

2. The equipment sale includes Armor Deck 3 (Turf Protection System). A complete description including photos and bid specifications can be found at www.MSFA.com, under the “About” tab’s RFP’s link.

3. Pre-bid inspection – items will be available for inspection at U.S. Bank Stadium by appointment only. To schedule an appointment please email: ekroics@usbankstadium.com.

4. Items must be claimed from U.S. Bank Stadium on January 13, 2020 and February 26, 2020, see Bid Form for details.

Minnesota Department of Transportation (MnDOT)

Engineering Services Division

Notices Regarding Professional/Technical (P/T) Contracting

P/T Contracting Opportunities: MnDOT is now placing additional public notices for P/T contract opportunities on the MnDOT’s Consultant Services website. New public notices may be added to the website on a daily basis and be available for the time period as indicated within the public notice.

Taxpayers’ Transportation Accountability Act (TTAA) Notices: MnDOT is posting notices as required by the TTAA on the MnDOT Consultant Services website.

MnDOT’s Prequalification Program: MnDOT maintains a Pre-Qualification Program in order to streamline the process of contracting for highway related P/T services. Program information, application requirements, application forms and contact information can be found on MnDOT’s Consultant Services website. Applications may be submitted at any time for this Program.

MnDOT Consultant Services website: www.dot.state.mn.us/consult

If you have any questions regarding this notice, or are having problems viewing the information on the Consultant Services website, please call the Consultant Services Help Line at 651-366-4611, Monday – Friday, 9:00am – 4:00pm.

Minnesota Zoo

Wells Fargo Family Farm Exhibit Upgrades

The Minnesota Zoo (“Zoo”) is seeking a full service architectural design team (“Design Team”) to provide services from Schematic Design (SD) through Construction Administration (CA) as the Zoo reinvigorates the Wells Fargo Family Farm exhibit.

To obtain RFP documents please contact Thomas Root via email at thomas.root@state.mn.us

Key Dates

Selection Process Timeline

- | | |
|----------------------------|-------------------------------|
| • Pre-Bid Meeting and Walk | December 3, 2019 at 9:00 AM |
| • Questions Due | December 9, 2019 at 11:00 AM |
| • Answers Due | December 12, 2019 at 5:00 PM |
| • Proposals due | December 19, 2019 at 11:00 AM |
| • Final Selection | January 3, 2020 |

This request does not obligate the State to complete the work contemplated in this notice. The State reserves the right to cancel this solicitation. All expenses incurred in responding to this notice are solely the responsibility of the responder.

Non-State Public Bids, Contracts & Grants

The State Register also serves as a central marketplace for contracts let out on bid by the public sector. The *State Register* meets state and federal guidelines for statewide circulation of public notices. Any tax-supported institution or government jurisdiction may advertise contracts and requests for proposals from the private sector. It is recommended that contracts and RFPs include the following: 1) name of contact person; 2) institution name, address, and telephone number; 3) brief description of commodity, project or tasks; 4) cost estimate; and 5) final submission date of completed contract proposal. Allow at least three weeks from publication date (four weeks from the date article is submitted for publication). Surveys show that subscribers are interested in hearing about contracts for estimates as low as \$1,000. Contact editor for further details.

Besides the following listing, readers are advised to check: <http://www.mmd.admin.state.mn.us/solicitations.htm> as well as the Office of Grants Management (OGM) at: <http://www.grants.state.mn.us/public/>.

Metropolitan Airports Commission (MAC) Notice of Call for Bids for 2020 EMC Plant Upgrades (P4)

Airport Location: Minneapolis-St. Paul International Airport
Project Name: 2020 EMC Plant Upgrades (P4)
MAC Contract No.: 106-2-918
Bids Close At: 2:00 p.m. on December 17, 2019

Notice to Contractors: Sealed Bid Proposals for the project listed above will be received by the MAC, a public corporation, at the office thereof located at 6040-28th Avenue South, Minneapolis, Minnesota 55450, until the date and hour indicated. This project provides for Terminal 1-Lindbergh EMC: Replace cooling tower media, replace cooling tower partions, replace motors on cooling towers, replace sprinklers in cooling towers, provide cat walks for cooling towers, replace control panel. Terminal 2-Humphrey EMC: Provide stainless upper cabinets, provide exhaust system, seal cooling tower basins.

Note: You can sign up on our Web site (www.metroairports.org) to receive email notifications of new business opportunities or go directly to https://public.govdelivery.com/accounts/MNORGMAC/subscriber/topics?gsp-CODE_RED and choose this and other topics about which you are interested.

Targeted Group Businesses (TGB): The goal of the MAC for the utilization of Targeted Group Businesses on this project is 5%.

Bid Security: Each bid shall be accompanied by a "Bid Security" in the form of a certified check made payable to the MAC in the amount of not less than five percent (5%) of the total bid, or a surety bond in the same amount, running to the MAC, with the surety company thereon duly authorized to do business in the State of Minnesota.

Availability of Construction Documents: Plans and specifications are on file for inspection at the office of Michaud Cooley Erickson: at the Minnesota Builders Exchange; Dodge Data and Analytics; and NAMC-UM Plan Room. Bidders desiring drawings and specifications may secure a complete set from: Franz Reprographics; 2781 Freeway Boulevard, Suite 100; Brooklyn Park, MN 55430; PH: 763-503-3401; FX: 763-503-3409. Make checks payable to: Michaud Cooley Erickson. Deposit per set (refundable): \$150. Requests for mailing sets will be invoiced for mailing charges. Deposit will be refunded upon return of drawings, specifications, and addenda in good condition within 10 days of opening of bids.

MAC Internet Access of Additional Information: A comprehensive Notice of Call for Bids for this project will be available on November 18, 2019, at MAC's web address of <http://www.metroairports.org/airport-authority/business-opportunities/solicitations> (construction bids).

— Non-State Public Bids, Contracts & Grants

Metropolitan Airports Commission (MAC)

Notice of Call for Bids for 2020 Concourse G Energy Efficiency Projects P2

Airport Location: Minneapolis-St. Paul International Airport
Project Name: 2020 Concourse G Energy Efficiency Projects P2
MAC Contract No: 106-2-924
Bids Close At: 2:00 p.m. December 17, 2019

Notice to Contractors: Sealed Bid Proposals for the project listed above will be received by the MAC, a public corporation, at the office thereof located at 6040-28th Avenue South, Minneapolis, Minnesota 55450, until the date and hour indicated. The work of this project includes the removal and replacement of light fixtures with LED light fixtures, and the subsequent modifications to ACT ceilings and gyp bd ceilings.

Note: You can sign up on our Web site (www.metroairports.org) to receive email notifications of new business opportunities or go directly to https://public.govdelivery.com/accounts/MNORGMAC/subscriber/topics?gsp-CODE_RED and choose this and other topics about which you are interested.

Targeted Group Businesses (TGB): The goal of the MAC for the utilization of Targeted Group Businesses on this project is 7%.

Bid Security: Each bid shall be accompanied by a "Bid Security" in the form of a certified check made payable to the MAC in the amount of not less than five percent (5%) of the total bid, or a surety bond in the same amount, running to the MAC, with the surety company thereon duly authorized to do business in the State of Minnesota.

Availability of Construction Documents: Plans and specifications are on file for inspection at the office of Alliiance; at the Minnesota Builders Exchange; Dodge Data and Analytics; and NAMC-UM Plan Room. Bidders desiring drawings and specifications may secure a complete digital set at <http://www.franzrepro.com>. Click on the "Plan Rooms" tab and select "Franz Public Plan Room." Bidders may download the complete set of digital bidding documents for \$ 50.00 by entering 106-2-924-00 in the "search projects" box then click "refresh/search" button. Contact Franz at 763-503-3401 or support@franzrepro.com for assistance. Hard copy drawings and specifications are available for purchase at Bidders expense.

MAC Internet Access of Additional Information: A comprehensive Notice of Call for Bids for this project will be available on November 25, 2019, at MAC's web address of <http://www.metroairports.org/airport-authority/business-opportunities/solicitations> (construction bids).

Metropolitan Airports Commission (MAC)

Notice of Call for Bids for 2020 Electrical Infrastructure Program P12

Airport Location: Minneapolis-St. Paul International Airport
Project Name: 2020 Electrical Infrastructure Program P12
MAC Contract No: 106-2-920
Bids Close At: 2:00 p.m. December 17, 2019

Notice to Contractors: Sealed Bid Proposals for the project listed above will be received by the MAC, a public corporation, at the office thereof located at 6040-28th Avenue South, Minneapolis, Minnesota 55450, until the date and hour indicated. This project includes the cleaning, maintenance and relabeling of electrical distribution equipment.

Note: You can sign up on our Web site (www.metroairports.org) to receive email notifications of new business opportunities or go directly to https://public.govdelivery.com/accounts/MNORGMAC/subscriber/topics?gsp-CODE_RED and choose this and other topics about which you are interested.

Non-State Public Bids, Contracts & Grants =

Targeted Group Businesses (TGB): The goal of the MAC for the utilization of Targeted Group Businesses on this project is 5%.

Bid Security: Each bid shall be accompanied by a "Bid Security" in the form of a certified check made payable to the MAC in the amount of not less than five percent (5%) of the total bid, or a surety bond in the same amount, running to the MAC, with the surety company thereon duly authorized to do business in the State of Minnesota.

Availability of Construction Documents: Plans and specifications are on file for inspection at the office of Alliance; at the Minnesota Builders Exchange; Dodge Data and Analytics; and NAMC-UM Plan Room. Bidders desiring drawings and specifications may secure a complete digital set at <http://www.franzrepro.com>. Click on the "Plan Rooms" tab and select "Franz Public Plan Room." Bidders may download the complete set of digital bidding documents for \$ 50.00 by entering **106-2-920-00** in the "search projects" box then click "refresh/search" button. Contact Franz at 763-503-3401 or support@franzrepro.com for assistance. Hard copy drawings and specifications are available for purchase at Bidders expense.

MAC Internet Access of Additional Information: A comprehensive Notice of Call for Bids for this project will be available on November 25, 2019, at MAC's web address of <http://www.metroairports.org/airport-authority/business-opportunities/solicitations> (construction bids).



Several convenient ways to order:

- **Retail store** Open 8 a.m. - 3 p.m. Monday - Friday, 660 Olive Street, St. Paul
 - **Phone** (credit cards): 8 a.m. - 4 p.m. Monday - Friday, 651.297.3000 (Twin Cities) or 1.800.657.3757 (nationwide toll-free)
 - **On-line orders:** www.mnbookstore.com
 - **Minnesota Relay Service:** 711
 - **Fax** (credit cards): 651.215.5733 (fax line available 24 hours)
 - **Mail orders:** Orders can be sent to Minnesota's Bookstore, 660 Olive Street, St. Paul, MN 55155
- Minnesota's Bookstore accepts VISA, MasterCard, American Express & Discover for all purchases.**

