

Section B: Natality

Tables

Table 1: Selected Natality and Mortality

Table 2: Prematurity and Low Birth Weight, Singletons

Table 3: Infant Mortality

Table 4: Prenatal Care

Table 5: Cesarean Births

Table 6: Fertility and Family Planning

Table 7: Teen Birth and Pregnancy Rates

Table 8: Socio-Demographic Factors

Table 9: Educational Status of Mother

Table 10: Race and Ethnicity of Mother

**Nativity Table 1: Selected Minnesota Natality Statistics
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	69,835	66.3	12.7	42,652	7.8	4.9
Aitkin	99	51.5	6.3	194	12.4	-6.1
Anoka	4,305	65.9	12.5	2,037	5.9	6.6
Becker	395	74.3	11.8	364	10.9	0.9
Beltrami	671	74.3	14.7	413	9.0	5.6
Benton	584	74.6	14.7	361	9.1	5.6
Big Stone	55	80.4	10.9	78	15.5	-4.6
Blue Earth	742	47.5	11.3	463	7.0	4.2
Brown	301	70.7	11.9	269	10.6	1.3
Carlton	366	63.7	10.3	391	11.0	-0.7
Carver	1,213	64.3	12.3	514	5.2	7.1
Cass	339	85.0	11.8	309	10.8	1.0
Chippewa	195	98.2	16.1	144	11.9	4.2
Chisago	594	63.2	10.9	419	7.7	3.2
Clay	863	60.3	13.8	477	7.7	6.2
Clearwater	96	69.4	10.9	99	11.2	-0.3
Cook	56	76.5	10.8	36	6.9	3.9
Cottonwood	163	91.7	14.1	133	11.5	2.6
Crow Wing	718	70.9	11.3	651	10.3	1.1
Dakota	5,277	66.0	12.7	2,416	5.8	6.9
Dodge	260	68.4	12.8	160	7.9	4.9
Douglas	425	71.4	11.5	432	11.7	-0.2
Faribault	157	72.5	11.2	186	13.2	-2.1
Fillmore	254	78.0	12.2	236	11.3	0.9
Freeborn	344	72.0	11.2	372	12.2	-0.9
Goodhue	508	66.6	10.9	482	10.4	0.6
Grant	73	84.6	12.4	69	11.7	0.7
Hennepin	16,829	65.5	13.8	8,496	6.9	6.8
Houston	194	65.5	10.3	206	11.0	-0.6
Hubbard	219	76.6	10.6	189	9.2	1.5
Isanti	456	66.7	11.9	291	7.6	4.3
Itasca	499	72.4	11.0	569	12.5	-1.5
Jackson	114	72.8	11.3	103	10.2	1.1
Kanabec	157	61.5	9.9	157	9.9	0.0
Kandiyohi	632	88.2	14.9	377	8.9	6.0
Kittson	39	62.5	8.8	57	12.9	-4.1
Koochiching	103	53.3	8.0	161	12.5	-4.5
Lac Qui Parle	56	59.2	8.2	81	11.8	-3.6
Lake	101	68.7	9.5	145	13.6	-4.1
Lake of the Woods	36	67.8	9.2	53	13.5	-4.3
Le Sueur	306	63.5	11.1	231	8.4	2.7
Lincoln	79	94.8	13.7	82	14.2	-0.5
Lyon	378	75.9	14.7	246	9.6	5.1
McLeod	396	63.5	11.0	338	9.4	1.6
Mahnomen	94	107.3	17.2	61	11.2	6.0
Marshall	125	86.3	13.3	91	9.7	3.6
Martin	234	75.3	11.7	275	13.7	-2.0
Meeker	272	74.1	11.8	211	9.1	2.6
Mille Lacs	308	70.9	11.9	289	11.2	0.7

**Nativity Table 1: Selected Minnesota Natality Statistics
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	69,835	66.3	12.7	42,652	7.8	4.9
Morrison	390	72.3	11.9	330	10.1	1.8
Mower	510	76.2	13.0	391	10.0	3.0
Murray	88	71.8	10.5	106	12.6	-2.1
Nicollet	372	54.1	11.2	233	7.0	4.2
Nobles	368	98.0	16.9	152	7.0	9.9
Norman	74	69.6	11.1	104	15.6	-4.5
Olmsted	2,152	73.0	14.2	1,012	6.7	7.5
Otter Tail	680	81.1	11.8	686	11.9	-0.1
Pennington	189	72.8	13.3	123	8.7	4.6
Pine	256	60.5	8.8	315	10.8	-2.0
Pipestone	121	83.9	13.1	119	12.8	0.2
Polk	416	76.0	13.2	359	11.4	1.8
Pope	124	77.5	11.2	128	11.6	-0.4
Ramsey	7,836	68.3	14.6	4,155	7.7	6.8
Red Lake	47	74.2	11.6	25	6.2	5.4
Redwood	199	82.9	12.9	175	11.3	1.6
Renville	159	69.3	10.7	195	13.1	-2.4
Rice	717	56.2	11.0	449	6.9	4.1
Rock	104	66.8	10.8	111	11.6	-0.7
Roseau	183	72.1	11.6	138	8.8	2.9
St. Louis	1,965	53.0	9.8	2,094	10.4	-0.6
Scott	1,826	64.3	12.9	694	4.9	8.0
Sherburne	1,228	69.0	13.4	528	5.8	7.6
Sibley	138	56.1	9.3	156	10.5	-1.2
Stearns	1,986	61.8	12.8	1,035	6.7	6.1
Steele	469	73.9	12.8	295	8.0	4.7
Stevens	111	51.2	11.3	78	8.0	3.4
Swift	103	71.9	11.0	121	13.0	-1.9
Todd	291	78.9	12.0	232	9.6	2.4
Traverse	34	70.0	10.0	57	16.8	-6.8
Wabasha	239	69.7	11.3	204	9.6	1.6
Wadena	168	77.3	12.1	207	14.9	-2.8
Waseca	226	57.8	11.9	170	9.0	2.9
Washington	2,800	60.5	11.1	1,549	6.2	5.0
Watsonwan	158	85.2	14.4	127	11.6	2.8
Wilkin	59	56.1	9.2	90	14.1	-4.8
Winona	480	41.8	9.4	461	9.1	0.4
Wright	1,764	70.7	13.4	709	5.4	8.0
Yellow Medicine	122	79.8	12.4	118	11.9	0.4

**Nativity Table 1: Selected Minnesota Natality Statistics
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	69,835	66.3	12.7	42,652	7.8	4.9
CHB - Aitkin, Itasca, Koochiching	701	63.3	9.2	924	12.5	-3.3
CHB - Beltrami, Clearwater, Hubbard, Lake of the Woods	1,022	76.1	13.3	754	9.5	3.8
CHB - Big Stone, Chippewa, Lac qui Parle, Swift, Yellow Medicine	531	25.2	4.6	542	12.5	-8.0
CHB - Brown, Nicollet	673	62.0	11.8	502	8.6	3.2
CHB - Carlton, Cook, Lake, St. Louis	2,488	57.6	10.3	2,666	10.6	-0.3
CHB - Cottonwood, Jackson	277	85.6	13.2	236	10.9	2.3
CHB - Clay, Wilkin, Becker, Otter Tail	1,997	69.8	12.7	1,617	10.1	2.6
CHB - Douglas, Grant, Pope, Stevens, Traverse	767	69.8	11.5	764	11.4	0.1
CHB - Dodge, Steele	729	74.7	13.3	455	8.0	5.3
CHB - Fillmore, Houston	448	76.9	12.1	442	11.2	0.9
CHB - Faribault, Martin	391	70.9	11.0	461	13.5	-2.6
CHB - Isanti, Mille Lacs	764	68.0	11.8	580	9.0	2.8
CHB - Kittson, Marshall, Pennington, Red Lake, Roseau	583	73.7	12.1	434	9.1	3.0
CHB - Kanabec, Pine	413	65.3	9.9	472	10.5	-0.6
CHB - Kandiyohi, Renville	791	76.9	12.7	572	10.0	2.7
CHB - Lincoln, Lyon, Murray, Pipestone, Redwood, Rock	969	74.0	12.4	839	11.3	1.1
CHB - LeSueur, Waseca	532	60.3	11.3	401	8.6	2.7
CHB - Meeker, McLeod, Sibley	806	72.6	12.2	705	9.5	2.6
CHB - Mahnomen, Norman, Polk	584	78.9	13.4	524	12.0	1.4
CHB - Morrison, Todd, Wadena	849	77.8	12.3	769	10.8	1.5

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

Fertility Rate: The number of live births per 1,000 women in the population of age 15 - 44 years.

Birth Rate: The number of live births per 1,000 population.

Death Rate: The number of deaths per 1,000 population

Natural Rate of Increase: The difference in the birth rate and death rate.

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Number Preterm Births	Percent Preterm Births	Number Low Birth Weight	Percent Low Birth Weight	Percent Very Low Birth Weight 2013-2015	Percent Small for Gestational Age
State of Minnesota	5,231	8.2	3,251	4.8	1.2	3.9
Aitkin	7	7.8	1	1.1	1.6	3.3
Anoka	330	8.3	208	5.0	1.1	4.1
Becker	22	6.1	17	4.5	1.4	3.8
Beltrami	71	11.6	37	5.7	0.9	3.2
Benton	57	10.4	22	3.9	0.9	2.6
Big Stone	8	15.1	3	5.5	0.6	0.0
Blue Earth	57	8.9	40	5.6	1.6	4.8
Brown	19	6.7	7	2.4	1.4	2.8
Carlton	23	7.1	10	2.8	1.3	3.3
Carver	91	8.5	36	3.1	1.5	3.2
Cass	19	6.2	10	3.0	1.3	2.9
Chippewa	10	6.1	5	2.7	0.8	2.9
Chisago	49	9.3	22	3.9	1.2	2.7
Clay	56	7.4	41	4.9	1.4	4.1
Clearwater	13	15.3	4	4.3	0.6	3.4
Cook	3	5.5	4	7.1	2.8	1.8
Cottonwood	9	5.9	4	2.5	0.9	4.5
Crow Wing	56	8.4	36	5.1	1.1	3.9
Dakota	368	7.5	229	4.5	1.3	4.3
Dodge	18	7.5	11	4.3	0.9	2.5
Douglas	39	9.4	19	4.6	1.0	2.8
Faribault	11	7.7	7	4.6	0.9	2.0
Fillmore	15	6.7	7	2.8	0.8	2.6
Freeborn	23	7.5	17	5.3	1.1	3.4
Goodhue	36	7.8	19	3.9	0.8	2.5
Grant	7	10.4	6	8.5	1.8	2.9
Hennepin	1,354	8.7	864	5.3	1.3	4.2
Houston	9	6.0	5	2.7	1.2	1.9
Hubbard	11	5.4	9	4.2	0.9	6.3
Isanti	39	8.9	11	2.5	1.6	2.5
Itasca	40	8.8	30	6.2	0.7	5.1
Jackson	2	1.9	6	5.4	1.7	5.5
Kanabec	6	4.2	5	3.4	0.6	7.8
Kandiyohi	38	6.3	26	4.2	0.9	4.2
Kittson	2	6.1	0	0.0	1.4	0.0
Koochiching	6	6.3	4	4.0	0.6	3.1
Lac Qui Parle	4	7.7	2	3.6	0.6	0.0
Lake	8	8.3	2	2.1	0.3	1.0
Lake of the Woods	1	3.3	0	0.0	0.0	0.0
Le Sueur	19	7.2	7	2.4	1.9	3.3
Lincoln	4	5.7	3	3.8	0.0	7.1
Lyon	22	7.4	13	3.6	1.5	3.3
McLeod	29	9.1	14	3.7	1.5	3.2
Mahnomen	4	4.9	4	4.3	0.7	9.5
Marshall	9	8.0	6	5.0	1.7	3.4
Martin	16	9.5	8	3.5	1.3	4.1
Meeker	17	7.1	10	3.8	0.6	3.6
Mille Lacs	32	11.1	21	7.0	1.2	4.4
Morrison	34	9.1	12	3.2	0.3	2.6
Mower	44	9.4	24	5.0	1.1	4.3

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Number Preterm Births	Percent Preterm Births	Number Low Birth Weight	Percent Low Birth Weight	Percent Very Low Birth Weight 2013-2015	Percent Small for Gestational Age
Murray	1	1.3	1	1.2	2.0	2.6
Nicollet	20	6.4	10	2.8	0.9	2.4
Nobles	35	11.3	19	5.3	0.5	4.7
Norman	5	8.1	6	8.5	3.6	4.6
Olmsted	151	7.9	99	4.8	0.9	3.1
Otter Tail	45	7.0	29	4.4	0.7	3.8
Pennington	15	8.9	9	5.0	1.3	1.7
Pine	14	6.3	13	5.2	0.9	4.4
Pipestone	4	3.7	3	2.5	0.3	3.6
Polk	30	7.9	19	4.7	1.2	2.8
Pope	10	8.9	5	4.2	0.3	5.2
Ramsey	584	8.3	434	5.7	1.3	5.2
Red Lake	0	0.0	1	2.2	0.0	2.2
Redwood	19	10.6	15	7.9	2.1	5.3
Renville	13	9.4	9	6.0	0.4	5.6
Rice	44	6.7	36	5.2	1.2	3.7
Rock	10	10.1	5	5.0	0.6	2.0
Roseau	9	5.2	3	1.7	1.8	1.7
St. Louis	155	8.3	101	5.3	1.1	4.5
Scott	117	7.0	74	4.2	0.8	3.9
Sherburne	99	8.5	54	4.5	1.4	2.4
Sibley	7	5.4	5	3.7	0.6	3.0
Stearns	170	8.9	103	5.3	1.2	2.9
Steele	39	9.4	16	3.5	1.3	1.9
Stevens	16	15.0	9	8.3	1.4	2.8
Swift	6	6.0	4	4.0	0.3	4.9
Todd	11	4.3	12	4.3	1.3	4.2
Traverse	4	12.1	3	8.8	2.0	3.0
Wabasha	22	10.0	16	6.8	1.0	4.9
Wadena	16	10.8	7	4.3	0.4	5.8
Waseca	16	8.2	8	3.7	0.8	4.9
Washington	185	7.3	114	4.2	1.0	3.8
Watsonwan	12	8.6	12	7.6	0.2	2.9
Wilkin	5	8.8	4	6.8	1.5	5.3
Winona	31	7.5	20	4.3	0.5	2.8
Wright	138	8.4	64	3.7	0.8	2.8
Yellow Medicine	6	5.8	1	0.8	1.5	0.9
CHB - Aitkin, Itasca, Koochiching	53	8.2	35	5.1	0.8	4.6
CHB - Beltrami,	96	10.3	50	5.0	0.8	3.8
CHB - Big Stone,	34	7.2	15	2.9	0.8	2.3
CHB - Brown, Nicollet	39	6.5	17	2.6	1.1	2.6
CHB - Carlton, Cook, Lake, St. Louis	189	8.0	117	4.9	1.2	4.1
CHB - Cottonwood, Jackson	11	4.2	10	3.7	1.2	4.9
CHB - Clay, Wilkin, Becker, Otter Tail	128	7.1	91	4.7	1.2	3.9
CHB - Douglas, Grant, Pope, Stevens, Traverse	76	10.4	42	5.6	1.1	3.2
CHB - Dodge, Steele	57	8.7	27	3.8	1.1	2.1

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Number Preterm Births	Percent Preterm Births	Number Low Birth Weight	Percent Low Birth Weight	Percent Very Low Birth Weight 2013-2015	Percent Small for Gestational Age
CHB - Fillmore, Houston	24	6.4	12	2.8	0.9	2.3
CHB - Faribault, Martin	27	8.7	15	3.9	1.2	3.1
CHB - Isanti, Mille Lacs	71	9.7	32	4.3	1.4	3.3
CHB - Kittson, Marshall, Pennington, Red Lake, Roseau	35	6.6	19	3.4	1.4	2.0
CHB - Kanabec, Pine	20	5.4	18	4.5	0.8	5.8
CHB - Kandiyohi, Renville	51	6.9	35	4.6	0.8	4.5
CHB - Lincoln, Lyon, Murray, Pipestone, Redwood, Rock	60	7.2	40	4.3	1.0	3.8
CHB - LeSueur, Waseca	35	7.6	15	2.9	1.4	4.0
CHB - Meeker, McLeod, Sibley	53	7.7	29	3.8	1.1	3.3
CHB - Mahnomen, Norman, Polk	39	7.4	29	5.1	1.4	4.1
CHB - Morrison, Todd, Wadena	61	7.8	31	3.8	0.7	3.7

Source: Minnesota Department of Health, Center for Health Statistics.

Preterm Births: Live births of babies who are less than 37 weeks gestation at birth (computed).

Low Birth Weight Births: Live births who are less than 2500 grams at birth.

Very Low Birth Weight Births: Live births who are born weighing less than 1500 grams.

Nativity Table 3: Minnesota Number of Infant Deaths by State and County,
By State, County and Community Health Board (CHB), 1995-2014 (Birth Year)**

State/County/CHB	Birth Year			
	1995-1999	2000-2004	2005-2009	2010-2014
State of Minnesota	1,990	1,728	1,893	1,672
Aitkin	6	2	1	4
Anoka	120	96	113	84
Becker	9	9	20	12
Beltrami	27	20	28	37
Benton	15	18	17	17
Big Stone	1	2	1	4
Blue Earth	22	12	11	18
Brown	7	6	6	4
Carlton	9	11	10	5
Carver	27	9	23	25
Cass	14	10	12	12
Chippewa	5	2	2	3
Chisago	13	10	20	15
Clay	21	17	35	22
Clearwater	3	5	3	2
Cook	2	2	2	2
Cottonwood	4	2	4	2
Crow Wing	15	20	16	19
Dakota	122	129	111	104
Dodge	4	8	11	5
Douglas	6	11	8	17
Faribault	8	2	3	4
Fillmore	7	11	4	5
Freeborn	13	12	9	9
Goodhue	20	11	13	13
Grant	0	0	0	2
Hennepin	541	426	466	394
Houston	4	9	5	2
Hubbard	2	8	5	6
Isanti	14	8	12	11
Itasca	18	18	10	17
Jackson	1	2	4	3
Kanabec	5	5	2	2
Kandiyohi	22	6	15	7
Kittson	2	1	0	2
Koochiching	6	6	2	1
Lac Qui Parle	1	2	3	4
Lake	2	6	4	4
Lake of the Woods	0	3	2	0
Le Sueur	4	6	4	6
Lincoln	0	1	1	1
Lyon	8	11	13	7
McLeod	18	14	6	10
Mahnomen	4	3	5	6
Marshall	4	4	5	1
Martin	6	2	5	5
Meeker	3	6	9	5
Mille Lacs	4	11	13	11
Morrison	8	17	14	8

Nativity Table 3: Minnesota Number of Infant Deaths by State and County,
By State, County and Community Health Board (CHB), 1995-2014 (Birth Year)**

State/County/CHB	Birth Year			
	1995-1999	2000-2004	2005-2009	2010-2014
Mower	18	9	13	16
Murray	2	4	1	1
Nicollet	9	5	14	15
Nobles	5	7	13	9
Norman	1	1	0	2
Olmsted	44	54	65	44
Otter Tail	16	15	6	18
Pennington	7	5	5	4
Pine	7	12	12	9
Pipestone	4	3	3	1
Polk	11	8	12	14
Pope	1	3	4	6
Ramsey	311	210	265	232
Red Lake	2	3	0	0
Redwood	5	3	2	3
Renville	7	4	1	5
Rice	7	24	13	15
Rock	6	2	1	2
Roseau	7	8	5	5
St. Louis	72	56	47	59
Scott	23	26	50	31
Sherburne	22	22	34	28
Sibley	5	3	2	3
Stearns	48	49	51	40
Steele	11	17	8	7
Stevens	6	4	3	3
Swift	1	3	4	1
Todd	8	8	12	7
Traverse	1	1	1	1
Wabasha	11	8	5	4
Wadena	3	3	7	3
Waseca	8	5	4	4
Washington	61	67	72	58
Watonwan	5	6	8	5
Wilkin	3	6	0	1
Winona	16	14	18	11
Wright	33	35	42	44
Yellow Medicine	5	3	2	2
CHB - Aitkin, Itasca, Koochiching	30	26	13	22
CHB - Beltrami, Clearwater, Hubbard, Lake of the Woods	32	36	38	45
CHB - Big Stone, Chippewa, Lac qui	13	12	12	14
CHB - Brown, Nicollet	16	11	20	19
CHB - Carlton, Cook, Lake, St. Louis	85	75	63	70
CHB - Cottonwood, Jackson	5	4	8	5
CHB - Clay, Wilkin, Becker, Otter Tail	49	47	61	53
CHB - Douglas, Grant, Pope, Stevens, Traverse	14	19	16	29
CHB - Dodge, Steele	15	25	19	12
CHB - Fillmore, Houston	11	20	9	7

Nativity Table 3: Minnesota Number of Infant Deaths by State and County,
By State, County and Community Health Board (CHB), 1995-2014 (Birth Year)**

State/County/CHB	Birth Year			
	1995-1999	2000-2004	2005-2009	2010-2014
CHB - Faribault, Martin	14	4	8	9
CHB - Isanti, Mille Lacs	18	19	25	22
CHB - Kittson, Marshall, Pennington, Red Lake, Roseau	22	21	15	12
CHB - Kanabec, Pine	12	17	14	11
CHB - Kandiyohi, Renville	29	10	16	12
CHB - Lincoln, Lyon, Murray, Pipestone, Redwood, Rock	25	24	21	15
CHB - LeSueur, Waseca	12	11	8	10
CHB - Meeker, McLeod, Sibley	26	23	17	18
CHB - Mahnomen, Norman, Polk	16	12	17	22
CHB - Morrison, Todd, Wadena	19	28	33	18

Source: Minnesota Department of Health, Center for Health Statistics

**Nativity Table 4: Prenatal Care in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEK		
		Adequate or Better	Intermediate	Inadequate or None
State of Minnesota	82.1	76.8	18.7	4.5
Aitkin	86.5	80.4	17.4	2.2
Anoka	85.8	81.1	15.9	3.0
Becker	70.9	64.3	23.3	12.3
Beltrami	69.6	62.5	20.1	17.5
Benton	84.5	81.5	15.5	3.0
Big Stone	81.8	77.3	20.5	2.3
Blue Earth	90.6	90.7	6.8	2.4
Brown	88.0	81.9	16.3	1.7
Carlton	86.7	80.6	15.2	4.2
Carver	85.5	80.1	17.8	2.1
Cass	76.8	67.7	19.2	13.1
Chippewa	88.1	79.0	18.2	2.8
Chisago	89.2	85.9	11.7	2.4
Clay	58.1	54.8	25.8	19.4
Clearwater	72.9	71.1	16.7	12.2
Cook	74.5	42.6	48.1	9.3
Cottonwood	79.9	76.5	18.4	5.1
Crow Wing	87.5	82.2	14.8	3.0
Dakota	82.7	79.8	16.2	4.0
Dodge	85.1	60.7	38.4	0.8
Douglas	94.3	90.6	8.5	0.9
Faribault	81.5	84.6	12.6	2.8
Fillmore	71.2	54.2	32.1	13.7
Freeborn	89.9	87.3	10.5	2.2
Goodhue	84.3	74.4	22.6	3.0
Grant	87.3	89.7	10.3	0.0
Hennepin	79.7	76.0	18.7	5.4
Houston	63.6	70.0	10.0	20.0
Hubbard	79.5	68.3	25.2	6.4
Isanti	85.8	82.2	15.1	2.7
Itasca	83.8	76.9	18.6	4.5
Jackson	92.0	93.0	7.0	0.0
Kanabec	89.2	80.6	16.8	2.6
Kandiyohi	79.2	67.6	27.0	5.4
Kittson	90.9	80.0	15.0	5.0
Koochiching	76.0	69.9	29.0	1.1
Lac Qui Parle	89.4	71.4	21.4	7.1
Lake	83.0	75.8	19.2	5.1
Lake of the Woods	77.1	76.7	23.3	0.0
Le Sueur	87.7	85.1	11.6	3.4
Lincoln	88.1	88.2	11.8	0.0
Lyon	83.0	74.4	21.8	3.8
McLeod	86.7	84.0	14.5	1.5
Mahnomen	59.5	48.0	22.7	29.3
Marshall	90.6	82.7	15.4	1.9
Martin	89.4	84.9	13.8	1.3
Meeker	84.8	73.6	23.6	2.8
Mille Lacs	79.9	73.0	16.2	10.8
Morrison	88.1	84.7	12.2	3.1
Mower	75.9	65.0	29.8	5.1

**Nativity Table 4: Prenatal Care in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEK		
		Adequate or Better	Intermediate	Inadequate or None
Murray	89.0	88.2	8.8	2.9
Nicollet	87.4	87.7	9.0	3.4
Nobles	81.9	80.8	16.2	3.1
Norman	83.3	63.6	36.4	0.0
Olmsted	79.5	50.4	45.5	4.1
Otter Tail	84.1	81.4	14.1	4.5
Pennington	91.7	88.0	10.7	1.3
Pine	80.1	72.9	19.6	7.6
Pipestone	78.2	80.8	15.4	3.8
Polk	83.7	74.5	20.4	5.1
Pope	89.5	84.5	14.7	0.9
Ramsey	75.4	70.7	23.3	6.1
Red Lake	93.3	88.6	11.4	0.0
Redwood	81.0	74.3	24.6	1.1
Renville	80.6	72.9	21.5	5.6
Rice	78.3	77.0	18.0	5.0
Rock	81.1	72.2	25.0	2.8
Roseau	84.1	79.9	16.5	3.7
St. Louis	86.6	82.0	14.5	3.5
Scott	84.2	82.3	15.2	2.5
Sherburne	88.8	82.4	15.7	1.9
Sibley	81.9	73.1	20.1	6.7
Stearns	84.6	81.1	16.6	2.3
Steele	89.6	83.9	14.9	1.2
Stevens	78.2	66.7	26.9	6.5
Swift	86.3	68.6	26.5	4.9
Todd	79.8	76.1	15.5	8.3
Traverse	81.8	71.4	19.0	9.5
Wabasha	83.2	65.1	30.7	4.2
Wadena	80.7	75.7	22.4	2.0
Waseca	87.6	85.6	10.4	4.0
Washington	86.7	82.4	14.1	3.5
Watonwan	84.7	83.6	11.4	5.0
Wilkin	76.5	72.7	18.2	9.1
Winona	81.9	76.8	18.9	4.3
Wright	88.9	83.7	14.2	2.1
Yellow Medicine	92.4	86.8	8.8	4.4
CHB - Aitkin, Itasca, Koochiching	83.0	76.4	19.9	3.7
CHB - Beltrami, Clearwater, Hubbard, Lake of the Woods	72.3	65.0	21.0	14.0
CHB - Big Stone, Chippewa, Lac qui Parle, Swift, Yellow Medicine	88.2	77.4	18.7	4.0
CHB - Brown, Nicollet	87.7	85.0	12.4	2.6
CHB - Carlton, Cook, Lake, St. Louis	86.2	80.6	15.6	3.8
CHB - Cottonwood, Jackson	84.5	82.9	14.0	3.2
CHB - Clay, Wilkin, Becker, Otter Tail	78.9	74.9	17.5	7.6
CHB - Douglas, Grant, Pope, Stevens, Traverse	90.1	85.5	12.6	1.9
CHB - Dodge, Steele	88.0	75.4	23.6	1.1
CHB - Fillmore, Houston	70.8	55.0	31.0	14.0

**Nativity Table 4: Prenatal Care in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
CHB - Faribault, Martin	86.2	84.8	13.2	2.0
CHB - Isanti, Mille Lacs	83.4	78.5	15.5	5.9
CHB - Kittson, Marshall, Pennington, Red Lake, Roseau	88.8	53.4	25.9	20.7
CHB - Kanabec, Pine	83.6	76.1	18.4	5.5
CHB - Kandiyohi, Renville	79.5	68.6	26.0	5.4
CHB - Lincoln, Lyon, Murray, Pipestone, Redwood, Rock	82.7	77.2	20.1	2.7
CHB - LeSueur, Waseca	87.7	85.3	11.1	3.6
CHB - Meeker, McLeod, Sibley	85.3	78.4	18.7	2.9
CHB - Mahnomen, Norman, Polk	75.4	65.0	22.0	13.0
CHB - Morrison, Todd, Wadena	83.9	80.1	15.2	4.6

Source: Minnesota Department of Health, Center for Health Statistics

GINDEX: A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

Adequate or Better: Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

Intermediate: Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

Inadequate or None: No prenatal care or the prenatal care started in the 3rd trimester or the woman had an inadequate range of visits, regardless of when prenatal care began.

**Natality Table 5: Cesarean Births in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent
State of Minnesota	26.5	15.5	11.0
Aitkin	31.3	12.1	19.2
Anoka	26.1	15.5	10.6
Becker	23.4	11.7	11.7
Beltrami	30.5	12.8	17.7
Benton	30.3	16.6	13.7
Big Stone	29.1	16.4	12.7
Blue Earth	24.9	13.0	11.9
Brown	32.2	15.6	16.6
Carlton	28.9	17.2	11.7
Carver	28.4	17.9	10.5
Cass	27.4	12.7	14.7
Chippewa	29.2	15.4	13.8
Chisago	24.9	13.3	11.6
Clay	25.4	12.9	12.5
Clearwater	28.1	15.6	12.5
Cook	19.6	10.7	8.9
Cottonwood	24.6	11.7	12.9
Crow Wing	26.7	13.5	13.2
Dakota	28.2	17.1	11.1
Dodge	22.3	10.4	11.9
Douglas	21.6	12.0	9.6
Faribault	30.5	14.6	15.9
Fillmore	15.4	7.1	8.3
Freeborn	37.6	22.4	15.2
Goodhue	27.8	15.4	12.4
Grant	21.9	12.3	9.6
Hennepin	25.8	16.1	9.7
Houston	24.2	16.0	8.2
Hubbard	28.0	11.9	16.1
Isanti	21.0	16.2	4.8
Itasca	31.0	18.8	12.2
Jackson	37.7	14.9	22.8
Kanabec	30.6	19.1	11.5
Kandiyohi	23.4	10.9	12.5
Kittson	30.7	17.9	12.8
Koochiching	42.7	29.1	13.6
Lac Qui Parle	32.2	16.1	16.1
Lake	23.8	11.9	11.9
Lake of the Woods	22.2	13.9	8.3
Le Sueur	29.4	15.7	13.7
Lincoln	21.6	12.7	8.9
Lyon	25.2	15.9	9.3
McLeod	31.9	16.2	15.7
Mahnomen	25.5	11.7	13.8
Marshall	37.6	20.8	16.8
Martin	23.5	13.2	10.3
Meeker	34.7	18.1	16.6
Mille Lacs	26.6	15.9	10.7
Morrison	30.8	16.7	14.1
Mower	30.6	16.7	13.9

**Nativity Table 5: Cesarean Births in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent
State of Minnesota	26.5	15.5	11.0
Murray	37.5	18.2	19.3
Nicollet	30.6	18.5	12.1
Nobles	28.8	15.8	13.0
Norman	29.8	23.0	6.8
Olmsted	24.9	14.6	10.3
Otter Tail	26.8	12.5	14.3
Pennington	37.0	20.6	16.4
Pine	28.1	19.9	8.2
Pipestone	27.3	17.4	9.9
Polk	26.5	13.5	13.0
Pope	34.7	21.0	13.7
Ramsey	23.2	14.2	9.0
Red Lake	40.4	17.0	23.4
Redwood	33.7	23.1	10.6
Renville	25.7	13.8	11.9
Rice	25.2	13.9	11.3
Rock	39.4	23.1	16.3
Roseau	40.5	21.9	18.6
St. Louis	25.4	14.6	10.8
Scott	26.9	14.8	12.1
Sherburne	30.9	18.2	12.7
Sibley	32.6	22.5	10.1
Stearns	26.1	14.5	11.6
Steele	33.5	18.1	15.4
Stevens	23.4	11.7	11.7
Swift	25.2	12.6	12.6
Todd	21.2	11.8	9.4
Traverse	20.6	11.8	8.8
Wabasha	23.4	13.4	10.0
Wadena	24.4	13.1	11.3
Waseca	32.3	16.4	15.9
Washington	26.2	15.4	10.8
Watonwan	29.8	11.4	18.4
Wilkin	38.9	20.3	18.6
Winona	20.5	13.7	6.8
Wright	27.8	15.7	12.1
Yellow Medicine	26.2	17.2	9.0
CHB - Aitkin, Itasca,	28.2	16.1	12.1
CHB - Beltrami, Clearwater, Hubbard, Lake of the Woods	29.5	12.9	16.6
CHB - Big Stone, Chippewa, Lac qui Parle, Swift, Yellow Medicine	28.0	15.4	12.6
CHB - Brown, Nicollet	31.3	17.2	14.1
CHB - Carlton, Cook, Lake, St. Louis	25.8	14.8	11.0
CHB - Cottonwood, Jackson	30.0	13.0	17.0
CHB - Clay, Wilkin, Becker, Otter Tail	25.8	12.7	13.1

**Nativity Table 5: Cesarean Births in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent
State of Minnesota	26.5	15.5	11.0
CHB - Douglas, Grant, Pope, Stevens, Traverse	24.0	13.4	10.6
CHB - Dodge, Steele	29.5	15.4	14.1
CHB - Fillmore, Houston	19.2	10.9	8.3
CHB - Faribault, Martin	26.3	13.8	12.5
CHB - Isanti, Mille Lacs	23.3	16.1	7.2
CHB - Kittson, Marshall, Pennington, Red Lake, Roseau	38.1	20.6	17.5
CHB - Kanabec, Pine	29.0	19.6	9.4
CHB - Kandiyohi, Renville	23.9	11.5	12.4
CHB - Lincoln, Lyon, Murray, Pipestone, Redwood, Rock	29.5	18.3	11.2
CHB - LeSueur, Waseca	30.7	16.0	14.7
CHB - Meeker, McLeod, Sibley	32.9	17.9	15.0
CHB - Mahnomen, Norman, Polk	26.7	14.4	12.3
CHB - Morrison, Todd, Wadena	26.3	14.3	12.0

Source: Minnesota Department of Health, Center for Health Statistics

**Nativity Table 6: Fertility and Family Planning in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Number Pregnancies	Rate Pregnancies	Number Abortions	Rate Abortions	Percent of Women with 4 or More Births	Percent of Women with Live Births w/in 1 Year
State of Minnesota	79,197	75.1	8,898	8.4	6.0	2.1
Aitkin	106	55.2	6	**	10.1	1.4
Anoka	4,888	74.9	541	8.3	5.0	1.5
Becker	403	75.8	*	**	14.5	3.4
Beltrami	713	79.0	39	4.3	10.9	2.0
Benton	648	82.8	63	8.1	4.5	4.4
Big Stone	55	80.4	*	**	7.3	0.0
Blue Earth	884	56.6	134	8.6	6.3	1.5
Brown	324	76.1	18	**	5.6	0.5
Carlton	406	70.7	40	7.0	4.7	0.9
Carver	1,307	69.3	87	4.6	4.5	1.1
Cass	369	92.5	26	6.5	6.8	2.4
Chippewa	204	102.8	9	**	4.6	3.2
Chisago	651	69.2	53	5.6	4.4	3.8
Clay	881	61.5	17	**	5.0	1.3
Clearwater	99	71.6	*	**	10.5	0.0
Cook	64	87.4	8	**	5.5	3.1
Cottonwood	168	94.5	*	**	12.9	3.2
Crow Wing	775	76.6	57	5.6	6.6	2.9
Dakota	6,076	75.9	757	9.5	3.7	1.8
Dodge	272	71.5	12	**	4.6	2.3
Douglas	445	74.8	19	**	2.6	1.5
Faribault	167	77.1	9	**	3.2	3.7
Fillmore	266	81.7	12	**	9.1	0.0
Freeborn	368	77.1	23	4.8	3.5	3.1
Goodhue	555	72.8	45	5.9	5.1	0.9
Grant	76	88.1	*	**	2.7	0.0
Hennepin	20,264	78.9	3,312	12.9	6.0	2.0
Houston	206	69.5	12	**	4.1	4.1
Hubbard	228	79.7	6	**	6.9	1.3
Isanti	500	73.1	41	6.0	4.2	1.7
Itasca	531	77.1	29	4.2	4.6	3.4
Jackson	121	77.3	7	**	2.6	3.7
Kanabec	168	65.9	10	**	8.3	1.0
Kandiyohi	678	94.6	41	5.7	7.4	3.7
Kittson	40	64.1	*	**	10.3	4.0
Koochiching	110	57.0	7	**	5.8	1.6
Lac Qui Parle	60	63.4	*	**	5.4	0.0
Lake	112	76.2	10	**	4.0	3.4
Lake of the Woods	36	67.8	*	**	8.3	0.0
Le Sueur	334	69.3	27	5.6	4.9	1.0
Lincoln	82	98.4	*	**	2.5	0.0
Lyon	393	79.0	10	**	6.1	2.4
McLeod	421	67.5	23	3.7	7.1	2.1
Mahnomen	97	110.7	*	**	22.8	5.5
Marshall	126	87.0	*	**	5.6	1.3
Martin	248	79.8	14	**	6.8	1.3
Meeker	292	79.6	20	5.4	12.9	3.0
Mille Lacs	331	76.2	23	5.3	8.8	1.0
Morrison	409	75.9	19	**	4.1	2.7
Mower	562	84.0	47	7.0	3.7	1.4
Murray	94	76.7	6	**	3.4	1.6

**Nativity Table 6: Fertility and Family Planning in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Number Pregnancies	Rate Pregnancies	Number Abortions	Rate Abortions	Percent of Women with 4 or More Births	Percent of Women with Live Births w/in 1 Year
State of Minnesota	79,197	75.1	8,898	8.4	6.0	2.1
Nicollet	413	60.1	37	5.4	4.6	1.3
Nobles	376	100.1	8	**	5.7	2.0
Norman	75	70.6	*	**	8.1	2.5
Olmsted	2,348	79.6	185	6.3	5.6	1.5
Otter Tail	685	81.7	*	**	8.2	1.6
Pennington	190	73.2	*	**	2.6	0.9
Pine	287	67.9	29	6.9	6.3	1.1
Pipestone	123	85.3	*	**	11.6	4.8
Polk	422	77.1	*	**	6.3	0.7
Pope	129	80.6	*	**	3.2	3.7
Ramsey	9,537	83.1	1,627	14.2	7.7	3.3
Red Lake	49	77.4	*	**	6.4	0.0
Redwood	207	86.3	8	**	7.0	1.3
Renville	169	73.6	9	**	3.8	4.0
Rice	772	60.5	51	4.0	9.1	1.9
Rock	105	67.4	*	**	3.8	5.9
Roseau	185	72.9	*	**	7.7	0.0
St. Louis	2,242	60.4	265	7.1	5.1	2.1
Scott	1,999	70.4	167	5.9	4.3	1.0
Sherburne	1,324	74.4	82	4.6	6.7	0.5
Sibley	147	59.8	7	**	8.7	1.1
Stearns	2,179	67.8	181	5.6	8.0	2.6
Steele	503	79.3	31	4.9	4.7	1.3
Stevens	117	54.0	6	**	6.3	0.0
Swift	108	75.4	*	**	5.8	0.0
Todd	298	80.8	6	**	15.9	1.9
Traverse	34	70.0	*	**	5.9	0.0
Wabasha	253	73.7	14	**	4.2	2.1
Wadena	174	80.1	*	**	10.1	3.4
Waseca	235	60.1	9	**	4.4	2.6
Washington	3,126	67.6	314	6.8	3.6	3.1
Watonwan	174	93.9	13	**	3.8	1.8
Wilkin	60	57.1	*	**	8.5	2.9
Winona	523	45.5	41	3.6	7.3	2.7
Wright	1,885	75.5	112	4.5	8.1	1.2
Yellow Medicine	128	83.8	6	**	8.2	1.2
CHB - Aitkin, Itasca,	747	67.6	42	3.9	5.6	1.9
CHB - Beltrami,	1,076	80.0	47	3.4	9.9	1.1
CHB - Big Stone,	555	26.4	23	1.1	6.0	0.9
CHB - Brown, Nicollet	737	67.7	55	4.9	5.1	0.6
CHB - Carlton, Cook, Lake,	2,824	65.0	323	7.2	5.0	1.2
CHB - Cottonwood,	289	89.1	11	**	8.7	2.9
CHB - Clay, Wilkin, Becker, Otter Tail	2,029	70.9	24	0.8	8.1	1.2
CHB - Douglas, Grant, Pope, Stevens, Traverse	801	72.9	33	3.0	3.4	0.9
CHB - Dodge, Steele	775	79.2	43	4.2	4.7	1.1
CHB - Fillmore, Houston	472	80.7	24	3.9	6.9	1.1
CHB - Faribault, Martin	415	75.5	23	4.4	5.4	1.5

**Natality Table 6: Fertility and Family Planning in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Number Pregnancies	Rate Pregnancies	Number Abortions	Rate Abortions	Percent of Women with 4 or More Births	Percent of Women with Live Births w/in 1 Year
State of Minnesota	79,197	75.1	8,898	8.4	6.0	2.1
CHB - Isanti, Mille Lacs	831	74.0	64	5.7	6.0	0.9
CHB - Kittson, Marshall, Pennington, Red Lake, Roseau	590	74.6	6	**	5.7	0.5
CHB - Kanabec, Pine	455	71.5	39	5.8	7.0	0.7
CHB - Kandiyohi, Renville	847	82.8	50	5.3	32.7	2.7
CHB - Lincoln, Lyon, Murray, Pipestone, Redwood, Rock	1,004	76.8	29	2.3	6.0	1.8
CHB - LeSueur, Waseca	569	64.5	36	4.1	4.7	1.2
CHB - Meeker, McLeod, Sibley	860	77.0	50	4.0	9.3	1.6
CHB - Mahnomon, Norman, Polk	594	80.3	7	**	9.1	1.2
CHB - Morrison, Todd, Wadena	881	80.6	29	2.6	9.3	1.8

Source: Minnesota Department of Health, Center for Health Statistics

*Number not reported if number of events is less than 6.

**Rate not calculated for less than 20 events

Pregnancy Rate: The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

Abortion Rate: The number of abortions per 1,000 women in the population of age 15 through 44 years.

Four or More Births: Births to women with four or more previous live births

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates
By State, County and Community Health Board (CHB), 2013-2015**

State/County/CHB	Teen Birth Rates (TBR)			Teen Pregnancy Rates (TPR)		
	TBR 15-17 Years	TBR 18-19 Years	TBR 15-19 Years	TPR 15-17 Years	TPR 18-19 Years	TPR 15-19 Years
State of Minnesota	6.6	28.3	15.3	8.8	37.1	20.2
Aitkin	*	*	*	*	*	*
Anoka	5.0	26.7	12.2	8.0	37.6	17.8
Becker	*	51.9	20.8	*	51.9	22.1
Beltrami	17.6	41.6	29.8	19.2	46.5	33.1
Benton	*	38.7	16.4	*	46.6	19.6
Big Stone	*	*	*	*	*	*
Blue Earth	*	7.6	7.0	7.4	15.1	12.5
Brown	*	34.1	19.8	*	36.0	20.7
Carlton	*	40.1	19.2	10.1	47.8	23.2
Carver	*	13.5	5.5	*	17.5	7.1
Cass	17.5	72.9	36.4	18.2	85.9	41.3
Chippewa	*	66.7	30.7	*	72.5	35.4
Chisago	6.3	27.4	13.1	9.0	34.8	17.4
Clay	8.9	12.1	10.9	8.9	12.6	11.2
Clearwater	*	*	*	*	*	*
Cook	*	*	*	*	*	*
Cottonwood	*	*	25.6	*	*	27.6
Crow Wing	7.5	57.1	24.1	9.9	62.5	27.5
Dakota	3.7	24.5	10.8	5.4	35.7	15.7
Dodge	*	32.0	13.1	*	33.5	13.5
Douglas	*	46.1	20.3	*	50.1	22.1
Faribault	*	48.0	18.0	*	52.8	20.3
Fillmore	*	*	11.7	*	31.9	13.9
Freeborn	*	62.0	26.3	*	74.2	31.8
Goodhue	*	25.5	13.0	6.8	34.2	17.0
Grant	*	*	*	*	*	*
Hennepin	7.5	27.5	15.7	11.3	42.2	24.0
Houston	*	*	*	*	*	13.0
Hubbard	*	72.6	27.7	*	80.4	30.3
Isanti	*	29.9	14.0	*	36.4	16.9
Itasca	8.2	57.5	24.9	9.7	62.0	27.5
Jackson	*	*	*	*	*	23.3
Kanabec	*	41.4	17.2	*	45.6	19.3
Kandiyohi	9.7	72.8	31.9	11.8	81.7	36.4
Kittson	*	*	*	*	*	*
Koochiching	*	*	16.9	*	*	19.5
Lac Qui Parle	*	*	*	*	*	*
Lake	*	94.0	30.7	*	106.8	35.8
Lake of the Woods	*	*	*	*	*	*
Le Sueur	*	26.4	12.1	*	33.3	14.6
Lincoln	*	*	*	*	*	*
Lyon	*	25.2	17.4	*	25.9	18.8
McLeod	*	38.4	16.2	*	40.1	17.1
Mahnomen	*	*	56.6	*	*	56.6
Marshall	*	*	*	*	*	*
Martin	*	54.4	22.3	*	59.7	24.7
Meeker	*	44.1	18.7	*	48.7	21.1
Mille Lacs	13.1	59.6	27.7	15.6	74.5	34.1
Morrison	*	37.6	15.4	*	42.8	18.8
Mower	12.9	55.8	27.5	16.3	64.2	32.6
Murray	*	*	*	*	*	*
Nicollet	*	10.0	7.4	*	14.6	10.3

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates
By State, County and Community Health Board (CHB), 2013-2015**

State/County/CHB	Teen Birth Rates (TBR)			Teen Pregnancy Rates (TPR)		
	TBR 15-17 Years	TBR 18-19 Years	TBR 15-19 Years	TPR 15-17 Years	TPR 18-19 Years	TPR 15-19 Years
Nobles	*	73.8	38.1	16.2	80.2	41.1
Norman	*	*	*	*	*	*
Olmsted	5.5	33.8	15.3	7.2	42.1	19.3
Otter Tail	7.6	40.5	19.0	7.9	42.4	19.8
Pennington	*	57.6	28.7	*	57.6	29.6
Pine	*	66.1	29.1	14.6	77.1	35.0
Pipestone	*	*	*	*	*	*
Polk	*	32.5	18.0	*	34.7	18.9
Pope	*	*	*	*	*	*
Ramsey	11.7	34.7	22.3	15.5	47.6	30.3
Red Lake	*	*	*	*	*	*
Redwood	*	*	*	*	*	14.7
Renville	*	58.8	27.2	*	63.2	28.7
Rice	5.5	15.1	11.0	8.5	17.2	13.5
Rock	*	*	*	*	*	*
Roseau	*	54.4	23.1	*	56.2	23.8
St. Louis	6.7	21.5	14.5	9.7	27.1	18.9
Scott	2.5	19.1	7.8	3.6	29.7	11.9
Sherburne	3.6	30.9	12.4	5.1	37.6	15.5
Sibley	*	*	17.2	*	*	22.9
Stearns	5.9	16.1	11.4	8.1	22.1	15.8
Steele	8.7	56.1	24.5	10.0	63.0	27.7
Stevens	*	*	*	*	*	*
Swift	*	*	*	*	*	*
Todd	*	51.3	25.0	*	51.3	25.4
Traverse	*	*	*	*	*	*
Wabasha	*	34.6	16.3	*	39.0	18.8
Wadena	*	76.3	28.4	*	84.0	31.6
Waseca	*	*	15.3	*	38.3	17.6
Washington	3.0	17.1	7.6	4.8	24.2	11.2
Watonwan	*	88.1	42.3	*	90.5	44.1
Wilkin	*	*	*	*	*	*
Winona	*	9.6	7.6	*	12.3	9.8
Wright	3.9	28.1	11.5	4.2	32.9	13.2
Yellow Medicine	*	*	*	*	*	26.3
CHB - Aitkin, Itasca,	6.9	46.5	20.5	7.8	52.1	23.1
CHB - Beltrami, Clearwater, Hubbard,	13.0	46.1	27.9	13.9	51.0	30.6
CHB - Big Stone, Chippewa, Lac qui Parle, Swift, Yellow Medicine	*	46.9	21.3	9.7	55.0	25.2
CHB - Brown, Nicollet	*	17.4	12.0	*	21.1	14.2
CHB - Carlton, Cook, Lake, St. Louis	6.6	24.5	15.5	9.4	30.5	19.9
CHB - Cottonwood, Jackson	*	41.3	23.5	*	45.9	25.6
CHB - Clay, Wilkin, Becker, Otter Tail	7.6	22.8	14.8	8.2	23.5	15.5
CHB - Douglas, Grant, Pope, Stevens, Traverse	*	25.2	14.5	*	29.4	16.4
CHB - Dodge, Steele	7.2	47.2	20.0	7.9	52.0	22.1
CHB - Fillmore, Houston	*	27.9	11.7	*	31.3	13.5
CHB - Faribault, Martin	*	51.7	20.4	*	56.7	22.8

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates
By State, County and Community Health Board (CHB), 2013-2015**

State/County/CHB	Teen Birth Rates (TBR)			Teen Pregnancy Rates (TPR)		
	TBR 15-17 Years	TBR 18-19 Years	TBR 15-19 Years	TPR 15-17 Years	TPR 18-19 Years	TPR 15-19 Years
CHB - Isanti, Mille Lacs	8.9	41.0	19.2	10.6	50.7	23.5
CHB - Kittson, Marshall, Pennington, Red Lake, Roseau	7.7	48.7	21.5	8.0	49.4	21.9
CHB - Kanabec, Pine	8.7	56.2	24.5	11.2	64.5	28.9
CHB - Kandiyohi, Renville	10.3	69.0	30.5	11.8	76.7	34.2
CHB - Lincoln, Lyon, Murray, Pipestone, Redwood, Rock	6.3	27.7	14.8	7.4	28.8	15.9
CHB - LeSueur, Waseca	*	29.6	13.3	6.8	35.2	15.8
CHB - Meeker, McLeod, Sibley	5.7	40.1	17.2	7.8	42.8	19.5
CHB - Mahnomen, Norman, Polk	10.3	42.2	23.0	10.3	44.0	23.7
CHB - Morrison, Todd, Wadena	7.1	49.8	21.3	8.7	53.5	23.6

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

*Rate not calculated for less than 20 events

Teen Birth Rate: The number of live births to a specific age group per 1,000 female population of the specific age group.

Teen Pregnancy Rate: The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy
State of Minnesota	32.2	11.7	9.3
Aitkin	41.4	20.2	26.3
Anoka	31.6	8.2	9.6
Becker	42.3	24.8	26.5
Beltrami	60.9	36.4	26.1
Benton	34.8	11.5	17.7
Big Stone	21.8	3.6	14.8
Blue Earth	32.7	13.2	10.4
Brown	31.9	12.0	13.0
Carlton	41.0	12.6	18.3
Carver	13.8	3.5	3.2
Cass	56.2	31.9	28.5
Chippewa	44.6	13.3	17.9
Chisago	30.7	10.4	11.5
Clay	28.9	5.7	10.0
Clearwater	34.4	20.8	14.7
Cook	37.5	12.5	17.9
Cottonwood	37.4	11.7	14.7
Crow Wing	37.4	13.9	22.5
Dakota	26.1	13.3	5.4
Dodge	33.1	8.8	13.6
Douglas	27.5	10.1	15.3
Faribault	38.2	10.2	19.1
Fillmore	26.8	11.4	13.1
Freeborn	44.5	12.2	9.0
Goodhue	33.5	8.1	12.6
Grant	35.6	9.6	11.0
Hennepin	30.9	12.8	4.9
Houston	27.6	23.7	9.3
Hubbard	41.1	20.1	16.9
Isanti	35.7	7.2	16.3
Itasca	42.3	19.6	22.7
Jackson	28.1	9.6	10.5
Kanabec	49.0	10.2	21.7
Kandiyohi	39.2	8.5	10.8
Kittson	17.9	7.7	2.6
Koochiching	44.7	38.8	14.6
Lac Qui Parle	25.0	7.1	12.5
Lake	34.7	10.9	24.8
Lake of the Woods	41.7	13.9	27.8
Le Sueur	34.6	11.8	15.0
Lincoln	22.8	5.1	10.3
Lyon	32.0	12.4	8.1
McLeod	34.8	10.4	14.2
Mahnomen	75.5	44.7	48.9
Marshall	23.2	4.0	12.0
Martin	45.3	11.5	21.5
Meeker	22.8	5.5	12.5
Mille Lacs	47.2	16.2	27.0
Morrison	33.6	8.2	20.5
Mower	40.8	12.7	15.5

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy
Murray	18.2	5.7	12.8
Nicollet	28.2	10.2	5.4
Nobles	48.4	13.0	2.7
Norman	37.8	8.1	13.5
Olmsted	25.3	8.3	7.7
Otter Tail	30.6	11.2	11.5
Pennington	37.0	18.5	16.9
Pine	49.2	14.5	25.2
Pipestone	27.3	6.6	10.1
Polk	32.5	9.4	16.3
Pope	29.0	12.1	18.5
Ramsey	41.5	13.5	6.4
Red Lake	25.5	10.6	8.5
Redwood	33.7	10.6	14.6
Renville	35.8	10.1	11.3
Rice	33.9	9.6	13.5
Rock	29.8	3.8	9.6
Roseau	45.4	12.6	20.2
St. Louis	38.9	14.0	17.9
Scott	21.0	9.1	3.9
Sherburne	26.2	6.4	11.1
Sibley	34.8	10.9	11.7
Stearns	25.8	8.4	11.0
Steele	34.3	17.9	15.0
Stevens	16.2	7.2	6.3
Swift	41.7	15.5	23.3
Todd	29.9	6.9	13.8
Traverse	32.4	8.8	23.5
Wabasha	34.7	7.5	13.9
Wadena	36.3	11.9	25.6
Waseca	38.9	15.5	13.8
Washington	23.3	6.8	5.6
Watonwan	46.8	17.1	9.0
Wilkin	40.7	13.6	13.6
Winona	29.9	12.9	9.2
Wright	22.5	5.3	10.0
Yellow Medicine	39.7	7.4	16.5
CHB - Aitkin, Itasca, Koochiching	42.5	22.5	22.0
CHB - Beltrami, Clearwater, Hubbard, Lake of the Woods	53.5	30.6	23.1
CHB - Big Stone, Chippewa, Lac qui Parle, Swift, Yellow Medicine	38.5	10.7	17.8
CHB - Brown, Nicollet	29.9	11.0	8.8
CHB - Carlton, Cook, Lake, St. Louis	39.0	13.6	18.2
CHB - Cottonwood, Jackson	33.6	10.8	13.0
CHB - Clay, Wilkin, Becker, Otter Tail	32.4	11.6	13.8
CHB - Douglas, Grant, Pope, Stevens, Traverse	27.1	9.9	14.5

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy
CHB - Dodge, Steele	33.9	14.7	14.5
CHB - Fillmore, Houston	27.1	16.7	11.4
CHB - Faribault, Martin	42.5	11.0	20.5
CHB - Isanti, Mille Lacs	40.4	10.9	20.6
CHB - Kittson, Marshall, Pennington, Red Lake, Roseau	34.5	12.2	15.3
CHB - Kanabec, Pine	49.2	12.8	23.8
CHB - Kandiyohi, Renville	38.6	8.8	10.9
CHB - Lincoln, Lyon, Murray, Pipestone, Redwood, Rock	28.3	9.2	10.4
CHB - LeSueur, Waseca	36.5	13.3	14.5
CHB - Meeker, McLeod, Sibley	30.8	8.8	13.2
CHB - Mahnomen, Norman, Polk	40.1	14.9	21.2
CHB - Morrison, Todd, Wadena	32.9	8.5	19.2

Source: Minnesota Department of Health, Center for Health Statistics.

**Nativity Table 9: Educational Status of Mother
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Less than High school	High School graduate or GED completed	Some college credit but no degree	Associate degree	Bachelor's degree	Master's/ doctorate/ professional degree
State of Minnesota	10.2	16.8	18.8	13.5	27.0	13.6
Aitkin	10.0	18.2	25.3	22.2	18.2	6.1
Anoka	7.1	15.3	22.7	15.2	28.3	11.4
Becker	11.9	25.6	25.9	18.7	13.5	4.4
Beltrami	8.9	50.5	2.3	16.5	16.3	5.6
Benton	7.2	21.3	21.5	19.8	23.4	6.9
Big Stone	20.0	18.2	20.0	14.5	21.8	5.4
Blue Earth	8.0	15.4	22.9	13.2	27.4	13.2
Brown	7.0	16.7	19.3	17.3	35.3	4.3
Carlton	6.8	19.1	29.2	18.3	16.9	9.6
Carver	2.9	10.0	13.9	12.0	42.7	18.7
Cass	12.9	36.2	17.1	12.6	15.3	6.0
Chippewa	16.4	18.0	21.1	20.1	16.5	7.7
Chisago	4.1	15.5	29.7	19.7	22.5	8.5
Clay	3.4	13.6	19.6	17.0	29.5	9.7
Clearwater	13.5	43.8	7.3	11.5	21.9	2.1
Cook	7.3	12.7	20.0	14.5	32.7	12.7
Cottonwood	22.1	24.5	14.1	16.6	16.0	6.7
Crow Wing	7.9	19.0	26.9	18.4	18.7	9.0
Dakota	7.6	14.3	17.3	14.1	32.1	14.7
Dodge	6.6	22.7	21.5	18.5	22.7	8.1
Douglas	4.4	14.6	23.1	28.9	20.2	8.7
Faribault	2.0	28.0	21.0	15.3	21.0	6.4
Fillmore	19.6	16.8	20.8	15.2	22.0	5.6
Freeborn	14.5	33.4	11.0	18.3	17.2	5.6
Goodhue	4.9	19.7	20.3	19.9	26.4	8.7
Grant	12.3	19.2	16.4	26.0	23.3	2.7
Hennepin	12.0	13.5	15.6	8.2	30.8	20.0
Houston	1.0	17.1	18.1	23.3	30.6	9.9
Hubbard	10.5	34.7	14.6	17.4	17.8	5.0
Isanti	5.1	21.5	29.9	16.8	20.6	6.2
Itasca	8.1	22.4	27.0	19.5	16.9	6.1
Jackson	7.0	18.4	21.9	20.2	27.2	5.3
Kanabec	7.0	26.8	29.3	15.3	15.3	6.4
Kandiyohi	23.5	16.7	19.4	19.4	16.8	4.3
Kittson	2.6	17.9	15.4	38.5	20.5	5.2
Koochiching	5.0	29.7	24.8	21.8	15.8	3.0
Lac Qui Parle	10.8	10.7	14.3	23.2	33.9	7.1
Lake	11.0	28.0	24.0	14.0	16.0	7.0
Lake of the Woods	11.1	22.2	22.2	19.4	19.4	5.6
Le Sueur	8.2	19.0	19.6	15.4	28.8	9.2
Lincoln	2.5	12.7	20.3	17.7	36.7	10.1
Lyon	15.4	13.8	21.6	14.3	27.8	7.0
McLeod	10.1	19.3	24.9	19.8	16.8	9.1
Mahnomen	34.4	36.6	21.5	4.3	2.2	1.1
Marshall	5.7	12.2	25.2	27.6	23.6	5.7
Martin	11.6	24.8	21.4	15.0	21.4	6.0
Meeker	5.5	22.1	29.0	17.6	19.9	5.9
Mille Lacs	16.7	21.3	26.6	19.7	13.4	2.3
Morrison	5.7	19.2	28.2	22.6	20.3	4.1

**Nativity Table 9: Educational Status of Mother
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Less than High school	High School graduate or GED completed	Some college credit but no degree	Associate degree	Bachelor's degree	Master's/ doctorate/ professional degree
Mower	21.7	20.2	19.8	13.9	17.3	7.1
Murray	3.4	17.0	19.3	21.6	30.7	8.0
Nicollet	8.9	12.2	19.8	15.7	28.5	14.9
Nobles	40.6	15.5	15.5	12.5	12.0	3.8
Norman	12.4	20.5	34.2	15.1	13.7	4.1
Olmsted	8.4	12.3	15.3	13.1	29.2	21.7
Otter Tail	10.0	21.5	19.9	22.0	20.0	6.7
Pennington	7.9	20.6	25.9	21.2	19.0	5.2
Pine	10.8	25.3	32.1	17.7	10.8	3.2
Pipestone	14.9	21.5	18.2	23.1	16.5	5.8
Polk	9.5	22.1	20.0	17.0	23.6	7.8
Pope	8.1	19.4	17.7	30.6	20.2	4.0
Ramsey	14.4	19.9	18.4	8.6	23.0	15.7
Red Lake	4.3	19.1	12.8	36.2	23.4	4.3
Redwood	6.0	21.6	21.1	18.1	27.1	6.0
Renville	15.7	18.9	14.5	20.8	21.4	8.8
Rice	17.5	20.6	21.3	13.6	18.5	8.5
Rock	5.8	24.0	17.3	19.2	28.8	4.8
Roseau	8.2	31.1	26.2	14.2	17.5	2.7
St. Louis	8.4	16.2	25.0	15.3	24.4	10.7
Scott	2.2	13.3	16.6	13.3	37.2	13.8
Sherburne	5.0	17.6	22.3	19.7	25.4	10.0
Sibley	11.6	25.4	22.5	17.4	17.4	5.8
Stearns	15.3	16.9	17.7	18.1	24.2	7.8
Steele	12.2	19.8	20.9	18.5	22.6	6.0
Stevens	5.4	15.3	17.1	23.4	29.7	9.0
Swift	11.7	26.2	16.5	16.5	22.3	6.8
Todd	26.4	24.3	24.7	12.5	9.0	3.1
Traverse	2.9	17.6	38.2	14.7	23.5	2.9
Wabasha	6.3	17.2	20.2	22.7	27.3	6.3
Wadena	11.9	26.8	27.4	17.9	10.7	5.4
Waseca	10.7	22.3	21.4	23.2	17.4	4.9
Washington	3.1	12.0	15.7	13.3	35.7	16.6
Watonwan	16.6	22.9	29.3	13.4	12.7	5.1
Wilkin	6.8	22.0	23.7	15.3	30.5	1.7
Winona	9.7	16.4	18.5	15.8	27.6	12.0
Wright	3.3	15.7	21.7	17.7	31.8	9.7
Yellow Medicine	5.7	18.0	26.2	27.9	19.7	2.4
CHB - Aitkin, Itasca, Koochiching	7.9	22.8	26.4	20.2	16.9	5.6
CHB - Beltrami, Clearwater, Hubbard, Lake of the Woods	9.8	45.4	6.1	16.3	17.3	5.1
CHB - Big Stone, Chippewa, Lac qui Parle, Swift, Yellow Medicine	12.8	18.9	20.6	20.9	20.8	6.0
CHB - Brown, Nicollet	8.1	14.2	19.6	16.4	31.5	10.2
CHB - Carlton, Cook, Lake, St. Louis	8.2	17.0	25.5	15.7	23.2	10.4
CHB - Cottonwood, Jackson	15.9	22.0	17.3	18.1	20.6	6.1
CHB - Clay, Wilkin, Becker, Otter Tail	10.5	18.9	21.1	19.0	23.1	7.4

**Nativity Table 9: Educational Status of Mother
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Less than High school	High School graduate or GED completed	Some college credit but no degree	Associate degree	Bachelor's degree	Master's/ doctorate/ professional degree
CHB - Douglas, Grant, Pope, Stevens, Traverse	5.9	16.0	21.4	27.5	22.0	7.2
CHB - Dodge, Steele	10.2	20.8	21.1	18.5	22.6	6.8
CHB - Fillmore, Houston	11.5	16.9	19.6	18.7	25.7	7.4
CHB - Faribault, Martin	10.2	26.1	21.2	15.1	21.2	6.1
CHB - Isanti, Mille Lacs	9.8	21.4	28.5	18.0	17.7	4.6
CHB - Kittson, Marshall, Pennington, Red Lake, Roseau	6.9	21.9	24.1	22.7	20.0	4.5
CHB - Kanabec, Pine	9.4	25.9	31.0	16.7	12.6	4.4
CHB - Kandiyohi, Renville	21.9	17.1	18.4	19.6	17.7	5.2
CHB - Lincoln, Lyon, Murray, Pipestone, Redwood, Rock	10.2	17.7	20.3	17.7	27.4	6.8
CHB - LeSueur, Waseca	9.2	20.4	20.4	18.7	24.0	7.4
CHB - Meeker, McLeod, Sibley	8.8	21.3	25.9	18.7	17.9	7.5
CHB - Mahnomen, Norman, Polk	13.9	24.3	22.0	14.7	18.9	6.2
CHB - Morrison, Todd, Wadena	13.9	22.5	26.8	18.2	14.5	4.0

Source: Minnesota Department of Health, Center for Health Statistics.

**Nativity Table 10: Race and Ethnicity of Mother in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Race of Mother - Number					Hispanic (any race)
	White	African American	American Indian	Asian	Unknown / Other	
State of Minnesota	52,095	8,111	1,327	5,528	2,774	4,831
Aitkin	90	2	7	0	0	2
Anoka	3,387	422	31	304	161	242
Becker	328	3	60	2	2	5
Beltrami	383	4	277	3	4	8
Benton	520	41	4	11	8	9
Big Stone	55	0	0	0	0	0
Blue Earth	660	51	5	22	4	24
Brown	295	1	0	2	3	17
Carlton	332	0	33	0	1	4
Carver	1,109	29	3	47	25	61
Cass	227	0	106	1	5	10
Chippewa	156	3	6	9	21	28
Chisago	567	2	2	6	17	7
Clay	735	56	30	12	30	40
Clearwater	81	2	11	0	2	2
Cook	40	2	9	2	3	1
Cottonwood	134	4	1	8	16	25
Crow Wing	699	5	10	4	0	7
Dakota	4,074	585	30	393	195	479
Dodge	250	2	0	2	6	21
Douglas	410	6	1	2	6	10
Faribault	145	1	1	2	8	19
Fillmore	248	1	0	2	3	4
Freeborn	285	10	1	14	34	45
Goodhue	471	7	11	5	14	22
Grant	69	0	0	0	4	5
Hennepin	9,802	3,841	221	1,866	1,099	1,434
Houston	188	5	1	0	0	3
Hubbard	201	3	11	1	3	7
Isanti	437	4	4	7	4	4
Itasca	454	4	36	3	2	7
Jackson	109	1	1	3	0	7
Kanabec	157	0	0	0	0	1
Kandiyohi	524	93	3	8	4	122
Kittson	39	0	0	0	0	0
Koochiching	95	1	6	1	0	1
Lac Qui Parle	52	0	0	3	1	2
Lake	97	1	1	1	1	1
Lake of the Woods	35	0	0	1	0	0
Le Sueur	291	2	3	4	6	29
Lincoln	77	0	0	2	0	1
Lyon	285	33	3	32	25	31
McLeod	374	2	0	6	14	46
Mahnomen	38	2	54	0	0	3
Marshall	118	1	0	1	5	11
Martin	223	4	2	3	2	17
Meeker	263	1	3	2	3	17
Mille Lacs	265	3	35	2	3	4
Morrison	373	4	4	0	9	11
Mower	354	43	5	41	67	91

**Nativity Table 10: Race and Ethnicity of Mother in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Race of Mother - Number					Hispanic (any race)
	White	African American	American Indian	Asian	Unknown / Other	
Murray	86	0	0	0	2	3
Nicollet	328	33	2	7	2	21
Nobles	301	26	3	38	0	166
Norman	63	4	4	0	3	4
Olmsted	1,682	239	5	178	48	111
Otter Tail	611	22	10	11	26	44
Pennington	176	5	3	4	1	4
Pine	233	3	11	3	6	1
Pipestone	96	2	6	2	15	19
Polk	363	20	8	6	19	35
Pope	120	0	0	2	2	3
Ramsey	3,932	1,539	77	1,841	447	658
Red Lake	46	0	1	0	0	3
Redwood	170	4	11	11	3	4
Renville	144	1	6	4	4	30
Rice	539	104	0	12	62	76
Rock	95	2	0	2	5	8
Roseau	167	3	4	8	1	4
St. Louis	1,781	59	86	26	13	36
Scott	1,488	125	22	145	46	103
Sherburne	1,133	53	1	22	19	29
Sibley	129	1	2	1	5	24
Stearns	1,574	307	2	35	68	102
Steele	409	38	1	4	17	58
Stevens	92	0	3	2	14	17
Swift	92	6	0	3	2	14
Todd	271	4	1	1	14	33
Traverse	30	0	4	0	0	0
Wabasha	226	5	0	4	4	9
Wadena	164	3	1	0	0	3
Waseca	216	5	2	0	3	15
Washington	2,288	176	7	270	59	113
Watonwan	137	1	0	6	14	51
Wilkin	57	0	1	1	0	2
Winona	452	12	3	9	4	17
Wright	1,692	18	5	30	19	53
Yellow Medicine	110	3	3	0	6	11
CHB - Aitkin, Itasca, Koochiching	639	7	49	4	2	10
CHB - Beltrami, Clearwater, Hubbard, Lake of the Woods	700	9	299	5	9	17
CHB - Big Stone, Chippewa, Lac qui Parle, Swift, Yellow Medicine	465	12	9	15	30	55
CHB - Brown, Nicollet	623	34	2	9	5	38
CHB - Carlton, Cook, Lake, St. Louis	2,250	62	129	29	18	42
CHB - Cottonwood, Jackson	243	5	2	11	16	32

**Nativity Table 10: Race and Ethnicity of Mother in Minnesota
By State, County and Community Health Board (CHB), 2015**

State/County/CHB	Race of Mother - Number					Hispanic (any race)
	White	African American	American Indian	Asian	Unknown / Other	
CHB - Clay, Wilkin, Becker, Otter Tail	1,731	81	101	26	58	91
CHB - Douglas, Grant, Pope, Stevens, Traverse	721	6	8	6	26	35
CHB - Dodge, Steele	659	40	1	6	23	79
CHB - Fillmore, Houston	436	6	1	2	3	7
CHB - Faribault, Martin	368	5	3	5	10	36
CHB - Isanti, Mille Lacs	702	7	39	9	7	8
CHB - Kittson, Marshall, Pennington, Red Lake, Roseau	546	9	8	13	7	22
CHB - Kanabec, Pine	390	3	11	3	6	2
CHB - Kandiyohi, Renville	668	94	9	12	8	152
CHB - Lincoln, Lyon, Murray, Pipestone, Redwood, Rock	809	41	20	49	50	66
CHB - LeSueur, Waseca	507	7	5	4	9	44
CHB - Meeker, McLeod, Sibley	766	4	5	9	22	87
CHB - Mahnommen, Norman, Polk	464	26	66	6	22	42
CHB - Morrison, Todd, Wadena	808	11	6	1	23	47

Source: Minnesota Department of Health, Center for Health Statistics