

WARD SHEET MALE

1. Type of patients, Very regressed cripples, Untidy. No. beds, 125. Ward, Dakota Building, Sunnyside Division. 3 Wards, 6, 7, 8.
2. Type and condition of the following: Walls, Painted. (Need painting). Floors, Terrazo, White Tile. Ceilings, Painted. Trim, Wood.
3. Give number for each of the following: Single rooms, 0. Double rooms, 0. Dormitories, No. beds, 125. Day rooms, 3. Sun Parlors, 0. Open Porches, 1. Lavatories, 10. Toilets, 10. Urinals, 0. Bath tubs, 0. Showers, 4. High bath tubs, 0. Slop sinks, 2. Sterilizers, 0. Continuous flow baths, 0. Drinking fountains, 1. Ban pan sterilizers, 0. Bed pan washers, 0. Warming closets, 0.
4. Plumbing: Good, Yes. Window guards, Diamond Mesh. Lighting adequate, No.
5. Housekeeping, Equipment adequate, Yes. Clothing room, Yes. Adequate, No. Linen room, Yes. Adequate No. Broom closet, Yes.
6. Dining room, Yes. Serving room, No. Silverware adequate, Yes. Dishes, Plastic. Condition, Fair. Refrigerator, Yes. Mech. Dishwasher, Yes. Dish sterilizer, No. Condition of all dining room equipment, Good. Method of transportation of food. Open containers. (See note at bottom of page).
7. Check if present: Fire extinguisher, Yes. Standpipe hose, Yes. Automatic sprinklers, No.
8. Furniture and Furnishing: Furniture, Wood. Adequate, No. Condition, Fair. Beds, Metal. Width, 36". Mattresses, Fair. Rubber covered, Yes. Condition, Fair. Blankets, adequate, Yes. Linen, adequate?. Rubber sheets, Yes. Pictures, No. Radio, Yes. Piano 0, Television, Yes. Window shades, Yes. Draperies, in Kitchen and dining room.
9. Check if present: Nurse's station, Yes. Utility room, 0. Treatment room, Yes. Examining room, 0. Ward lavatory and toilet for personnel, Yes. Ward personnel cloak room, Yes. Protected medicine closet, Yes.
10. No. cots, 0. No mattresses on floor, 0. No. patients in seclusion, 0. No. of seclusion rooms, 0. No. patients in restraint - occasionally. No. patients in bed, 0.
11. Are the toilets and bathrooms clean, Yes. Are the patients clean, No. Well dressed, no. Noisy, Yes. Do odors prevail, Yes.

###

Dining room is inadequate. No separate serving room. The food is brought to Chippewa and then carried by hand out of doors up some very steep steps to this building. Open containers.

Seven ward patients bare footed, all untidy.

Sewing room, one machine in clothes room.

Two employee rooms upstairs.

One Recreation room upstairs.

WARD SHEET

Male

Spruce is identical and is for females

1. Type of patients: Rabies to 6 or 7 years. No. Beds 108. Ward, Pine. Building, East Corve Division.
2. Type and condition of the following: Walls, Tile. Need painting. Floors, Asphalt. Ceilings, Accoustical. Trim, Metal.
3. Give number for each of the following: Single rooms, 10. Dormitories, 1. Day rooms, 1. Sun Parlors, 0. Open Porches, 0. Lavatories, 16. Toilets, 12. Urinals, 0. Bath tubs, 0. High bath tubs, 1. Slop sinks, 1. Continuous flow baths, 0. Drinking fountains, 1. Bed pan sterilizers, 0. Bed pan washers, 0. Warming closets, 0.
4. Plumbing: Good, Yes. Window guards, No. Insect screens 0. Lighting, adequate, Yes. Night lights, No.
5. Housekeeping: Equipment, adequate, Yes. Clothing room, adequate, Yes. Linen room adequate, Yes. Broom closet, adequate, Yes. Supply closet adequate, Yes.
6. Dining room: Yes. Serving room, Yes. Silverware, adequate, Yes. Dishes, Plastic. Condition, Good. Refrigerator, Yes. Mech. Dishwasher, Yes. Condition of all dining room equipment, Good. Method of transportation of food, Truck in tunnel, ordinary containers.
7. Check if present: Fire extinguisher, Yes. Standpipe hose, Yes. Automatic sprinklers, No.
8. Furniture and furnishing: Type, Wood. Adequate, Yes. Condition, Good. Beds, metal. Width, all types. Mattresses, Hair and Cotton. Rubber covered, Yes. Condition, Fair. Blankets, adequate, Yes. Linen, adequate, Yes. Rubber sheets, Yes. Pictures, Yes. Radio, No. Piano, No. Television, No. Draperies, Yes.
9. Check if present: Nurse's station, Yes. Utility room, Yes. Treatment room, Yes. Ward personnel lavatory & toilet, Yes. Ward personnel cloak room, Yes. Protected medicine closet, Yes.
10. No. cots, 0. No. mattresses on floor, 0. No. patients in seclusion, 0. No. of seclusion rooms, 0. No. patients in restraint, 0. No. patients in bed. 75
11. Are the toilets and bathrooms clean, Yes. Are the patients clean, Yes. Noisy, Yes. Do odors prevail, Yes.

###

Large area for bathroom, clothes room and sewing room, all in line. All tile walls.

Ten rooms for isolation.

Majority of patients are in bed, at least 75.

There is an apartment for a married couple.

1. Type of Patients: Workers, Cripples, Untidy 10 yrs to 60 yrs. No. beds 321, Ward Chippewa; Building, Chippewa Sunnyside Division
2. Type and condition of the following: Walls, Painted, Fair.
Floors: Wood in dormitories, Terrazo in corridors. Ceilings, Plaster, Trim, Wood.
3. Give number for each of the following: Single rooms, 0; Double rooms, 4, Dormitories: 4, 16; 1, 45; 1, 15; 2, 50; 1, 38; 1, 36; 1, 15; 6 housing 5, 7, 4, 5, 10.
Day rooms 5, Sun Parlors 0, Open Porches 2. Bath tubs 0, High bath tubs 0, High bath tubs 0, Sterilizers 0, Continuous flow baths 0, Drinking fountains 1, Bed pan sterilizers 0, Bed pan washers 0, Warming closets 0.
4. Plumbing: Good, yes. Type window guards, Bars in one ward. Insect screens, Yes. Lighting adequate: No. Night lights: No.
5. Housekeeping: Equipment adequate, Yes. Clothing room, Yes. Adequate No. Linen room, Combined with clothing room. Broom closet, Yes. Adequate, Yes. Supply closet. Yes. Adequate No.
6. Dining room, Yes. Serving room, Yes. Silverware, adequate Yes. Dishes, type Plastic. Condition, Good. Refrigerator, Yes. Mechanical Dishwasher, Yes. Dining room equipment: Dining room, too small. Method of transportation of food, Open containers from main kitchen.
7. Ghost if present: Fire extinguisher, Yes. Standpipe hose, Yes. Automatic sprinklers, 0.
8. Furniture and furnishing: Furniture, type Wood. Adequate: No. Condition, Fair. Beds, type, Metal. Width 36", Mattresses: Hair. Rubber covered, No. Condition, Clean, Adequate: No. Linen, adequate, yes. Rubber sheets, Yes; Pictures, Yes. Radio 1, Piano, 1. Television, 5. Window shades Yes, Flowers, No. Draperies Yes.
9. Check if present: Nurse's station, Yes. Treatment room, Yes. Cleaning room, No. Ward personnel lavatory and toilet Yes. Ward personnel sloak room, Yes. Protected medicine closet, Yes.
10. No. cots 0. No. mattresses on floor 0. No. patients in seclusion 0. No. of seclusion rooms, 0. No. patients in restraint 0. No. patients in bed, 3.
11. Are toilets and bathrooms clean, Yes. Are the patients clean, Yes. Well dressed, Fair. Noisy, Yes, at times. Do odors prevail, Yes. at time.

###

Seven or eight employees live in this building. Cedric Adams donated through a drive the television sets.

Separate dining room for all these patients.

Five wards in this building, 1, 2, 3, 4, 5.

Food is carried up steep steps in open containers.

Danger of patient carrying this, to be scalded should he slip.

Minn. School and Colony

PART II
WARD SHEET

1. Type of patients, workers. No. beds, 16 patients. Building, Walcott.
2. Type and condition of the following: Walls, plaster, need paint. Floors, wood. Ceilings, plaster. Trim, wood.
3. Give number for each of the following: Dormitories, 2 -- 1 - 14 beds: 1 - 7 beds. Day rooms, 1. Sun parlors, 0. Open porches, 0. Lavatories, 2. Toilets, 2. Showers, 1. Slop sinks, 1.
4. Plumbing: Poor X Window guards, none. Insect screens, yes. Lighting: Adequate, no. Night lights, no.
5. Housekeeping: Equipment, adequate, yes. Clothing room, adequate, no.
6. Dining room: Yes. Serving room, yes. Silverware, adequate. Refrigerator, yes.
7. Check if present: Fire extinguisher X Standpipe hose X Automatic sprinklers 0.
8. Furniture and Furnishing: Furniture, type, wood. Adequate, yes. Condition, fair. Beds, type, metal. Width, 36". Mattresses, hair. Condition, good. Blankets, adequate. Linen, adequate. Radio, 1. Television, yes. Piano, no. Window shades, yes.
9. Check if present: Ward personnel lavatory and toilet X. Cloak room X. Protected medicine closet X.
10. No. cots, 0. No. mattresses on floor, 0. No. patients in seclusion, 0. No. of seclusion rooms, 0. No. patients in restraint, 0. No. patients in bed, 0.

Farmer and wife have apartment.
Four farm hands live in building.

PART II
WARD SHEET

1. Type of Patients: Workers. No. Beds: 25. Ward: Dairy Dormitory. Building: Dairy.
2. Type and condition of the following: Walls, painted, good. Floors, terrazo, cement 2nd floor. Ceilings, plaster. Trim, wood.
3. Give number of each of the following: Single rooms, 0. Double rooms, 0. Dormitories, 1 -- 26 beds. Day Rooms, 1. Sun Parlors, 0. Open Porches, 1. Lavatories, long trough. Toilets, 3. Urinals, 1. Bath Tubs, 0. Showers, 1. High Bath Tubs, 0. Slop Sinks, 2. Sterilizers, 0. Continuous flow baths, 0. Drinking fountains, 1. Bed pan sterilizers, 0. Bed pan washers, 0. Warming closets, 0.
4. Plumbing: Good. Window guards, no. Insect screens, yes.
5. Dining room: None. Serving room, none. Silverware, adequate. Dishes: Type, china. Condition, good. Refrigerator, yes. Condition of all dining room equipment: Good, washed by hand. Method of transportation of food: Auto truck, vacuum containers.
6. Check if present: Fire extinguisher X Standpipe hose X
Automatic sprinklers 0.
7. Furniture and Furnishing: Furniture, type wood Adequate: Yes. Condition: Good. Beds, type metal Width, 36" Mattresses, hair. Blankets, adequate. Linen, adequate. Radio, 1. Piano, 1. Television, 1. Draperies, yes.

Halloween Decorations.
Small sewing room, 2nd floor.

WARD SHEET MALE AND FEMALE

1. Type of patients, Medical and female pediatric. No. beds 193. Ward 6 wards. Building, Hospital.
2. Type and condition of the following: Walls, Tile in halls. Floors, Asphalt, Terrazo. Ceilings, Plaster, Trim, Metal.
3. Give number for each of the following: Single rooms, 40. Double rooms, 24 with 2 and 3 beds. 6 Dormitories, 20 beds. Day rooms, 0. Sun Parlors, 4. Open porches, 6. Lavatories, 28. Toilets, 24. Urinals 0. Bath tubs, 0. Showers, 6. High bath tubs, 10. Slop sinks, 4. Sterilizers, Yes. Continuous flow baths, 0. Drinking fountains, 2. Bed pan sterilizers, 1. Bed pan washers, 1. Warming closets, 0.
4. Plumbing, Good. Type window guards, Bars and Diamond Mesh. Insect Screens, yes. Lighting: adequate, No. Night lights, Yes.
5. Housekeeping: Equipment adequate, Yes. Clothing room, Yes. Adequate, Yes. Linen room, Yes. Adequate, Yes. Broom closet, No. Supply Closet, Yes. Adequate, Yes.
6. Dining room: Yes, employees only. Serving room, Yes. Silverware, adequate, Yes. Dishes, type Plastic. Condition, Good. Refrigerator: Yes. Mech. Dishwasher, Yes. Condition of all dining room equipment. Good. Patients all fed on trays. Method of transportation of food: Through tunnel. Diabetic and baby food prepared in kitchen here.
7. Check if present: Fire extinguisher, Yes. Standpipe hose, Yes. Automatic sprinklers, 0.
8. Furniture and Furnishing: Furniture, type: Some wood and metal. Adequate, Yes. Beds, Metal. Width, all types. Mattresses: Hair, Blankets adequate, Yes and No. Linen, adequate: Yes. Rubber sheets, Yes. Pictures, 0. Radio Yes, Piano, Yes. Television, Yes. Window shades, Yes. Flowers, Yes. Draperies, in nurses rest room only.
9. Check if present: Nurse's station, Yes. Utility room, Yes. Treatment room, Yes. Examining room, Yes. Ward personnel lavatory and toilet, Yes. Ward personnel cloak room, Yes. Protected medicine closet, Yes.
10. No. cots, 0. No. mattresses on floor, 0. No. patients in seclusion, 0. No. of seclusion rooms, 8. No. patients in restraint, 2.
11. Are the toilets and bathrooms clean: Yes. Are the patients clean, Yes. Well dressed, Yes.

###

150 patients and about 100 in bed today.

3rd floor Ward 3, 33 children.

Dr. Bruhl.

Cerebral spastic.

" " Microcephalic

Hydrocephalic

Mongolian with congenital hearts

Toxaplasma. Needed laboratory technological for blood chemistry.

WARD SHEET MALE

1. Type of patients, Regressed, Untidy, Hyperactive. No. beds, 110. Ward, Maple, 2 wards. Building, East Grove Division.
2. Type and condition of the following: Walls, tile 1/2 way. Floors, Asphalt tile. Ceilings, Acoustical. Trim, Metal.
3. Give number for each of the following: Single rooms, 10. Dormitories, 2 - 50 beds in each. Day rooms, 2. Sun parlors, 0. Open porches, 0. Lavatories 22. Toilets, 18. Urinals, 0. Bath tubs 2. Showers, 2. High bath tubs, 0. Slop sinks, 2. Sterilizers, 0. Continuous flow baths, 0. Drinking fountains, 4. Bed pan sterilizers, 0. Bed pan washers, 0. Warming closets, 0.
4. Plumbing: Good, yes. Window guards, Light wire in glass. Insect screens, Yes. Lighting, adequate, Yes. Night Lights, No.
5. Housekeeping: Equipment, adequate, Yes. Clothing room, Yes. Adequate, No. Linen room, Yes. Adequate, Yes. Broom closet, Yes. Adequate, Yes. Supply Closet, Yes. Adequate, Yes.
6. Dining room: Yes. Serving room, Yes. Silverware adequate, Yes. Dishes, Plastic. Condition, good. Refrigerator, Yes. Mech. Dishwasher, Yes. Condition of all dining room equipment Good. Steam table. Method of transportation of food. By truck through tunnel in ordinary containers.
7. Check if present: Fire extinguisher, Yes. Standpipe hose, Yes. Automatic sprinklers, 0.
8. Furniture and furnishing: Furniture, type Wood. Adequate, Yes. Condition, Good. Beds, metal. Width 36". Mattresses, Hair. Rubber covered, Yes. Condition, Clean. Blankets, adequate, Yes. Linen, adequate, Yes. Rubber sheets, Yes. Pictures, No. Radio, Yes. Television, Yes. Piano, Yes. Window shades, Yes. Flowers, No. Draperies, Yes.
9. Check if present: Nurse's station, Yes. Treatment room, Yes. Ward personnel Lavatory and toilet, Yes. Ward personnel cloak room, Yes. Protected medicine closet, Yes.
10. No. cots, 0. No. mattresses on floor, 3. No. patients in seclusion, Yes. No. of seclusion rooms, 10. No. patients in restraint, Surgical restraint, 4, 2 regular restraint. No. patients in bed, 0.
11. Are the toilets and bathrooms clean, Yes. Are the patients clean, No. Well dresses, No. Noisy, Yes. Do odors prevail, Yes.

###

Small sewing room on 2nd floor.

Six rooms have toilets.

Cedar Building is identical and is for females.

MINNESOTA SCHOOL & COLONY

WARD SHEET Female (Hallya's Osage which is for males).

1. Type of patients, Cripples, Infirmary. No. beds, 114. Ward Holly, Building Skinner Div.
2. Type and condition of the following: Walls, Painted. Needs painting. Floors, Terrazo and Asphalt. Ceilings, Plaster. Trim, Metal.
3. Give number for each of the following: Single rooms, 10. Double rooms, 0. Dormitories, 2 - 50 beds in each. Day rooms, 2. Sun Parlors, 0. Open porches 0. Lavatories, 6. Toilets, 12. Urinals, 0. Bath tubs, 0. Showers, 2. High bath tubs, 2. Slop sinks, 2. Sterilizers, 0. Continuous flow baths, 0. Drinking fountains, 2. Bed pan sterilizers, 0. Bed pan washers, 2. Warming closets, 0.
4. Plumbing: Good. Window guards, 2 rooms are guarded. Insect screens, Yes. Lighting, adequate, No. Night lights, No.
5. Housekeeping: Equipment adequate, Yes. Clothing Room adequate, yes. Linen room adequate, Yes. Broom closet, No. Supply Closet No.
6. Dining room, Yes. Serving room, Yes. Silverware adequate, Yes. Dishes, Plastic. Condition, Good. Refrigerator, Yes. Mech. Dishwasher, Yes. Condition of all dining room equipment. In good condition. Method of transportation of good: Through tunnel in open containers.
7. Check if present: Fire extinguisher, Yes. Standpipe hose, Yes. Automatic sprinklers, 0.
8. Furniture and furnishing: Furniture, Wood. Adequate, Yes. Condition, Fair. Beds, metal. Width, varies. Mattresses, Hair. Rubber covered, Yes. Condition, Fair. Blankets adequate, Yes. Linen adequate, Yes. Rubber sheets, Yes. All. Pictures, Yes. Radio, 2. Piano, 0. Television, Yes. Window shades, Yes. Flowers, Yes. Draperies, 0.
9. Check if present: Nurse's station, Yes. Treatment room, Yes. Ward personnel lavatory and toilet, Yes. Ward personnel cloak room, Yes. Protected medicine closet, Yes.
10. No cots 0. No. mattresses on floor 0. No. patients in seclusion 0. No. of seclusion rooms, 0. No. seclusion rooms, 0. No. patients in restraint. Protective restraint for 10 to keep them from injuring themselves. No. patients in bed, 30.
11. Are the toilets and bathrooms clean, Yes. Are the patients clean, Yes, as they can be. Well dressed, Fair. Noisy, Yes. Do odors prevail, Yes.

###

This building is the same as Osage which is for male patients. This building (Holly) is divided into A and B. Osage is divided into two wards 9 and 10. There are no side rooms in this building otherwise it is the same as Holly. Walls of toilets are ceramic tile, also floor. Floor of dormitories, terrazo. Examining Room all white tile. Wheeled stretcher. 35 Wheel chairs are in poor condition.

Seven employees rooms on 2nd floor.

124 Oaks Building working patients. Fire safe.