

MINNESOTA
INSTITUTIONS FOR
MENTALLY DEFICIENT
AND EPILEPTIC

STATISTICAL REPORT
1962 - 63

research and Statistics
Department of Public Welfare

1962-63 STATISTICAL REPORT ON INSTITUTIONS FOR THE MENTALLY DEFICIENT AND EPILEPTIC
TABLE OF CONTENTS

| | |
|-------------|---|
| <u>Page</u> | |
| 2 | Explanatory Notes |
| 3 | <u>Section A</u> - Mentally Deficient and Epileptic Patients Under Supervision of Minnesota Commissioner of Public Welfare - Narrative Summary and Charts |
| 6 | Table A-1 Sex, Age, Mental Level and Diagnostic Group by Type of Supervision June 30, 1963 |
| 7 | Table A-2 Sex, Age, Mental Level and Diagnostic Group for Selected Changes in Status, 1962-63 |
| 8 | Table A-3 County of Residence. Number Under Each Type of Supervision and Number per 100,000 Population. Selected Changes in Status by County, 1962-63 |
| 11 | Map Patients Under Supervision per 100,000 Population by County of Residence |
| 12 | Map Patients on Institution Books per 100,000 Population by County of Residence |
| 13- | <u>Section B</u> - 1962-63 Population Changes and Comparisons with Past Years - Narrative Summary and Chart |
| 14 | Table B-1 Population Movements, 1962-63 |
| 15 | Table B-2 Population Changes by Institution and Sex - 1958-59 Through 1962-63 |
| 16 | Table B-3 Population Changes by Sex, Age and Degree of Mental Retardation - 1958-59 Through 1962-63 |
| 17 | <u>Section C</u> - Characteristics of Patients Admitted, On Books, Discharged from Books and Patients who Died in Institutions |
| 18 | Table C-1 1962-63 Admissions Grouped by Age on Admission |
| 19 | Table C-2 1962-63 Admissions Grouped by Mental Status |
| 20 | Table C-3 1962-63 First Admissions Grouped by Time from Commitment to Admission |
| 21 | Table C-4 Patients on Books June 30, 1963 Grouped by Current Age |
| 22 | Table C-5 Patients on Books June 30, 1963 Grouped by Degree of Mental Retardation |
| 23 | Table C-6 Patients on Books June 30, 1963 Grouped by Time Since Admission |
| 24 | Table C-7 Patients Discharged 1962-63 and 1962-63 Deaths Grouped by Age |
| 25 | <u>Section D</u> - Comparative Data on Individual Institutions |
| 26 | Table D-1 1962-63 Admissions |
| 27 | Table D-2 Patients on Books June 30, 1963 |
| 28 | Table D-3 Patients on Books June 30, 1963 Classified by Sex, Age, Mental Status and Institution |
| 29 | Table D-4 Discharges from Books and Deaths in Institution |
| 30 | <u>Section E</u> - Population Movements of Individual Institutions by Sex, Age and Degree of Retardation |
| 31 | Table E-1 All Institutions |
| 32 | Table E-2 Brainerd State School and Hospital |
| 33 | Table E-3 Cambridge State School and Hospital (Including Lake Owasso) |
| 34 | Table E-4 Faribault State School and Hospital |
| 35 | Table E-5 Annex for Defective Delinquents, Owatonna State School, and Shakopee Home for Children |

1962-63 STATISTICAL REPORT ON INSTITUTIONS FOR THE MENTALLY DEFICIENT AND EPILEPTIC

Explanatory Notes

Fiscal year 1962-63 covers the period July 1, 1962 through June 30, 1963.

"Total under supervision" includes all patients under supervision of the Section for Mentally Deficient and Epileptic, most of whom are under commitment to the Commissioner of Public Welfare. This count represents the total of all patients on the waiting list, on the institution books and under supervision of county welfare departments or private agencies outside the institution. A few patients in each supervision group are voluntary. Some of the long-term care patients on the institution books were committed directly to the institution they entered prior to the law under which commitments were made to the Commissioner.

Patients "on books" include all patients on the institution records whether physically present or on temporary absence. The book population rather than number in residence has been used for descriptive statistics on patients throughout the report because many patients are home on vacation on June 30, the end of the fiscal year census date.

Patients "in residence" or "in institution" include all patients physically present plus those away on visits of less than eight days duration.

"Admissions" include all patient entering the institutions for the first time or readmitted after receiving a final discharge from this type of institution, and include transfers from state institutions other than mental hospitals, other institutions for the mentally deficient and epileptic or mental hospitals.

"First admissions" include all patients admitted with no previous residence in either a Minnesota state institution for the mentally deficient and epileptic or a Minnesota State mental hospital.

"Discharges" include all patients removed from the institution books, by discharge direct from the institution, from visit or vacation or unauthorized absence, and include discharges by transfer to a state institution other than an institution for the mentally deficient and epileptic or a mental hospital.

Mental level in this report follows the new classification of the American Association on Mental Deficiency for those patients on whom new information has been reported. Data on older patients follows the definitions used in earlier reports. The designation "severe" for all groups except admissions includes some patients who will probably be classified as "profound" when they are reclassified.

No data on clinical classification of patients is included in the regular tables in this report as only the admissions for the past three years have been classified under the new terminology of the American Association on Mental Deficiency. Patients are classified, however, as mentally deficient only, mentally deficient and epileptic, and epileptic only.

Medians (50th percentile) shown were calculated from grouped data.

All percentages are given in round figures. For this reason breakdown may not always total exactly 100 percent. The letter "a" is used to designate less than 0.5 percent.

SECTION A
MENTALLY DEFICIENT AND EPILEPTIC PATIENTS UNDER SUPERVISION
OF MINNESOTA COMMISSIONER OF PUBLIC WELFARE

In Minnesota mentally deficient and/or epileptic patients are committed to the Commissioner of Public Welfare rather than direct to an institution. If institutional care is urgently needed, the patient may enter an institution immediately upon commitment. Other patients for whom institutional care is recommended are placed on the waiting list. For others commitment may be made as a protective measure, but the patient may never enter an institution. Upon discharge from an institution a patient usually continues under guardianship with outside supervision provided by the county welfare departments. This report is mainly concerned with the institutional program, but the tables in Section A cover the entire supervision program for the mentally deficient and epileptic.

As of June 30, 1963 there were 10,979 mentally deficient and/or epileptic patients under supervision of the Commissioner of Public Welfare. Of these, 10,761 were under commitment directly to the Commissioner of Public Welfare. Almost all of the remainder were long-time hospitalized patients committed directly to an institution many years ago, although there were a few voluntary patients under each type of supervision because of special problems. Of every 100 patients under supervision, 59 were on the institution books, six were on the waiting list, and 35 were on outside supervision, including 17 ex-patients of institutions and 18 who had never been in an institution. Some of the characteristics of the patients in each of these groups are shown in Table A-1 and their distribution by county is shown in Table A-3.

There are more male (54 percent) than female (46 percent) patients under supervision statewide and in most of the supervision groups. Among patients

on the waiting list 61 percent were male while male patients accounted for 55 percent of those on outside supervision and 53 percent of the patients on the institution books. At Owatonna two-thirds of the patients were male, but Cambridge had a slightly larger number of female than male patients. There were also slightly more female than male patients among the 166 patients out on trial placement from the institutions.





The ages of the patients vary widely, depending on the type of supervision, as may be noted in Table A-1 and the accompanying charts. By far the youngest group is the waiting list, with one-third under age five and over two-thirds under age ten. Less than three percent of all patients under supervision are under five years of age and two-thirds of these are on the waiting list. The oldest group, on the other hand, are former institution patients now under supervision in the community. Very few (only one in every 25) of the mentally deficient and epileptic patients under supervision are 65 or older. Patients in this older age group account for about one in every 15 former institution patients now in the community and one in every six institution patients out on trial placement, including a number of long-term patients placed in state nursing homes during 1962-63. The waiting list and those on short leave from the institutions include almost no patients 65 years old or older, while about one in 25 of all resident patients and one in 25 of those on outside supervision who have never been institutionalized are in this oldest age group.


Mental level or degree of mental deficiency has not been determined for 18 percent of the patients

MENTALLY DEFICIENT AND EPILEPTIC PATIENTS
UNDER SUPERVISION JUNE 30, 1963
PERCENTAGE DISTRIBUTION BY TYPE OF SUPERVISION OF
PATIENTS WITH SPECIFIED CHARACTERISTICS

Percent of all patients in specified group

| | |
|---------------------------------------|--|
| 10,979 Patients Under Supervision | |
| SEX: | |
| 5,974 Male patients | |
| 5,005 Female patients | |
| AGE GROUP: | |
| 315 Patients under age 5 | |
| 874 Patients aged 5-9 | |
| 1,143 Patients aged 10-14 | |
| 1,285 Patients aged 15-19 | |
| 1,090 Patients aged 20-24 | |
| 2,640 Patients aged 25-39 | |
| 3,160 Patients aged 40-64 | |
| 471 Patients age 65 or older | |
| MENTAL LEVEL: | |
| 2,051 Severely or profoundly retarded | |
| 3,647 Moderately retarded | |
| 2,972 Mildly retarded | |
| 100 Borderline | |
| 186 Not mentally deficient | |
| 2,022 Mental level not reported | |
| DIAGNOSTIC GROUP: | |
| 8,687 Mentally deficient only | |
| 2,106 Mentally def. and epileptic | |
| 184 Epileptic only | |

| | |
|---|--|
|  | On institution books |
|  | On waiting list |
|  | Outside supervision, former inst. pts. |
|  | Outside supervision, never in inst. |



under supervision, the proportion with undetermined mental level ranging from well over half of these on the waiting list down to only three percent of those on Faribault's books. For this reason direct comparisons of degree of retardation from group to group may not be too meaningful because of the varying proportions unknown. However, of those with mental level recorded, severe or profound retardation was reported for 36 percent of those on the institution population, 12 percent of those under outside supervision but never in an institution and only three percent of the former institution patients now in the community. On the other hand mild or borderline retardation was recorded for 20 percent of the waiting list, 23 percent of the institution population, 47 percent of those never in an institution and 86 percent of the discharged patients under outside supervision.

A little over one-fifth' of all patients under supervision were recorded as being epileptic, but almost all of these were mentally deficient, also. Only 184 patients, less than two percent of the total, were epileptic only. Two patients reported as neither mentally deficient or epileptic were in "Cambridge for treatment of special problems for which that institution seemed to have the most suitable program.

CHANGES IN SUPERVISION DURING 1962-63

During fiscal year 1962-63 the total number of mentally deficient and epileptic patients under supervision showed little change, (from 30,893 to 30,879). There was a decrease from 6,565 to 6,469 in the number on the institution books and also a small decrease in the waiting list (from 692 to 676). The number under outside supervision, however, increased from 3,636 to 3,834.

A total of 462 patients were committed to the guardianship of the Commissioner of Public Welfare as mentally deficient and/or epileptic during 1962-63. Of these 37 were admitted directly to the institution, 235 were placed on the waiting list, and 190 were placed on outside supervision. There were 86 fewer patients committed in 1962-63 than in 1961-62, but almost the entire decrease was among patients placed on outside supervision upon commitment (82 less than last year), indicating less emphasis on commitment as a protective measure only.

During 1962-63 a total of 366 patients were removed from guardianship. Of these 212 died, 135 were discharged from guardianship and 19 were restored to capacity.

Characteristics of the mentally deficient and epileptic patients by type of status change during 1962-63 are shown in Table A-2. Their distribution by county of residence (legal settlement) is given in Table A-3.





TABLE A-1: MENTALLY DEFICIENT AND EPILEPTIC PATIENTS UNDER SUPERVISION
JUNE 30, 1963

| | TOTAL UNDER SUPER- VISION | OUTSIDE Never In Inst. | SUPERVISION Former Inst. Patients | ON INST. WAITING LIST | ON INSTITUTION BOOKS | | | Trial Place- ments | Brainerd | Cambridge | Faribault | Owatonna | Shakopee |
|---|------------------------------------|---------------------------------|--|--------------------------------|----------------------|-------|------|--------------------------|----------|-----------|-----------|----------|----------|
| | Total | Res. Pts. | Short Leaves | | | | | | | | | | |
| Total Under Supervision | 10,979 | 1,936 | 1,898 | 676 | 6,469 | 5,693 | 610 | 166 | 981 | 2,107 | 3,030 | 321 | 30 |
| SEX: | | | | | | | | | | | | | |
| Male | 5,974 | 1,076 | 1,037 | 414 | 3,447 | 3,011 | 356 | 80 | 546 | 1,022 | 1,666 | 213 | - |
| Female | 5,005 | 860 | 861 | 262 | 3,022 | 2,682 | 254 | 86 | 435 | 1,085 | 1,364 | 108 | 30 |
| AGE GROUP:* | | | | | | | | | | | | | |
| Under age 5 | 315 | 64 | - | 220 | 31 | 31 | - | - | 3 | 13 | 15 | - | - |
| Ages 5-9 | 874 | 213 | 7 | 239 | 415 | 401 | 13 | 1 | 57 | 151 | 189 | 4 | 14 |
| Ages 10-14 | 1,143 | 235 | 16 | 96 | 796 | 685 | 110 | 1 | 100 | 311 | 294 | 75 | 16 |
| Ages 15-19 | 1,285 | 195 | 85 | 43 | 962 | 729 | 214 | 19 | 112 | 303 | 338 | 209 | - |
| Ages 20-24 | 1,090 | 124 | 236 | 11 | 719 | 596 | 86 | 37 | 114 | 259 | 313 | 33 | - |
| Ages 25-29 | 897 | 122 | 229 | 9 | 537 | 474 | 51 | 12 | 97 | 177 | 263 | - | - |
| Ages 30-39 | 1,743 | 302 | 429 | 19 | 993 | 906 | 64 | 23 | 187 | 307 | 499 | - | - |
| Ages 40-64 | 3,160 | 596 | 770 | 37 | 1,757 | 1,642 | 69 | 46 | 295 | 532 | 930 | - | - |
| Age 65 and older | 471 | 85 | 126 | 2 | 258 | 228 | 3 | 27 | 16 | 54 | 188 | - | - |
| Median age | 29.4 | 30.5 | 38.8 | 7.5 | 27.9 | 29.3 | 19.3 | 35.7 | 30.4 | 25.5 | 32.1 | 16.9 | 10.3 |
| MENTAL LEVEL: | | | | | | | | | | | | | |
| Severe or profound | 2,052 | 155 | 45 | 107 | 1,745 | 1,686 | 50 | 9 | 306 | 528 | 908 | - | 3 |
| Moderate | 3,647 | 506 | 355 | 131 | 2,655 | 2,386 | 219 | 50 | 389 | 783 | 1,458 | 14 | 11 |
| Mild | 2,972 | 528 | 1,065 | 55 | 1,324 | 997 | 247 | 80 | 144 | 377 | 559 | 239 | 5 |
| Borderline | 100 | 21 | 10 | 3 | 66 | 35 | 30 | 1 | 13 | 14 | 7 | 32 | - |
| Not mentally deficient | 186 | 39 | 71 | 2 | 74 | 59 | 8 | 7 | 14 | 53 | 6 | 1 | - |
| Not reported | 2,022 | 687 | 352 | 378 | 605 | 530 | 56 | 19 | 115 | 352 | 92 | 35 | 11 |
| DIAGNOSTIC GROUP:** | | | | | | | | | | | | | |
| Mentally deficient only | 8,687 | 1,679 | 1,566 | 539 | 4,903 | 4,285 | 494 | 124 | 708 | 1,205 | 2,666 | 298 | 26 |
| Mentally def. & epileptic | 2,106 | 217 | 262 | 135 | 1,492 | 1,349 | 108 | 35 | 259 | 849 | 358 | 22 | 4 |
| Epileptic only | 184 | 40 | 70 | 2 | 72 | 58 | 7 | 7 | 14 | 51 | 6 | 1 | - |
| PERCENTAGE UNDER EACH TYPE OF SUPERVISION: | 100% | 18% | 17% | 6% | 59% | 52% | 6% | 2% | 9% | 19% | 28% | 3% | a% |
| PERCENT OF EACH SUPERVISION GROUP: | | | | | | | | | | | | | |
| Male | 54% | 56% | 55% | 61% | 53% | 53% | 58% | 48% | 56% | 49% | 55% | 66% | 0% |
| Female | 46 | 44 | 45 | 39 | 47 | 47 | 42 | 52 | 44 | 51 | 45 | 34 | 100 |
| Under age 10 | 11 | 14 | a | 68 | 7 | 8 | 2 | 1 | 6 | 8 | 7 | 1 | 47 |
| Ages 10-24 | 32 | 29 | 18 | 22 | 38 | 35 | 67 | 34 | 33 | 41 | 31 | 99 | 53 |
| Ages 25-64 | 53 | 53 | 75 | 10 | 51 | 53 | 30 | 49 | 59 | 48 | 56 | - | - |
| Age 65 or older | 4 | 4 | 7 | a | 4 | 4 | a | 16 | 2 | 2 | 6 | - | - |
| Severely or profoundly retarded | 19 | 8 | 2 | 16 | 27 | 30 | 9 | 5 | 31 | 25 | 30 | - | 10 |
| Mental level undetermined | 18 | 35 | 19 | 56 | 9 | 9 | 9 | 11 | 12 | 17 | 3 | 11 | 37 |
| With epilepsy only | 2 | 2 | 4 | a | 1 | 1 | 1 | 4 | 1 | 2 | a | a | - |

* Breakdown excludes one Faribault patient with age unknown.

** Breakdown excludes two Cambridge patients neither mentally deficient or epileptic.

TABLE A-2: MENTALLY DEFICIENT AND EPILEPTIC PATIENTS UNDER SUPERVISION
JUNE 30, 1963

| | CHANGES IN TOTAL SUPERVISION: | | | | | CHANGES IN WAITING LIST | | | | | CHANGES IN INSTITUTION POPULATION | | |
|---------------------------------|-------------------------------|------------------|--------------------------|----------------------|-------|-------------------------|--------------------------|--------------------------|--------------------------|-------|-----------------------------------|-----------------|------------------|
| | Committed During Year | Died During Year | Disch. From Guardianship | Restored To Capacity | Total | ADDED At Commitment | From Outside Supervision | REMOVED Died Institution | Admission To Institution | Other | Total Admissions | Deaths On Books | Final Discharges |
| Total | 462 | 212 | 135 | 19 | 310 | 235 | 75 | 38 | 167 | 120 | 309 | 120 | 308 |
| SEX: | | | | | | | | | | | | | |
| Male | 276 | 121 | 55 | 14 | 190 | 144 | 46 | 13 | 110 | 81 | 190 | 74 | 173 |
| Female | 186 | 91 | 80 | 5 | 120 | 91 | 29 | 25 | 57 | 39 | 119 | 46 | 135 |
| AGE GROUP: | | | | | | | | | | | | | |
| Under age 5 | 162 | 39 | - | - | 141 | 125 | 16 | 29 | 23 | 9 | 28 | 4 | 5 |
| Ages 5-9 | 102 | 19 | 2 | - | 84 | 62 | 22 | 4 | 59 | 27 | 78 | 17 | 4 |
| Ages 10-14 | 69 | 10 | 6 | - | 29 | 21 | 8 | - | 33 | 29 | 68 | 8 | 9 |
| Ages 15-19 | 54 | 7 | 1 | 2 | 12 | 8 | 4 | 1 | 22 | 14 | 58 | 7 | 64 |
| Ages 20-24 | 19 | 4 | 7 | 3 | 7 | 6 | 1 | 1 | 10 | 8 | 27 | 2 | 81 |
| Ages 25-39 | 30 | 24 | 36 | 12 | 22 | 8 | 14 | 1 | 11 | 9 | 26 | 19 | 59 |
| Ages 40-64 | 18 | 68 | 71 | 2 | 15 | 5 | 9 | 1 | 9 | 19 | 23 | 47 | 46 |
| Age 65 and older | - | 41 | 12 | - | 1 | - | 1 | 1 | - | 5 | 1 | 16 | 40 |
| Median age: | 8.4 | 41.1 | 45.5 | 30.6 | 5.9 | 4.7 | 9.9 | 3.3 | 10.2 | 14.1 | 13.6 | 41.6 | 24.4 |
| MENTAL LEVEL: | | | | | | | | | | | | | |
| Profound* | 23 | 12 | - | - | 19 | 15 | 4 | - | 51 | - | 62 | 12 | 3 |
| Severe | 59 | 28 | 3 | - | 41 | 27 | 14 | - | 50 | 4 | 67 | 25 | 16 |
| Moderate | 82 | 58 | 15 | 2 | 55 | 43 | 11 | 1 | 34 | 11 | 62 | 38 | 92 |
| Mild | 99 | 35 | 87 | 13 | 24 | 17 | 7 | 4 | 10 | 25 | 60 | 17 | 145 |
| Borderline | 22 | 2 | 2 | - | 1 | 1 | - | 2 | 1 | 13 | 22 | 2 | 8 |
| Not mentally deficient | 5 | 5 | 3 | - | - | - | - | - | 1 | 3 | 6 | 3 | 10 |
| Not reported | 172 | 72 | 25 | 4 | 171 | 132 | 39 | 31 | 20 | 64 | 30 | 23 | 34 |
| DIAGNOSTIC GROUP:** | | | | | | | | | | | | | |
| Mentally deficient only | 366 | 158 | 121 | 18 | 247 | 185 | 62 | 31 | 131 | 94 | 235 | 84 | 251 |
| Mentally deficient & epileptic | 91 | 49 | 11 | 1 | 64 | 50 | 13 | 7 | 35 | 22 | 64 | 33 | 44 |
| Epileptic only | 5 | 5 | 3 | - | - | - | - | - | 1 | 2 | 6 | 3 | 9 |
| PERCENT OF EACH MOVEMENT GROUP: | | | | | | | | | | | | | |
| Male | 60% | 57% | 41% | 74% | 61% | 60% | 61% | 34% | 66% | 67% | 61% | 62% | 56% |
| Female | 40 | 43 | 59 | 26 | 39 | 40 | 39 | 66 | 34 | 33 | 39 | 38 | 44 |
| Under age 5 | 35 | 18 | - | - | 45 | 53 | 21 | 76 | 14 | 7 | 9 | 3 | 2 |
| Ages 5-9 | 22 | 9 | 1 | - | 27 | 26 | 29 | 11 | 35 | 23 | 25 | 14 | 1 |
| Ages 10-24 | 31 | 10 | 10 | 26 | 15 | 15 | 17 | 5 | 39 | 42 | 50 | 14 | 50 |
| Ages 25-64 | 12 | 43 | 79 | 74 | 12 | 6 | 31 | 5 | 12 | 23 | 16 | 55 | 34 |
| Age 65 and older | - | 19 | 9 | - | a | - | 1 | 3 | - | 4 | a | 13 | 13 |
| Severely or profoundly retar. | 18 | 19 | 2 | - | 19 | 18 | 24 | - | 61 | 3 | 42 | 31 | 6 |
| Moderate mental retardation | 18 | 27 | 11 | 11 | 18 | 18 | 15 | 3 | 20 | 9 | 20 | 32 | 30 |
| Mild, borderline or no retar. | 27 | 20 | 68 | 68 | 8 | 8 | 9 | 16 | 7 | 34 | 28 | 18 | 53 |
| Mental level not reported | 37 | 34 | 19 | 21 | 55 | 56 | 52 | 82 | 12 | 54 | 10 | 19 | 11 |

* Reporting of profound retardation is incomplete. Some may have been reported as severe retardation.

** Breakdown does not include 2 neither mentally deficient or epileptic removed from waiting list or four babies born in institution and discharged during year.

TABLE A-3
MENTALLY DEFICIENT AND EPILEPTIC PATIENTS UNDER SUPERVISION, FISCAL YEAR ENDING JUNE 30, 1963
COUNTY OF RESIDENCE

| County | PATIENTS UNDER SUPERVISION JUNE 30, 1963 | | | | NUMBER PER 100,000 POPULATION* | | Patients Committed 1962-63 | Patients Added To Waiting List 1962-63 | Patients Admitted To M.D. E. Inst. 1962-63 | Patients Discharged From M.D.E. Inst. 1962-63* | Patients Discharged From Guardianship 1962-63* |
|------------|--|----------------|-----------------|------------------------|--------------------------------|----------------|----------------------------|--|--|--|--|
| | Total | On Inst. Books | On Waiting List | On Outside Supervision | Total Under Supervision | On Inst. Books | | | | | |
| TOTAL | 10,979 | 6,469 | 676 | 3,834 | 314 | 185 | 462 | 310 | 309 | 308 | 154 |
| Aitkin | 88 | 52 | 7 | 29 | 714 | 422 | 3 | 2 | 2 | 2 | - |
| Anoka | 154 | 80 | 20 | 54 | 161 | 83 | 14 | 12 | 7 | 2 | - |
| Becker | 101 | 57 | 8 | 36 | 421 | 238 | 2 | 4 | - | 6 | 4 |
| Beltrami | 107 | 79 | 1 | 27 | 465 | 343 | 1 | - | 1 | 2 | 3 |
| Benton | 97 | 59 | 4 | 34 | 548 | 334 | 1 | 2 | 4 | 6 | 1 |
| Big Stone | 44 | 28 | 2 | 14 | 479 | 305 | 2 | 1 | - | 1 | - |
| Blue Earth | 161 | 98 | 4 | 59 | 359 | 219 | 7 | 4 | 3 | 3 | 2 |
| Brown | 105 | 67 | 7 | 31 | 369 | 235 | 5 | 4 | - | - | - |
| Carlton | 94 | 48 | 6 | 40 | 331 | 169 | 2 | 2 | 2 | 2 | - |
| Carver | 69 | 43 | 5 | 21 | 304 | 189 | 2 | 1 | 4 | - | 1 |
| Cass | 128 | 74 | 8 | 46 | 756 | 437 | 5 | 4 | 2 | 8 | 2 |
| Chippewa | 56 | 42 | 3 | 11 | 343 | 257 | 2 | 2 | 2 | 2 | - |
| Chisago | 56 | 34 | 1 | 21 | 412 | 250 | 1 | - | 2 | 2 | - |
| Clay | 94 | 54 | 8 | 32 | 239 | 137 | 7 | 5 | 5 | 1 | - |
| Clearwater | 32 | 17 | - | 15 | 362 | 192 | 2 | 1 | - | 1 | - |
| Cook | 18 | 8 | 1 | 9 | 522 | 232 | - | - | - | 1 | - |
| Cottonwood | 62 | 40 | 2 | 20 | 392 | 253 | - | 1 | 2 | 2 | 1 |
| Crow Wing | 140 | 76 | 4 | 60 | 428 | 232 | 2 | 4 | - | 3 | - |
| Dakota | 213 | 119 | 23 | 71 | 241 | 135 | 17 | 14 | 5 | 3 | 1 |
| Dodge | 57 | 35 | 8 | 14 | 427 | 262 | 4 | - | 1 | 1 | 3 |
| Douglas | 57 | 37 | 5 | 15 | 260 | 169 | 3 | 3 | 1 | 2 | 1 |
| Faribault | 100 | 52 | 9 | 39 | 420 | 218 | 4 | 4 | 5 | 5 | - |
| Fillmore | 81 | 38 | 3 | 40 | 341 | 160 | 3 | 2 | - | 2 | 1 |
| Freeborn | 123 | 66 | 5 | 52 | 317 | 170 | 2 | 2 | 5 | 5 | 1 |
| Goodhue | 118 | 74 | 5 | 39 | 357 | 224 | 7 | 4 | 4 | 2 | - |
| Grant | 31 | 22 | 1 | 8 | 344 | 244 | 1 | - | 1 | 1 | - |
| Hennepin | 2,103 | 1,247 | 182 | 674 | 243 | 144 | 117 | 82 | 91 | 58 | 22 |
| Houston | 43 | 21 | 3 | 19 | 259 | 127 | - | - | 1 | - | - |
| Hubbard | 54 | 36 | 2 | 16 | 535 | 357 | - | - | - | 1 | - |
| Isanti | 52 | 29 | 3 | 20 | 376 | 210 | 2 | 2 | - | 1 | - |

TABLE A-3
MENTALLY DEFICIENT AND EPILEPTIC PATIENTS UNDER SUPERVISION, FISCAL YEAR ENDING JUNE 30, 1963
COUNTY OF RESIDENCE

| County | PATIENTS UNDER SUPERVISION JUNE 30, 1963 | | | | NUMBER PER 100,000 POPULATION | | Patients Committed 1962-63 | Patients Added To Waiting List 1962-63 | Patients Admitted To M.D.E. Inst. 1962-63 | Patients Discharged From M.D.E. Inst. 1962-63* | Patients Discharged From Guardianship 1962-63** |
|-------------------|--|----------------|-----------------|------------------------|-------------------------------|----------------|----------------------------|--|---|--|---|
| | Total | On Inst. Books | On Waiting List | On Outside Supervision | Total Under Supervision | On Inst. Books | | | | | |
| Itasca | 116 | 67 | 5 | 44 | 308 | 178 | 4 | 2 | - | 2 | - |
| Jackson | 54 | 26 | 2 | 26 | 355 | 171 | 1 | - | 3 | 4 | - |
| Kanabec | 36 | 21 | 2 | 13 | 393 | 229 | - | - | - | 1 | - |
| Kandiyohi | 88 | 47 | 1 | 40 | 288 | 154 | 1 | - | - | 1 | 2 |
| Kittson | 49 | 27 | 3 | 19 | 585 | 322 | 3 | 2 | 1 | - | 1 |
| Koochiching | 105 | 59 | 3 | 43 | 589 | 331 | 4 | 1 | 2 | 1 | - |
| Lac qui Parle | 58 | 23 | 1 | 34 | 428 | 170 | 1 | 1 | 1 | 1 | - |
| Lake | 25 | 14 | 2 | 9 | 170 | 95 | 3 | 1 | - | 1 | - |
| Lake of the Woods | 9 | 7 | - | 2 | 207 | 161 | - | - | - | - | 1 |
| LeSueur | 66 | 43 | 2 | 21 | 322 | 210 | 2 | 1 | 1 | 2 | - |
| Lincoln | 35 | 28 | - | 7 | 361 | 289 | - | - | - | - | - |
| Lyon | 82 | 40 | 2 | 40 | 359 | 175 | - | - | 1 | 2 | 1 |
| McLeod | 75 | 47 | 2 | 26 | 298 | 187 | - | 1 | 1 | - | 13 |
| Mahnomen | 45 | 26 | 2 | 17 | 682 | 394 | 1 | - | - | - | 1 |
| Marshall | 54 | 38 | 1 | 15 | 373 | 262 | 4 | 2 | 1 | - | 3 |
| Martin | 85 | 43 | 9 | 33 | 312 | 158 | 2 | 2 | 2 | 4 | 1 |
| Meeker | 61 | 31 | 5 | 25 | 317 | 161 | 5 | 4 | - | - | 1 |
| Mille Lacs | 57 | 29 | 1 | 27 | 383 | 195 | 2 | 1 | - | 4 | 1 |
| Morrison | 133 | 76 | 5 | 52 | 486 | 277 | 3 | 2 | 1 | 4 | 1 |
| Mower | 115 | 77 | 8 | 30 | 235 | 158 | 4 | 4 | 3 | 2 | - |
| Murray | 46 | 23 | 4 | 19 | 315 | 158 | 4 | 3 | 1 | - | - |
| Nicollet | 49 | 23 | 4 | 22 | 215 | 101 | 1 | - | 2 | 2 | - |
| Nobles | 78 | 48 | 1 | 29 | 334 | 206 | 1 | - | 1 | 2 | 1 |
| Norman | 58 | 34 | 3 | 21 | 521 | 305 | - | 2 | 1 | 4 | 1 |
| Olmsted | 159 | 104 | 12 | 43 | 232 | 152 | 12 | 8 | 9 | 3 | 1 |
| Otter Tail | 157 | 100 | 7 | 50 | 314 | 200 | 6 | 4 | 4 | 10 | - |
| Pennington | 37 | 21 | 1 | 15 | 296 | 168 | 2 | 1 | 1 | - | - |
| Pine | 95 | 49 | 6 | 40 | 555 | 286 | 1 | 1 | 1 | 3 | 1 |
| Pipestone | 44 | 25 | 2 | 17 | 318 | 181 | 1 | 2 | 1 | - | 1 |
| Polk | 119 | 84 | 7 | 28 | 321 | 227 | 4 | 3 | 4 | 3 | 3 |


TABLE A-3
MENTALLY DEFICIENT AND EPILEPTIC PATIENTS UNDER SUPERVISION, FISCAL YEAR ENDING JUNE 30, 1963
COUNTY OF RESIDENCE

| County | PATIENTS UNDER SUPERVISION JUNE 30, 1963 | | | | NUMBER PER 100,000 POPULATION [#] | | Patients Committed 1962-63 | Patients Added To Waiting List 1962-63 | Patients Admitted To M.D.E. Inst. 1962-63 | Patients Discharged From M.D.E. Inst. 1962-63* | Patients Discharged From Guardianship 1962-63** |
|-----------------|--|----------------|-----------------|------------------------|--|----------------|----------------------------|--|---|--|---|
| | Total | On Inst. Books | On Waiting List | On Outside Supervision | Total Under Supervision | On Inst. Books | | | | | |
| Pope | 46 | 24 | 4 | 18 | 377 | 197 | 2 | 4 | - | - | - |
| Ramsey | 1,460 | 838 | 98 | 524 | 341 | 196 | 69 | 40 | 34 | 53 | 48 |
| Red Lake | 26 | 23 | - | 3 | 437 | 387 | 1 | - | - | - | - |
| Redwood | 73 | 48 | 4 | 21 | 340 | 224 | 2 | 1 | 1 | - | 1 |
| Renville | 133 | 65 | 6 | 62 | 555 | 271 | 5 | 4 | 5 | 2 | 1 |
| Rice | 152 | 90 | 11 | 51 | 382 | 226 | 3 | 3 | 6 | 1 | 1 |
| Rock | 23 | 18 | - | 5 | 198 | 155 | - | - | 1 | - | - |
| Roseau | 53 | 33 | 3 | 17 | 431 | 268 | 1 | 2 | 3 | 3 | - |
| St. Louis | 741 | 454 | 44 | 243 | 323 | 198 | 38 | 22 | 20 | 26 | 7 |
| Scott | 77 | 53 | 3 | 21 | 331 | 228 | 2 | 2 | 6 | 3 | 1 |
| Sherburne | 50 | 26 | 5 | 19 | 382 | 198 | 6 | 1 | 1 | 1 | - |
| Sibley | 54 | 22 | 5 | 27 | 330 | 134 | 2 | 1 | 1 | 1 | 2 |
| Stearns | 311 | 184 | 5 | 122 | 372 | 220 | 8 | 3 | 10 | 8 | 3 |
| Steele | 47 | 31 | 5 | 11 | 181 | 119 | 3 | 3 | 4 | 1 | - |
| Stevens | 36 | 20 | 3 | 13 | 315 | 175 | 2 | 3 | 2 | 1 | 1 |
| Swift | 54 | 32 | 3 | 19 | 363 | 215 | 5 | - | 1 | 1 | 1 |
| Todd | 99 | 61 | 2 | 36 | 419 | 258 | 2 | 1 | - | 3 | 1 |
| Traverse | 37 | 25 | 1 | 11 | 488 | 330 | - | - | 1 | 3 | - |
| Wabasha | 51 | 36 | 3 | 12 | 293 | 207 | - | 1 | 1 | 1 | - |
| Wadena | 47 | 29 | 3 | 15 | 377 | 233 | 2 | 2 | 2 | 2 | 5 |
| Waseca | 61 | 39 | 1 | 21 | 372 | 238 | 2 | - | - | 1 | - |
| Washington | 134 | 77 | 9 | 48 | 232 | 133 | 9 | 4 | 8 | 4 | 2 |
| Watonwan | 57 | 34 | 3 | 20 | 393 | 235 | 1 | - | 2 | 1 | 2 |
| Wilkin | 37 | 29 | 2 | 6 | 342 | 268 | - | - | 1 | 1 | 1 |
| Winona | 119 | 70 | 1 | 48 | 286 | 168 | 2 | - | 3 | 7 | - |
| Wright | 102 | 55 | 5 | 42 | 323 | 174 | 4 | 2 | 1 | 1 | - |
| Yellow Medicine | 64 | 37 | 2 | 25 | 409 | 237 | 1 | 1 | 3 | 2 | - |
| Out of State | 2 | 1 | 1 | - | - | - | - | - | - | - | - |
| Not reported | 5 | 3 | 1 | 1 | - | - | - | - | - | - | - |

Based on April, 1962 estimate, Minnesota Department of Health.

* Deaths excluded.

** Including patients restored to capacity.



SECTION B

POPULATION CHANGES DURING 1962-63 AND COMPARATIVE FIGURES ON POPULATION CHANGES OVER THE PAST FIVE YEARS

During 1962-63 the number of patients *on the books* of the institutions for the mentally deficient and epileptic decreased from 6,565 to 6,469. The Annex for Defective Delinquents at ST. Cloud was closed, populations of Brainerd and Cambridge increased while Faribault and Owatonna showed population decreases during the year. There were fewer admissions in 1962-63 (309) than in 1961-62 (433) but many more discharges (308 compared with 156) and more deaths in residence (106 compared with 92). See Table B-2.

The greatest decrease in admissions was among female patients and patients under age 10. Among discharges the greatest increases were among patients over age 40 and also among those aged 15-24, the age group served by Owatonna. During the year the greatest population decrease occurred among patients under age 10, following the drop in admissions in this youngest age group. The number of patients on the books who were classed as severely or profoundly retarded increased from 1,510 to 1,745 during 1962-63 while the number moderately or mildly retarded and the number with mental level unclassified decreased. These changes are shown in detail in Table B-3.

In the chart on this page the proportion each specified group of patients makes up of the total is shown so that the increase or decrease in number of patients in that particular group over the past five years may be readily noted.

Thousands of patient




TABLE B-1
INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC - POPULATION MOVEMENTS - FISCAL YEAR 1962-63

| | Total | Male | Female | St. Cloud A.D.D. | Brainerd | Cam- bridge | Fari- bault | Lake Owasso | Owa- tonna | Shakopee |
|---|-------|-------|--------|------------------------|----------|----------------|----------------|----------------|---------------|----------|
| On Books June 30, 1962 | 6,565 | 3,492 | 3,073 | 62 | 930 | 1,921 | 3,131 | 130 | 361 | 30 |
| In institution | 5,810 | 3,040 | 2,770 | 41 | 875 | 1,735 | 2,880 | 114 | 137 | 28 |
| On trial placement | 141 | 91 | 50 | 19 | 16 | 42 | 42 | - | 22 | - |
| On extended visit | 566 | 333 | 233 | - | 31 | 130 | 189 | 14 | 200 | 2 |
| On temporary medical transfer | 45 | 25 | 20 | 1 | 7 | 13 | 20 | 2 | 2 | - |
| On unauthorized absence | 3 | 3 | - | 1 | 1 | 1 | - | - | - | - |
| First admission | 283 | 179 | 104 | - | 27 | 87 | 136 | - | 29 | 4 |
| Readmission | 26 | 11 | 15 | - | 5 | 9 | 10 | - | 2 | - |
| Transfer in from ment. def. & epil. institution | 189 | 136 | 53 | 2 | 55 | 91 | 9 | 9 | 23 | - |
| Transfer in from Minn. state mental hospital | 29 | 16 | 13 | - | 6 | 9 | 13 | - | 1 | - |
| Returned from trial placement | 31 | 9 | 22 | 1 | 7 | 14 | 9 | - | - | - |
| Returned from extended visit | 3,107 | 1,656 | 1,451 | - | 350 | 867 | 1,190 | 35 | 662 | 3 |
| Returned from temporary medical transfer | 380 | 209 | 171 | - | 40 | 148 | 162 | 2 | 27 | 1 |
| Returned from unauthorized absence | 81 | 58 | 23 | - | 21 | 32 | 12 | - | 16 | - |
| Trial placement | 165 | 72 | 93 | 3 | 27 | 64 | 42 | - | 29 | - |
| Extended visit | 3,237 | 1,718 | 1,519 | - | 383 | 886 | 1,215 | 36 | 714 | 3 |
| Temporary medical transfer | 387 | 210 | 177 | - | 43 | 151 | 160 | - | 31 | 2 |
| Unauthorized absence | 102 | 66 | 36 | - | 24 | 37 | 22 | - | 19 | - |
| Died in institution | 106 | 67 | 39 | - | 14 | 37 | 53 | 2 | - | - |
| Discharged from institution | 58 | 35 | 23 | 30 | 1 | 8 | 19 | - | - | - |
| Transferred to other ment. def. & epil. inst. | 183 | 132 | 51 | 11 | 6 | 28 | 126 | 6 | 3 | 3 |
| Transferred to Minn. state mental hospital | 5 | 3 | 2 | - | 1 | 1 | 3 | - | - | - |
| Discharged from trial placement | 218 | 119 | 99 | 19 | 16 | 51 | 60 | - | 72 | - |
| Discharged from extended visit | 20 | 12 | 8 | - | 1 | 6 | 1 | - | 11 | 1 |
| Discharged from temporary medical transfer | 2 | 2 | - | 1 | - | - | - | - | 1 | - |
| Discharged from unauthorized absence | 10 | 5 | 5 | 1 | 2 | 2 | - | - | 5 | - |
| Died on temporary medical transfer | 10 | 4 | 6 | - | 1 | 3 | 6 | - | - | - |
| Died on trial placement | 3 | 2 | 1 | - | - | 3 | - | - | - | - |
| Died on unauthorized absence | 1 | 1 | - | - | - | 1 | - | - | - | - |
| Transferred out on extended visit | 3 | 1 | 2 | - | - | - | 1 | - | 2 | - |
| Transferred out on trial placement | 2 | 2 | - | 2 | - | - | - | - | - | - |
| Transferred out on temporary medical transfer | 1 | 1 | - | - | - | - | - | - | 1 | - |
| Transferred out on unauthorized absence | 1 | 1 | - | - | - | 1 | - | - | - | - |
| Temporary medical transfer from extended visit | 2 | 1 | 1 | - | - | - | - | - | 2 | - |
| Extended visit from temporary medical transfer | 4 | 1 | 3 | - | - | 3 | 1 | - | - | - |
| Extended visit from unauthorized absence | 1 | 1 | - | - | - | 1 | - | - | - | - |
| Trial placement from unauthorized absence | 10 | 3 | 7 | - | 1 | - | 7 | - | 2 | - |
| Trial placement from extended visit | 104 | 46 | 58 | - | 12 | 21 | 33 | 1 | 37 | - |
| Unauthorized absence from extended visit | 6 | 4 | 2 | - | - | 1 | - | - | 5 | - |
| On Books June 30, 1963 | 6,469 | 3,447 | 3,022 | - | 981 | 1,976 | 3,030 | 131 | 321 | 30 |
| In institution | 5,693 | 3,011 | 2,682 | - | 887 | 1,780 | 2,781 | 116 | 101 | 28 |
| On trial placement | 166 | 80 | 86 | - | 33 | 59 | 55 | 1 | 18 | - |
| On extended visit | 566 | 333 | 233 | - | 51 | 125 | 180 | 14 | 195 | 1 |
| On temporary medical transfer | 37 | 19 | 18 | - | 9 | 10 | 11 | - | 6 | 1 |
| On unauthorized absence | 7 | 4 | 3 | - | 1 | 2 | 3 | - | 1 | - |
| Average daily population on books | 6,525 | 3,472 | 3,053 | 62 | 960 | 1,930 | 3,075 | 130 | 339 | 29 |
| Average daily resident population | 6,091 | 3,232 | 2,859 | 29 | 906 | 1,811 | 2,936 | 126 | 256 | 29 |

TABLE B-2
MINNESOTA INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC
POPULATION CHANGES BY INSTITUTION AND SEX - FISCAL YEARS 1958-59 THROUGH 1962-63

| | Total | A.D.D. (Male) | Total | Brainerd Male | Female | Total | Cambridge* Male | Female | Total | Faribault* Male | Female | Total | Owatonna Male | Female | Shakopee (Female) |
|---|-------|------------------|-------|------------------|--------|-------|--------------------|--------|-------|--------------------|--------|-------|------------------|--------|----------------------|
| Patients on books | | | | | | | | | | | | | | | |
| June 30, 1958 | 5,212 | 63 | 20 | - | 20 | 1,486 | 718 | 768 | 3,255 | 1,629 | 1,468 | 360 | 222 | 138 | 28 |
| 1959 | 5,828 | 72 | 88 | 4 | 84 | 1,970 | 998 | 972 | 3,314 | 1,789 | 1,525 | 355 | 219 | 136 | 29 |
| 1960 | 6,046 | 69 | 355 | 269 | 86 | 1,969 | 983 | 986 | 3,260 | 1,727 | 1,533 | 364 | 230 | 134 | 29 |
| 1961 | 6,321 | 73 | 526 | 294 | 232 | 2,000 | 1,029 | 971 | 3,327 | 1,771 | 1,556 | 365 | 229 | 136 | 30 |
| 1962 | 6,565 | 62 | 930 | 506 | 424 | 2,051 | 964 | 1,087 | 3,131 | 1,730 | 1,401 | 361 | 230 | 131 | 30 |
| 1963 | 6,469 | - | 981 | 546 | 435 | 2,107 | 1,022 | 1,085 | 3,030 | 1,666 | 1,364 | 321 | 213 | 108 | 30 |
| Average daily population on books: | | | | | | | | | | | | | | | |
| 1958-59 | 5,552 | 115 | 82 | 3 | 79 | 1,764 | 883 | 881 | 3,207 | 1,703 | 1,504 | 355 | 218 | 137 | 29 |
| 1959-60 | 5,893 | 77 | 152 | 66 | 86 | 1,978 | 1,004 | 974 | 3,292 | 1,769 | 1,523 | 365 | 228 | 137 | 29 |
| 1960-61 | 6,243 | 71 | 498 | 286 | 212 | 1,983 | 1,015 | 968 | 3,291 | 1,758 | 1,533 | 371 | 236 | 135 | 29 |
| 1961-62 | 6,428 | 72 | 680 | 353 | 327 | 2,104 | 1,019 | 1,085 | 3,175 | 1,757 | 1,418 | 367 | 230 | 137 | 30 |
| 1962-63 | 6,525 | 62 | 960 | 533 | 427 | 2,060 | 975 | 1,085 | 3,075 | 1,683 | 1,392 | 339 | 219 | 120 | 29 |
| Average daily resident population | | | | | | | | | | | | | | | |
| 1958-59 | 5,339 | 62 | 81 | 3 | 78 | 1,716 | 857 | 859 | 3,139 | 1,669 | 1,470 | 313 | 191 | 122 | 28 |
| 1959-60 | 5,641 | 56 | 147 | 65 | 82 | 1,897 | 965 | 932 | 3,200 | 1,729 | 1,471 | 313 | 194 | 119 | 28 |
| 1960-61 | 5,957 | 52 | 479 | 275 | 204 | 1,883 | 967 | 916 | 3,201 | 1,719 | 1,482 | 314 | 199 | 115 | 28 |
| 1961-62 | 6,084 | 52 | 650 | 336 | 314 | 1,998 | 962 | 1,036 | 3,055 | 1,699 | 1,356 | 299 | 187 | 112 | 30 |
| 1962-63 | 6,091 | 29 | 906 | 503 | 403 | 1,937 | 915 | 1,022 | 2,936 | 1,618 | 1,318 | 256 | 168 | 88 | 29 |
| Total patients admitted: | | | | | | | | | | | | | | | |
| 1958-59 | 841 | 10 | - | - | - | 407 | 243 | 164 | 367 | 216 | 151 | 52 | 35 | 17 | 5 |
| 1959-60 | 414 | 10 | 14 | 13 | 1 | 169 | 135 | 34 | 170 | 118 | 52 | 47 | 31 | 16 | 4 |
| 1960-61 | 530 | 8 | 38 | 17 | 21 | 200 | 84 | 116 | 223 | 107 | 116 | 60 | 37 | 23 | 1 |
| 1961-62 | 433 | 9 | 96 | 61 | 35 | 140 | 61 | 79 | 146 | 70 | 76 | 42 | 26 | 16 | - |
| 1962-63 | 309 | - | 32 | 20 | 12 | 96 | 60 | 36 | 146 | 89 | 57 | 31 | 21 | 10 | 4 |
| Total patients discharged: | | | | | | | | | | | | | | | |
| 1958-59 | 219** | 97 | - | - | - | 30 | 18 | 12 | 58 | 26 | 32 | 34 | 24 | 10 | - |
| 1959-60 | 105 | 16 | 1 | - | 1 | 21 | 13 | 8 | 44 | 17 | 27 | 23 | 14 | 9 | - |
| 1960-61 | 174 | 12 | 7 | 4 | 3 | 51 | 21 | 30 | 46 | 14 | 32 | 58 | 36 | 22 | - |
| 1961-62 | 156 | 17 | 7 | 2 | 5 | 40 | 23 | 17 | 42 | 15 | 27 | 50 | 31 | 19 | - |
| 1962-63 | 308 | 51 | 20 | 13 | 7 | 67 | 28 | 39 | 80 | 29 | 51 | 89 | 52 | 37 | 1 |
| Total deaths in institution: | | | | | | | | | | | | | | | |
| 1958-59 | 90 | - | 1 | - | 1 | 37 | 19 | 18 | 52 | 30 | 22 | - | - | - | - |
| 1959-60 | 95 | - | 3 | 3 | - | 45 | 29 | 16 | 47 | 23 | 24 | - | - | - | - |
| 1960-61 | 87 | - | 6 | 3 | 3 | 25 | 15 | 10 | 56 | 28 | 28 | - | - | - | - |
| 1961-62 | 92 | - | 9 | 5 | 4 | 21 | 12 | 9 | 62 | 41 | 21 | - | - | - | - |
| 1962- | 106 | - | 14 | 11 | 3 | 39 | 22 | 17 | 53 | 34 | 19 | - | - | - | - |

* Includes Lake Owasso as Annex to Cambridge since July 1, 1961; prior to this date included in Faribault figures.

** Includes 88 discharged from A.D.D. in December, 1958, to clear books of long-time work placements.

TABLE B-3
MINNESOTA INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC
POPULATION CHANGES BY SEX, AGE AND DEGREE OF MENTAL RETARDATION - FISCAL YEARS 1958-59 THROUGH 1962-63

| | Total | Sex: | | Under 10 | Age Group# | | | | Median Age (Years) | Degree of Mental Retardation:* | | | Unclass., Borderline Or Not Ment. Def. | |
|----------------------------|-------|-------|--------|----------|------------|------------|------------|----------|--------------------|--------------------------------|----------|-------|--|--|
| | | Male | Female | | Ages 10-14 | Ages 15-24 | Ages 25-39 | Age 40 + | | Severe (Incl. Profound) | Moderate | Mild | | |
| Total admissions: | | | | | | | | | | | | | | |
| 1958-59 | 841 | 504 | 337 | 306 | 187 | 143 | 99 | 104 | 13.0 | 217 | 289 | 188 | 147 | |
| 1959-60 | 414 | 307 | 107 | 161 | 92 | 86 | 39 | 36 | 12.5 | 102 | 159 | 120 | 33 | |
| 1960-61 | 530 | 253 | 277 | 211 | 116 | 111 | 44 | 48 | 12.3 | - | - | - | - | |
| 1961-62 | 433 | 227 | 206 | 191 | 79 | 97 | 37 | 29 | 11.6 | 142 | 72 | 87 | 132 | |
| 1962-63 | 309 | 190 | 119 | 106 | 68 | 85 | 26 | 24 | 13.6 | 129 | 62 | 60 | 58 | |
| First admissions: | | | | | | | | | | | | | | |
| 1958-59 | 715 | 401 | 314 | 304 | 181 | 118 | 53 | 58 | 11.5 | 190 | 248 | 142 | 135 | |
| 1959-60 | 376 | 287 | 89 | 161 | 89 | 71 | 26 | 29 | 11.5 | 100 | 148 | 99 | 29 | |
| 1960-61 | 493 | 234 | 259 | 210 | 110 | 99 | 34 | 40 | 11.7 | - | - | - | - | |
| 1961-62 | 396 | 212 | 184 | 191 | 78 | 83 | 24 | 20 | 10.5 | 141 | 61 | 68 | 126 | |
| 1962-63 | 283 | 179 | 104 | 103 | 67 | 72 | 24 | 17 | 12.7 | 124 | 56 | 49 | 54 | |
| Readmissions: | | | | | | | | | | | | | | |
| 1958-59 | 126 | 103 | 23 | 2 | 6 | 25 | 46 | 46 | 35.0 | 27 | 41 | 46 | 12 | |
| 1959-60 | 38 | 20 | 18 | - | 3 | 15 | 13 | 7 | 25.8 | 2 | 11 | 21 | 4 | |
| 1960-61 | 37 | 19 | 18 | 1 | 6 | 12 | 10 | 8 | 24.8 | - | - | - | - | |
| 1961-62 | 37 | 15 | 22 | - | 1 | 14 | 13 | 9 | 27.5 | 1 | 11 | 19 | 6 | |
| 1962-63 | 26 | 11 | 15 | 3 | 1 | 13 | 2 | 7 | 21.5 | 5 | 6 | 11 | 4 | |
| Patients on books June 30: | | | | | | | | | | | | | | |
| 1958 | 5,212 | 2,705 | 2,507 | 277 | 560 | 1,294 | 1,399 | 1,676 | 30.1 | 1,012 | 2,395 | 1,415 | 390 | |
| 1959 | 5,828 | 3,082 | 2,746 | 438 | 675 | 1,430 | 1,460 | 1,823 | 28.8 | 1,200 | 2,600 | 1,512 | 516 | |
| 1960 | 6,046 | 3,278 | 2,768 | 456 | 732 | 1,492 | 1,479 | 1,887 | 28.3 | 1,279 | 2,743 | 1,519 | 505 | |
| 1961 | 6,321 | 3,396 | 2,925 | 478 | 814 | 1,578 | 1,499 | 1,951 | 27.9 | 1,402 | 2,736 | 1,461 | 722 | |
| 1962 | 6,565 | 3,492 | 3,073 | 501 | 824 | 1,651 | 1,551 | 2,037 | 27.8 | 1,510 | 2,761 | 1,465 | 829 | |
| 1963 | 6,469 | 3,447 | 3,022 | 446 | 796 | 1,681 | 1,530 | 2,015 | 27.9 | 1,745 | 2,655 | 1,324 | 745 | |
| Discharges from books: | | | | | | | | | | | | | | |
| 1958-59 | 131** | 77 | 54 | 8 | 8 | 65 | 20 | 30 | 22.7 | 7 | 29 | 81 | 14 | |
| 1959-60 | 105 | 60 | 45 | 4 | 8 | 44 | 31 | 18 | 24.4 | 4 | 21 | 76 | 4 | |
| 1960-61 | 174 | 87 | 87 | 15 | 7 | 81 | 34 | 37 | 23.6 | - | - | - | - | |
| 1961-62 | 156 | 88 | 68 | 15 | 3 | 78 | 32 | 28 | 23.0 | 3 | 29 | 96 | 28 | |
| 1962-63 | 308 | 173 | 135 | 9 | 9 | 145 | 59 | 86 | 24.4 | 19 | 92 | 145 | 52 | |
| Deaths in institution: | | | | | | | | | | | | | | |
| 1958-59 | 90 | 49 | 41 | 22 | 4 | 15 | 12 | 36 | 32.5 | 38 | 29 | 10 | 13 | |
| 1959-60 | 95 | 55 | 40 | 16 | 6 | 15 | 11 | 47 | 39.4 | 34 | 31 | 21 | 9 | |
| 1960-61 | 87 | 46 | 41 | 19 | 12 | 6 | 14 | 36 | 32.0 | - | - | - | - | |
| 1961-62 | 92 | 58 | 34 | 13 | 7 | 15 | 8 | 49 | 42.1 | 41 | 31 | 14 | 6 | |
| 1962-63 | 106 | 67 | 39 | 21 | 6 | 9 | 16 | 54 | 41.3 | 33 | 34 | 14 | 25 | |

Number of patients with age not reported not shown.

* Figures not available for 1960-61.

** Does not include 88 discharged from A.D.D. in December, 1958, to clear books of long-time work placements.

SECTION C
CHARACTERISTICS OF PATIENTS ADMITTED, ON BOOKS,
DISCHARGED FROM BOOKS AND PATIENTS WHO DIED IN INSTITUTION

This group of tables presents statewide figures on patients admitted, patients on the books, patients receiving final discharges and deaths in the institutions for the mentally deficient and epileptic distributed by sex, age, and mental status, and, for patients on books, time since most recent admission. The classification "profound" is shown under Degree of Mental Retardation for admissions only as this information has not been reported completely for most other patients. For other than admissions profoundly retarded patients are included with the severely retarded.

The tables on admissions and patients on books also show broad diagnostic groups: mentally deficient only, mentally deficient and epileptic only.

Table C-3 shows for each institution and by age and degree of retardation for "regular" admissions (patients admitted to institutions other than Owatonna) the length of time from commitment to first admission to an institution for the mentally deficient and epileptic.

TABLE C-1
MINNESOTA INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC
1962-63 ADMISSIONS GROUPED BY AGE ON ADMISSION

| AGE ON ADMISSION | Total Adm. | SEX: | | TYPE OF ADMISSION: | | | DEGREE OF MENTAL DEFICIENCY: | | | | | GENERAL DIAGNOSTIC GROUP: | | | | |
|--|---------------|------|--------|--------------------|--------|---------------|------------------------------|----------|------|----------------|---------------------------------------|-------------------------------|---|-------------------|------------------|--|
| | | Male | Female | First Adm. | Readm. | Pro- found | Severe | Moderate | Mild | Border line | Unclassified And Not Ment. Def. | Mentally Deficient Only | Mentally Deficient And Epileptic | Epileptic Only | Not Reported* | |
| Total admissions | 309 | 190 | 119 | 283 | 26 | 62 | 67 | 62 | 60 | 22 | 36 | 235 | 64 | 6 | 4 | |
| Under age 5 | 28 | 11 | 17 | 28 | - | 18 | 1 | 2 | - | - | 7 | 22 | 2 | - | 4 | |
| Ages 5 - 9 | 78 | 55 | 23 | 75 | 3 | 24 | 24 | 9 | 4 | 2 | 15 | 60 | 18 | - | - | |
| Ages 10 - 14 | 68 | 44 | 24 | 67 | 1 | 4 | 12 | 18 | 19 | 12 | 3 | 52 | 15 | 1 | - | |
| Ages 15 - 19 | 58 | 42 | 16 | 51 | 7 | 5 | 15 | 8 | 22 | 5 | 3 | 45 | 10 | 3 | - | |
| Ages 20 - 24 | 27 | 13 | 14 | 21 | 6 | 2 | 3 | 8 | 8 | 2 | 4 | 20 | 6 | 1 | - | |
| Ages 25 - 29 | 11 | 6 | 5 | 10 | 1 | 1 | 2 | 4 | 3 | - | 1 | 7 | 4 | - | - | |
| Ages 30 - 39 | 15 | 8 | 7 | 14 | 1 | 3 | 5 | 3 | 2 | 1 | 1 | 9 | 6 | - | - | |
| Ages 40 - 64 | 23 | 11 | 12 | 17 | 6 | 5 | 5 | 9 | 2 | - | 2 | 19 | 3 | 1 | - | |
| Age 65 and older | 1 | - | 1 | - | 1 | - | - | 1 | - | - | - | 1 | - | - | - | |
| Percentage in each age group: | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | |
| Under age 5 | 9 | 6 | 14 | 10 | - | 29 | 2 | 3 | - | - | 19 | 9 | 3 | - | 100 | |
| Ages 5 - 9 | 25 | 29 | 19 | 27 | 12 | 39 | 36 | 15 | 7 | 9 | 42 | 26 | 28 | - | - | |
| Ages 10 - 14 | 22 | 23 | 20 | 24 | 4 | 6 | 18 | 29 | 32 | 54 | 8 | 22 | 23 | 17 | - | |
| Ages 15 - 19 | 19 | 22 | 13 | 18 | 27 | 8 | 22 | 13 | 37 | 23 | 8 | 19 | 16 | 50 | - | |
| Ages 20 - 24 | 9 | 7 | 12 | 7 | 23 | 3 | 4 | 13 | 13 | 9 | 11 | 9 | 9 | 17 | - | |
| Ages 25 - 29 | 4 | 3 | 4 | 3 | 4 | 2 | 3 | 6 | 5 | - | 3 | 3 | 6 | - | - | |
| Ages 30 - 39 | 5 | 4 | 6 | 5 | 4 | 5 | 7 | 5 | 3 | 5 | 3 | 4 | 9 | - | - | |
| Ages 40 - 64 | 7 | 6 | 10 | 6 | 23 | 8 | 7 | 15 | 3 | - | 6 | 8 | 5 | 17 | - | |
| Age 65 and older | a | - | 1 | - | 4 | - | - | 1 | - | - | - | a | - | - | - | |
| Percentage distribution within each age group: | 100% | 61% | 39% | 92% | 8% | 20% | 22% | 20% | 19% | 7% | 12% | 76% | 21% | 2% | 1% | |
| Under age 5 | 100 | 39 | 61 | 100 | - | 64 | 4 | 7 | - | - | 25 | 79 | 7 | - | 14 | |
| Ages 5 - 9 | 100 | 70 | 30 | 96 | 4 | 31 | 31 | 11 | 5 | 3 | 19 | 77 | 23 | - | - | |
| Ages 10 - 14 | 100 | 65 | 35 | 99 | 1 | 6 | 18 | 25 | 28 | 18 | 4 | 77 | 22 | 1 | - | |
| Ages 15 - 19 | 100 | 72 | 28 | 88 | 12 | 9 | 26 | 14 | 38 | 9 | 5 | 78 | 17 | 5 | - | |
| Ages 20 - 24 | 100 | 48 | 52 | 78 | 22 | 7 | 11 | 30 | 30 | 7 | 15 | 74 | 22 | 4 | - | |
| Ages 25 - 29 | 100 | 55 | 45 | 91 | 9 | 9 | 18 | 36 | 27 | - | 9 | 64 | 36 | - | - | |
| Ages 30 - 39 | 100 | 53 | 47 | 93 | 7 | 20 | 33 | 20 | 13 | 7 | 7 | 60 | 40 | - | - | |
| Age 40 and older | 100 | 46 | 54 | 71 | 29 | 21 | 21 | 42 | 8 | - | 8 | 83 | 12 | 4 | - | |
| Median age (years) | 13.6 | 13.3 | 14.2 | 12.7 | 21.5 | 7.7 | 13.3 | 16.2 | 16.5 | 13.8 | 8.7 | 13.4 | 14.1 | 18.3 | - | |

* Born in institution.

TABLE C-2
MINNESOTA INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC
1962-63 ADMISSIONS GROUPED BY MENTAL STATUS

| | Total Adm. | SEX: | | TYPE OF ADMISSION: | | AGE GROUPS: | | | | | | GENERAL DIAGNOSTIC GROUP: | | | |
|--|---------------|------|--------|--------------------|--------|----------------|-------------|---------------|---------------|---------------|-------------|-------------------------------|---|-------------------|------------------|
| | | Male | Female | First Adm. | Readm. | Under Age 5 | Ages 5-9 | Ages 10-14 | Ages 15-19 | Ages 20-39 | Age 40 + | Mentally Deficient Only | Mentally Deficient And Epileptic | Epileptic Only | Not Reported* |
| Total admissions | 309 | 190 | 119 | 283 | 26 | 28 | 78 | 68 | 58 | 53 | 24 | 235 | 64 | 6 | 4 |
| Mental deficiency: | | | | | | | | | | | | | | | |
| Profound | 62 | 37 | 25 | 59 | 3 | 18 | 24 | 4 | 5 | 6 | 5 | 50 | 12 | - | - |
| Severe | 67 | 43 | 24 | 65 | 2 | 1 | 24 | 12 | 15 | 10 | 5 | 53 | 14 | - | - |
| Moderate | 62 | 37 | 25 | 56 | 6 | 2 | 9 | 18 | 8 | 15 | 10 | 49 | 13 | - | - |
| Mild | 60 | 37 | 23 | 49 | 11 | - | 4 | 19 | 22 | 13 | 2 | 47 | 13 | - | - |
| Borderline | 22 | 14 | 8 | 20 | 2 | - | 2 | 12 | 5 | 3 | - | 16 | 6 | - | - |
| Unclassified | 30 | 17 | 13 | 30 | - | 7 | 15 | 2 | - | 5 | 1 | 20 | 6 | - | 4 |
| Not mentally deficient | 6 | 5 | 1 | 4 | 2 | - | - | 1 | 3 | 1 | 1 | - | - | 6 | - |
| Percentage in each age group: | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| Mental deficiency: | | | | | | | | | | | | | | | |
| Profound | 20 | 19 | 21 | 21 | 11 | 64 | 31 | 6 | 9 | 11 | 21 | 21 | 19 | - | - |
| Severe | 22 | 22 | 20 | 23 | 8 | 4 | 31 | 18 | 26 | 19 | 21 | 23 | 22 | - | - |
| Moderate | 20 | 19 | 21 | 20 | 23 | 7 | 12 | 26 | 14 | 28 | 42 | 21 | 20 | - | - |
| Mild | 19 | 19 | 19 | 17 | 42 | - | 5 | 28 | 38 | 25 | 8 | 20 | 20 | - | - |
| Borderline | 7 | 7 | 7 | 7 | 8 | - | 2 | 18 | 9 | 6 | - | 7 | 9 | - | - |
| Unclassified | 9 | 9 | 11 | 11 | - | 25 | 19 | 3 | - | 9 | 4 | 8 | 9 | - | 100 |
| Not mentally deficient | 2 | 3 | 1 | 1 | 8 | - | - | 1 | 5 | 2 | 4 | - | - | 100 | - |
| Percentage distribution within each group: | 100% | 61% | 39% | 92% | 8% | 9% | 25% | 22% | 19% | 17% | 8% | 76% | 21% | 2% | 1% |
| Mental deficiency: | | | | | | | | | | | | | | | |
| Profound | 100 | 60 | 40 | 95 | 5 | 29 | 39 | 6 | 8 | 10 | 8 | 81 | 19 | - | - |
| Severe | 100 | 64 | 36 | 97 | 3 | 2 | 36 | 18 | 22 | 15 | 7 | 79 | 21 | - | - |
| Moderate | 100 | 60 | 40 | 90 | 10 | 3 | 15 | 29 | 13 | 24 | 16 | 79 | 21 | - | - |
| Mild | 100 | 62 | 38 | 82 | 18 | - | 7 | 32 | 37 | 22 | 3 | 78 | 22 | - | - |

* Born in institution.

a = Less than 0.5 percent.

TABLE C-3
MINNESOTA INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC
1962-63 FIRST ADMISSIONS GROUPED BY TIME FROM COMMITMENT TO ADMISSION*

| Time from Commitment to Adm. | Total First Adm. | INSTITUTION: | | | | | Total Regular Adm.** | AGES OF REGULAR ADMISSIONS:** | | | | | | DEGREE OF RETARDATION: | | | |
|---|------------------|--------------|------------|------------|-----------|-----------|----------------------|-------------------------------|------|-------|-------|------|-----------|------------------------|----------|------|-------------|
| | | Brainerd | Cam-bridge | Fari-bault | Owa-tonna | Shak-opee | | Under 5 | 5-9 | 10-14 | 15-24 | 25 + | Pro-found | Regular Admissions** | | | |
| | | | | | | | | | | | | | | Severe | Moderate | Mild | Unclass.*** |
| Total first admissions | 276 | 26 | 86 | 131 | 29 | 4 | 247 | 24 | 70 | 51 | 61 | 41 | 59 | 64 | 54 | 36 | 34 |
| Under one month | 36 | 1 | 13 | 15 | 7 | - | 29 | - | 2 | 6 | 9 | 12 | 4 | 4 | 5 | 10 | 6 |
| 1 - 2 months | 27 | 5 | 9 | 8 | 5 | - | 22 | - | 4 | 5 | 9 | 4 | 2 | 2 | 4 | 8 | 6 |
| 3 - 5 months | 14 | 3 | 4 | 2 | 5 | - | 9 | - | 1 | 1 | 5 | 2 | 1 | 1 | 4 | - | 3 |
| 6 - 11 months | 9 | 2 | 4 | 2 | 1 | - | 8 | - | 1 | 4 | 1 | 2 | - | 3 | 3 | 2 | - |
| 1 year, less than 2 | 41 | 6 | 15 | 15 | 4 | 1 | 37 | 1 | 10 | 9 | 14 | 3 | 4 | 15 | 7 | 6 | 5 |
| 2 years, less than 3 | 61 | 5 | 19 | 36 | 1 | - | 60 | 9 | 33 | 8 | 4 | 6 | 23 | 21 | 9 | - | 7 |
| 3 years, less than 4 | 57 | 1 | 12 | 38 | 5 | 1 | 52 | 13 | 15 | 11 | 13 | - | 18 | 10 | 12 | 7 | 5 |
| 4 years, less than 5 | 10 | - | 2 | 6 | - | 2 | 10 | 1 | 3 | 4 | - | 2 | 1 | 2 | 5 | - | 2 |
| 5 years or more | 21 | 3 | 8 | 9 | 1 | - | 20 | - | 1 | 3 | 6 | 10 | 6 | 6 | 5 | 3 | - |
| Percentage admitted within: | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| Less than one month after commitment | 13 | 4 | 15 | 11 | 24 | - | 12 | - | 3 | 12 | 15 | 29 | 7 | 6 | 9 | 28 | 18 |
| Less than three months | 23 | 23 | 26 | 18 | 41 | - | 21 | - | 9 | 22 | 29 | 39 | 10 | 9 | 17 | 50 | 35 |
| Less than six months | 28 | 35 | 30 | 19 | 59 | - | 24 | - | 10 | 24 | 38 | 44 | 12 | 11 | 24 | 50 | 44 |
| Less than one year | 30 | 42 | 35 | 21 | 62 | - | 28 | - | 11 | 31 | 39 | 49 | 12 | 16 | 30 | 55 | 44 |
| Less than two years | 38 | 65 | 52 | 32 | 76 | 25 | 42 | 4 | 26 | 49 | 62 | 56 | 19 | 39 | 43 | 69 | 59 |
| Two years or more | 54 | 35 | 48 | 68 | 24 | 75 | 52 | 91 | 74 | 51 | 38 | 44 | 81 | 61 | 57 | 28 | 41 |
| Three years or more | 32 | 15 | 26 | 40 | 21 | 75 | 33 | 58 | 27 | 35 | 31 | 29 | 42 | 28 | 41 | 28 | 20 |
| Percentage distribution within each time group: | 100% | 9% | 31% | 47% | 11% | 1% | 100% | 10% | 28% | 20% | 23% | 17% | 24% | 26% | 22% | 13% | 14% |
| Under one month | 100 | 3 | 36 | 42 | 19 | - | 100 | - | 7 | 21 | 31 | 41 | 14 | 14 | 17 | 34 | 21 |
| Under six months | 100 | 20 | 32 | 24 | 24 | - | 100 | - | 16 | 19 | 45 | 19 | 10 | 10 | 26 | 26 | 29 |
| Under two years | 100 | 16 | 38 | 34 | 10 | 2 | 100 | 2 | 24 | 29 | 33 | 11 | 9 | 40 | 22 | 18 | 11 |
| Two years or more | 100 | 6 | 27 | 60 | 5 | 2 | 100 | 16 | 37 | 18 | 16 | 13 | 34 | 27 | 22 | 7 | 10 |
| Three years or more | 100 | 5 | 25 | 60 | 7 | 3 | 100 | 17 | 23 | 22 | 23 | 15 | 31 | 22 | 27 | 12 | 9 |
| Median time from commitment to admission (years): | 2.2 | 1.3 | 1.9 | 2.7 | 0.4 | 4.0 | 2.3 | 3.2 | 2.5 | 2.1 | 2.5 | 1.0 | 2.2 | 2.8 | 2.4 | 0.3 | 1.4 |

* Excludes 7 first admissions not under commitment as mentally deficient or epileptic (4 babies born at Faribault, and 3 admitted by voluntary agreement).

** Excludes Owatonna. Patients admitted to this institution must meet special requirements. Owatonna admissions ranged in age from 5 through 19.

*** Includes 4 patients not mentally deficient, epileptic only, and 6 borderline.

a = Less than 0.5 percent.

TABLE C-4
MINNESOTA INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC
PATIENTS ON BOOKS JUNE 30, 1963 GROUPED BY CURRENT AGE

| CURRENT AGE: | Total On Books | SEX: | | DEGREE OF MENTAL DEFICIENCY: | | | | | Not Mentally Deficient | GENERAL DIAGNOSTIC GROUP: | | | |
|--|----------------------|-------|--------|------------------------------|----------|-------|----------------|----------|------------------------------|-------------------------------|---|-------------------|---------------------------------|
| | | Male | Female | Severe* | Moderate | Mild | Border line | Unclass. | | Mentally Deficient Only | Mentally Deficient And Epileptic | Epileptic Only | Neither Or Not Reported** |
| Total patients on books | 6,469 | 3,447 | 3,022 | 1,745 | 2,655 | 1,324 | 66 | 605 | 74 | 4,902 | 1,492 | 72 | 3 |
| Under age 5 | 31 | 11 | 20 | 17 | - | - | - | 14 | - | 25 | 6 | - | - |
| Ages 5 - 9 | 415 | 229 | 186 | 233 | 52 | 9 | 3 | 117 | 1 | 322 | 92 | 1 | - |
| Ages 10 - 14 | 796 | 486 | 310 | 300 | 225 | 102 | 16 | 146 | 7 | 618 | 171 | 7 | - |
| Ages 15 - 19 | 962 | 588 | 374 | 258 | 316 | 264 | 28 | 85 | 11 | 745 | 206 | 9 | 2 |
| Ages 20 - 24 | 719 | 395 | 324 | 196 | 297 | 174 | 3 | 42 | 7 | 541 | 171 | 7 | - |
| Ages 25 - 29 | 537 | 309 | 228 | 137 | 266 | 99 | 4 | 26 | 5 | 387 | 145 | 5 | - |
| Ages 30 - 34 | 495 | 266 | 229 | 124 | 230 | 100 | 5 | 30 | 6 | 353 | 136 | 6 | - |
| Ages 35 - 39 | 498 | 233 | 265 | 119 | 247 | 93 | 2 | 30 | 7 | 362 | 129 | 7 | - |
| Ages 40 - 64 | 1,757 | 831 | 926 | 325 | 892 | 408 | 4 | 99 | 29 | 1,341 | 387 | 29 | - |
| Age 65 + | 258 | 99 | 159 | 36 | 130 | 75 | 1 | 15 | 1 | 208 | 49 | 1 | - |
| Unknown | 1 | - | 1 | - | - | - | - | 1 | - | - | - | - | 1 |
| Percentage in each age group: | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | - |
| Under age 10 | 7 | 7 | 7 | 14 | 2 | 1 | 4 | 22 | 1 | 7 | 6 | 1 | - |
| Ages 10 - 14 | 12 | 14 | 10 | 17 | 8 | 8 | 24 | 24 | 9 | 13 | 11 | 10 | - |
| Ages 15 - 19 | 15 | 17 | 12 | 15 | 12 | 20 | 42 | 14 | 15 | 15 | 14 | 12 | - |
| Ages 20 - 29 | 19 | 20 | 18 | 19 | 21 | 21 | 11 | 11 | 16 | 19 | 21 | 17 | - |
| Ages 30 - 39 | 15 | 14 | 16 | 14 | 18 | 15 | 11 | 10 | 18 | 15 | 18 | 18 | - |
| Ages 40 - 64 | 27 | 24 | 31 | 19 | 34 | 30 | 6 | 16 | 39 | 27 | 26 | 40 | - |
| Age 65 + | 4 | 3 | 5 | 2 | 5 | 5 | 2 | 3 | 1 | 4 | 3 | 1 | - |
| Percentage distribution within age groups: | 100% | 53% | 47% | 27% | 41% | 20% | 1% | 9% | 1% | 76% | 23% | a | a |
| Under age 10 | 100 | 54 | 46 | 56 | 12 | 2 | 1 | 29 | a | 78 | 22 | a | - |
| Ages 10 - 14 | 100 | 61 | 39 | 38 | 28 | 13 | 2 | 18 | 1 | 78 | 21 | 1 | - |
| Ages 15 - 19 | 100 | 61 | 39 | 27 | 33 | 27 | 3 | 9 | 1 | 77 | 21 | 1 | a |
| Ages 20 - 29 | 100 | 56 | 44 | 26 | 45 | 22 | 1 | 5 | 1 | 74 | 25 | 1 | - |
| Ages 30 - 39 | 100 | 50 | 50 | 24 | 48 | 20 | 1 | 6 | 1 | 72 | 27 | 1 | - |
| Ages 40 - 64 | 100 | 48 | 52 | 19 | 51 | 23 | a | 6 | 2 | 76 | 22 | 2 | - |
| Age 65 + | 100 | 38 | 62 | 14 | 50 | 29 | a | 6 | a | 81 | 19 | a | - |
| Median age | 28.4 | 26.0 | 31.9 | 22.1 | 33.9 | 30.0 | 17.6 | 16.4 | 35.0 | 27.9 | 29.0 | 35.6 | - |

* Includes profoundly retarded also as classification of such patients is incomplete.

** Born in institution.

a = Less than 0.5 percent.

TABLE C-5
MINNESOTA INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC
PATIENTS ON BOOKS, JUNE 30, 1963 GROUPED BY DEGREE OF MENTAL RETARDATION

| DEGREE OF MENTAL RETARDATION | Total On Books | SEX: | | Under 10 | AGE GROUPS: | | | | | | Unknown | GENERAL DIAGNOSTIC GROUP: | | | |
|--|----------------------|-------|--------|----------|---------------|---------------|---------------|---------------|---------------|-------------|---------|-------------------------------|---|-------------------|-------------------------------|
| | | Male | Female | | Ages 10-14 | Ages 15-19 | Ages 20-29 | Ages 30-39 | Ages 40-64 | Age 65 + | | Mentally Deficient Only | Mentally Deficient And Epileptic | Epileptic Only | Neither Or Not Reported |
| Total patients on books | 6,469 | 3,447 | 3,022 | 446 | 796 | 962 | 1,256 | 993 | 1,757 | 258 | 1 | 4,902 | 1,492 | 72 | 3 |
| Mental deficiency: | | | | | | | | | | | | | | | |
| Severe* | 1,745 | 988 | 757 | 250 | 300 | 258 | 333 | 243 | 325 | 36 | - | 1,301 | 444 | - | - |
| Moderate | 2,655 | 1,417 | 1,238 | 52 | 225 | 316 | 563 | 497 | 892 | 130 | - | 2,181 | 474 | - | - |
| Mild | 1,324 | 685 | 639 | 9 | 102 | 264 | 273 | 193 | 408 | 75 | - | 997 | 327 | - | - |
| Borderline | 66 | 50 | 16 | 3 | 16 | 28 | 7 | 7 | 4 | 1 | - | 40 | 26 | - | - |
| Unclassified | 605 | 269 | 336 | 131 | 146 | 85 | 68 | 60 | 99 | 15 | 1 | 383 | 221 | - | 1 |
| Not mentally deficient | 74 | 38 | 36 | 1 | 7 | 11 | 12 | 13 | 29 | 1 | - | - | - | 72 | 2 |
| Percentage in each age group: | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | - |
| Mental deficiency: | | | | | | | | | | | | | | | |
| Severe* | 27 | 29 | 25 | 56 | 38 | 27 | 26 | 25 | 18 | 14 | - | 27 | 30 | - | - |
| Moderate | 41 | 41 | 41 | 12 | 28 | 33 | 45 | 48 | 51 | 50 | - | 44 | 32 | - | - |
| Mild | 20 | 20 | 21 | 2 | 13 | 27 | 22 | 19 | 23 | 29 | - | 20 | 22 | - | - |
| Borderline | 1 | 1 | 1 | 1 | 2 | 3 | 1 | 1 | a | a | - | 1 | 1 | - | - |
| Unclassified | 9 | 8 | 11 | 29 | 18 | 9 | 5 | 6 | 6 | 6 | 100 | 8 | 15 | - | - |
| Not mentally deficient | 1 | 1 | 1 | a | 1 | 1 | 1 | 1 | 2 | a | - | - | - | 100 | - |
| Percentage distribution within each group: | 100% | 53% | 47% | 7% | 12% | 15% | 19% | 15% | 27% | 4% | a% | 76% | 23% | 1% | a% |
| Mental deficiency: | | | | | | | | | | | | | | | |
| Severe* | 100 | 57 | 43 | 14 | 17 | 15 | 19 | 14 | 19 | 2 | - | 75 | 25 | - | - |
| Moderate | 100 | 53 | 47 | 2 | 8 | 12 | 21 | 18 | 34 | 5 | - | 82 | 18 | - | - |
| Mild | 100 | 52 | 48 | 1 | 8 | 20 | 21 | 15 | 31 | 5 | - | 75 | 25 | - | - |
| Borderline | 100 | 76 | 24 | 5 | 24 | 42 | 11 | 11 | 6 | 1 | - | 61 | 39 | - | - |
| Unclassified | 100 | 44 | 56 | 22 | 24 | 14 | 11 | 10 | 16 | 2 | a | 63 | 37 | - | a |
| Not mentally deficient | 100 | 51 | 49 | 1 | 9 | 15 | 16 | 18 | 39 | 1 | - | - | - | 97 | 3 |

* Includes profoundly retarded also as classification of such patients is incomplete.

** Born in institution.

a = Less than 0.5 percent.

TABLE C-6
MINNESOTA INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC
PATIENTS ON BOOKS JUNE 30, 1963 GROUPED BY TIME SINCE ADMISSION

| | Total On Books | SEX: | | Under 10 | Ages 10-14 | AGE GROUPS:* | | | | DEGREE OF MENTAL RETARDATION: | | | | | Unclass. | Not Mentally Deficient |
|---|----------------------|-------|--------|-------------|---------------|---------------|---------------|---------------|-------------|-------------------------------|----------|-------|----------------|------|----------|------------------------------|
| | | Male | Female | | | Ages 15-24 | Ages 25-39 | Ages 40-64 | Age 65 + | Severe** | Moderate | Mild | Border line | | | |
| Total patients on books | 6,469 | 3,447 | 3,022 | 446 | 796 | 1,681 | 1,530 | 1,757 | 258 | 1,745 | 2,655 | 1,324 | 66 | 605 | 74 | |
| Under 2 years | 733 | 390 | 343 | 213 | 139 | 202 | 80 | 93 | 6 | 284 | 150 | 152 | 38 | 96 | 13 | |
| 2 - 4 years | 1,472 | 871 | 601 | 228 | 428 | 481 | 150 | 172 | 13 | 422 | 455 | 301 | 18 | 258 | 18 | |
| 5 - 9 years | 885 | 483 | 402 | 5 | 181 | 384 | 184 | 124 | 7 | 184 | 327 | 249 | 3 | 110 | 12 | |
| 10 - 19 years | 1,779 | 934 | 845 | - | 48 | 608 | 723 | 352 | 48 | 467 | 912 | 296 | 4 | 81 | 19 | |
| 20 - 29 years | 747 | 370 | 377 | - | - | 6 | 350 | 358 | 33 | 201 | 344 | 150 | 1 | 40 | 11 | |
| 30 years or more | 852 | 399 | 453 | - | - | - | 43 | 658 | 151 | 187 | 467 | 176 | 2 | 19 | 1 | |
| Not reported | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | 1 | - | |
| Percentage in each group: | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | |
| Under 2 years | 11 | 11 | 11 | 48 | 17 | 12 | 5 | 5 | 2 | 16 | 6 | 11 | 58 | 16 | 18 | |
| 2 - 4 years | 23 | 25 | 20 | 51 | 54 | 29 | 10 | 10 | 5 | 24 | 17 | 23 | 27 | 43 | 24 | |
| 5 - 9 years | 14 | 14 | 13 | 1 | 23 | 23 | 12 | 7 | 3 | 11 | 12 | 19 | 5 | 18 | 16 | |
| 10 - 19 years | 28 | 27 | 28 | - | 6 | 36 | 47 | 20 | 19 | 27 | 34 | 22 | 6 | 13 | 26 | |
| 20 - 29 years | 11 | 11 | 12 | - | - | a | 23 | 20 | 13 | 12 | 13 | 11 | 1 | 7 | 15 | |
| 30 years or more | 13 | 12 | 15 | - | - | - | 3 | 37 | 58 | 11 | 18 | 13 | 3 | 3 | 1 | |
| Not reported | a | - | a | - | - | - | - | - | - | - | - | - | - | a | - | |
| Percentage distribution within groups: | 100% | 53% | 47% | 7% | 12% | 26% | 24% | 27% | 4% | 27% | 41% | 20% | 1% | 9% | 1% | |
| Under 2 years | 100 | 53 | 47 | 29 | 19 | 28 | 10 | 13 | 1 | 39 | 20 | 21 | 5 | 13 | 2 | |
| 2 - 4 years | 100 | 59 | 41 | 15 | 29 | 33 | 10 | 12 | 1 | 29 | 31 | 20 | 1 | 17 | 1 | |
| 5 - 9 years | 100 | 55 | 45 | a | 21 | 43 | 21 | 14 | 1 | 21 | 37 | 28 | a | 12 | 1 | |
| 10 - 19 years | 100 | 52 | 48 | - | 3 | 34 | 41 | 20 | 3 | 26 | 51 | 17 | a | 5 | 1 | |
| 20 - 29 years | 100 | 50 | 50 | - | - | 1 | 47 | 48 | 4 | 27 | 46 | 20 | a | 5 | 1 | |
| 30 years or more | 100 | 47 | 53 | - | - | - | 5 | 72 | 18 | 22 | 55 | 21 | a | 2 | a | |
| Median time since admission (years): | 10.7 | 9.9 | 12.1 | 2.1 | 3.8 | 7.5 | 14.9 | 24.0 | 34.1 | 9.5 | 14.4 | 9.2 | 1.7 | 4.4 | 7.5 | |

* Does not include one age not reported.

** Includes profoundly retarded also as classification of such patients is incomplete.

TABLE C-7
MINNESOTA INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC
PATIENTS DISCHARGED 1962-63 AND 1962-63 DEATHS GROUPED BY AGE

| | Total Patients Disch. | SEX: | | DEGREE OF MENTAL DEFICIENCY: | | | | | Not Mentally Deficient | PATIENTS WHO DIED IN INSTITUTION | | | | | | |
|--|-----------------------|------|--------|------------------------------|----------|------|-------------|----------|------------------------|----------------------------------|------|--------|---------|----------|------|----------|
| | | Male | Female | Severe* | Moderate | Mild | Border line | Unclass. | | Total | Male | Female | Severe* | Moderate | Mild | Unclass. |
| Total patients discharged | 308 | 173 | 135 | 19 | 92 | 145 | 8 | 34 | 10 | 106 | 67 | 39 | 33 | 34 | 14 | 25 |
| Under age 5 | 5 | 1 | 4 | - | 1 | - | - | 4 | - | 4 | 3 | 1 | - | - | - | 4 |
| Ages 5 - 9 | 4 | 2 | 2 | 3 | - | - | - | 1 | - | 17 | 12 | 5 | 7 | 1 | - | 9 |
| Ages 10 - 14 | 9 | 8 | 1 | - | 3 | 4 | 1 | 1 | - | 6 | 4 | 2 | 2 | - | - | 4** |
| Ages 15 - 19 | 64 | 37 | 27 | 1 | 8 | 36 | 5 | 14 | - | 7 | 6 | 1 | 1 | 5 | 1 | - |
| Ages 20 - 29 | 105 | 68 | 37 | 4 | 33 | 64 | - | 2 | 2 | 9 | 6 | 3 | 5 | 4 | - | - |
| Ages 30 - 39 | 35 | 20 | 15 | - | 15 | 17 | - | 1 | 2 | 9 | 3 | 6 | 3 | 4 | 2 | - |
| Ages 40 - 64 | 46 | 29 | 17 | - | 16 | 17 | 2 | 5 | 6 | 41 | 25 | 16 | 11 | 14 | 8 | 8*** |
| Age 65 + | 40 | 8 | 32 | 11 | 16 | 7 | - | 6 | - | 13 | 8 | 5 | 4 | 6 | 3 | - |
| Percentage in each age group: | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| Under age 15 | 6 | 6 | 5 | 16 | 4 | 3 | 12 | 18 | - | 25 | 28 | 20 | 27 | 3 | - | 68 |
| Ages 15 - 19 | 21 | 21 | 20 | 5 | 9 | 25 | 63 | 41 | - | 7 | 9 | 3 | 3 | 15 | 7 | - |
| Ages 20 - 29 | 34 | 39 | 27 | 21 | 36 | 44 | - | 6 | 20 | 8 | 9 | 8 | 15 | 12 | - | - |
| Ages 30 - 39 | 11 | 12 | 11 | - | 16 | 12 | - | 3 | 20 | 8 | 4 | 15 | 9 | 12 | 14 | - |
| Ages 40 - 64 | 15 | 17 | 13 | - | 17 | 12 | 25 | 15 | 60 | 39 | 37 | 41 | 33 | 41 | 57 | 32 |
| Age 65 + | 13 | 5 | 24 | 58 | 17 | 5 | - | 18 | - | 12 | 12 | 13 | 12 | 18 | 21 | - |
| Percentage distribution within each age group: | 100% | 56% | 44% | 6% | 30% | 47% | 2% | 11% | 3% | 100% | 63% | 37% | 31% | 32% | 13% | 24% |
| Under age 15 | 100 | 61 | 39 | 17 | 22 | 22 | 6 | 33 | - | 100 | 70 | 30 | 33 | 4 | - | 63 |
| Ages 15 - 19 | 100 | 58 | 42 | 2 | 12 | 56 | 8 | 22 | - | 100 | 86 | 14 | 14 | 72 | 14 | - |
| Ages 20 - 29 | 100 | 65 | 35 | 4 | 31 | 61 | - | 2 | 2 | 100 | 67 | 33 | 56 | 44 | - | - |
| Ages 30 - 39 | 100 | 57 | 43 | - | 43 | 49 | - | 3 | 6 | 100 | 33 | 67 | 33 | 44 | 23 | - |
| Age 40 + | 100 | 43 | 57 | 13 | 37 | 28 | 2 | 13 | 7 | 100 | 61 | 39 | 28 | 37 | 20 | 15 |
| Median age | 24.4 | 24.9 | 29.3 | 66.4 | 30.6 | 25.0 | 18.0 | 18.9 | 45.7 | 41.3 | 39.0 | 42.4 | 34.4 | 44.9 | 52.7 | 9.5 |

* Includes profoundly retarded also as classification of such patients is incomplete.

** Includes two borderline.

*** Includes three not mentally deficient.

SECTION D
COMPARATIVE DATA ON INDIVIDUAL INSTITUTIONS

This group of tables show the distribution by age, mental status, broad diagnostic group and time since admission of all patients and male and female patients for all institutions and each institution separately. Table D-1 covers admissions, Table D-2 patients on books and Table D-4 all patients discharged and patients who died in the institutions. Table D-3 provides a cross-classification of patients on the books by sex, age group, degree of retardation and institution. Tables D-1, D-2, and D-4 provide both actual and percentage distributions as well as median ages and median lengths of stay for total, male and female patients of each institution.

TABLE D-1
MINNESOTA INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC
COMPARATIVE DATA ON 1962-63 ADMISSIONS

| | | | | Brainerd | | | Cambridge (Incl. Lake Owasso) | | | Faribault | | | Owatonna | | | Shakopee (Female) |
|-------------------------------------|-------|------|--------|----------|------|--------|----------------------------------|------|--------|-----------|------|--------|----------|------|--------|----------------------|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | |
| Total admissions | 309 | 190 | 119 | 32 | 20 | 12 | 96 | 60 | 36 | 146 | 89 | 57 | 31 | 21 | 10 | 4 |
| First admissions | 283 | 179 | 104 | 27 | 18 | 9 | 87 | 55 | 32 | 136 | 86 | 50 | 29 | 20 | 9 | 4 |
| Readmissions | 26 | 11 | 15 | 5 | 2 | 3 | 9 | 5 | 4 | 10 | 3 | 7 | 2 | 1 | 1 | - |
| Age Group: | | | | | | | | | | | | | | | | |
| Under age 5 | 28 | 11 | 17 | - | - | - | 4 | 2 | 2 | 23 | 9 | 14 | - | - | - | 1 |
| Ages 5 - 9 | 78 | 55 | 23 | 5 | 4 | 1 | 26 | 16 | 10 | 38 | 29 | 9 | 6 | 6 | - | 3 |
| Ages 10 - 14 | 68 | 44 | 24 | 5 | 3 | 2 | 19 | 11 | 8 | 30 | 20 | 10 | 14 | 10 | 4 | - |
| Ages 15 - 19 | 58 | 42 | 16 | 5 | 4 | 1 | 24 | 18 | 6 | 18 | 15 | 3 | 11 | 5 | 6 | - |
| Ages 20 - 24 | 27 | 13 | 14 | 8 | 2 | 6 | 7 | 4 | 3 | 12 | 7 | 5 | - | - | - | - |
| Ages 25 - 29 | 11 | 6 | 5 | 4 | 4 | - | 2 | 1 | 1 | 5 | 1 | 4 | - | - | - | - |
| Ages 30 - 39 | 15 | 8 | 7 | 3 | 2 | 1 | 4 | 3 | 1 | 8 | 3 | 5 | - | - | - | - |
| Ages 40 - 64 | 23 | 11 | 12 | 2 | 1 | 1 | 10 | 5 | 5 | 11 | 5 | 6 | - | - | - | - |
| Age 65 and older | 1 | - | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Degree of Mental Deficiency: | | | | | | | | | | | | | | | | |
| Profound | 62 | 37 | 25 | 3 | 1 | 2 | 8 | 4 | 4 | 51 | 32 | 19 | - | - | - | - |
| Severe | 67 | 43 | 24 | 5 | 5 | - | 20 | 16 | 4 | 42 | 22 | 20 | - | - | - | - |
| Moderate | 62 | 37 | 25 | 7 | 1 | 6 | 26 | 15 | 11 | 27 | 20 | 7 | 2 | 1 | 1 | - |
| Mild | 60 | 37 | 23 | 7 | 5 | 2 | 20 | 11 | 9 | 18 | 11 | 7 | 15 | 10 | 5 | - |
| Borderline | 22 | 14 | 8 | 2 | 1 | 1 | 7 | 4 | 3 | 1 | 1 | - | 12 | 8 | 4 | - |
| Not classified | 30 | 17 | 13 | 7 | 7 | - | 11 | 6 | 5 | 6 | 2 | 4 | 2 | 2 | - | 4 |
| Not mentally deficient | 6 | 5 | 1 | 1 | - | 1 | 4 | 4 | - | 1 | 1 | - | - | - | - | - |
| General Diagnostic Group: | | | | | | | | | | | | | | | | |
| Mentally deficient only | 235 | 144 | 91 | 23 | 15 | 8 | 67 | 40 | 27 | 111 | 69 | 42 | 30 | 20 | 10 | 4 |
| Mentally deficient and epileptic | 64 | 40 | 24 | 8 | 5 | 3 | 25 | 16 | 9 | 30 | 18 | 12 | 1 | 1 | - | - |
| Epileptic only | 6 | 5 | 1 | 1 | - | 1 | 4 | 4 | - | 1 | 1 | - | - | - | - | - |
| Not reported | 4 | 1 | 3 | - | - | - | - | - | - | 4 | 1 | 3 | - | - | - | - |
| Percentage within each institution: | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| First admissions | 91 | 94 | 87 | 84 | 90 | 75 | 91 | 92 | 89 | 93 | 97 | 88 | 93 | 95 | 90 | 100 |
| Age Group: | | | | | | | | | | | | | | | | |
| Under age 10 | 34 | 35 | 34 | 16 | 20 | 8 | 31 | 30 | 33 | 42 | 43 | 40 | 19 | 29 | - | 100 |
| Ages 10 - 14 | 22 | 23 | 20 | 16 | 15 | 17 | 20 | 18 | 22 | 20 | 22 | 17 | 45 | 48 | 40 | - |
| Ages 15 - 24 | 28 | 29 | 25 | 41 | 30 | 58 | 32 | 37 | 25 | 20 | 25 | 14 | 35 | 24 | 60 | - |
| Ages 25 - 39 | 8 | 7 | 10 | 22 | 30 | 8 | 6 | 7 | 6 | 9 | 4 | 16 | - | - | - | - |
| Age 40 and older | 8 | 6 | 11 | 6 | 5 | 8 | 10 | 8 | 14 | 8 | 6 | 12 | - | - | - | - |
| Degree of Mental Deficiency: | | | | | | | | | | | | | | | | |
| Severe mental deficiency | 22 | 23 | 20 | 16 | 25 | - | 21 | 27 | 11 | 29 | 25 | 35 | - | - | - | - |
| Moderate mental deficiency | 20 | 19 | 21 | 22 | 5 | 50 | 27 | 25 | 31 | 18 | 22 | 12 | 6 | 5 | 10 | - |
| Mild mental deficiency | 19 | 19 | 19 | 22 | 25 | 17 | 21 | 18 | 25 | 12 | 12 | 12 | 48 | 48 | 50 | - |
| General Diagnostic Group: | | | | | | | | | | | | | | | | |
| Mentally deficient only | 77 | 76 | 79 | 72 | 75 | 67 | 70 | 67 | 75 | 79 | 79 | 79 | 97 | 95 | 100 | 100 |
| Mentally deficient and epileptic | 21 | 21 | 20 | 25 | 25 | 25 | 26 | 26 | 25 | 20 | 20 | 21 | 3 | 5 | - | - |
| Epileptic only | 2 | 3 | 1 | 3 | - | 8 | 4 | 7 | - | 1 | 1 | - | - | - | - | - |
| Median age (years) | 13.6 | 12.8 | 14.0 | 19.4 | 20.0 | 19.3 | 14.8 | 15.5 | 18.9 | 12.0 | 11.6 | 12.9 | 13.4 | 13.1 | 16.7 | - |

* Babies born in institution.

TABLE D-2
MINNESOTA INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC
COMPARATIVE DATA ON PATIENTS ON BOOKS JUNE 30, 1963

| | Total | | | Brainerd | | | Cambridge (Incl. Lake Owasso) | | | Faribault | | | Owatonna | | | Shakopee (Female) |
|---|-------|-------|--------|----------|------|--------|----------------------------------|-------|--------|-----------|-------|--------|----------|------|--------|----------------------|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | |
| Total patients on books 6-30-63 | 6,469 | 3,447 | 3,022 | 981 | 546 | 435 | 2,107 | 1,022 | 1,085 | 3,030 | 1,666 | 1,364 | 321 | 213 | 108 | 30 |
| Age Group: | | | | | | | | | | | | | | | | |
| Under 5 | 31 | 11 | 20 | 3 | 3 | - | 13 | 3 | 10 | 15 | 5 | 10 | - | - | - | - |
| Ages 5 - 9 | 415 | 229 | 186 | 57 | 38 | 19 | 151 | 75 | 76 | 189 | 112 | 77 | 4 | 4 | - | 14 |
| Ages 10 - 14 | 796 | 486 | 310 | 100 | 59 | 41 | 311 | 182 | 129 | 294 | 190 | 104 | 75 | 55 | 20 | 16 |
| Ages 15 - 19 | 962 | 588 | 374 | 112 | 70 | 42 | 303 | 178 | 125 | 338 | 204 | 134 | 209 | 136 | 73 | - |
| Ages 20 - 24 | 719 | 395 | 324 | 114 | 64 | 50 | 259 | 118 | 141 | 313 | 195 | 118 | 33 | 18 | 15 | - |
| Ages 25 - 29 | 537 | 309 | 228 | 97 | 61 | 36 | 177 | 85 | 92 | 263 | 163 | 100 | - | - | - | - |
| Ages 30 - 39 | 593 | 499 | 494 | 187 | 92 | 95 | 307 | 141 | 166 | 499 | 266 | 233 | - | - | - | - |
| Ages 40 - 64 | 1,757 | 831 | 926 | 295 | 152 | 143 | 532 | 218 | 314 | 930 | 461 | 469 | - | - | - | - |
| Age 65 and older | 258 | 99 | 159 | 16 | 7 | 9 | 54 | 22 | 32 | 188 | 70 | 118 | - | - | - | - |
| Unknown | 1 | - | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Degree of Mental Deficiency: | | | | | | | | | | | | | | | | |
| Severe* | 1,745 | 988 | 757 | 306 | 178 | 128 | 528 | 281 | 247 | 908 | 529 | 379 | - | - | - | 3 |
| Moderate | 2,655 | 1,417 | 1,238 | 389 | 224 | 165 | 783 | 378 | 405 | 1,458 | 807 | 651 | 14 | 8 | 6 | 11 |
| Mild | 1,324 | 685 | 639 | 144 | 67 | 77 | 377 | 183 | 194 | 559 | 278 | 281 | 239 | 157 | 82 | 5 |
| Borderline | 66 | 50 | 16 | 13 | 10 | 3 | 14 | 8 | 6 | 7 | 6 | 1 | 32 | 26 | 6 | - |
| Unclassified | 605 | 269 | 336 | 115 | 60 | 55 | 352 | 146 | 206 | 92 | 42 | 50 | 35 | 21 | 14 | 11 |
| Not mentally deficient | 74 | 38 | 36 | 14 | 7 | 7 | 53 | 26 | 27 | 6 | 4 | 2 | 1 | 1 | - | - |
| Diagnosis of Mental Deficiency or Epilepsy: | | | | | | | | | | | | | | | | |
| Mentally deficient only | 4,902 | 2,631 | 2,271 | 708 | 400 | 308 | 1,205 | 601 | 604 | 2,665 | 1,431 | 1,234 | 298 | 199 | 99 | 26 |
| Mentally deficient and epileptic | 1,492 | 778 | 714 | 259 | 139 | 120 | 849 | 395 | 454 | 358 | 231 | 127 | 22 | 13 | 9 | 4 |
| Epileptic only | 72 | 36 | 36 | 14 | 7 | 7 | 51 | 24 | 27 | 6 | 4 | 2 | 1 | 1 | - | - |
| Not mentally def. or epileptic | 2 | 2 | - | - | - | - | 2 | 2 | - | - | - | - | - | - | - | - |
| Unknown | 1 | - | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Time Since Most Recent Admission: | | | | | | | | | | | | | | | | |
| Under 2 years | 733 | 390 | 343 | 150 | 77 | 73 | 242 | 122 | 120 | 272 | 148 | 124 | 65 | 43 | 22 | 4 |
| 2 - 4 years | 1,472 | 871 | 601 | 183 | 114 | 69 | 526 | 298 | 228 | 594 | 357 | 237 | 151 | 102 | 49 | 18 |
| 5 - 9 years | 885 | 483 | 402 | 138 | 83 | 55 | 394 | 203 | 191 | 263 | 144 | 119 | 82 | 53 | 29 | 8 |
| 10 - 19 years | 1,779 | 934 | 845 | 266 | 150 | 116 | 494 | 222 | 272 | 996 | 547 | 449 | 23 | 15 | 8 | - |
| 20 - 29 years | 747 | 370 | 377 | 125 | 66 | 59 | 254 | 100 | 154 | 368 | 204 | 164 | - | - | - | - |
| 30 years or more | 852 | 399 | 453 | 119 | 56 | 63 | 197 | 77 | 120 | 536 | 266 | 270 | - | - | - | - |
| Unknown | 1 | - | 1 | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - |
| Percentage within each group: | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% |
| Under age 10 | 7 | 7 | 7 | 6 | 8 | 4 | 8 | 8 | 8 | 7 | 7 | 6 | 1 | 2 | - | 47 |
| Ages 10 - 14 | 12 | 14 | 10 | 10 | 11 | 9 | 15 | 18 | 12 | 10 | 11 | 8 | 23 | 26 | 19 | 53 |
| Ages 15 - 24 | 26 | 28 | 23 | 23 | 25 | 21 | 27 | 29 | 25 | 21 | 24 | 19 | 75 | 72 | 81 | - |
| Ages 25 - 39 | 24 | 23 | 24 | 29 | 28 | 30 | 23 | 22 | 24 | 25 | 26 | 24 | - | - | - | - |
| Ages 40 - 64 | 28 | 27 | 31 | 30 | 28 | 32 | 25 | 21 | 29 | 31 | 28 | 34 | - | - | - | - |
| Age 65 and older | 4 | 1 | 5 | 2 | 1 | 2 | 3 | 2 | 3 | 6 | 4 | 9 | - | - | - | - |
| Severe mental deficiency* | 27 | 29 | 25 | 31 | 33 | 29 | 25 | 27 | 23 | 30 | 32 | 28 | - | - | - | 10 |
| Moderate mental deficiency | 41 | 41 | 41 | 40 | 41 | 38 | 37 | 37 | 37 | 48 | 48 | 48 | 4 | 4 | 5 | 37 |
| Mild mental deficiency | 20 | 20 | 21 | 15 | 12 | 18 | 18 | 18 | 18 | 18 | 17 | 21 | 74 | 74 | 76 | 17 |
| Mentally deficient only | 76 | 76 | 75 | 72 | 73 | 71 | 57 | 59 | 56 | 88 | 86 | 91 | 93 | 93 | 91 | 13 |
| Mentally deficient and epileptic | 23 | 23 | 24 | 26 | 25 | 27 | 40 | 39 | 42 | 12 | 14 | 9 | 7 | 6 | 9 | 60 |
| Epileptic only | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | a | a | a | a | 1 | - | 27 |
| Median age (years) | 28.1 | 25.6 | 31.2 | 30.7 | 28.2 | 33.0 | 24.9 | 27.4 | 28.1 | 32.2 | 29.6 | 35.6 | 20.2 | 19.6 | 20.7 | 10.3 |
| Median time since admission (years) | 10.8 | 4.9 | 18.1 | 10.7 | 9.9 | 11.7 | 6.4 | 7.2 | 10.1 | 13.9 | 13.4 | 14.5 | 3.9 | 3.9 | 4.0 | 3.8 |

* Includes profound retardation.

TABLE D-3
MINNESOTA INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC
PATIENTS ON BOOKS JUNE 30, 1963 CLASSIFIED BY SEX, AGE, MENTAL STATUS AND INSTITUTION

| | Total On Books | Under Age 10 | Ages 10-14 | MALE PATIENTS | | | | | FEMALE PATIENTS | | | | | Unknown |
|-------------------------------|----------------------|-----------------|---------------|---------------|---------------|---------------|-------------|-----------------|-----------------|---------------|---------------|---------------|-------------|---------|
| | | | | Ages 15-19 | Ages 20-29 | Ages 30-39 | Age 40 + | Under Age 10 | Ages 10-14 | Ages 15-19 | Ages 20-29 | Ages 30-39 | Age 40 + | |
| Total on books | 6,469 | 240 | 486 | 588 | 704 | 499 | 930 | 206 | 310 | 374 | 552 | 494 | 1,085 | 1 |
| Severe mental deficiency* | 1,745 | 156 | 186 | 149 | 194 | 128 | 175 | 94 | 114 | 109 | 139 | 115 | 186 | - |
| Brainerd | 306 | 18 | 22 | 27 | 44 | 25 | 42 | 11 | 18 | 19 | 31 | 24 | 25 | - |
| Cambridge (Incl. Lake Owasso) | 528 | 45 | 56 | 47 | 58 | 29 | 46 | 21 | 38 | 41 | 38 | 47 | 62 | - |
| Faribault | 908 | 93 | 108 | 75 | 92 | 74 | 87 | 61 | 56 | 49 | 70 | 44 | 99 | - |
| Owatonna | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Shakopee | 3 | - | - | - | - | - | - | 1 | 2 | - | - | - | - | - |
| Moderate mental deficiency | 2,655 | 26 | 138 | 197 | 328 | 236 | 492 | 26 | 87 | 119 | 235 | 241 | 530 | - |
| Brainerd | 389 | 4 | 20 | 25 | 48 | 45 | 82 | 2 | 6 | 11 | 30 | 42 | 74 | - |
| Cambridge (Incl. Lake Owasso) | 783 | 10 | 53 | 65 | 86 | 65 | 99 | 15 | 39 | 39 | 117 | 66 | 129 | - |
| Faribault | 1,458 | 12 | 62 | 102 | 194 | 126 | 311 | 8 | 30 | 65 | 88 | 133 | 327 | - |
| Owatonna | 14 | - | 3 | 5 | - | - | - | - | 2 | 4 | - | - | - | - |
| Shakopee | 11 | - | - | - | - | - | - | 1 | 10 | - | - | - | - | - |
| Mild mental deficiency | 1,324 | 4 | 75 | 168 | 137 | 95 | 206 | 5 | 27 | 96 | 136 | 98 | 277 | - |
| Brainerd | 144 | - | 3 | 8 | 20 | 12 | 24 | - | 2 | 5 | 18 | 19 | 33 | - |
| Cambridge (Incl. Lake Owasso) | 377 | 2 | 18 | 40 | 39 | 27 | 57 | 2 | 6 | 19 | 53 | 25 | 89 | - |
| Faribault | 559 | 2 | 16 | 19 | 60 | 56 | 125 | 1 | 6 | 14 | 51 | 54 | 155 | - |
| Owatonna | 239 | - | 38 | 101 | 18 | - | - | - | 10 | 58 | 14 | - | - | - |
| Shakopee | 5 | - | - | - | - | - | - | 2 | 3 | - | - | - | - | - |
| Borderline | 66 | 3 | 12 | 22 | 5 | 6 | 2 | - | 4 | 6 | 2 | 1 | 3 | - |
| Brainerd | 13 | - | - | 2 | 2 | 4 | 2 | - | - | - | - | - | 3 | - |
| Cambridge (Incl. Lake Owasso) | 14 | - | 2 | 3 | 2 | 1 | - | - | 2 | 2 | 1 | 1 | - | - |
| Faribault | 7 | - | 1 | 3 | 1 | 1 | - | - | - | - | 1 | - | - | - |
| Owatonna | 32 | 3 | 9 | 14 | - | - | - | - | 2 | 4 | - | - | - | - |
| Unclassified | 605 | 51 | 72 | 43 | 31 | 32 | 40 | 80 | 74 | 42 | 37 | 28 | 74 | 1 |
| Brainerd | 115 | 19 | 14 | 7 | 8 | 6 | 6 | 6 | 15 | 7 | 7 | 6 | 14 | - |
| Cambridge (Incl. Lake Owasso) | 352 | 21 | 50 | 17 | 14 | 17 | 27 | 47 | 40 | 22 | 22 | 20 | 55 | - |
| Faribault | 92 | 10 | 3 | 4 | 9 | 9 | 7 | 17 | 12 | 6 | 7 | 2 | 5 | 1 |
| Owatonna | 35 | 1 | 5 | 15 | - | - | - | - | 6 | 7 | 1 | - | - | - |
| Shakopee | 11 | - | - | - | - | - | - | 10 | 1 | - | - | - | - | - |
| Not mentally deficient | 74 | 0 | 3 | 9 | 9 | 2 | 15 | 1 | 4 | 2 | 3 | 11 | 15 | - |
| Brainerd | 14 | - | - | 1 | 3 | - | 3 | 0 | - | - | - | 4 | 3 | - |
| Cambridge (Incl. Lake Owasso) | 53 | 0 | 3 | 6 | 4 | 2 | 11 | 1 | 4 | 2 | 2 | 7 | 11 | - |
| Faribault | 6 | - | - | 1 | 2 | - | 1 | - | - | - | 1 | - | 1 | - |
| Owatonna | 1 | - | - | 1 | - | - | - | - | - | - | - | - | - | - |

* Includes profound retardation.

TABLE D-4
MINNESOTA INSTITUTIONS FOR MENTALLY DEFICIENT AND EPILEPTIC
COMPARATIVE DATA ON 1962-63 DISCHARGES AND DEATHS

| | DISCHARGES FROM BOOKS | | | | | | | DEATHS IN INSTITUTION | | | | | |
|---------------------------------|-----------------------|--------|----------|----------------|----------------|---------------|----------|-----------------------|----------|----------------|----------------|---------------|----------|
| | Total | A.D.D. | Brainerd | Cam- bridge | Fari- bault | Owa- tonna | Shakopee | Total | Brainerd | Cam- bridge | Fari- bault | Owa- tonna | Shakopee |
| Total | 308 | 51 | 20 | 67 | 80 | 89 | 1 | 106 | 14 | 39 | 53 | 0 | 0 |
| Sex: | | | | | | | | | | | | | |
| Male | 173 | 51 | 13 | 28 | 29 | 52 | - | 67 | 11 | 22 | 34 | - | - |
| Female | 135 | - | 7 | 39 | 51 | 37 | 1 | 39 | 3 | 17 | 19 | - | - |
| Age Group: | | | | | | | | | | | | | |
| Under age 10 | 9 | - | - | 2 | 6 | - | 1 | 21 | 6 | 11 | 4 | - | - |
| Ages 10 - 14 | 9 | - | 1 | 3 | 1 | 4 | - | 6 | 1 | 4 | 1 | - | - |
| Ages 15 - 19 | 64 | 5 | - | 9 | 3 | 47 | - | 7 | 1 | 2 | 4 | - | - |
| Ages 20 - 24 | 81 | 21 | 3 | 7 | 12 | 38 | - | 2 | 1 | - | 1 | - | - |
| Ages 25 - 39 | 59 | 19 | 3 | 9 | 28 | - | - | 16 | - | 8 | 8 | - | - |
| Age 40 + | 86 | 6 | 13 | 37 | 30 | - | - | 54 | 5 | 14 | 35 | - | - |
| Mental Status: | | | | | | | | | | | | | |
| Severe* | 19 | - | 4 | 7 | 8 | - | - | 33 | 7 | 9 | 17 | - | - |
| Moderate | 92 | 45 | 7 | 17 | 22 | 1 | - | 34 | 2 | 9 | 23 | - | - |
| Mild | 145 | 5 | 5 | 24 | 40 | 71 | - | 14 | - | 4 | 10 | - | - |
| Borderline | 8 | 1 | - | 3 | 2 | 2 | - | 2 | - | 2 | - | - | - |
| Unclassified | 34 | - | 2 | 10 | 6 | 15 | 1 | 20 | 5 | 12 | 3 | - | - |
| Not mentally deficient | 10 | - | 2 | 6 | 2 | - | - | 3 | - | 3 | - | - | - |
| Time Since Current Admission: | | | | | | | | | | | | | |
| Less than two years | 45 | 2 | 9 | 12 | 15 | 7 | - | 22 | 4 | 9 | 9 | - | - |
| 2 - 4 years | 69 | 24 | 3 | 6 | 11 | 24 | 1 | 22 | 3 | 10 | 9 | - | - |
| 5 - 9 years | 83 | 15 | - | 16 | 11 | 41 | - | 9 | 2 | 3 | 4 | - | - |
| 10 - 19 years | 57 | 10 | 5 | 7 | 18 | 17 | - | 18 | 1 | 6 | 11 | - | - |
| 20 years or more | 54 | - | 3 | 26 | 25 | - | - | 35 | 4 | 11 | 20 | - | - |
| Percentage in each institution: | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | 100% | - | - |
| Under age 10 | 1 | - | - | 3 | 7 | - | 100 | 20 | 43 | 28 | 8 | - | - |
| Ages 10 - 19 | 24 | 10 | 5 | 18 | 5 | 57 | - | 12 | 14 | 15 | 9 | - | - |
| Ages 20 - 24 | 26 | 41 | 15 | 10 | 15 | 43 | - | 2 | 7 | - | 2 | - | - |
| Ages 25 - 39 | 19 | 37 | 15 | 13 | 35 | - | - | 15 | - | 21 | 15 | - | - |
| Age 40 and older | 28 | 12 | 65 | 55 | 38 | - | - | 51 | 36 | 36 | 66 | - | - |
| Mentally deficient - severe* | 6 | - | 20 | 10 | 10 | - | - | 31 | 50 | 23 | 32 | - | - |
| Mentally deficient - moderate | 30 | 88 | 35 | 25 | 28 | 1 | - | 32 | 14 | 23 | 43 | - | - |
| Mentally deficient - mild | 47 | 10 | 25 | 36 | 50 | 80 | - | 13 | - | 10 | 19 | - | - |
| Less than 2 years | 15 | 4 | 45 | 18 | 19 | 8 | - | 21 | 29 | 23 | 17 | - | - |
| 2 - 4 years | 22 | 47 | 15 | 9 | 14 | 27 | - | 21 | 21 | 26 | 17 | - | - |
| 5 - 9 years | 27 | 30 | - | 24 | 14 | 46 | - | 8 | 14 | 8 | 8 | - | - |
| 10 years or more | 36 | 19 | 40 | 49 | 54 | 19 | - | 50 | 36 | 44 | 58 | - | - |
| Median age (years) | 24.4 | 24.9 | - | - | 34.9 | 18.8 | - | 40.0 | 15.0 | 30.0 | - | - | - |
| Median length of stay (years) | 7.4 | 4.9 | 3.0 | 9.8 | - | 6.4 | - | 9.9 | 4.9 | 5.6 | - | - | - |

* Includes profound retardation.

SECTION E

POPULATION MOVEMENTS OF INDIVIDUAL INSTITUTIONS BY SEX, AGE AND DEGREE OF RETARDATION

This group of tables has been prepared to show the changes in distribution of patients by sex and age and sex and mental status during the fiscal year 1962-63 for all institutions and separately for each institution. Comparative figures for patients on the books June 30, 1962 and June 30, 1963 are shown as well as separate figures of patients in residence and on leave for June 30, 1963. Differences in first and readmissions may also be noted.

Data on sex, age and mental status of patients transferred in and out has been included so that the effect of such changes on institution populations can be noted. Deaths in hospital and on leave are both shown. Discharges direct from the institutions are shown separately from discharges from leave status in these tables. All other descriptive tables in this report show deaths in hospital only and all discharges combined.

TABLE E-1
ALL INSTITUTIONS
POPULATION CHANGES BY SEX, AGE, AND DEGREE OF RETARDATION
FISCAL YEAR - 1962-63

| | On Books 6-30-62 Total | On Books 6-30-63 | | | First Admissions | Readm. | Transfers** In | Transfers** Out | Died In Hospital | Died On Leave | Disch. From Hospital | Disch. From Leave |
|-------------------------------|------------------------------|------------------|--------------|------------|---------------------|-----------|-------------------|--------------------|---------------------|------------------|----------------------------|-------------------------|
| | Total | Total | In Res. | On Leave | | | | | | | | |
| Total Male Patients | 3,492 | 3,447 | 3,011 | 436 | 179 | 11 | 152 | 140 | 67 | 7 | 35 | 138 |
| Under age 5 | 26 | 11 | 11 | - | 11 | - | - | - | 3 | - | 1 | - |
| Ages 5 - 9 | 238 | 229 | 220 | 9 | 52 | 3 | 5 | 5 | 12 | - | 1 | 1 |
| Ages 10 - 14 | 504 | 486 | 408 | 78 | 44 | - | 10 | 10 | 4 | 1 | 2 | 6 |
| Ages 15 - 19 | 572 | 588 | 429 | 159 | 39 | 3 | 26 | 28 | 6 | - | 5 | 32 |
| Ages 20 - 24 | 403 | 395 | 333 | 62 | 12 | 1 | 20 | 19 | 1 | - | 13 | 41 |
| Ages 25 - 29 | 316 | 309 | 274 | 35 | 6 | - | 18 | 19 | 5 | - | 3 | 11 |
| Ages 30 - 39 | 490 | 499 | 460 | 39 | 7 | 1 | 27 | 24 | 3 | 2 | 7 | 13 |
| Ages 40 - 64 | 842 | 831 | 785 | 46 | 8 | 3 | 44 | 34 | 25 | 3 | 3 | 26 |
| Age 65 + | 101 | 99 | 91 | 8 | - | - | 2 | 1 | 8 | 1 | - | 8 |
| Degree of Retardation: | | | | | | | | | | | | |
| Profound | * | * | * | * | 37 | - | 3 | 1 | * | * | * | * |
| Severe | 859 | 988 | 951 | 37 | 42 | 1 | 39 | 40 | 22 | 3 | 1 | 4 |
| Moderate | 1,444 | 1,417 | 1,273 | 144 | 35 | 2 | 62 | 58 | 20 | 2 | 26 | 40 |
| Mild | 764 | 685 | 501 | 184 | 31 | 6 | 35 | 33 | 8 | 2 | 6 | 71 |
| Borderline | * | 50 | 25 | 25 | 13 | 1 | 5 | 4 | 1 | - | 1 | 5 |
| Unclassified | 395 | 269 | 235 | 34 | 17 | - | 3 | 3 | 13 | - | 1 | 11 |
| Not Ment. Deficient | 30 | 38 | 26 | 12 | 4 | 1 | 5 | 1 | 3 | - | - | 7 |
| Total Female Patients | 3,073 | 3,022 | 2,682 | 340 | 104 | 15 | 51 | 40 | 39 | 7 | 23 | 112 |
| Under age 5 | 39 | 20 | 20 | - | 17 | - | - | - | 1 | - | 3 | 1 |
| Ages 5 - 9 | 198 | 186 | 181 | 5 | 23 | - | - | - | 5 | - | 1 | 1 |
| Ages 10 - 14 | 320 | 310 | 277 | 33 | 23 | 1 | 3 | 3 | 2 | 1 | - | 1 |
| Ages 15 - 19 | 392 | 374 | 300 | 74 | 12 | 4 | 10 | 10 | 1 | - | - | 27 |
| Ages 20 - 24 | 284 | 324 | 263 | 61 | 9 | 5 | 4 | 5 | 1 | - | 1 | 26 |
| Ages 25 - 29 | 234 | 228 | 200 | 28 | 4 | 1 | 1 | 2 | 2 | - | - | 10 |
| Ages 30 - 39 | 511 | 494 | 446 | 48 | 7 | - | 17 | 10 | 6 | 1 | - | 15 |
| Ages 40 - 64 | 914 | 926 | 857 | 69 | 9 | 3 | 14 | 10 | 16 | 3 | - | 17 |
| Age 65 + | 180 | 159 | 137 | 22 | - | 1 | 2 | - | 5 | 2 | 18 | 14 |
| Not reported | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Degree of Retardation: | | | | | | | | | | | | |
| Profound | * | * | * | * | 22 | 3 | 1 | 1 | * | * | * | * |
| Severe | 651 | 757 | 735 | 22 | 23 | 1 | 13 | 9 | 11 | 1 | 7 | 7 |
| Moderate | 1,318 | 1,238 | 1,113 | 125 | 21 | 4 | 15 | 12 | 14 | 2 | 8 | 18 |
| Mild | 700 | 639 | 496 | 143 | 18 | 5 | 19 | 15 | 6 | 1 | 3 | 65 |
| Borderline | * | 16 | 10 | 6 | 7 | 1 | - | - | 1 | - | - | 2 |
| Unclassified | 376 | 336 | 295 | 41 | 13 | - | 3 | 2 | 7 | 3 | 5 | 17 |
| Not Ment. Deficient | 28 | 36 | 33 | 3 | - | 1 | - | 1 | - | - | - | 3 |

** Includes patients transferred between Cambridge and Lake Owasso.

* Reporting of profound retardation incomplete. Patients so identified are included with severely retarded.

TABLE E-2
BRainerd STATE SCHOOL AND HOSPITAL
POPULATION CHANGES BY SEX, AGE, AND DEGREE OF RETARDATION
FISCAL YEAR - 1962-63

| | On Books 6-30-62 Total | On Books 6-30-63 | | First Admissions | Readm. | Transfers In | Transfers Out | Died In Hospital | Died On Leave | Disch. From Hospital | Disch. From Leave | |
|------------------------|------------------------------|------------------|---------|---------------------|--------|-----------------|------------------|---------------------|------------------|----------------------------|-------------------------|----|
| | | Total | In Res. | On Leave | | | | | | | | |
| Total Male Patients | 506 | 546 | 498 | 48 | 18 | 2 | 51 | 7 | 11 | 0 | - | 13 |
| Under age 5 | 9 | 3 | 3 | - | - | - | - | 1 | - | - | - | - |
| Ages 5 - 9 | 46 | 38 | 37 | 1 | 4 | - | 2 | 1 | 5 | - | - | - |
| Ages 10 - 14 | 59 | 59 | 55 | 4 | 3 | - | 3 | 2 | 1 | - | - | 1 |
| Ages 15 - 19 | 67 | 70 | 63 | 7 | 2 | 2 | 4 | 3 | 1 | - | - | - |
| Ages 20 - 24 | 49 | 64 | 56 | 8 | 2 | - | 5 | - | - | - | - | - |
| Ages 25 - 29 | 55 | 61 | 54 | 7 | 4 | - | 7 | 1 | - | - | - | 2 |
| Ages 30 - 39 | 75 | 92 | 85 | 7 | 2 | - | 11 | - | - | - | - | - |
| Ages 40 - 64 | 137 | 152 | 141 | 11 | 1 | - | 18 | - | 3 | - | - | 6 |
| Age 65 + | 9 | 7 | 4 | 3 | - | - | 1 | - | - | - | - | 4 |
| Degree of retardation: | | | | | | | | | | | | |
| Profound | * | * | * | * | 1 | - | - | - | * | * | * | * |
| Severe | 113 | 178 | 168 | 10 | 5 | - | 19 | - | 5 | - | - | 1 |
| Moderate | 216 | 224 | 204 | 20 | 1 | - | 22 | 1 | 1 | - | - | 5 |
| Mild | 70 | 67 | 57 | 10 | 3 | 2 | 8 | 4 | - | - | - | 4 |
| Borderline | * | 10 | 8 | 2 | 1 | - | - | 2 | - | - | - | - |
| Unclassified | 103 | 60 | 57 | 3 | 7 | - | 2 | - | 5 | - | - | 2 |
| Not Ment. Deficient | 4 | 7 | 4 | 3 | - | - | - | - | - | - | - | 1 |
| Total Female Patients | 429 | 435 | 389 | 46 | 9 | 3 | 10 | 0 | 3 | 1 | 1 | 6 |
| Under age 5 | 1 | - | - | - | - | - | - | - | - | - | - | - |
| Ages 5 - 9 | 23 | 19 | 19 | - | 1 | - | - | - | - | - | - | - |
| Ages 10 - 14 | 44 | 41 | 39 | 2 | 2 | - | - | - | - | - | - | - |
| Ages 15 - 19 | 49 | 42 | 39 | 3 | - | 1 | 2 | - | - | - | - | - |
| Ages 20 - 24 | 35 | 50 | 42 | 8 | 4 | 2 | 2 | - | 1 | - | 1 | 2 |
| Ages 25 - 29 | 33 | 36 | 34 | 2 | - | - | - | - | - | - | - | 1 |
| Ages 30 - 39 | 93 | 95 | 88 | 7 | 1 | - | 3 | - | - | - | - | - |
| Ages 40 - 64 | 135 | 143 | 124 | 19 | 1 | - | 3 | - | 2 | 1 | - | 1 |
| Age 65 + | 11 | 9 | 4 | 5 | - | - | - | - | - | - | - | 2 |
| Degree of retardation: | | | | | | | | | | | | |
| Profound | * | * | * | * | 1 | 1 | - | - | * | * | * | * |
| Severe | 74 | 128 | 122 | 6 | - | - | 1 | - | 2 | - | - | 3 |
| Moderate | 186 | 165 | 146 | 19 | 6 | - | 1 | - | 1 | - | 1 | 1 |
| Mild | 69 | 77 | 63 | 14 | 2 | - | 7 | - | - | - | - | 1 |
| Borderline | * | 3 | 2 | 1 | - | 1 | - | - | - | - | - | - |
| Unclassified | 91 | 55 | 50 | 5 | - | - | 1 | - | - | 1 | - | - |
| Not Ment. Deficient | 4 | 7 | 6 | 1 | - | 1 | - | - | - | - | - | 1 |

* Reporting of profound retardation incomplete. Patients so identified are included with severely retarded.

TABLE E-3
CAMBRIDGE STATE SCHOOL AND HOSPITAL (Including Lake Owasso)
POPULATION CHANGES BY SEX, AGE, AND DEGREE OF RETARDATION
FISCAL YEAR - 1962-63

| | On Books 6-30-62 Total | On Books 6-30-63 Total | In Res. | On Leave | First Admissions | Reads. | Transfers In | Transfers Out | Died In Hospital | Died On Leave | Disch. From Hospital | Disch. From Leave |
|------------------------|------------------------------|---------------------------|---------|----------|---------------------|--------|-----------------|------------------|---------------------|------------------|----------------------------|-------------------------|
| Total Male Patients | 964 | 1,022 | 922 | 100 | 55 | 5 | 68 | 15 | 22 | 5 | 2 | 26 |
| Under age 5 | 7 | 3 | 3 | - | 2 | - | - | - | 2 | - | - | - |
| Ages 5 - 9 | 91 | 75 | 70 | 5 | 14 | 2 | 1 | 3 | 4 | - | - | 1 |
| Ages 10 - 14 | 188 | 182 | 168 | 14 | 11 | - | 1 | 4 | 3 | 1 | 1 | 2 |
| Ages 15 - 19 | 158 | 178 | 153 | 25 | 17 | 1 | 10 | 6 | 1 | - | 1 | 4 |
| Ages 20 - 24 | 89 | 118 | 103 | 15 | 4 | - | 11 | 1 | - | - | - | 2 |
| Ages 25 - 29 | 71 | 85 | 76 | 9 | 1 | - | 11 | - | 1 | - | - | - |
| Ages 30 - 39 | 133 | 141 | 127 | 14 | 2 | 1 | 13 | 1 | 2 | 1 | - | 1 |
| Ages 40 - 64 | 204 | 218 | 201 | 17 | 4 | 1 | 21 | - | 8 | 2 | - | 13 |
| Age 65 + | 23 | 22 | 21 | 1 | - | - | - | - | 1 | 1 | - | 3 |
| Degree of retardation: | | | | | | | | | | | | |
| Profound | * | * | * | * | 4 | - | 3 | - | * | * | * | * |
| Severe | 208 | 281 | 276 | 5 | 15 | 1 | 19 | 3 | 7 | 2 | - | 1 |
| Moderate | 357 | 378 | 333 | 45 | 14 | 1 | 30 | 3 | 4 | 1 | 1 | 6 |
| Mild | 178 | 183 | 157 | 26 | 9 | 2 | 13 | 4 | 1 | 2 | 1 | 9 |
| Borderline | * | 8 | 6 | 2 | 3 | 1 | - | 2 | 1 | - | - | 2 |
| Unclassified | 198 | 146 | 131 | 15 | 6 | - | 1 | 3 | 6 | - | - | 4 |
| Not Ment. Deficient | 23 | 26 | 19 | 7 | 4 | - | 2 | - | 3 | - | - | 4 |
| Total Female Patients | 1,087 | 1,085 | 974 | 111 | 32 | 4 | 26 | 6 | 17 | 2 | 6 | 33 |
| Under age 5 | 22 | 10 | 10 | - | 2 | - | - | - | 1 | - | - | 1 |
| Ages 5 - 9 | 85 | 76 | 74 | 2 | 10 | - | - | - | 4 | - | - | - |
| Ages 10 - 14 | 128 | 129 | 122 | 7 | 8 | - | 2 | - | 1 | - | - | - |
| Ages 15 - 19 | 123 | 125 | 114 | 11 | 5 | 1 | - | 4 | 1 | - | - | 4 |
| Ages 20 - 24 | 125 | 141 | 109 | 32 | 1 | 2 | 2 | 1 | - | - | - | 5 |
| Ages 25 - 29 | 92 | 92 | 79 | 13 | 1 | - | 1 | - | 1 | - | - | 2 |
| Ages 30 - 39 | 167 | 166 | 153 | 13 | 1 | - | 12 | 1 | 4 | - | - | 6 |
| Ages 40 - 64 | 301 | 314 | 288 | 26 | 4 | 1 | 7 | - | 4 | 1 | - | 6 |
| Age 65 + | 44 | 32 | 25 | 7 | - | - | 2 | - | 1 | 1 | 6 | 9 |
| Degree of retardation: | | | | | | | | | | | | |
| Profound | * | * | * | * | 4 | - | - | - | * | * | * | * |
| Severe | 189 | 247 | 242 | 5 | 4 | - | 8 | 1 | 2 | - | 3 | 3 |
| Moderate | 441 | 405 | 358 | 47 | 9 | 2 | 13 | 1 | 5 | - | - | 10 |
| Mild | 219 | 194 | 158 | 36 | 7 | 2 | 5 | 3 | 3 | 1 | 1 | 13 |
| Borderline | * | 6 | 3 | 3 | 3 | - | - | - | 1 | - | - | 1 |
| Unclassified | 215 | 206 | 188 | 18 | 5 | - | - | 1 | 6 | 1 | 2 | 4 |
| Not Ment. Deficient | 23 | 27 | 25 | 2 | - | - | - | - | - | - | - | 2 |

* Reporting of profound retardation incomplete. Patients so identified are included with severely retarded.

TABLE E-4
 FARIBAUT STATE SCHOOL AND HOSPITAL
 POPULATION CHANGES BY SEX, AGE AND DEGREE OF RETARDATION
 FISCAL YEAR - 1962-63

| | On Books 6-30-62 Total | Total | On Books 6-30-63 In Res. | On Leave | First Admissions | Readm. | Transfers In | Transfers Out | Died In Hospital | Died On Leave | Disch. From Hospital | Disch. From Leave |
|------------------------|------------------------------|-------|-----------------------------|----------|---------------------|--------|-----------------|------------------|---------------------|------------------|----------------------------|-------------------------|
| Total Male Patients | 1,730 | 1,666 | 1,527 | 139 | 86 | 3 | 15 | 103 | 34 | 2 | 3 | 26 |
| Under age 5 | 10 | 5 | 5 | - | 9 | - | - | - | - | - | 1 | - |
| Ages 5 - 9 | 100 | 112 | 110 | 2 | 29 | - | - | 1 | 3 | - | 1 | - |
| Ages 10 - 14 | 191 | 190 | 161 | 24 | 20 | - | - | 4 | - | - | 1 | - |
| Ages 15 - 19 | 212 | 204 | 175 | 29 | 15 | - | 3 | 14 | 4 | - | - | 3 |
| Ages 20 - 24 | 207 | 195 | 170 | 25 | 6 | 1 | 3 | 15 | 1 | - | - | 6 |
| Ages 25 - 29 | 179 | 163 | 144 | 19 | 1 | - | - | 14 | 4 | - | - | 4 |
| Ages 30 - 39 | 270 | 266 | 248 | 18 | 3 | - | 3 | 20 | 1 | 1 | - | 8 |
| Ages 40 - 64 | 492 | 461 | 443 | 18 | 3 | 2 | 5 | 34 | 14 | 1 | - | 4 |
| Age 65 + | 69 | 70 | 66 | 4 | - | - | 1 | 1 | 7 | - | - | 1 |
| Degree of retardation: | | | | | | | | | | | | |
| Profound | * | * | * | * | 32 | - | - | 1 | * | * | * | * |
| Severe | 538 | 529 | 507 | 22 | 22 | - | 1 | 37 | 10 | 1 | 1 | 2 |
| Moderate | 859 | 807 | 733 | 74 | 19 | 1 | 6 | 54 | 15 | 1 | 1 | 7 |
| Mild | 290 | 278 | 241 | 37 | 10 | 1 | 6 | 10 | 7 | - | - | 13 |
| Borderline | * | 6 | 4 | 2 | 1 | - | 1 | - | - | - | - | 2 |
| Unclassified | 41 | 42 | 39 | 3 | 2 | - | - | - | 2 | - | 1 | - |
| Not Ment. Deficient | 2 | 4 | 3 | 1 | - | 1 | 1 | 1 | - | - | - | 2 |
| Total Female Patients | 1,401 | 1,364 | 1,254 | 110 | 50 | 7 | 7 | 27 | 19 | 4 | 16 | 35 |
| Under age 5 | 16 | 10 | 10 | - | 14 | - | - | - | - | - | 3 | - |
| Ages 5 - 9 | 73 | 77 | 75 | 2 | 9 | - | - | - | 1 | - | 1 | - |
| Ages 10 - 14 | 107 | 104 | 94 | 10 | 9 | 1 | 1 | - | 1 | 1 | - | - |
| Ages 15 - 19 | 137 | 134 | 124 | 10 | 2 | 1 | - | 4 | - | - | - | - |
| Ages 20 - 24 | 104 | 118 | 105 | 13 | 4 | 1 | - | 2 | - | - | - | 6 |
| Ages 25 - 29 | 109 | 100 | 87 | 13 | 3 | 1 | - | 2 | 1 | - | - | 7 |
| Ages 30 - 39 | 251 | 233 | 205 | 28 | 5 | - | 2 | 9 | 2 | 1 | - | 9 |
| Ages 40 - 64 | 478 | 469 | 445 | 24 | 4 | 2 | 4 | 10 | 10 | 1 | - | 10 |
| Age 65 + | 125 | 118 | 108 | 10 | - | 1 | - | - | 4 | 1 | 12 | 3 |
| Unknown | 1 | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Degree of retardation: | | | | | | | | | | | | |
| Profound | * | * | * | * | 17 | 2 | 1 | - | * | * | * | * |
| Severe | 385 | 379 | 368 | 11 | 19 | 1 | 3 | 8 | 7 | 1 | 4 | 1 |
| Moderate | 671 | 651 | 598 | 53 | 5 | 2 | 1 | 9 | 8 | 2 | 7 | 7 |
| Mild | 308 | 281 | 242 | 39 | 5 | 2 | 2 | 8 | 3 | - | 2 | 25 |
| Borderline | * | 1 | 1 | - | - | - | - | - | - | - | - | - |
| Unclassified | 36 | 50 | 43 | 7 | 4 | - | - | 1 | 1 | 1 | 3 | 2 |
| Not Ment. Deficient | 1 | 2 | 2 | - | - | - | - | 1 | - | - | - | - |

* Reporting of profound retardation incomplete. Patients so identified are included with severely retarded.

TABLE E-5
ANNEX FOR DEFECTIVE DELINQUENTS AND OWATONNA STATE SCHOOL
POPULATION CHANGES BY SEX AND AGE (all patients at these institutions are mildly retarded)
SHAKOPEE HOME FOR CHILDREN
POPULATION CHANGES BY SEX, AGE, AND DEGREE OF RETARDATION
FISCAL YEAR - 1962-63

| | On Books 6-30-62 Total | Total | On Books 6-30-63 In Res. On Leave | First Adm. | Readm. | Transfers In | Transfers Out | Died In Hospital | Died On Leave | Disch. From Hospital | Disch. From Leave |
|---|------------------------------|-------|--------------------------------------|---------------|--------|-----------------|------------------|---------------------|------------------|----------------------------|-------------------------|
| <u>Annex for Defective Delinquents</u> | | | | | | | | | | | |
| (Male only) | 62 | 0 | 0 | 0 | 0 | 2 | 13 | 0 | 0 | 30 | 21 |
| Ages 15 - 19 | 6 | - | - | - | - | 1 | - | - | - | 4 | 1 |
| Ages 20 - 24 | 24 | - | - | - | - | 1 | 3 | - | - | 13 | 8 |
| Ages 25 - 29 | 11 | - | - | - | - | - | 3 | - | - | 3 | 5 |
| Ages 30 - 39 | 12 | - | - | - | - | - | 4 | - | - | 7 | 4 |
| Ages 40 - 64 | 9 | - | - | - | - | - | 3 | - | - | 3 | 3 |
| <u>Owatonna State School</u> | | | | | | | | | | | |
| Total Male Patients | 230 | 213 | 64 | 149 | 20 | 1 | 16 | 2 | 0 | 0 | 52 |
| Ages 5 - 9 | 1 | 4 | 3 | 1 | 5 | 1 | 2 | - | - | - | - |
| Ages 10 - 14 | 66 | 55 | 19 | 36 | 10 | - | 6 | - | - | - | 3 |
| Ages 15 - 19 | 129 | 136 | 38 | 98 | 5 | - | 8 | 2 | - | - | 24 |
| Ages 20 - 24 | 34 | 18 | 4 | 14 | - | - | - | - | - | - | 25 |
| Total Female Patients | 131 | 108 | 37 | 71 | 9 | 1 | 8 | 4 | 0 | 0 | 37 |
| Ages 5 - 9 | - | - | - | - | - | - | - | - | - | - | - |
| Ages 10 - 14 | 28 | 20 | 7 | 13 | 4 | - | - | - | - | - | 1 |
| Ages 15 - 19 | 83 | 73 | 23 | 50 | 5 | 1 | 8 | 2 | - | - | 23 |
| Ages 20 - 24 | 20 | 15 | 7 | 8 | - | - | - | 2 | - | - | 13 |
| <u>Shakopee Home for Children</u> | | | | | | | | | | | |
| (Female only) | 30 | 30 | 28 | 2 | 4 | 0 | 0 | 3 | 0 | 0 | 1 |
| Under age 5 | 17 | 14 | 13 | 1 | 1 | - | - | - | - | - | 1 |
| Ages 5 - 9 | 13 | 16 | 15 | 1 | 3 | - | - | - | - | - | - |
| Ages 10 - 14 | - | - | - | - | - | - | - | 3 | - | - | - |
| Degree of retardation: | | | | | | | | | | | |
| Profound | * | * | * | * | - | - | - | 1 | * | * | * |
| Severe | 3 | 3 | 3 | - | - | - | - | - | - | - | - |
| Moderate | 14 | 11 | 10 | 1 | - | - | - | 2 | - | - | - |
| Mild | 5 | 5 | 5 | - | - | - | - | - | - | - | - |
| Unclassified | 8 | 11 | 10 | 1 | 4 | - | - | - | - | - | 1 |

* Reporting of profound retardation incomplete. Patients so identified are included with severely retarded.